

Maria Carmen Viana

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2616878/publications.pdf>

Version: 2024-02-01

134
papers

15,273
citations

76031

42
h-index

22488

117
g-index

141
all docs

141
docs citations

141
times ranked

20763
citing authors

#	ARTICLE	IF	CITATIONS
1	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2010, 197, 378-385.	1.7	1,854
2	Cross-national epidemiology of DSM-IV major depressive episode. <i>BMC Medicine</i> , 2011, 9, 90.	2.3	1,541
3	The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013, 73, 904-914.	0.7	1,025
4	Screening for serious mental illness in the general population with the K6 screening scale: results from the WHO World Mental Health (WMH) survey initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2010, 19, 4-22.	1.1	953
5	Barriers to mental health treatment: results from the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2014, 44, 1303-1317.	2.7	825
6	Trauma and PTSD in the WHO World Mental Health Surveys. <i>HÅrge Utbildning</i> , 2017, 8, 1353383.	1.4	801
7	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. <i>Psychological Medicine</i> , 2016, 46, 327-343.	2.7	777
8	Posttraumatic stress disorder in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017, 47, 2260-2274.	2.7	675
9	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , 2009, 6, e1000123.	3.9	592
10	Psychotic Experiences in the General Population. <i>JAMA Psychiatry</i> , 2015, 72, 697.	6.0	387
11	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011, 16, 1234-1246.	4.1	360
12	CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH) SURVEYS. <i>Depression and Anxiety</i> , 2014, 31, 130-142.	2.0	329
13	Treatment of suicidal people around the world. <i>British Journal of Psychiatry</i> , 2011, 199, 64-70.	1.7	289
14	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. <i>Psychological Medicine</i> , 2018, 48, 1560-1571.	2.7	274
15	Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. <i>PLoS ONE</i> , 2010, 5, e10574.	1.1	273
16	Mental Disorders in Megacities: Findings from the São Paulo Megacity Mental Health Survey, Brazil. <i>PLoS ONE</i> , 2012, 7, e31879.	1.1	264
17	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017, 15, 143.	2.3	258
18	Dissociation in Posttraumatic Stress Disorder: Evidence from the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013, 73, 302-312.	0.7	251

#	ARTICLE	IF	CITATIONS
19	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2014, 13, 265-274.	4.8	194
20	DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING "NARROW" AND "BROAD" APPROACHES. <i>Depression and Anxiety</i> , 2014, 31, 494-505.	2.0	161
21	Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. <i>British Journal of Psychiatry</i> , 2010, 197, 114-121.	1.7	156
22	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , 2016, 33, 1155-1177.	2.0	144
23	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2017, 211, 280-288.	1.7	118
24	Lifetime Prevalence, Age and Gender Distribution and Age-of-Onset of Psychiatric Disorders in the São Paulo Metropolitan Area, Brazil: Results from the São Paulo Megacity Mental Health Survey. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 249-260.	0.9	114
25	Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2012, 72, 228-237.	0.7	114
26	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. <i>Psychological Medicine</i> , 2017, 47, 1230-1245.	2.7	108
27	Associations between mental disorders and subsequent onset of hypertension. <i>General Hospital Psychiatry</i> , 2014, 36, 142-149.	1.2	102
28	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 279-288.	1.6	79
29	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 115-125.	0.9	76
30	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. <i>Diabetologia</i> , 2014, 57, 699-709.	2.9	69
31	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. <i>Psychological Medicine</i> , 2013, 43, 865-879.	2.7	68
32	São Paulo Megacity Mental Health Survey - a population-based epidemiological study of psychiatric morbidity in the São Paulo metropolitan area: aims, design and field implementation. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 375-386.	0.9	67
33	Drop out from out-patient mental healthcare in the World Health Organization's World Mental Health Survey initiative. <i>British Journal of Psychiatry</i> , 2013, 202, 42-49.	1.7	67
34	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e153.	1.8	67
35	Associations between DSM-IV mental disorders and subsequent heart disease onset: Beyond depression. <i>International Journal of Cardiology</i> , 2013, 168, 5293-5299.	0.8	65
36	Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , 2014, 59, 179-188.	1.5	58

#	ARTICLE	IF	CITATIONS
37	Does income inequality get under the skin? A multilevel analysis of depression, anxiety and mental disorders in São Paulo, Brazil. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 966-972.	2.0	56
38	Consumption of alcohol and blood pressure: Results of the ELSA-Brasil study. <i>PLoS ONE</i> , 2018, 13, e0190239.	1.1	53
39	Gender differences in symptomatic profiles of depression: Results from the São Paulo Megacity Mental Health Survey. <i>Journal of Affective Disorders</i> , 2013, 147, 355-364.	2.0	52
40	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. <i>Molecular Psychiatry</i> , 2018, 23, 1892-1899.	4.1	52
41	Prevalence and clinical profile of chronic pain and its association with mental disorders. <i>Revista De Saude Publica</i> , 2017, 51, 96.	0.7	50
42	Depression subtypes and obesity in adults: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2020, 21, e12966.	3.1	50
43	Depression is Associated With Sarcopenia Due to Low Muscle Strength: Results From the ELSA-Brasil Study. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1641-1646.	1.2	45
44	Prevalence and risk factors for HIV, syphilis, hepatitis B, hepatitis C, and HTLV-I/II infection in low-income postpartum and pregnant women in Greater Metropolitan Vitória, Espírito Santo State, Brazil. <i>Cadernos De Saude Publica</i> , 2009, 25, 668-676.	0.4	43
45	Prevalence and risk factors of psychiatric symptoms and diagnoses before and during the COVID-19 pandemic: findings from the ELSA-Brasil COVID-19 mental health cohort. <i>Psychological Medicine</i> , 2021, , 1-12.	2.7	37
46	A Cross-National Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between DSM-IV and DSM-5: Findings from the World Mental Health Survey. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 1728-1736.	1.4	35
47	Premarital mental disorders and physical violence in marriage: cross-national study of married couples. <i>British Journal of Psychiatry</i> , 2011, 199, 330-337.	1.7	32
48	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018, 19, 99-110.	0.7	32
49	Depression, anthropometric parameters, and body image in adults: a systematic review. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 731-738.	0.3	32
50	Drinking Patterns and Alcohol Use Disorders in São Paulo, Brazil: The Role of Neighborhood Social Deprivation and Socioeconomic Status. <i>PLoS ONE</i> , 2014, 9, e108355.	1.1	31
51	Determinants of the use of health care services: multilevel analysis in the Metropolitan Region of Sao Paulo. <i>Revista De Saude Publica</i> , 2015, 49, 15.	0.7	31
52	Poorer cardiovascular health is associated with psychiatric comorbidity: results from the ELSA-Brasil Study. <i>International Journal of Cardiology</i> , 2019, 274, 358-365.	0.8	30
53	Prevalence and incidence of Mycobacterium tuberculosis infection in nursing students in Vitória, Espírito Santo. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2005, 38, 469-472.	0.4	29
54	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2018, 48, 437-450.	2.7	28

#	ARTICLE	IF	CITATIONS
55	Proportion of patients without mental disorders being treated in mental health services worldwide. <i>British Journal of Psychiatry</i> , 2015, 206, 101-109.	1.7	27
56	Psychotic experiences and religiosity: data from the <scp>WHO</scp> World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 306-315.	2.2	27
57	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 1446-1459.	1.7	27
58	The cross-national epidemiology of DSM-IV intermittent explosive disorder. <i>Psychological Medicine</i> , 2016, 46, 3161-3172.	2.7	26
59	Pathways from witnessing parental violence during childhood to involvement in intimate partner violence in adult life: The roles of depression and substance use. <i>Drug and Alcohol Review</i> , 2017, 36, 107-114.	1.1	26
60	Sociodemographic Correlates of Transitions from Alcohol Use to Disorders and Remission in the Sao Paulo Megacity Mental Health Survey, Brazil. <i>Alcohol and Alcoholism</i> , 2011, 46, 324-332.	0.9	25
61	The effects of co-morbidity in defining major depression subtypes associated with long-term course and severity. <i>Psychological Medicine</i> , 2014, 44, 3289-3302.	2.7	25
62	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , 2019, 17, 101.	2.3	24
63	Twelve-month mental health service use in six countries of the Americas: A regional report from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e53.	1.8	24
64	Influence of psychiatric morbidity and sociodemographic determinants on use of service in a catchment area in the city of São Paulo, Brazil*. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 45-53.	1.6	23
65	Embarrassment when illness strikes a close relative: a World Mental Health Survey Consortium Multi-Site Study. <i>Psychological Medicine</i> , 2013, 43, 2191-2202.	2.7	23
66	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2022, 52, 1948-1958.	2.7	23
67	Lack of association between depression and C-reactive protein level in the baseline of Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2017, 208, 448-454.	2.0	22
68	A comparison of <i>DSM</i> â€”5 and <i>DSM</i> â€”IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019, 36, 499-510.	2.0	22
69	Gender differences in drinking patterns and alcohol-related problems in a community sample in São Paulo, Brazil. <i>Clinics</i> , 2012, 67, 205-212.	0.6	22
70	Childhood Adversity and Adult Onset of Hypertension and Heart Disease in São Paulo, Brazil. <i>Preventing Chronic Disease</i> , 2013, 10, E205.	1.7	21
71	Patterns and predictors of health service use among people with mental disorders in São Paulo metropolitan area, Brazil. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 89-101.	1.8	21
72	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2013, 75, 121-127.	1.2	20

#	ARTICLE	IF	CITATIONS
73	Days out-of-role due to common physical and mental health problems: Results from the S�o Paulo Megacity Mental Health Survey, Brazil. <i>Clinics</i> , 2013, 68, 1392-1399.	0.6	20
74	The Influence of Parental Psychopathology on Offspring Suicidal Behavior across the Lifespan. <i>PLoS ONE</i> , 2015, 10, e0134970.	1.1	20
75	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018, 201, 46-53.	1.1	20
76	Multilevel Analysis of the Patterns of Physical-Mental Multimorbidity in General Population of S�o Paulo Metropolitan Area, Brazil. <i>Scientific Reports</i> , 2019, 9, 2390.	1.6	20
77	Do Childhood Adversities Predict Suicidality? Findings from the General Population of the Metropolitan Area of S�o Paulo, Brazil. <i>PLoS ONE</i> , 2016, 11, e0155639.	1.1	20
78	The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 353-367.	1.6	19
79	The epidemiology of personality disorders in the Sao Paulo Megacity general population. <i>PLoS ONE</i> , 2018, 13, e0195581.	1.1	19
80	Adverse childhood experiences and bullying in late adolescence in a metropolitan region of Brazil. <i>Child Abuse and Neglect</i> , 2019, 92, 146-156.	1.3	17
81	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the <sc>WHO</sc> World Mental Health Surveys. <i>World Psychiatry</i> , 2022, 21, 272-286.	4.8	16
82	IRRITABLE MOOD IN ADULT MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE WORLD MENTAL HEALTH SURVEYS. <i>Depression and Anxiety</i> , 2013, 30, 395-406.	2.0	15
83	Use of psychotropic medications in S�o Paulo Metropolitan Area, Brazil: pattern of healthcare provision to general population. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1207-1214.	0.9	14
84	Associations between neighborhood-level violence and individual mental disorders: Results from the World Mental Health surveys in five Latin American cities. <i>Psychiatry Research</i> , 2019, 282, 112607.	1.7	14
85	Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	13
86	Dual burden of chronic physical diseases and anxiety/mood disorders among S�o Paulo Megacity Mental Health Survey Sample, Brazil. <i>Journal of Affective Disorders</i> , 2017, 220, 1-7.	2.0	13
87	Association between ideal cardiovascular health and depression incidence: a longitudinal analysis of ELSA�Brasil. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 552-562.	2.2	13
88	Socio-demographic and psychiatric risk factors in incident and persistent depression: An analysis in the occupational cohort of ELSA-Brasil. <i>Journal of Affective Disorders</i> , 2020, 263, 252-257.	2.0	13
89	Prediction of depression cases, incidence, and chronicity in a large occupational cohort using machine learning techniques: an analysis of the ELSA-Brasil study. <i>Psychological Medicine</i> , 2021, 51, 2895-2903.	2.7	13
90	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2020, 37, 972-994.	2.0	12

#	ARTICLE	IF	CITATIONS
91	Measurement invariance of neuropsychological tests across different sociodemographic backgrounds in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil).. <i>Neuropsychology</i> , 2020, 34, 227-234.	1.0	12
92	Absenteeism and Presenteeism Associated With Common Health Conditions in Brazilian Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, 303-313.	0.9	10
93	Biopsychosocial factors associated with a current depressive episode in diabetes: the ELSA-Brasil study. <i>Diabetic Medicine</i> , 2020, 37, 1742-1751.	1.2	10
94	Common and specific aspects of anxiety and depression and the metabolic syndrome. <i>Journal of Psychiatric Research</i> , 2021, 137, 117-125.	1.5	10
95	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, 392.	1.1	10
96	Associations of depression and intake of antioxidants and vitamin B complex: Results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2022, 297, 259-268.	2.0	10
97	Is subjective social status a summary of life-course socioeconomic position?. <i>Cadernos De Saude Publica</i> , 2018, 34, e00024317.	0.4	9
98	Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2022, 303, 273-285.	2.0	9
99	Early life socioeconomic status predicts cognition regardless of education level. <i>European Journal of Neurology</i> , 2021, 28, 3972-3978.	1.7	8
100	Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2022, 303, 168-179.	2.0	8
101	Prevalência de depressão autorreferida no Brasil: Pesquisa Nacional de Saúde de 2019 e 2013. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2022, 31, .	0.3	8
102	Incremental health expenditure and lost days of normal activity for individuals with mental disorders: results from the São Paulo Megacity Study. <i>BMC Public Health</i> , 2015, 15, 745.	1.2	7
103	Mental disorders and employment status in the São Paulo Metropolitan Area, Brazil: gender differences and use of health services. <i>Cadernos De Saude Publica</i> , 2017, 33, e00154116.	0.4	7
104	The relationship between neighborhood-level socioeconomic characteristics and individual mental disorders in five cities in Latin America: multilevel models from the World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 157-170.	1.6	7
105	Impact of Work-Family Conflict on Sleep Complaints: Results From the Longitudinal Study of Adult Health (ELSA-Brasil). <i>Frontiers in Public Health</i> , 2021, 9, 649974.	1.3	6
106	Socioeconomic characteristics influence attitudes towards sexuality in adolescents. <i>Journal of Human Growth and Development</i> , 2021, 31, 101-115.	0.2	6
107	Depression in Brazilian farmers: prevalence and associated factors. <i>Journal of Mental Health</i> , 2024, 33, 127-135.	1.0	6
108	Ideal vascular health and cognitive performance in the Brazilian Longitudinal Study of Adult Health. <i>European Journal of Neurology</i> , 2021, 28, 71-80.	1.7	5

#	ARTICLE	IF	CITATIONS
109	Benzodiazepine use in Sao Paulo, Brazil. Clinics, 2020, 75, e1610.	0.6	5
110	AdaptaÃ§Ã£o transcultural do Adverse Childhood Experiences International Questionnaire. Revista De Saude Publica, 2021, 55, 79.	0.7	5
111	Alcohol use patterns and disorders among individuals with personality disorders in the Sao Paulo Metropolitan Area. PLoS ONE, 2021, 16, e0248403.	1.1	4
112	Individual and population level estimates of work loss and related economic costs due to mental and substance use disorders in Metropolitan SÃ£o Paulo, Brazil. Journal of Affective Disorders, 2021, 296, 198-207.	2.0	4
113	The role of gender in the structure of networks of childhood adversity. Psychiatry Research, 2018, 270, 348-356.	1.7	3
114	Gender Difference in Social Capital, Common Mental Disorders and Depression: ELSA-Brasil Study. Psych, 2020, 2, 85-96.	0.7	3
115	Epidemiology of Psychiatric Disorders in Women. , 2020, , 17-29.		3
116	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	1.6	3
117	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. Epidemiology and Psychiatric Sciences, 2021, 30, e70.	1.8	3
118	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, 6.	1.1	3
119	Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 393-405.	1.6	2
120	Treatment Gap of Mental Disorders in SÃ£o Paulo Metropolitan Area, Brazil: Failure and Delay in Initiating Treatment Contact After First Onset of Mental and Substance Use Disorders. International Journal of Mental Health and Addiction, 0, , 1.	4.4	2
121	Anticholinergic burden and cognitive performance: cross-sectional results from the ELSA-Brasil study. European Journal of Clinical Pharmacology, 2022, 78, 1527-1534.	0.8	2
122	Patterns of multimorbidity in the general population of SÃ£o Paulo, Brazil: a retrospective observational study. Lancet, The, 2014, 384, S22.	6.3	1
123	Association between childhood adversities and psychopathology onset throughout the lifespan: Findings from a large metropolitan population. Journal of Psychiatric Research, 2021, 135, 8-14.	1.5	1
124	Depression is associated with increased adiposity in a 4-year follow-up: results from the ELSA-Brasil. Journal of Affective Disorders, 2021, 282, 179-186.	2.0	1
125	Instrumentos mais utilizados na avaliaÃ§Ã£o da exposiÃ§Ã£o a ExperiÃªncias Adversas na InfÃ¢ncia: uma revisÃ£o da literatura. SaÃºde Em Debate, 2021, 45, 501-513.	0.1	1
126	Validade de medidas autorrelatadas de peso corporal e estatura em participantes do estudo SÃ£o Paulo Megacity. Cadernos Saude Coletiva, 2019, 27, 225-233.	0.2	1

#	ARTICLE	IF	CITATIONS
127	The association between diabetes mellitus and incidence of depressive episodes is different based on sex: insights from ELSA-Brasil. Therapeutic Advances in Endocrinology and Metabolism, 2022, 13, 204201882210932.	1.4	1
128	Prevalence and psychiatric comorbidities of intermittent explosive disorders in Metropolitan São Paulo, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 687-694.	1.6	0
129	Response to comment on van Duinkerken et al. Biopsychosocial factors associated with a current depressive episode in diabetes: The ELSA-Brasil study. Diabetic Medicine, 2021, 38, e14435.	1.2	0
130	COVID-19: depressão e consequências alimentares no distanciamento social. Archivos De Medicina, 2020, 21, .	0.1	0
131	Cardiovascular risk factors and major depressive disorder: a cross-sectional study in São Paulo, Brazil. Sao Paulo Medical Journal, 2021, 139, 364-371.	0.4	0
132	Fatores socioeconômicos que influenciam a percepção de adolescentes sobre sexualidade, maternidade e aborto. Research, Society and Development, 2021, 10, e572101321494.	0.0	0
133	COMMON MENTAL DISORDER IN LATE ADOLESCENCE AND INTERNET DEPENDENCE: POSSIBLE ASSOCIATIONS. Psicologia, Saúde & Doenças, 2021, 22, 1061-1078.	0.0	0
134	Retest effects in a diverse sample: sociodemographic predictors and possible correction approaches. Dementia E Neuropsychologia, 0, , .	0.3	0