Maria Carmen Viana

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2616878/publications.pdf

Version: 2024-02-01

134 papers 15,273 citations

42 h-index

66343

117 g-index

141 all docs

141 docs citations

times ranked

141

19190 citing authors

#	Article	IF	CITATIONS
1	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. British Journal of Psychiatry, 2010, 197, 378-385.	2.8	1,854
2	Cross-national epidemiology of DSM-IV major depressive episode. BMC Medicine, 2011, 9, 90.	5.5	1,541
3	The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2013, 73, 904-914.	1.3	1,025
4	Screening for serious mental illness in the general population with the K6 screening scale: results from the WHO World Mental Health (WMH) survey initiative. International Journal of Methods in Psychiatric Research, 2010, 19, 4-22.	2.1	953
5	Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317.	4.5	825
6	Trauma and PTSD in the WHO World Mental Health Surveys. Högre Utbildning, 2017, 8, 1353383.	3.0	801
7	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. Psychological Medicine, 2016, 46, 327-343.	4.5	777
8	Posttraumatic stress disorder in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 2260-2274.	4.5	675
9	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2009, 6, e1000123.	8.4	592
10	Psychotic Experiences in the General Population. JAMA Psychiatry, 2015, 72, 697.	11.0	387
10	Psychotic Experiences in the General Population. JAMA Psychiatry, 2015, 72, 697. Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1234-1246.	7.9	360
	Days out of role due to common physical and mental conditions: results from the WHO World		
11	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1234-1246. CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH)	7.9	360
11 12	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1234-1246. CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH) SURVEYS. Depression and Anxiety, 2014, 31, 130-142.	7.9 4.1	360 329
11 12 13	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1234-1246. CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH) SURVEYS. Depression and Anxiety, 2014, 31, 130-142. Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70. Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological	7.9 4.1 2.8	360 329 289
11 12 13	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1234-1246. CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH) SURVEYS. Depression and Anxiety, 2014, 31, 130-142. Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70. Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571. Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings	7.9 4.1 2.8 4.5	360 329 289 274
11 12 13 14	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1234-1246. CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH) SURVEYS. Depression and Anxiety, 2014, 31, 130-142. Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70. Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571. Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS ONE, 2010, 5, e10574. Mental Disorders in Megacities: Findings from the São Paulo Megacity Mental Health Survey, Brazil.	7.9 4.1 2.8 4.5	360 329 289 274 273

#	Article	IF	CITATIONS
19	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. World Psychiatry, 2014, 13, 265-274.	10.4	194
20	DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING â€∞NARROW―AND â€∞BROAD―APPROACHES. Depression and Anxiety, 2014, 31, 494-505.	4.1	161
21	Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. British Journal of Psychiatry, 2010, 197, 114-121.	2.8	156
22	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. Depression and Anxiety, 2016, 33, 1155-1177.	4.1	144
23	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. British Journal of Psychiatry, 2017, 211, 280-288.	2.8	118
24	Lifetime Prevalence, Age and Gender Distribution and Age-of-Onset of Psychiatric Disorders in the São Paulo Metropolitan Area, Brazil: Results from the São Paulo Megacity Mental Health Survey. Revista Brasileira De Psiquiatria, 2012, 34, 249-260.	1.7	114
25	Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. Biological Psychiatry, 2012, 72, 228-237.	1.3	114
26	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. Psychological Medicine, 2017, 47, 1230-1245.	4.5	108
27	Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.	2.4	102
28	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 279-288.	3.1	79
29	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. Revista Brasileira De Psiquiatria, 2013, 35, 115-125.	1.7	76
30	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. Diabetologia, 2014, 57, 699-709.	6.3	69
31	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. Psychological Medicine, 2013, 43, 865-879.	4.5	68
32	São Paulo Megacity Mental Health Survey - a population-based epidemiological study of psychiatric morbidity in the São Paulo metropolitan area: aims, design and field implementation. Revista Brasileira De Psiquiatria, 2009, 31, 375-386.	1.7	67
33	Drop out from out-patient mental healthcare in the World Health Organization's World Menta Health Survey initiative. British Journal of Psychiatry, 2013, 202, 42-49.	2.8	67
34	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. Epidemiology and Psychiatric Sciences, 2020, 29, e153.	3.9	67
35	Associations between DSM-IV mental disorders and subsequent heart disease onset: Beyond depression. International Journal of Cardiology, 2013, 168, 5293-5299.	1.7	65
36	Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188.	3.1	58

#	Article	lF	Citations
37	Does income inequality get under the skin? A multilevel analysis of depression, anxiety and mental disorders in São Paulo, Brazil. Journal of Epidemiology and Community Health, 2013, 67, 966-972.	3.7	56
38	Consumption of alcohol and blood pressure: Results of the ELSA-Brasil study. PLoS ONE, 2018, 13, e0190239.	2.5	53
39	Gender differences in symptomatic profiles of depression: Results from the São Paulo Megacity Mental Health Survey. Journal of Affective Disorders, 2013, 147, 355-364.	4.1	52
40	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. Molecular Psychiatry, 2018, 23, 1892-1899.	7.9	52
41	Prevalence and clinical profile of chronic pain and its association with mental disorders. Revista De Saude Publica, 2017, 51, 96.	1.7	50
42	Depression subtypes and obesity in adults: A systematic review and metaâ€analysis. Obesity Reviews, 2020, 21, e12966.	6.5	50
43	Depression is Associated With Sarcopenia Due to Low Muscle Strength: Results From the ELSA-Brasil Study. Journal of the American Medical Directors Association, 2019, 20, 1641-1646.	2.5	45
44	Prevalence and risk factors for HIV, syphilis, hepatitis B, hepatitis C, and HTLV-I/II infection in low-income postpartum and pregnant women in Greater Metropolitan Vitória, EspÃrito Santo State, Brazil. Cadernos De Saude Publica, 2009, 25, 668-676.	1.0	43
45	Prevalence and risk factors of psychiatric symptoms and diagnoses before and during the COVID-19 pandemic: findings from the ELSA-Brasil COVID-19 mental health cohort. Psychological Medicine, 2021, , 1-12.	4.5	37
46	A Crossâ€National Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between <scp>DSM</scp> â€ <scp>IV</scp> and <scp>DSM</scp> â€5: Findings from the World Mental Health Survey. Alcoholism: Clinical and Experimental Research, 2016, 40, 1728-1736.	2.4	35
47	Premarital mental disorders and physical violence in marriage: cross-national study of married couples. British Journal of Psychiatry, 2011, 199, 330-337.	2.8	32
48	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. Journal of Pain, 2018, 19, 99-110.	1.4	32
49	Depression, anthropometric parameters, and body image in adults: a systematic review. Revista Da Associação Médica Brasileira, 2019, 65, 731-738.	0.7	32
50	Drinking Patterns and Alcohol Use Disorders in São Paulo, Brazil: The Role of Neighborhood Social Deprivation and Socioeconomic Status. PLoS ONE, 2014, 9, e108355.	2.5	31
51	Determinants of the use of health care services: multilevel analysis in the Metropolitan Region of Sao Paulo. Revista De Saude Publica, 2015, 49, 15.	1.7	31
52	Poorer cardiovascular health is associated with psychiatric comorbidity: results from the ELSA-Brasil Study. International Journal of Cardiology, 2019, 274, 358-365.	1.7	30
53	Prevalence and incidence of Mycobacterium tuberculosis infection in nursing students in Vitória, EspÃrito Santo. Revista Da Sociedade Brasileira De Medicina Tropical, 2005, 38, 469-472.	0.9	29
54	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. Psychological Medicine, 2018, 48, 437-450.	4.5	28

#	Article	IF	Citations
55	Proportion of patients without mental disorders being treated in mental health services worldwide. British Journal of Psychiatry, 2015, 206, 101-109.	2.8	27
56	Psychotic experiences and religiosity: data from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2018, 137, 306-315.	4.5	27
57	Crossâ€national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. Addiction, 2019, 114, 1446-1459.	3.3	27
58	The cross-national epidemiology of DSM-IV intermittent explosive disorder. Psychological Medicine, 2016, 46, 3161-3172.	4.5	26
59	Pathways from witnessing parental violence during childhood to involvement in intimate partner violence in adult life: The roles of depression and substance use. Drug and Alcohol Review, 2017, 36, 107-114.	2.1	26
60	Sociodemographic Correlates of Transitions from Alcohol Use to Disorders and Remission in the Sao Paulo Megacity Mental Health Survey, Brazil. Alcohol and Alcoholism, 2011, 46, 324-332.	1.6	25
61	The effects of co-morbidity in defining major depression subtypes associated with long-term course and severity. Psychological Medicine, 2014, 44, 3289-3302.	4.5	25
62	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	5.5	24
63	Twelve-month mental health service use in six countries of the Americas: A regional report from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2020, 29, e53.	3.9	24
64	Influence of psychiatric morbidity and sociodemographic determinants on use of service in a catchment area in the city of São Paulo, Brazil*. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 45-53.	3.1	23
65	Embarrassment when illness strikes a close relative: a World Mental Health Survey Consortium Multi-Site Study. Psychological Medicine, 2013, 43, 2191-2202.	4.5	23
66	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958.	4.5	23
67	Lack of association between depression and C-reactive protein level in the baseline of Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Affective Disorders, 2017, 208, 448-454.	4.1	22
68	A comparison of <i>DSM</i> â€5 and <i>DSM</i> â€1V agoraphobia in the World Mental Health Surveys. Depression and Anxiety, 2019, 36, 499-510.	4.1	22
69	Gender differences in drinking patterns and alcohol-related problems in a community sample in São Paulo, Brazil. Clinics, 2012, 67, 205-212.	1.5	22
70	Childhood Adversity and Adult Onset of Hypertension and Heart Disease in São Paulo, Brazil. Preventing Chronic Disease, 2013, 10, E205.	3.4	21
71	Patterns and predictors of health service use among people with mental disorders in São Paulo metropolitan area, Brazil. Epidemiology and Psychiatric Sciences, 2017, 26, 89-101.	3.9	21
72	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. Journal of Psychosomatic Research, 2013, 75, 121-127.	2.6	20

#	Article	IF	CITATIONS
73	Days out-of-role due to common physical and mental health problems: Results from the São Paulo Megacity Mental Health Survey, Brazil. Clinics, 2013, 68, 1392-1399.	1.5	20
74	The Influence of Parental Psychopathology on Offspring Suicidal Behavior across the Lifespan. PLoS ONE, 2015, 10, e0134970.	2.5	20
75	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. Schizophrenia Research, 2018, 201, 46-53.	2.0	20
76	Multilevel Analysis of the Patterns of Physical-Mental Multimorbidity in General Population of São Paulo Metropolitan Area, Brazil. Scientific Reports, 2019, 9, 2390.	3.3	20
77	Do Childhood Adversities Predict Suicidality? Findings from the General Population of the Metropolitan Area of São Paulo, Brazil. PLoS ONE, 2016, 11, e0155639.	2.5	20
78	The role of religious advisors in mental health care in the World Mental Health surveys. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 353-367.	3.1	19
79	The epidemiology of personality disorders in the Sao Paulo Megacity general population. PLoS ONE, 2018, 13, e0195581.	2.5	19
80	Adverse childhood experiences and bullying in late adolescence in a metropolitan region of Brazil. Child Abuse and Neglect, 2019, 92, 146-156.	2.6	17
81	Patterns and correlates of patientâ€reported helpfulness of treatment for common mental and substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286.	10.4	16
82	IRRITABLE MOOD IN ADULT MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE WORLD MENTAL HEALTH SURVEYS. Depression and Anxiety, 2013, 30, 395-406.	4.1	15
83	Use of psychotropic medications in São Paulo Metropolitan Area, Brazil: pattern of healthcare provision to general population. Pharmacoepidemiology and Drug Safety, 2015, 24, 1207-1214.	1.9	14
84	Associations between neighborhood-level violence and individual mental disorders: Results from the World Mental Health surveys in five Latin American cities. Psychiatry Research, 2019, 282, 112607.	3.3	14
85	Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	13
86	Dual burden of chronic physical diseases and anxiety/mood disorders among São Paulo Megacity Mental Health Survey Sample, Brazil. Journal of Affective Disorders, 2017, 220, 1-7.	4.1	13
87	Association between ideal cardiovascular health and depression incidence: a longitudinal analysis of ELSAâ€Brasil. Acta Psychiatrica Scandinavica, 2019, 140, 552-562.	4.5	13
88	Socio-demographic and psychiatric risk factors in incident and persistent depression: An analysis in the occupational cohort of ELSA-Brasil. Journal of Affective Disorders, 2020, 263, 252-257.	4.1	13
89	Prediction of depression cases, incidence, and chronicity in a large occupational cohort using machine learning techniques: an analysis of the ELSA-Brasil study. Psychological Medicine, 2021, 51, 2895-2903.	4.5	13
90	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. Depression and Anxiety, 2020, 37, 972-994.	4.1	12

#	Article	IF	CITATIONS
91	Measurement invariance of neuropsychological tests across different sociodemographic backgrounds in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) Neuropsychology, 2020, 34, 227-234.	1.3	12
92	Absenteeism and Presenteeism Associated With Common Health Conditions in Brazilian Workers. Journal of Occupational and Environmental Medicine, 2019, 61, 303-313.	1.7	10
93	Biopsychosocial factors associated with a current depressive episode in diabetes: the ELSAâ€Brasil study. Diabetic Medicine, 2020, 37, 1742-1751.	2.3	10
94	Common and specific aspects of anxiety and depression and the metabolic syndrome. Journal of Psychiatric Research, 2021, 137, 117-125.	3.1	10
95	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392.	2.6	10
96	Associations of depression and intake of antioxidants and vitamin B complex: Results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Affective Disorders, 2022, 297, 259-268.	4.1	10
97	ls subjective social status a summary of life-course socioeconomic position?. Cadernos De Saude Publica, 2018, 34, e00024317.	1.0	9
98	Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 273-285.	4.1	9
99	Early life socioeconomic status predicts cognition regardless of education level. European Journal of Neurology, 2021, 28, 3972-3978.	3.3	8
100	Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 168-179.	4.1	8
101	Prevalência de depressão autorreferida no Brasil: Pesquisa Nacional de Saúde 2019 e 2013. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2022, 31, .	1.0	8
102	Incremental health expenditure and lost days of normal activity for individuals with mental disorders: results from the São Paulo Megacity Study. BMC Public Health, 2015, 15, 745.	2.9	7
103	Mental disorders and employment status in the $S\tilde{A}$ £o Paulo Metropolitan Area, Brazil: gender differences and use of health services. Cadernos De Saude Publica, 2017, 33, e00154116.	1.0	7
104	The relationship between neighborhood-level socioeconomic characteristics and individual mental disorders in five cities in Latin America: multilevel models from the World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 157-170.	3.1	7
105	Impact of Work-Family Conflict on Sleep Complaints: Results From the Longitudinal Study of Adult Health (ELSA-Brasil). Frontiers in Public Health, 2021, 9, 649974.	2.7	6
106	Socioeconomic characteristics influence attitudes towards sexuality in adolescents. Journal of Human Growth and Development, 2021, 31, 101-115.	0.6	6
107	Depression in Brazilian farmers: prevalence and associated factors. Journal of Mental Health, 2024, 33, 127-135.	1.9	6
108	Ideal vascular health and cognitive performance in the Brazilian Longitudinal Study of Adult Health. European Journal of Neurology, 2021, 28, 71-80.	3.3	5

#	Article	IF	CITATIONS
109	Benzodiazepine use in Sao Paulo, Brazil. Clinics, 2020, 75, e1610.	1.5	5
110	Adapta \tilde{A} § \tilde{A} £o transcultural do Adverse Childhood Experiences International Questionnaire. Revista De Saude Publica, 2021, 55, 79.	1.7	5
111	Alcohol use patterns and disorders among individuals with personality disorders in the Sao Paulo Metropolitan Area. PLoS ONE, 2021, 16, e0248403.	2.5	4
112	Individual and population level estimates of work loss and related economic costs due to mental and substance use disorders in Metropolitan São Paulo, Brazil. Journal of Affective Disorders, 2021, 296, 198-207.	4.1	4
113	The role of gender in the structure of networks of childhood adversity. Psychiatry Research, 2018, 270, 348-356.	3.3	3
114	Gender Difference in Social Capital, Common Mental Disorders and Depression: ELSA-Brasil Study. Psych, 2020, 2, 85-96.	1.6	3
115	Epidemiology of Psychiatric Disorders in Women. , 2020, , 17-29.		3
116	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	3.2	3
117	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. Epidemiology and Psychiatric Sciences, 2021, 30, e70.	3.9	3
118	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, 6.	2.7	3
119	Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 393-405.	3.1	2
120	Treatment Gap of Mental Disorders in S \tilde{A} £o Paulo Metropolitan Area, Brazil: Failure and Delay in Initiating Treatment Contact After First Onset of Mental and Substance Use Disorders. International Journal of Mental Health and Addiction, 0, , 1.	7.4	2
121	Anticholinergic burden and cognitive performance: cross-sectional results from the ELSA-Brasil study. European Journal of Clinical Pharmacology, 2022, 78, 1527-1534.	1.9	2
122	Patterns of multimorbidity in the general population of $S\tilde{A}$ £0 Paulo, Brazil: a retrospective observational study. Lancet, The, 2014, 384, S22.	13.7	1
123	Association between childhood adversities and psychopathology onset throughout the lifespan: Findings from a large metropolitan population. Journal of Psychiatric Research, 2021, 135, 8-14.	3.1	1
124	Depression is associated with increased adiposity in a 4-year follow-up: results from the ELSA-Brasil. Journal of Affective Disorders, 2021, 282, 179-186.	4.1	1
125	Instrumentos mais utilizados na avaliação da exposição a Experiências Adversas na Infância: uma revisão da literatura. Saêde Em Debate, 2021, 45, 501-513.	0.5	1
126	Validade de medidas autorrelatadas de peso corporal e estatura em participantes do estudo São Paulo Megacity. Cadernos Saude Coletiva, 2019, 27, 225-233.	0.6	1

#	Article	IF	CITATIONS
127	The association between diabetes mellitus and incidence of depressive episodes is different based on sex: insights from ELSA-Brasil. Therapeutic Advances in Endocrinology and Metabolism, 2022, 13, 204201882210932.	3.2	1
128	Prevalence and psychiatric comorbidities of intermittent explosive disorders in Metropolitan São Paulo, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 687-694.	3.1	0
129	Response to comment on van Duinkerken et al. Biopsychosocial factors associated with a current depressive episode in diabetes: The ELSAâ€Brasil study. Diabetic Medicine, 2021, 38, e14435.	2.3	0
130	COVID-19: depressão e consequências alimentares no distanciamento social. Archivos De Medicina, 2020, 21, .	0.0	0
131	Cardiovascular risk factors and major depressive disorder: a cross-sectional study in São Paulo, Brazil. Sao Paulo Medical Journal, 2021, 139, 364-371.	0.9	0
132	Fatores socioecon \tilde{A} 'micos que influenciam a percep \tilde{A} S \tilde{A} £o de adolescentes sobre sexualidade, maternidade e aborto. Research, Society and Development, 2021, 10, e572101321494.	0.1	0
133	COMMON MENTAL DISORDER IN LATE ADOLESCENCE AND INTERNET DEPENDENCE: POSSIBLE ASSOCIATIONS. Psicologia, Saúde & Doenças, 2021, 22, 1061-1078.	0.1	0
134	Retest effects in a diverse sample: sociodemographic predictors and possible correction approaches. Dementia E Neuropsychologia, 0, , .	0.8	0