

# Maria Carmen Viana

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2616878/publications.pdf>

Version: 2024-02-01

134  
papers

15,273  
citations

66343

42  
h-index

19749

117  
g-index

141  
all docs

141  
docs citations

141  
times ranked

19190  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Depression in Brazilian farmers: prevalence and associated factors. Journal of Mental Health, 2024, 33, 127-135.  | 1.9  | 6         |
| 2  | Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958.                                | 4.5  | 23        |
| 3  | Associations of depression and intake of antioxidants and vitamin B complex: Results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Affective Disorders, 2022, 297, 259-268.           | 4.1  | 10        |
| 4  | Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, 6.                 | 2.7  | 3         |
| 5  | Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 168-179.                             | 4.1  | 8         |
| 6  | Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 273-285.                              | 4.1  | 9         |
| 7  | The association between diabetes mellitus and incidence of depressive episodes is different based on sex: insights from ELSA-Brasil. Therapeutic Advances in Endocrinology and Metabolism, 2022, 13, 204201882210932. | 3.2  | 1         |
| 8  | Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286.                       | 10.4 | 16        |
| 9  | Prevalência de depressão autorreferida no Brasil: Pesquisa Nacional de Saúde de 2019 e 2013. Epidemiologia E Serviços De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2022, 31, .                              | 1.0  | 8         |
| 10 | Anticholinergic burden and cognitive performance: cross-sectional results from the ELSA-Brasil study. European Journal of Clinical Pharmacology, 2022, 78, 1527-1534.   | 1.9  | 2         |
| 11 | Prediction of depression cases, incidence, and chronicity in a large occupational cohort using machine learning techniques: an analysis of the ELSA-Brasil study. Psychological Medicine, 2021, 51, 2895-2903.        | 4.5  | 13        |
| 12 | Prevalence and psychiatric comorbidities of intermittent explosive disorders in Metropolitan São Paulo, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 687-694.                                    | 3.1  | 0         |
| 13 | Ideal vascular health and cognitive performance in the Brazilian Longitudinal Study of Adult Health. European Journal of Neurology, 2021, 28, 71-80.  | 3.3  | 5         |
| 14 | Association between childhood adversities and psychopathology onset throughout the lifespan: Findings from a large metropolitan population. Journal of Psychiatric Research, 2021, 135, 8-14.                         | 3.1  | 1         |
| 15 | Response to comment on van Duinkerken et al. Biopsychosocial factors associated with a current depressive episode in diabetes: The ELSA-Brasil study. Diabetic Medicine, 2021, 38, e14435.                            | 2.3  | 0         |
| 16 | Depression is associated with increased adiposity in a 4-year follow-up: results from the ELSA-Brasil. Journal of Affective Disorders, 2021, 282, 179-186.  | 4.1  | 1         |
| 17 | Alcohol use patterns and disorders among individuals with personality disorders in the Sao Paulo Metropolitan Area. PLoS ONE, 2021, 16, e0248403.   | 2.5  | 4         |
| 18 | Prevalence and risk factors of psychiatric symptoms and diagnoses before and during the COVID-19 pandemic: findings from the ELSA-Brasil COVID-19 mental health cohort. Psychological Medicine, 2021, , 1-12.         | 4.5  | 37        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Impact of Work-Family Conflict on Sleep Complaints: Results From the Longitudinal Study of Adult Health (ELSA-Brasil). <i>Frontiers in Public Health</i> , 2021, 9, 649974.  | 2.7 | 6         |
| 20 | Socioeconomic characteristics influence attitudes towards sexuality in adolescents. <i>Journal of Human Growth and Development</i> , 2021, 31, 101-115.  | 0.6 | 6         |
| 21 | Common and specific aspects of anxiety and depression and the metabolic syndrome. <i>Journal of Psychiatric Research</i> , 2021, 137, 117-125.   | 3.1 | 10        |
| 22 | Instrumentos mais utilizados na avaliação da exposição a Experiências Adversas na Infância: uma revisão da literatura. <i>Saúde Em Debate</i> , 2021, 45, 501-513.   | 0.5 | 1         |
| 23 | Cardiovascular risk factors and major depressive disorder: a cross-sectional study in São Paulo, Brazil. <i>Sao Paulo Medical Journal</i> , 2021, 139, 364-371.  | 0.9 | 0         |
| 24 | Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, 392.  | 2.6 | 10        |
| 25 | Early life socioeconomic status predicts cognition regardless of education level. <i>European Journal of Neurology</i> , 2021, 28, 3972-3978.  | 3.3 | 8         |
| 26 | Individual and population level estimates of work loss and related economic costs due to mental and substance use disorders in Metropolitan São Paulo, Brazil. <i>Journal of Affective Disorders</i> , 2021, 296, 198-207. | 4.1 | 4         |
| 27 | Fatores socioeconômicos que influenciam a percepção de adolescentes sobre sexualidade, maternidade e aborto. <i>Research, Society and Development</i> , 2021, 10, e572101321494.   | 0.1 | 0         |
| 28 | Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109158.   | 3.2 | 3         |
| 29 | Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e70.                        | 3.9 | 3         |
| 30 | COMMON MENTAL DISORDER IN LATE ADOLESCENCE AND INTERNET DEPENDENCE: POSSIBLE ASSOCIATIONS. <i>Psicologia, Saúde &amp; Doenças</i> , 2021, 22, 1061-1078.   | 0.1 | 0         |
| 31 | Adaptação transcultural do Adverse Childhood Experiences International Questionnaire. <i>Revista De Saude Publica</i> , 2021, 55, 79.  | 1.7 | 5         |
| 32 | Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 393-405.  | 3.1 | 2         |
| 33 | Twelve-month mental health service use in six countries of the Americas: A regional report from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e53.                             | 3.9 | 24        |
| 34 | Depression subtypes and obesity in adults: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2020, 21, e12966.   | 6.5 | 50        |
| 35 | Socio-demographic and psychiatric risk factors in incident and persistent depression: An analysis in the occupational cohort of ELSA-Brasil. <i>Journal of Affective Disorders</i> , 2020, 263, 252-257.                   | 4.1 | 13        |
| 36 | Gender Difference in Social Capital, Common Mental Disorders and Depression: ELSA-Brasil Study. <i>Psych</i> , 2020, 2, 85-96.   | 1.6 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2020, 37, 972-994.   | 4.1 | 12        |
| 38 | Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e153.   | 3.9 | 67        |
| 39 | Biopsychosocial factors associated with a current depressive episode in diabetes: the ELSA-Brasil study. <i>Diabetic Medicine</i> , 2020, 37, 1742-1751.  | 2.3 | 10        |
| 40 | COVID-19: depress o e consequ ncias alimentares no distanciamento social. <i>Archivos De Medicina</i> , 2020, 21, .   | 0.0 | 0         |
| 41 | Epidemiology of Psychiatric Disorders in Women. , 2020, , 17-29.  |     | 3         |
| 42 | Measurement invariance of neuropsychological tests across different sociodemographic backgrounds in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil).. <i>Neuropsychology</i> , 2020, 34, 227-234.  | 1.3 | 12        |
| 43 | Benzodiazepine use in Sao Paulo, Brazil. <i>Clinics</i> , 2020, 75, e1610.  | 1.5 | 5         |
| 44 | Poorer cardiovascular health is associated with psychiatric comorbidity: results from the ELSA-Brasil Study. <i>International Journal of Cardiology</i> , 2019, 274, 358-365.   | 1.7 | 30        |
| 45 | Associations between neighborhood-level violence and individual mental disorders: Results from the World Mental Health surveys in five Latin American cities. <i>Psychiatry Research</i> , 2019, 282, 112607.   | 3.3 | 14        |
| 46 | Association between ideal cardiovascular health and depression incidence: a longitudinal analysis of ELSA-Brasil. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 552-562.   | 4.5 | 13        |
| 47 | Depression, anthropometric parameters, and body image in adults: a systematic review. <i>Revista Da Associa  o M dica Brasileira</i> , 2019, 65, 731-738.   | 0.7 | 32        |
| 48 | Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , 2019, 17, 101.   | 5.5 | 24        |
| 49 | Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 1446-1459.  | 3.3 | 27        |
| 50 | Multilevel Analysis of the Patterns of Physical-Mental Multimorbidity in General Population of S o Paulo Metropolitan Area, Brazil. <i>Scientific Reports</i> , 2019, 9, 2390.  | 3.3 | 20        |
| 51 | Adverse childhood experiences and bullying in late adolescence in a metropolitan region of Brazil. <i>Child Abuse and Neglect</i> , 2019, 92, 146-156.  | 2.6 | 17        |
| 52 | A comparison of <i>DSM</i>   5 and <i>DSM</i>   IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019, 36, 499-510.   | 4.1 | 22        |
| 53 | Absenteeism and Presenteeism Associated With Common Health Conditions in Brazilian Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, 303-313.  | 1.7 | 10        |
| 54 | The relationship between neighborhood-level socioeconomic characteristics and individual mental disorders in five cities in Latin America: multilevel models from the World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 157-170. | 3.1 | 7         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Depression is Associated With Sarcopenia Due to Low Muscle Strength: Results From the ELSA-Brasil Study. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1641-1646.  | 2.5 | 45        |
| 56 | Validade de medidas autorrelatadas de peso corporal e estatura em participantes do estudo São Paulo Megacity. <i>Cadernos Saude Coletiva</i> , 2019, 27, 225-233.   | 0.6 | 1         |
| 57 | Psychotic experiences and religiosity: data from the <scp>WHO</scp> World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 306-315.  | 4.5 | 27        |
| 58 | Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 279-288.        | 3.1 | 79        |
| 59 | Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2018, 48, 437-450.  | 4.5 | 28        |
| 60 | Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018, 19, 99-110.   | 1.4 | 32        |
| 61 | The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. <i>Molecular Psychiatry</i> , 2018, 23, 1892-1899.   | 7.9 | 52        |
| 62 | Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. <i>Psychological Medicine</i> , 2018, 48, 1560-1571. | 4.5 | 274       |
| 63 | Is subjective social status a summary of life-course socioeconomic position?. <i>Cadernos De Saude Publica</i> , 2018, 34, e00024317.   | 1.0 | 9         |
| 64 | The role of gender in the structure of networks of childhood adversity. <i>Psychiatry Research</i> , 2018, 270, 348-356.  | 3.3 | 3         |
| 65 | The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018, 201, 46-53.                                   | 2.0 | 20        |
| 66 | The epidemiology of personality disorders in the Sao Paulo Megacity general population. <i>PLoS ONE</i> , 2018, 13, e0195581.   | 2.5 | 19        |
| 67 | Consumption of alcohol and blood pressure: Results of the ELSA-Brasil study. <i>PLoS ONE</i> , 2018, 13, e0190239.  | 2.5 | 53        |
| 68 | Patterns and predictors of health service use among people with mental disorders in São Paulo metropolitan area, Brazil. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 89-101.   | 3.9 | 21        |
| 69 | The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. <i>Psychological Medicine</i> , 2017, 47, 1230-1245.            | 4.5 | 108       |
| 70 | Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .   | 2.1 | 13        |
| 71 | Pathways from witnessing parental violence during childhood to involvement in intimate partner violence in adult life: The roles of depression and substance use. <i>Drug and Alcohol Review</i> , 2017, 36, 107-114.                 | 2.1 | 26        |
| 72 | Dual burden of chronic physical diseases and anxiety/mood disorders among São Paulo Megacity Mental Health Survey Sample, Brazil. <i>Journal of Affective Disorders</i> , 2017, 220, 1-7.   | 4.1 | 13        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Posttraumatic stress disorder in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017, 47, 2260-2274.  | 4.5  | 675       |
| 74 | Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2017, 211, 280-288.  | 2.8  | 118       |
| 75 | Trauma and PTSD in the WHO World Mental Health Surveys. <i>HÅrgre Utbildning</i> , 2017, 8, 1353383.  | 3.0  | 801       |
| 76 | Lack of association between depression and C-reactive protein level in the baseline of Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2017, 208, 448-454.  | 4.1  | 22        |
| 77 | The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 353-367.   | 3.1  | 19        |
| 78 | The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017, 15, 143.   | 5.5  | 258       |
| 79 | Mental disorders and employment status in the São Paulo Metropolitan Area, Brazil: gender differences and use of health services. <i>Cadernos De Saude Publica</i> , 2017, 33, e00154116.   | 1.0  | 7         |
| 80 | Prevalence and clinical profile of chronic pain and its association with mental disorders. <i>Revista De Saude Publica</i> , 2017, 51, 96.  | 1.7  | 50        |
| 81 | The cross-national epidemiology of DSM-IV intermittent explosive disorder. <i>Psychological Medicine</i> , 2016, 46, 3161-3172.   | 4.5  | 26        |
| 82 | The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. <i>Psychological Medicine</i> , 2016, 46, 327-343.  | 4.5  | 777       |
| 83 | A Cross-National Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between DSM-IV and DSM-5: Findings from the World Mental Health Survey. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 1728-1736. | 2.4  | 35        |
| 84 | Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , 2016, 33, 1155-1177.  | 4.1  | 144       |
| 85 | Do Childhood Adversities Predict Suicidality? Findings from the General Population of the Metropolitan Area of São Paulo, Brazil. <i>PLoS ONE</i> , 2016, 11, e0155639.   | 2.5  | 20        |
| 86 | Use of psychotropic medications in São Paulo Metropolitan Area, Brazil: pattern of healthcare provision to general population. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1207-1214.   | 1.9  | 14        |
| 87 | Determinants of the use of health care services: multilevel analysis in the Metropolitan Region of Sao Paulo. <i>Revista De Saude Publica</i> , 2015, 49, 15.   | 1.7  | 31        |
| 88 | The Influence of Parental Psychopathology on Offspring Suicidal Behavior across the Lifespan. <i>PLoS ONE</i> , 2015, 10, e0134970.   | 2.5  | 20        |
| 89 | Psychotic Experiences in the General Population. <i>JAMA Psychiatry</i> , 2015, 72, 697.  | 11.0 | 387       |
| 90 | Incremental health expenditure and lost days of normal activity for individuals with mental disorders: results from the São Paulo Megacity Study. <i>BMC Public Health</i> , 2015, 15, 745.   | 2.9  | 7         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Proportion of patients without mental disorders being treated in mental health services worldwide. British Journal of Psychiatry, 2015, 206, 101-109.   | 2.8  | 27        |
| 92  | Drinking Patterns and Alcohol Use Disorders in São Paulo, Brazil: The Role of Neighborhood Social Deprivation and Socioeconomic Status. PLoS ONE, 2014, 9, e108355.                                 | 2.5  | 31        |
| 93  | How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. World Psychiatry, 2014, 13, 265-274.            | 10.4 | 194       |
| 94  | DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING “NARROW” AND “BROAD” APPROACHES. Depression and Anxiety, 2014, 31, 494-505.  | 4.1  | 161       |
| 95  | Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317.   | 4.5  | 825       |
| 96  | The effects of co-morbidity in defining major depression subtypes associated with long-term course and severity. Psychological Medicine, 2014, 44, 3289-3302.                                       | 4.5  | 25        |
| 97  | Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.   | 2.4  | 102       |
| 98  | Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. Diabetologia, 2014, 57, 699-709.   | 6.3  | 69        |
| 99  | CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH) SURVEYS. Depression and Anxiety, 2014, 31, 130-142.  | 4.1  | 329       |
| 100 | Patterns of multimorbidity in the general population of São Paulo, Brazil: a retrospective observational study. Lancet, The, 2014, 384, S22.  | 13.7 | 1         |
| 101 | Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188.   | 3.1  | 58        |
| 102 | Associations between DSM-IV mental disorders and subsequent heart disease onset: Beyond depression. International Journal of Cardiology, 2013, 168, 5293-5299.                                      | 1.7  | 65        |
| 103 | The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2013, 73, 904-914.                                      | 1.3  | 1,025     |
| 104 | Dissociation in Posttraumatic Stress Disorder: Evidence from the World Mental Health Surveys. Biological Psychiatry, 2013, 73, 302-312.   | 1.3  | 251       |
| 105 | Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. Journal of Psychosomatic Research, 2013, 75, 121-127.                      | 2.6  | 20        |
| 106 | Gender differences in symptomatic profiles of depression: Results from the São Paulo Megacity Mental Health Survey. Journal of Affective Disorders, 2013, 147, 355-364.                             | 4.1  | 52        |
| 107 | Drop out from out-patient mental healthcare in the World Health Organization's World Mental Health Survey initiative. British Journal of Psychiatry, 2013, 202, 42-49.                              | 2.8  | 67        |
| 108 | Does income inequality get under the skin? A multilevel analysis of depression, anxiety and mental disorders in São Paulo, Brazil. Journal of Epidemiology and Community Health, 2013, 67, 966-972. | 3.7  | 56        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. <i>Psychological Medicine</i> , 2013, 43, 865-879.                                     | 4.5 | 68        |
| 110 | IRRITABLE MOOD IN ADULT MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE WORLD MENTAL HEALTH SURVEYS. <i>Depression and Anxiety</i> , 2013, 30, 395-406.  | 4.1 | 15        |
| 111 | Embarrassment when illness strikes a close relative: a World Mental Health Survey Consortium Multi-Site Study. <i>Psychological Medicine</i> , 2013, 43, 2191-2202.  | 4.5 | 23        |
| 112 | Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 115-125.   | 1.7 | 76        |
| 113 | Childhood Adversity and Adult Onset of Hypertension and Heart Disease in São Paulo, Brazil. <i>Preventing Chronic Disease</i> , 2013, 10, E205.  | 3.4 | 21        |
| 114 | Days out-of-role due to common physical and mental health problems: Results from the São Paulo Megacity Mental Health Survey, Brazil. <i>Clinics</i> , 2013, 68, 1392-1399.  | 1.5 | 20        |
| 115 | Lifetime Prevalence, Age and Gender Distribution and Age-of-Onset of Psychiatric Disorders in the São Paulo Metropolitan Area, Brazil: Results from the São Paulo Megacity Mental Health Survey. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 249-260. | 1.7 | 114       |
| 116 | Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2012, 72, 228-237.   | 1.3 | 114       |
| 117 | Mental Disorders in Megacities: Findings from the São Paulo Megacity Mental Health Survey, Brazil. <i>PLoS ONE</i> , 2012, 7, e31879.  | 2.5 | 264       |
| 118 | Gender differences in drinking patterns and alcohol-related problems in a community sample in São Paulo, Brazil. <i>Clinics</i> , 2012, 67, 205-212.   | 1.5 | 22        |
| 119 | Cross-national epidemiology of DSM-IV major depressive episode. <i>BMC Medicine</i> , 2011, 9, 90.   | 5.5 | 1,541     |
| 120 | Premarital mental disorders and physical violence in marriage: cross-national study of married couples. <i>British Journal of Psychiatry</i> , 2011, 199, 330-337.   | 2.8 | 32        |
| 121 | Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011, 16, 1234-1246.  | 7.9 | 360       |
| 122 | Treatment of suicidal people around the world. <i>British Journal of Psychiatry</i> , 2011, 199, 64-70.  | 2.8 | 289       |
| 123 | Sociodemographic Correlates of Transitions from Alcohol Use to Disorders and Remission in the Sao Paulo Megacity Mental Health Survey, Brazil. <i>Alcohol and Alcoholism</i> , 2011, 46, 324-332.  | 1.6 | 25        |
| 124 | Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. <i>British Journal of Psychiatry</i> , 2010, 197, 114-121.   | 2.8 | 156       |
| 125 | Screening for serious mental illness in the general population with the K6 screening scale: results from the WHO World Mental Health (WMH) survey initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2010, 19, 4-22.                | 2.1 | 953       |
| 126 | Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. <i>PLoS ONE</i> , 2010, 5, e10574.  | 2.5 | 273       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. British Journal of Psychiatry, 2010, 197, 378-385.  | 2.8 | 1,854     |
| 128 | Prevalence and risk factors for HIV, syphilis, hepatitis B, hepatitis C, and HTLV-I/II infection in low-income postpartum and pregnant women in Greater Metropolitan Vitória, Espírito Santo State, Brazil. Cadernos De Saude Publica, 2009, 25, 668-676. | 1.0 | 43        |
| 129 | São Paulo Megacity Mental Health Survey - a population-based epidemiological study of psychiatric morbidity in the São Paulo metropolitan area: aims, design and field implementation. Revista Brasileira De Psiquiatria, 2009, 31, 375-386.              | 1.7 | 67        |
| 130 | Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2009, 6, e1000123.  | 8.4 | 592       |
| 131 | Influence of psychiatric morbidity and sociodemographic determinants on use of service in a catchment area in the city of São Paulo, Brazil*. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 45-53.  | 3.1 | 23        |
| 132 | Prevalence and incidence of Mycobacterium tuberculosis infection in nursing students in Vitória, Espírito Santo. Revista Da Sociedade Brasileira De Medicina Tropical, 2005, 38, 469-472.   | 0.9 | 29        |
| 133 | Treatment Gap of Mental Disorders in São Paulo Metropolitan Area, Brazil: Failure and Delay in Initiating Treatment Contact After First Onset of Mental and Substance Use Disorders. International Journal of Mental Health and Addiction, 0, , 1.        | 7.4 | 2         |
| 134 | Retest effects in a diverse sample: sociodemographic predictors and possible correction approaches. Dementia E Neuropsychologia, 0, , .   | 0.8 | 0         |