Maria Carmen Viana

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2616878/publications.pdf

Version: 2024-02-01

134 papers 15,273 citations

76031 42 h-index 22488 117 g-index

141 all docs

141 docs citations

times ranked

141

20763 citing authors

#	Article	IF	CITATIONS
1	Depression in Brazilian farmers: prevalence and associated factors. Journal of Mental Health, 2024, 33, 127-135.	1.0	6
2	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958.	2.7	23
3	Associations of depression and intake of antioxidants and vitamin B complex: Results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Affective Disorders, 2022, 297, 259-268.	2.0	10
4	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, 6.	1.1	3
5	Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 168-179.	2.0	8
6	Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 273-285.	2.0	9
7	The association between diabetes mellitus and incidence of depressive episodes is different based on sex: insights from ELSA-Brasil. Therapeutic Advances in Endocrinology and Metabolism, 2022, 13, 204201882210932.	1.4	1
8	Patterns and correlates of patientâ€reported helpfulness of treatment for common mental and substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286.	4.8	16
9	Prevalência de depressão autorreferida no Brasil: Pesquisa Nacional de Saêde 2019 e 2013. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2022, 31, .	0.3	8
10	Anticholinergic burden and cognitive performance: cross-sectional results from the ELSA-Brasil study. European Journal of Clinical Pharmacology, 2022, 78, 1527-1534.	0.8	2
11	Prediction of depression cases, incidence, and chronicity in a large occupational cohort using machine learning techniques: an analysis of the ELSA-Brasil study. Psychological Medicine, 2021, 51, 2895-2903.	2.7	13
12	Prevalence and psychiatric comorbidities of intermittent explosive disorders in Metropolitan São Paulo, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 687-694.	1.6	0
13	Ideal vascular health and cognitive performance in the Brazilian Longitudinal Study of Adult Health. European Journal of Neurology, 2021, 28, 71-80.	1.7	5
14	Association between childhood adversities and psychopathology onset throughout the lifespan: Findings from a large metropolitan population. Journal of Psychiatric Research, 2021, 135, 8-14.	1.5	1
15	Response to comment on van Duinkerken et al. Biopsychosocial factors associated with a current depressive episode in diabetes: The ELSAâ∈Brasil study. Diabetic Medicine, 2021, 38, e14435.	1.2	O
16	Depression is associated with increased adiposity in a 4-year follow-up: results from the ELSA-Brasil. Journal of Affective Disorders, 2021, 282, 179-186.	2.0	1
17	Alcohol use patterns and disorders among individuals with personality disorders in the Sao Paulo Metropolitan Area. PLoS ONE, 2021, 16, e0248403.	1.1	4
18	Prevalence and risk factors of psychiatric symptoms and diagnoses before and during the COVID-19 pandemic: findings from the ELSA-Brasil COVID-19 mental health cohort. Psychological Medicine, 2021, , $1-12$.	2.7	37

#	Article	IF	Citations
19	Impact of Work-Family Conflict on Sleep Complaints: Results From the Longitudinal Study of Adult Health (ELSA-Brasil). Frontiers in Public Health, 2021, 9, 649974.	1.3	6
20	Socioeconomic characteristics influence attitudes towards sexuality in adolescents. Journal of Human Growth and Development, 2021, 31, 101-115.	0.2	6
21	Common and specific aspects of anxiety and depression and the metabolic syndrome. Journal of Psychiatric Research, 2021, 137, 117-125.	1.5	10
22	Instrumentos mais utilizados na avaliação da exposição a Experiências Adversas na Infância: uma revisão da literatura. Saêde Em Debate, 2021, 45, 501-513.	0.1	1
23	Cardiovascular risk factors and major depressive disorder: a cross-sectional study in São Paulo, Brazil. Sao Paulo Medical Journal, 2021, 139, 364-371.	0.4	0
24	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392.	1.1	10
25	Early life socioeconomic status predicts cognition regardless of education level. European Journal of Neurology, 2021, 28, 3972-3978.	1.7	8
26	Individual and population level estimates of work loss and related economic costs due to mental and substance use disorders in Metropolitan São Paulo, Brazil. Journal of Affective Disorders, 2021, 296, 198-207.	2.0	4
27	Fatores socioeconômicos que influenciam a percepção de adolescentes sobre sexualidade, maternidade e aborto. Research, Society and Development, 2021, 10, e572101321494.	0.0	0
28	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	1.6	3
29	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. Epidemiology and Psychiatric Sciences, 2021, 30, e70.	1.8	3
30	COMMON MENTAL DISORDER IN LATE ADOLESCENCE AND INTERNET DEPENDENCE: POSSIBLE ASSOCIATIONS. Psicologia, Saúde & Doenças, 2021, 22, 1061-1078.	0.0	0
31	Adaptação transcultural do Adverse Childhood Experiences International Questionnaire. Revista De Saude Publica, 2021, 55, 79.	0.7	5
32	Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 393-405.	1.6	2
33	Twelve-month mental health service use in six countries of the Americas: A regional report from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2020, 29, e53.	1.8	24
34	Depression subtypes and obesity in adults: A systematic review and metaâ€analysis. Obesity Reviews, 2020, 21, e12966.	3.1	50
35	Socio-demographic and psychiatric risk factors in incident and persistent depression: An analysis in the occupational cohort of ELSA-Brasil. Journal of Affective Disorders, 2020, 263, 252-257.	2.0	13
36	Gender Difference in Social Capital, Common Mental Disorders and Depression: ELSA-Brasil Study. Psych, 2020, 2, 85-96.	0.7	3

#	Article	IF	Citations
37	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. Depression and Anxiety, 2020, 37, 972-994.	2.0	12
38	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. Epidemiology and Psychiatric Sciences, 2020, 29, e153.	1.8	67
39	Biopsychosocial factors associated with a current depressive episode in diabetes: the ELSAâ€Brasil study. Diabetic Medicine, 2020, 37, 1742-1751.	1.2	10
40	COVID-19: depressão e consequências alimentares no distanciamento social. Archivos De Medicina, 2020, 21, .	0.1	0
41	Epidemiology of Psychiatric Disorders in Women. , 2020, , 17-29.		3
42	Measurement invariance of neuropsychological tests across different sociodemographic backgrounds in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) Neuropsychology, 2020, 34, 227-234.	1.0	12
43	Benzodiazepine use in Sao Paulo, Brazil. Clinics, 2020, 75, e1610.	0.6	5
44	Poorer cardiovascular health is associated with psychiatric comorbidity: results from the ELSA-Brasil Study. International Journal of Cardiology, 2019, 274, 358-365.	0.8	30
45	Associations between neighborhood-level violence and individual mental disorders: Results from the World Mental Health surveys in five Latin American cities. Psychiatry Research, 2019, 282, 112607.	1.7	14
46	Association between ideal cardiovascular health and depression incidence: a longitudinal analysis of ELSAâ€Brasil. Acta Psychiatrica Scandinavica, 2019, 140, 552-562.	2.2	13
47	Depression, anthropometric parameters, and body image in adults: a systematic review. Revista Da Associação Médica Brasileira, 2019, 65, 731-738.	0.3	32
48	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	2.3	24
49	Crossâ€national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. Addiction, 2019, 114, 1446-1459.	1.7	27
50	Multilevel Analysis of the Patterns of Physical-Mental Multimorbidity in General Population of São Paulo Metropolitan Area, Brazil. Scientific Reports, 2019, 9, 2390.	1.6	20
51	Adverse childhood experiences and bullying in late adolescence in a metropolitan region of Brazil. Child Abuse and Neglect, 2019, 92, 146-156.	1.3	17
52	A comparison of <i>DSM</i> â€5 and <i>DSM</i> â€₩ agoraphobia in the World Mental Health Surveys. Depression and Anxiety, 2019, 36, 499-510.	2.0	22
53	Absenteeism and Presenteeism Associated With Common Health Conditions in Brazilian Workers. Journal of Occupational and Environmental Medicine, 2019, 61, 303-313.	0.9	10
54	The relationship between neighborhood-level socioeconomic characteristics and individual mental disorders in five cities in Latin America: multilevel models from the World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 157-170.	1.6	7

#	Article	IF	CITATIONS
55	Depression is Associated With Sarcopenia Due to Low Muscle Strength: Results From the ELSA-Brasil Study. Journal of the American Medical Directors Association, 2019, 20, 1641-1646.	1.2	45
56	Validade de medidas autorrelatadas de peso corporal e estatura em participantes do estudo São Paulo Megacity. Cadernos Saude Coletiva, 2019, 27, 225-233.	0.2	1
57	Psychotic experiences and religiosity: data from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2018, 137, 306-315.	2.2	27
58	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 279-288.	1.6	79
59	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. Psychological Medicine, 2018, 48, 437-450.	2.7	28
60	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. Journal of Pain, 2018, 19, 99-110.	0.7	32
61	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. Molecular Psychiatry, 2018, 23, 1892-1899.	4.1	52
62	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571.	2.7	274
63	Is subjective social status a summary of life-course socioeconomic position?. Cadernos De Saude Publica, 2018, 34, e00024317.	0.4	9
64	The role of gender in the structure of networks of childhood adversity. Psychiatry Research, 2018, 270, 348-356.	1.7	3
65	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. Schizophrenia Research, 2018, 201, 46-53.	1.1	20
66	The epidemiology of personality disorders in the Sao Paulo Megacity general population. PLoS ONE, 2018, 13, e0195581.	1.1	19
67	Consumption of alcohol and blood pressure: Results of the ELSA-Brasil study. PLoS ONE, 2018, 13, e0190239.	1.1	53
68	Patterns and predictors of health service use among people with mental disorders in São Paulo metropolitan area, Brazil. Epidemiology and Psychiatric Sciences, 2017, 26, 89-101.	1.8	21
69	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. Psychological Medicine, 2017, 47, 1230-1245.	2.7	108
70	Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. International Journal of Methods in Psychiatric Research, 2017, 26, .	1.1	13
71	Pathways from witnessing parental violence during childhood to involvement in intimate partner violence in adult life: The roles of depression and substance use. Drug and Alcohol Review, 2017, 36, 107-114.	1.1	26
72	Dual burden of chronic physical diseases and anxiety/mood disorders among São Paulo Megacity Mental Health Survey Sample, Brazil. Journal of Affective Disorders, 2017, 220, 1-7.	2.0	13

#	Article	IF	Citations
73	Posttraumatic stress disorder in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 2260-2274.	2.7	675
74	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. British Journal of Psychiatry, 2017, 211, 280-288.	1.7	118
7 5	Trauma and PTSD in the WHO World Mental Health Surveys. Högre Utbildning, 2017, 8, 1353383.	1.4	801
76	Lack of association between depression and C-reactive protein level in the baseline of Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Affective Disorders, 2017, 208, 448-454.	2.0	22
77	The role of religious advisors in mental health care in the World Mental Health surveys. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 353-367.	1.6	19
78	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. BMC Medicine, 2017, 15, 143.	2.3	258
79	Mental disorders and employment status in the São Paulo Metropolitan Area, Brazil: gender differences and use of health services. Cadernos De Saude Publica, 2017, 33, e00154116.	0.4	7
80	Prevalence and clinical profile of chronic pain and its association with mental disorders. Revista De Saude Publica, 2017, 51, 96.	0.7	50
81	The cross-national epidemiology of DSM-IV intermittent explosive disorder. Psychological Medicine, 2016, 46, 3161-3172.	2.7	26
82	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. Psychological Medicine, 2016, 46, 327-343.	2.7	777
83	A Crossâ€National Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between <scp>DSM</scp> â€ <scp>IV</scp> and <scp>DSM</scp> â€5: Findings from the World Mental Health Survey. Alcoholism: Clinical and Experimental Research, 2016, 40, 1728-1736.	1.4	35
84	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. Depression and Anxiety, 2016, 33, 1155-1177.	2.0	144
85	Do Childhood Adversities Predict Suicidality? Findings from the General Population of the Metropolitan Area of São Paulo, Brazil. PLoS ONE, 2016, 11, e0155639.	1.1	20
86	Use of psychotropic medications in São Paulo Metropolitan Area, Brazil: pattern of healthcare provision to general population. Pharmacoepidemiology and Drug Safety, 2015, 24, 1207-1214.	0.9	14
87	Determinants of the use of health care services: multilevel analysis in the Metropolitan Region of Sao Paulo. Revista De Saude Publica, 2015, 49, 15.	0.7	31
88	The Influence of Parental Psychopathology on Offspring Suicidal Behavior across the Lifespan. PLoS ONE, 2015, 10, e0134970.	1.1	20
89	Psychotic Experiences in the General Population. JAMA Psychiatry, 2015, 72, 697.	6.0	387
90	Incremental health expenditure and lost days of normal activity for individuals with mental disorders: results from the $S\tilde{A}$ Paulo Megacity Study. BMC Public Health, 2015, 15, 745.	1.2	7

#	Article	IF	CITATIONS
91	Proportion of patients without mental disorders being treated in mental health services worldwide. British Journal of Psychiatry, 2015, 206, 101-109.	1.7	27
92	Drinking Patterns and Alcohol Use Disorders in São Paulo, Brazil: The Role of Neighborhood Social Deprivation and Socioeconomic Status. PLoS ONE, 2014, 9, e108355.	1.1	31
93	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. World Psychiatry, 2014, 13, 265-274.	4.8	194
94	DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING "NARROW―AND "BROAD―APPROACHES. Depression and Anxiety, 2014, 31, 494-505.	2.0	161
95	Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317.	2.7	825
96	The effects of co-morbidity in defining major depression subtypes associated with long-term course and severity. Psychological Medicine, 2014, 44, 3289-3302.	2.7	25
97	Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.	1.2	102
98	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. Diabetologia, 2014, 57, 699-709.	2.9	69
99	CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH) SURVEYS. Depression and Anxiety, 2014, 31, 130-142.	2.0	329
100	Patterns of multimorbidity in the general population of $S\tilde{A}_{20}$ Paulo, Brazil: a retrospective observational study. Lancet, The, 2014, 384, S22.	6.3	1
101	Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188.	1.5	58
102	Associations between DSM-IV mental disorders and subsequent heart disease onset: Beyond depression. International Journal of Cardiology, 2013, 168, 5293-5299.	0.8	65
103	The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2013, 73, 904-914.	0.7	1,025
104	Dissociation in Posttraumatic Stress Disorder: Evidence from the World Mental Health Surveys. Biological Psychiatry, 2013, 73, 302-312.	0.7	251
105	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. Journal of Psychosomatic Research, 2013, 75, 121-127.	1.2	20
106	Gender differences in symptomatic profiles of depression: Results from the São Paulo Megacity Mental Health Survey. Journal of Affective Disorders, 2013, 147, 355-364.	2.0	52
107	Drop out from out-patient mental healthcare in the World Health Organization's World Menta Health Survey initiative. British Journal of Psychiatry, 2013, 202, 42-49.	1.7	67
108	Does income inequality get under the skin? A multilevel analysis of depression, anxiety and mental disorders in São Paulo, Brazil. Journal of Epidemiology and Community Health, 2013, 67, 966-972.	2.0	56

#	Article	IF	CITATIONS
109	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. Psychological Medicine, 2013, 43, 865-879.	2.7	68
110	IRRITABLE MOOD IN ADULT MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE WORLD MENTAL HEALTH SURVEYS. Depression and Anxiety, 2013, 30, 395-406.	2.0	15
111	Embarrassment when illness strikes a close relative: a World Mental Health Survey Consortium Multi-Site Study. Psychological Medicine, 2013, 43, 2191-2202.	2.7	23
112	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. Revista Brasileira De Psiquiatria, 2013, 35, 115-125.	0.9	76
113	Childhood Adversity and Adult Onset of Hypertension and Heart Disease in São Paulo, Brazil. Preventing Chronic Disease, 2013, 10, E205.	1.7	21
114	Days out-of-role due to common physical and mental health problems: Results from the São Paulo Megacity Mental Health Survey, Brazil. Clinics, 2013, 68, 1392-1399.	0.6	20
115	Lifetime Prevalence, Age and Gender Distribution and Age-of-Onset of Psychiatric Disorders in the São Paulo Metropolitan Area, Brazil: Results from the São Paulo Megacity Mental Health Survey. Revista Brasileira De Psiquiatria, 2012, 34, 249-260.	0.9	114
116	Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. Biological Psychiatry, 2012, 72, 228-237.	0.7	114
117	Mental Disorders in Megacities: Findings from the São Paulo Megacity Mental Health Survey, Brazil. PLoS ONE, 2012, 7, e31879.	1.1	264
118	Gender differences in drinking patterns and alcohol-related problems in a community sample in $S\tilde{A}$ Equalo, Brazil. Clinics, 2012, 67, 205-212.	0.6	22
119	Cross-national epidemiology of DSM-IV major depressive episode. BMC Medicine, 2011, 9, 90.	2.3	1,541
120	Premarital mental disorders and physical violence in marriage: cross-national study of married couples. British Journal of Psychiatry, 2011, 199, 330-337.	1.7	32
121	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1234-1246.	4.1	360
122	Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70.	1.7	289
123	Sociodemographic Correlates of Transitions from Alcohol Use to Disorders and Remission in the Sao Paulo Megacity Mental Health Survey, Brazil. Alcohol and Alcoholism, 2011, 46, 324-332.	0.9	25
124	Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. British Journal of Psychiatry, 2010, 197, 114-121.	1.7	156
125	Screening for serious mental illness in the general population with the K6 screening scale: results from the WHO World Mental Health (WMH) survey initiative. International Journal of Methods in Psychiatric Research, 2010, 19, 4-22.	1.1	953
126	Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS ONE, 2010, 5, e10574.	1.1	273

#	Article	IF	CITATIONS
127	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. British Journal of Psychiatry, 2010, 197, 378-385.	1.7	1,854
128	Prevalence and risk factors for HIV, syphilis, hepatitis B, hepatitis C, and HTLV-I/II infection in low-income postpartum and pregnant women in Greater Metropolitan Vitória, EspÃrito Santo State, Brazil. Cadernos De Saude Publica, 2009, 25, 668-676.	0.4	43
129	São Paulo Megacity Mental Health Survey - a population-based epidemiological study of psychiatric morbidity in the São Paulo metropolitan area: aims, design and field implementation. Revista Brasileira De Psiquiatria, 2009, 31, 375-386.	0.9	67
130	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2009, 6, e1000123.	3.9	592
131	Influence of psychiatric morbidity and sociodemographic determinants on use of service in a catchment area in the city of SĀŁo Paulo, Brazil*. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 45-53.	1.6	23
132	Prevalence and incidence of Mycobacterium tuberculosis infection in nursing students in Vitória, EspÃrito Santo. Revista Da Sociedade Brasileira De Medicina Tropical, 2005, 38, 469-472.	0.4	29
133	Treatment Gap of Mental Disorders in São Paulo Metropolitan Area, Brazil: Failure and Delay in Initiating Treatment Contact After First Onset of Mental and Substance Use Disorders. International Journal of Mental Health and Addiction, 0, , 1.	4.4	2
134	Retest effects in a diverse sample: sociodemographic predictors and possible correction approaches. Dementia E Neuropsychologia, 0, , .	0.3	0