## Masao Matsuoka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2621263/publications.pdf

Version: 2024-02-01

299 papers 16,151 citations

70 h-index 20900 115 g-index

314 all docs

314 docs citations

314 times ranked

10924 citing authors

#	Article	IF	Citations
1	Human T-cell leukaemia virus type 1 (HTLV-1) infectivity and cellular transformation. Nature Reviews Cancer, 2007, $7$ , 270-280.	12.8	726
2	Integrated molecular analysis of adult T cell leukemia/lymphoma. Nature Genetics, 2015, 47, 1304-1315.	9.4	659
3	HTLV-I basic leucine zipper factor gene mRNA supports proliferation of adult T cell leukemia cells. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 720-725.	3.3	546
4	Revisiting Human IL-12RÎ <sup>2</sup> 1 Deficiency. Medicine (United States), 2010, 89, 381-402.	0.4	367
5	Broad Antiretroviral Activity and Resistance Profile of the Novel Human Immunodeficiency Virus Integrase Inhibitor Elvitegravir (JTK-303/GS-9137). Journal of Virology, 2008, 82, 764-774.	1.5	330
6	Novel HIV-1 Integrase Inhibitors Derived from Quinolone Antibiotics. Journal of Medicinal Chemistry, 2006, 49, 1506-1508.	2.9	311
7	Genetic and epigenetic inactivation oftax gene in adult T-cell leukemia cells. International Journal of Cancer, 2004, 109, 559-567.	2.3	309
8	Proliferation of adult T cell leukemia/lymphoma cells is associated with the constitutive activation of JAK/STAT proteins. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 13897-13902.	3.3	268
9	HTLV-1 bZIP Factor Induces T-Cell Lymphoma and Systemic Inflammation In Vivo. PLoS Pathogens, 2011, 7, e1001274.	2.1	267
10	Switch circular DNA formed in cytokine-treated mouse splenocytes: Evidence for intramolecular DNA deletion in immunoglobulin class switching. Cell, 1990, 62, 135-142.	13.5	237
11	Human T-cell leukemia virus type 1 (HTLV-1) and leukemic transformation: viral infectivity, Tax, HBZ and therapy. Oncogene, 2011, 30, 1379-1389.	2.6	232
12	Two types of defective human T-lymphotropic virus type I provirus in adult T-cell leukemia. Blood, 1996, 88, 3065-3073.	0.6	220
13	Sequence analysis of cDNA and genomic DNA for a putative pertussis toxin-insensitive guanine nucleotide-binding regulatory protein alpha subunit Proceedings of the National Academy of Sciences of the United States of America, 1988, 85, 5384-5388.	3.3	206
14	Natural history of adult T-cell leukemia/lymphoma and approaches to therapy. Oncogene, 2005, 24, 6047-6057.	2.6	199
15	Human T-cell leukemia virus type I and adult T-cell leukemia. Oncogene, 2003, 22, 5131-5140.	2.6	181
16	Roles for MicroRNAs, miR-93 and miR-130b, and Tumor Protein 53–Induced Nuclear Protein 1 Tumor Suppressor in Cell Growth Dysregulation by Human T-Cell Lymphotrophic Virus 1. Cancer Research, 2008, 68, 8976-8985.	0.4	172
17	Human T-cell leukemia virus type 1 bZIP factor selectively suppresses the classical pathway of NF- $\hat{\mathbb{P}}$ B. Blood, 2009, 113, 2755-2764.	0.6	164
18	Silencing of human T-cell leukemia virus type I gene transcription by epigenetic mechanisms. Retrovirology, 2005, 2, 64.	0.9	163

#	Article	IF	Citations
19	Mechanism of hypercalcemia in adult T-cell leukemia: overexpression of receptor activator of nuclear factor ÎB ligand on adult T-cell leukemia cells. Blood, 2002, 99, 634-640.	0.6	162
20	Revised Adult T-Cell Leukemia-Lymphoma International Consensus Meeting Report. Journal of Clinical Oncology, 2019, 37, 677-687.	0.8	162
21	Cells We thank Dr. Terrence R. Burke, Jr., NCI, NIH, Frederick, MD 21702-1201, for proofreading the manuscript and providing useful comments. This research was supported in part by a Grant-in-Aid for Scientific Research from the Ministry of Education, Culture, Sports, Science and Technology, Japan, the Japan Society for the Promotion of Science, and the Japan Health Science Foundation Angewandte	7.2	157
22	In vivo expression of the HBZ gene of HTLV-1 correlates with proviral load, inflammatory markers and disease severity in HTLV-1 associated myelopathy/tropical spastic paraparesis (HAM/TSP). Retrovirology, 2009, 6, 19.	0.9	150
23	Interleukin 1 gene expression in adult T cell leukemia Journal of Clinical Investigation, 1987, 80, 911-916.	3.9	149
24	Persistent clonal proliferation of human T-lymphotropic virus type I-infected cells in vivo. Cancer Research, 1997, 57, 4862-7.	0.4	142
25	4′-Ethynyl Nucleoside Analogs: Potent Inhibitors of Multidrug-Resistant Human Immunodeficiency Virus Variants In Vitro. Antimicrobial Agents and Chemotherapy, 2001, 45, 1539-1546.	1.4	137
26	The HBZ gene, a key player in HTLV-1 pathogenesis. Retrovirology, 2009, 6, 71.	0.9	136
27	Sporadic on/off switching of HTLV-1 Tax expression is crucial to maintain the whole population of virus-induced leukemic cells. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E1269-E1278.	3.3	135
28	Impaired production of naive T lymphocytes in human T-cell leukemia virus type l–infected individuals: its implications in the immunodeficient state. Blood, 2001, 97, 3177-3183.	0.6	134
29	Mutation of CD95 (Fas/Apo-1) Gene in Adult T-Cell Leukemia Cells. Blood, 1998, 91, 3935-3942.	0.6	129
30	Human T-cell leukemia virus type I (HTLV-I) infection and the onset of adult T-cell leukemia (ATL). Retrovirology, 2005, 2, 27.	0.9	127
31	Prognostic relevance of integrated genetic profiling in adult T-cell leukemia/lymphoma. Blood, 2018, 131, 215-225.	0.6	124
32	Identification of Aberrantly Methylated Genes in Association with Adult T-Cell Leukemia. Cancer Research, 2004, 64, 6002-6009.	0.4	123
33	Proteasome inhibitor, bortezomib, potently inhibits the growth of adult T-cell leukemia cells both in vivo and in vitro. Leukemia, 2004, 18, 1357-1363.	3.3	122
34	HTLV-1 bZIP factor enhances TGF- $\hat{l}^2$ signaling through p300 coactivator. Blood, 2011, 118, 1865-1876.	0.6	119
35	Mechanism of Inhibition of HIV-1 Reverse Transcriptase by 4′-Ethynyl-2-fluoro-2′-deoxyadenosine Triphosphate, a Translocation-defective Reverse Transcriptase Inhibitor. Journal of Biological Chemistry, 2009, 284, 35681-35691.	1.6	117
36	Reducing the global burden of HTLV-1 infection: An agenda for research and action. Antiviral Research, 2017, 137, 41-48.	1.9	116

#	Article	IF	Citations
37	Development of specific CXCR4 inhibitors possessing high selectivity indexes as well as complete stability in serum based on an anti-HIV peptide T140. Bioorganic and Medicinal Chemistry Letters, 2001, 11, 1897-1902.	1.0	115
38	Transcriptional Control of Spliced and Unspliced Human T-Cell Leukemia Virus Type 1 bZIP Factor () Tj ETQq0 0	0 rgBT /Ov	erlock 10 Tf 5
39	2′-Deoxy-4′-C-ethynyl-2-halo-adenosines active against drug-resistant human immunodeficiency virus type 1 variants. International Journal of Biochemistry and Cell Biology, 2008, 40, 2410-2420.	1.2	114
40	The role of HTLV-1 clonality, proviral structure, and genomic integration site in adult T-cell leukemia/lymphoma. Blood, 2014, 123, 3925-3931.	0.6	112
41	Multifaceted functions and roles of HBZ in HTLV-1 pathogenesis. Retrovirology, 2016, 13, 16.	0.9	110
42	Two types of defective human T-lymphotropic virus type I provirus in adult T-cell leukemia. Blood, 1996, 88, 3065-73.	0.6	110
43	Immunoglobulin switch circular DNA in the mouse infected with Nippostrongylus brasiliensis: evidence for successive class switching from mu to epsilon via gamma 1 Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 7829-7833.	3.3	109
44	APOBEC3G Generates Nonsense Mutations in Human T-Cell Leukemia Virus Type 1 Proviral Genomes <i>In Vivo</i> . Journal of Virology, 2010, 84, 7278-7287.	1.5	106
45	A novel diagnostic method of adult T-cell leukemia: monoclonal integration of human T-cell lymphotropic virus type I provirus DNA detected by inverse polymerase chain reaction. Blood, 1994, 84, 3080-3085.	0.6	105
46	Peptide bond mimicry by (E)-alkene and (Z)-fluoroalkene peptide isosteres: synthesis and bioevaluation of α-helical anti-HIV peptide analogues. Organic and Biomolecular Chemistry, 2009, 7, 2872.	1.5	105
47	An ILâ€27/Stat3 axis induces expression of programmed cell death 1 ligands ( <scp>PD</scp> ‣1/2) on infiltrating macrophages in lymphoma. Cancer Science, 2016, 107, 1696-1704.	1.7	104
48	CXCR4 Stimulates Macropinocytosis: Implications for Cellular Uptake of Arginine-Rich Cell-Penetrating Peptides and HIV. Chemistry and Biology, 2012, 19, 1437-1446.	6.2	103
49	Preferential Selection of Human T-Cell Leukemia Virus Type 1 Provirus Lacking the 5′ Long Terminal Repeat during Oncogenesis. Journal of Virology, 2007, 81, 5714-5723.	1.5	102
50	Clinical outcomes of a novel therapeutic vaccine with Tax peptideâ€pulsed dendritic cells for adult T cell leukaemia/lymphoma in a pilot study. British Journal of Haematology, 2015, 169, 356-367.	1.2	101
51	Increasing methylation of the CDKN2A gene is associated with the progression of adult T-cell leukemia. Cancer Research, 2000, 60, 1043-8.	0.4	99
52	Role of HTLV-1 proviral DNA load and clonality in the development of adult T-cell leukemia/lymphoma in asymptomatic carriers. International Journal of Cancer, 2004, 110, 621-625.	2.3	98
53	Activity against Human Immunodeficiency Virus Type 1, Intracellular Metabolism, and Effects on Human DNA Polymerases of $4\hat{a}\in^2$ -Ethynyl-2-Fluoro- $2\hat{a}\in^2$ -Deoxyadenosine. Antimicrobial Agents and Chemotherapy, 2007, 51, 2701-2708.	1.4	96
54	A novel animal model of Epstein-Barr virus–associated hemophagocytic lymphohistiocytosis in humanized mice. Blood, 2011, 117, 5663-5673.	0.6	96

#	Article	IF	CITATIONS
55	Cooperation of NF- $\hat{I}^{\circ}$ B2/p100 Activation and the PDZ Domain Binding Motif Signal in Human T-Cell Leukemia Virus Type 1 (HTLV-1) Tax1 but Not HTLV-2 Tax2 Is Crucial for Interleukin-2-Independent Growth Transformation of a T-Cell Line. Journal of Virology, 2007, 81, 11900-11907.	1.5	93
56	Aberrant expression of the MEL1S gene identified in association with hypomethylation in adult T-cell leukemia cells. Blood, 2004, 103, 2753-2760.	0.6	91
57	Human T-cell leukemia virus type 1: replication, proliferation and propagation by Tax and HTLV-1 bZIP factor. Current Opinion in Virology, 2013, 3, 684-691.	2.6	89
58	Amino Acid Mutation N348I in the Connection Subdomain of Human Immunodeficiency Virus Type 1 Reverse Transcriptase Confers Multiclass Resistance to Nucleoside and Nonnucleoside Reverse Transcriptase Inhibitors. Journal of Virology, 2008, 82, 3261-3270.	1.5	88
59	Mutations Conferring Resistance to Human Immunodeficiency Virus Type 1 Fusion Inhibitors Are Restricted by gp41 and Rev-Responsive Element Functions. Journal of Virology, 2005, 79, 764-770.	1.5	87
60	HTLV-1 modulates the frequency and phenotype of FoxP3+CD4+T cells in virus-infected individuals. Retrovirology, 2012, 9, 46.	0.9	85
61	Syntheses of 4â€~-C-Ethynyl-β-d-arabino- and 4â€~-C-Ethynyl-2â€~-deoxy-β-d-ribo-pentofuranosylpyrimidines and -purines and Evaluation of Their Anti-HIV Activity. Journal of Medicinal Chemistry, 2000, 43, 4516-4525.	2.9	84
62	Missense mutation of the interleukin-12 receptor β1 chain–encoding gene is associated with impaired immunity againstMycobacterium avium complex infection. Blood, 2001, 97, 2688-2694.	0.6	83
63	SC29EK, a Peptide Fusion Inhibitor with Enhanced $\hat{I}_{\pm}$ -Helicity, Inhibits Replication of Human Immunodeficiency Virus Type 1 Mutants Resistant to Enfuvirtide. Antimicrobial Agents and Chemotherapy, 2009, 53, 1013-1018.	1.4	82
64	Soluble interleukin 2 receptors in sera of Japanese patients with adult T cell leukemia mark activity of disease. Blood, 1988, 71, 1021-1026.	0.6	81
65	Molecular mechanisms of HTLV-1 infection and pathogenesis. International Journal of Hematology, 2011, 94, 435-442.	0.7	80
66	Involvement of IL-2/IL-2R system activation by parasite antigen in polyclonal expansion of CD4+25+ HTLV-1-infected T-cells in human carriers of both HTLV-1 and S. stercoralis. Oncogene, 2002, 21, 2466-2475.	2.6	79
67	Mogamulizumab (Anti-CCR4) in HTLV-1–Associated Myelopathy. New England Journal of Medicine, 2018, 378, 529-538.	13.9	79
68	Evidence for the interleukin-2 dependent expansion of leukemic cells in adult T cell leukemia. Blood, 1987, 70, 1407-1411.	0.6	76
69	HTLV-1 bZIP Factor RNA and Protein Impart Distinct Functions on T-cell Proliferation and Survival. Cancer Research, 2015, 75, 4143-4152.	0.4	75
70	SKI and MEL1 Cooperate to Inhibit Transforming Growth Factor-Î <sup>2</sup> Signal in Gastric Cancer Cells. Journal of Biological Chemistry, 2009, 284, 3334-3344.	1.6	74
71	HTLV-1 bZIP Factor Induces Inflammation through Labile Foxp3 Expression. PLoS Pathogens, 2013, 9, e1003630.	2.1	74
72	ATF3, an HTLV-1 bZip factor binding protein, promotes proliferation of adult T-cell leukemia cells. Retrovirology, 2011, 8, 19.	0.9	73

#	Article	IF	CITATIONS
73	Human T-Cell Leukemia Virus Type I Induces Adult T-Cell Leukemia: From Clinical Aspects to Molecular Mechanisms. Cancer Control, 2007, 14, 133-140.	0.7	71
74	Synthesis and biological evaluation of selective CXCR4 antagonists containing alkene dipeptide isosteres. Organic and Biomolecular Chemistry, 2010, 8, 616-621.	1.5	71
75	Maximizing Functional Photoreceptor Differentiation From Adult Human Retinal Stem Cells. Stem Cells, 2010, 28, 489-500.	1.4	70
76	Multi-Step Aberrant CpG Island Hyper-Methylation Is Associated with the Progression of Adult T–Cell Leukemia/Lymphoma. American Journal of Pathology, 2010, 176, 402-415.	1.9	68
77	HBZ and its roles in HTLV-1 oncogenesis. Frontiers in Microbiology, 2012, 3, 247.	1.5	68
78	HTLV-1 bZIP Factor Impairs Anti-viral Immunity by Inducing Co-inhibitory Molecule, T Cell Immunoglobulin and ITIM Domain (TIGIT). PLoS Pathogens, 2016, 12, e1005372.	2.1	67
79	HTLV-1 bZIP factor dysregulates the Wnt pathways to support proliferation and migration of adult T-cell leukemia cells. Oncogene, 2013, 32, 4222-4230.	2.6	65
80	Human T-cell leukaemia virus type 1: parasitism and pathogenesis. Philosophical Transactions of the Royal Society B: Biological Sciences, 2017, 372, 20160272.	1.8	65
81	HTLV-1 bZIP factor: the key viral gene for pathogenesis. Retrovirology, 2020, 17, 2.	0.9	65
82	Preferential selection of human T-cell leukemia virus type I provirus integration sites in leukemic versus carrier states. Blood, 2005, 106, 1048-1053.	0.6	64
83	HTLV-1 bZIP factor impairs cell-mediated immunity by suppressing production of Th1 cytokines. Blood, 2012, 119, 434-444.	0.6	64
84	HBZ is an immunogenic protein, but not a target antigen for human T-cell leukemia virus type 1-specific cytotoxic T lymphocytes. Journal of General Virology, 2009, 90, 1806-1811.	1.3	63
85	HTLV-1 bZIP Factor Suppresses Apoptosis by Attenuating the Function of FoxO3a and Altering Its Localization. Cancer Research, 2014, 74, 188-200.	0.4	62
86	Protective effect of cytotoxic T lymphocytes targeting HTLV-1 bZIP factor. Blood, 2015, 126, 1095-1105.	0.6	62
87	The 3′ enhancer region determines the B/T specificity and pro-B/pre-B specificity of immunoglobulin Vκ-Jκ joining. Cell, 1995, 83, 1113-1123.	13.5	60
88	Donor-Derived T-Cell Leukemia after Bone Marrow Transplantation. New England Journal of Medicine, 2006, 354, 1758-1759.	13.9	60
89	Gpr $176$ is a Gz-linked orphan G-protein-coupled receptor that sets the pace of circadian behaviour. Nature Communications, 2016, 7, 10583.	5.8	60
90	HTLV-1 Viral Factor HBZ Induces CCR4 to Promote T-cell Migration and Proliferation. Cancer Research, 2016, 76, 5068-5079.	0.4	60

#	Article	IF	Citations
91	40 years of the human T-cell leukemia virus: past, present, and future. F1000Research, 2019, 8, 228.	0.8	60
92	Electrostatically constrained $\hat{l}$ ±-helical peptide inhibits replication of HIV-1 resistant to enfuvirtide. International Journal of Biochemistry and Cell Biology, 2009, 41, 891-899.	1.2	59
93	Loss of interleukin-2-dependency in HTLV-I-infected T cells on gene silencing of thioredoxin-binding protein-2. Oncogene, 2006, 25, 2181-2191.	2.6	56
94	Allogeneic Hematopoietic Stem Cell Transplantation Using Reduced-Intensity Conditioning for Adult T Cell Leukemia/Lymphoma: Impact of Antithymocyte Globulin on Clinical Outcome. Biology of Blood and Marrow Transplantation, 2008, 14, 702-708.	2.0	56
95	Human T-cell leukemia virus type 1 infects multiple lineage hematopoietic cells in vivo. PLoS Pathogens, 2017, 13, e1006722.	2.1	56
96	Design of a Novel HIV-1 Fusion Inhibitor That Displays a Minimal Interface for Binding Affinity. Journal of Medicinal Chemistry, 2008, 51, 388-391.	2.9	55
97	Interferon-α-induced G1 phase arrest through up-regulated expression of CDK inhibitors, p19Ink4D and p21Cip1 in mouse macrophages. Oncogene, 1998, 16, 2075-2086.	2.6	53
98	Human T-Cell Leukemia Virus Type 1 (HTLV-1) bZIP Factor Requires Cellular Transcription Factor JunD To Upregulate HTLV-1 Antisense Transcription from the 3′ Long Terminal Repeat. Journal of Virology, 2012, 86, 9070-9078.	1.5	52
99	Rapid quantification of HTLV-I provirus load: Detection of monoclonal proliferation of HTLV-I-infected cells among blood donors. , 1999, 81, 859-864.		50
100	De Novo Human T-Cell Leukemia Virus Type 1 Infection of Human Lymphocytes in NOD-SCID, Common $\hat{I}^3$ -Chain Knockout Mice. Journal of Virology, 2006, 80, 10683-10691.	1.5	49
101	2′-Deoxy-4′- <i>C</i> -Ethynyl-2-Fluoroadenosine: A Nucleoside Reverse Transcriptase Inhibitor with Highly Potent Activity Against Wide Spectrum of HIV-1 Strains, Favorable Toxic Profiles, and Stability in Plasma. Nucleosides, Nucleotides and Nucleic Acids, 2007, 26, 1543-1546.	0.4	49
102	HIV-1 Vpr Accelerates Viral Replication during Acute Infection by Exploitation of Proliferating CD4+ T Cells In Vivo. PLoS Pathogens, 2013, 9, e1003812.	2.1	49
103	Constitutive overexpression of the L-selectin gene in fresh leukemic cells of adult T-cell leukemia that can be transactivated by human T- cell lymphotropic virus type 1 Tax. Blood, 1995, 86, 3109-3117.	0.6	48
104	Sea urchin insulator protects lentiviral vector from silencing by maintaining active chromatin structure. Gene Therapy, 2004, 11, 819-828.	2.3	48
105	T3 surface molecules on adult T cell leukemia cells are modulated in vivo. Blood, 1986, 67, 1070-1076.	0.6	47
106	HTLV-1 bZIP Factor Enhances T-Cell Proliferation by Impeding the Suppressive Signaling of Co-inhibitory Receptors. PLoS Pathogens, 2017, 13, e1006120.	2.1	46
107	Provirus Load in Patients with Human T-Cell Leukemia Virus Type 1 Uveitis Correlates with Precedent Graves' Disease and Disease Activities. Japanese Journal of Cancer Research, 1998, 89, 608-614.	1.7	45
108	Phase II Study of Cladribine (2-Chlorodeoxyadenosine) in Relapsed or Refractory Adult T-Cell Leukemia-Lymphoma. International Journal of Hematology, 2003, 77, 512-517.	0.7	44

#	Article	IF	CITATIONS
109	Design, Efficient Synthesis, and Antiâ€HIV Activity of 4′â€Câ€Cyano―and 4′â€Câ€Ethynylâ€2â€2â€deoxy Nucleosides, Nucleotides and Nucleic Acids, 2004, 23, 671-690.	Purine Nuc 0.4	cleosides.
110	Whole-genome landscape of adult T-cell leukemia/lymphoma. Blood, 2022, 139, 967-982.	0.6	44
111	Heptad Repeat-Derived Peptides Block Protease-Mediated Direct Entry from the Cell Surface of Severe Acute Respiratory Syndrome Coronavirus but Not Entry via the Endosomal Pathway. Journal of Virology, 2008, 82, 588-592.	1.5	42
112	Design of Peptide-based Inhibitors for Human Immunodeficiency Virus Type 1 Strains Resistant to T-20*. Journal of Biological Chemistry, 2009, 284, 4914-4920.	1.6	41
113	Human T-Cell Leukemia Virus Type I at Age 25: A Progress Report: Figure 1 Cancer Research, 2005, 65, 4467-4470.	0.4	40
114	The noncanonical role of EZH2 in cancer. Cancer Science, 2021, 112, 1376-1382.	1.7	40
115	Synthesis and Application of Fluorescein―and Biotin‣abeled Molecular Probes for the Chemokine Receptor CXCR4. ChemBioChem, 2008, 9, 1154-1158.	1.3	39
116	Clinical relevance of substitutions in the connection subdomain and RNase H domain of HIV-1 reverse transcriptase from a cohort of antiretroviral treatment-na $\tilde{A}$ ve patients. Antiviral Research, 2009, 82, 115-121.	1.9	38
117	Resistance Profiles of Novel Electrostatically Constrained HIV-1 Fusion Inhibitors. Journal of Biological Chemistry, 2010, 285, 39471-39480.	1.6	37
118	HTLV-2 APH-2 Expression Is Correlated With Proviral Load but APH-2 Does Not Promote Lymphocytosis. Journal of Infectious Diseases, 2012, 205, 82-86.	1.9	37
119	Polymorphism of the 5′â€Flanking Region of the Tumor Necrosis Factor (TNF)–α Gene and Susceptibility to Human Tâ€Cell Lymphotropic Virus Type I (HTLVâ€I) Uveitis. Journal of Infectious Diseases, 1999, 180, 880-883.	1.9	36
120	Genetic Evidence of Transmission of Human T Cell Lymphotropic Virus Type 1 between Spouses. Journal of Infectious Diseases, 2002, 185, 691-695.	1.9	36
121	Characterization of simian T-cell leukemia virus type 1 in naturally infected Japanese macaques as a model of HTLV-1 infection. Retrovirology, 2013, 10, 118.	0.9	36
122	Mutation of CD95 (Fas/Apo-1) gene in adult T-cell leukemia cells. Blood, 1998, 91, 3935-42.	0.6	36
123	Leukaemogenic mechanism of human Tâ€eell leukaemia virus type I. Reviews in Medical Virology, 2007, 17, 301-311.	3.9	35
124	DNA double strand break repair enzymes function at multiple steps in retroviral infection. Retrovirology, 2009, 6, 114.	0.9	35
125	HTLV-1 and the Host Immune System: How the Virus Disrupts Immune Regulation, Leading to HTLV-1 Associated Diseases. Journal of Clinical and Experimental Hematopathology: JCEH, 2010, 50, 1-8.	0.3	35
126	Central nervous system lesions in adult T-cell leukaemia: MRI and pathology. Neuroradiology, 2002, 44, 559-567.	1.1	34

#	Article	IF	Citations
127	Potent CXCR4 Antagonists Containing Amidine Type Peptide Bond Isosteres. ACS Medicinal Chemistry Letters, 2011, 2, 477-480.	1.3	33
128	HTLV-1 bZIP factor protein targets the Rb/E2F-1 pathway to promote proliferation and apoptosis of primary CD4+ T cells. Oncogene, 2016, 35, 4509-4517.	2.6	32
129	Immunoglobulin V gene replacement is caused by the intramolecular DNA deletion mechanism EMBO Journal, $1992,11,611\text{-}618.$	3.5	31
130	Structural Basis for the Interaction of CCR5 with a Small Molecule, Functionally Selective CCR5 Agonist. Journal of Immunology, 2006, 177, 3116-3122.	0.4	31
131	Interferon-Î <sup>3</sup> Promotes Inflammation and Development of T-Cell Lymphoma in HTLV-1 bZIP Factor Transgenic Mice. PLoS Pathogens, 2015, 11, e1005120.	2.1	31
132	Oncogenic spiral by infectious pathogens: Cooperation of multiple factors in cancer development. Cancer Science, 2018, 109, 24-32.	1.7	31
133	HTLV-1 induces T cell malignancy and inflammation by viral antisense factor-mediated modulation of the cytokine signaling. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 13740-13749.	3.3	31
134	Soluble interleukin 2 receptors in sera of Japanese patients with adult T cell leukemia mark activity of disease. Blood, 1988, 71, 1021-1026.	0.6	31
135	Characterization of the human gene for Gx alpha, a pertussis toxin-insensitive regulatory GTP-binding protein. Journal of Biological Chemistry, 1990, 265, 13215-20.	1.6	31
136	Identification of novel non-peptide CXCR4 antagonists by ligand-based design approach. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 4124-4129.	1.0	29
137	Circadian clock regulates hepatic polyploidy by modulating Mkp1-Erk1/2 signaling pathway. Nature Communications, 2017, 8, 2238.	5.8	28
138	Development of T cell lymphoma in HTLV-1 bZIP factor and Tax double transgenic mice. Archives of Virology, 2014, 159, 1849-1856.	0.9	27
139	Regulation of Latency in the Human T Cell Leukemia Virus, HTLV-1. Annual Review of Virology, 2019, 6, 365-385.	3.0	27
140	Tumor necrosis factor, tumor necrosis factor receptors type 1 and 2, lymphotoxin- $\hat{l}_{\pm}$ , and HLA-DRB1 gene polymorphisms in human T-Cell lymphotropic virus type I associated myelopathy. Human Immunology, 2000, 61, 1262-1269.	1.2	26
141	HTLV-1 bZIP factor gene: Its roles in HTLV-1 pathogenesis. Molecular Aspects of Medicine, 2010, 31, 359-366.	2.7	26
142	Random integration of HTLV-I provirus; increasing chromosomal instability. Cancer Letters, 1998, 132, 203-212.	3.2	25
143	Association between interleukin-6 gene polymorphism and human T-Cell leukemia virus type I associated myelopathy. Human Immunology, 2002, 63, 696-700.	1.2	25
144	Identification of minimal sequence for HIV-1 fusion inhibitors. Bioorganic and Medicinal Chemistry, 2008, 16, 9184-9187.	1.4	25

#	Article	IF	CITATIONS
145	Synonymous mutations in stem-loop III of Rev responsive elements enhance HIV-1 replication impaired by primary mutations for resistance to enfuvirtide. Antiviral Research, 2009, 82, 67-72.	1.9	25
146	Structure–activity relationship study of pyrimido[1,2-c][1,3]benzothiazin-6-imine derivatives for potent anti-HIV agents. Bioorganic and Medicinal Chemistry, 2012, 20, 6434-6441.	1.4	25
147	A Critical Role for IL-17RB Signaling in HTLV-1 Tax-Induced NF-κB Activation and T-Cell Transformation. PLoS Pathogens, 2014, 10, e1004418.	2.1	25
148	TCF1 and LEF1 act as T-cell intrinsic HTLV-1 antagonists by targeting Tax. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 2216-2221.	3.3	25
149	Stat3 inhibitor abrogates the expression of PD-1 ligands on lymphoma cell lines. Journal of Clinical and Experimental Hematopathology: JCEH, 2017, 57, 21-25.	0.3	25
150	HTLV-1 Alters T Cells for Viral Persistence and Transmission. Frontiers in Microbiology, 2018, 9, 461.	1.5	25
151	Studies of non-nucleoside HIV-1 reverse transcriptase inhibitors. Part 2: Synthesis and structure–activity relationships of 2-cyano and 2-hydroxy thiazolidenebenzenesulfonamide derivatives. Bioorganic and Medicinal Chemistry, 2005, 13, 949-961.	1.4	24
152	Concise synthesis and anti-HIV activity of pyrimido[1,2-c][1,3]benzothiazin-6-imines and related tricyclic heterocycles. Organic and Biomolecular Chemistry, 2012, 10, 6792.	1.5	24
153	Long Noncoding RNA ANRIL Supports Proliferation of Adult T-Cell Leukemia Cells through Cooperation with EZH2. Journal of Virology, 2018, 92, .	1.5	24
154	Human retroviral antisense mRNAs are retained in the nuclei of infected cells for viral persistence. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	23
155	Structure–activity relationship study of phenylpyrazole derivatives as a novel class of anti-HIV agents. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 4557-4561.	1.0	22
156	Sequential Change of Virus Markers in Seroconverters with Communityâ€Acquired Infection of Human T Lymphotropic Virus Type I. Journal of Infectious Diseases, 2001, 183, 1031-1037.	1.9	21
157	HTLV-1 bZIP factor supports proliferation of adult T cell leukemia cells through suppression of C/EBPα signaling. Retrovirology, 2013, 10, 159.	0.9	20
158	HTLV-1 subgroups associated with the risk of HAM/TSP are related to viral and host gene expression in peripheral blood mononuclear cells, independent of the transactivation functions of the viral factors. Journal of NeuroVirology, 2016, 22, 416-430.	1.0	20
159	CADM1 is a diagnostic marker in early-stage mycosis fungoides: Multicenter study of 58 cases. Journal of the American Academy of Dermatology, 2018, 79, 1039-1046.	0.6	20
160	Hematopoietic stem cells acquire survival advantage by loss of RUNX1 methylation identified in familial leukemia. Blood, 2020, 136, 1919-1932.	0.6	20
161	GANP suppresses DNA recombination, measured by direct-repeat ?-galactosidase gene construct, but does not suppress the type of recombination applying to immunoglobulin genes in mammalian cells. Genes To Cells, 2007, 12, 1205-1213.	0.5	19
162	Identification of anti-HIV agents with a novel benzo [4,5] isothiazolo [2,3-a] pyrimidine scaffold. Bioorganic and Medicinal Chemistry, 2015, 23, 1447-1452.	1.4	19

#	Article	IF	CITATIONS
163	Lysine Demethylase 5A Is Required for MYC-Driven Transcription in Multiple Myeloma. Blood Cancer Discovery, 2021, 2, 370-387.	2.6	19
164	Synthetic peptide-based electrochemiluminescence immunoassay for anti-Borna disease virus p40 and p24 antibodies in rat and horse serum. Annals of Clinical Biochemistry, 2001, 38, 348-355.	0.8	18
165	2′-Deoxy-4′-C-ethynyl-2-fluoroadenosine: A nucleoside reverse transcriptase inhibitor with highly potent activity against all HIV-1 strains, favorable toxic profiles and stability in plasma. Nucleic Acids Symposium Series, 2006, 50, 1-2.	0.3	18
166	Phenotypic and Genotypic Comparisons of Human T-Cell Leukemia Virus Type 1 Reverse Transcriptases from Infected T-Cell Lines and Patient Samples. Journal of Virology, 2007, 81, 4422-4428.	1.5	18
167	Adult Tâ€eell leukemiaâ€lymphoma as a viral disease: Subtypes based on viral aspects. Cancer Science, 2021, 112, 1688-1694.	1.7	18
168	Leukemogenesis of Adult T-Cell Leukemia. International Journal of Hematology, 2003, 78, 312-320.	0.7	17
169	Influence of cytokine and mannose binding protein gene polymorphisms on human t-cell leukemia virus type i (hTLV-i) provirus load in HTLV-I asymptomatic carriers. Human Immunology, 2003, 64, 453-457.	1.2	17
170	Characterization of HIV-1 resistance to a fusion inhibitor, N36, derived from the gp41 amino-terminal heptad repeat. Antiviral Research, 2010, 87, 179-186.	1.9	17
171	Molecular and Cellular Mechanism of Leukemogenesis of ATL: Emergent Evidence of a Significant Role for HBZ in HTLV-1-Induced Pathogenesis. Leukemia Research and Treatment, 2012, 2012, 1-8.	2.0	17
172	Virological and immunological mechanisms in the pathogenesis of human Tâ€cell leukemia virus type 1. Reviews in Medical Virology, 2013, 23, 269-280.	3.9	17
173	Enhancement of anti-STLV-1/HTLV-1 immune responses through multimodal effects of anti-CCR4 antibody. Scientific Reports, 2016, 6, 27150.	1.6	17
174	TIM-3 expression in lymphoma cells predicts chemoresistance in patients with adult T-cell leukemia/lymphoma. Oncology Letters, 2016, 12, 1519-1524.	0.8	17
175	Potential anti-lymphoma effect of M-CSFR inhibitor in adult T-cell leukemia/lymphoma. Journal of Clinical and Experimental Hematopathology: JCEH, 2018, 58, 152-160.	0.3	17
176	Novel patterns of nevirapine resistance-associated mutations of human immunodeficiency virus type 1 in treatment-na $\tilde{A}$ ve patients. Virology, 2004, 327, 215-224.	1.1	16
177	Studies of nonnucleoside HIV-1 reverse transcriptase inhibitors. Part 1: Design and synthesis of thiazolidenebenzenesulfonamides. Bioorganic and Medicinal Chemistry, 2004, 12, 6171-6182.	1.4	16
178	HTLV-1 proviral integration sites differ between asymptomatic carriers and patients with HAM/TSP. Virology Journal, 2014, 11, 172.	1.4	16
179	Human T-cell leukemia virus type 1 and Foxp3 expression: viral strategy in vivo. International Immunology, 2014, 26, 419-425.	1.8	16
180	Distinct gene expression signatures induced by viral transactivators of different HTLV-1 subgroups that confer a different risk of HAM/TSP. Retrovirology, 2018, 15, 72.	0.9	16

#	Article	IF	CITATIONS
181	Expression of tac antigen on human immature B-cell lineage leukemic cells. Leukemia Research, 1986, 10, 597-603.	0.4	15
182	The possible involvement of CXCR4 in the inhibition of HIV-1 infection mediated by DP178/gp41. FEBS Letters, 2000, 487, 185-188.	1.3	15
183	Halogenated Thymidine Analogues Restore the Expression of Silenced Genes without Demethylation. Cancer Research, 2005, 65, 6927-6933.	0.4	15
184	Implication of the HTLV-I bZIP Factor Gene in the Leukemogenesis of Adult T-Cell Leukemia. International Journal of Hematology, 2007, 86, 107-112.	0.7	15
185	X-ray Crystallographic Study of an HIV-1 Fusion Inhibitor with the gp41 S138A Substitution. Journal of Molecular Biology, 2009, 392, 657-665.	2.0	15
186	Detection of HTLVâ€1 by means of <i>HBZ</i> gene <i>in situ</i> hybridization in formalinâ€fixed and paraffinâ€embedded tissues. Cancer Science, 2011, 102, 1432-1436.	1.7	15
187	Human <scp>T</scp> â€cell leukemia virus type 1 <scp>T</scp> ax oncoprotein represses the expression of the <scp>BCL</scp> 11 <scp>B</scp> tumor suppressor in <scp>T</scp> â€cells. Cancer Science, 2015, 106, 461-465.	1.7	15
188	Design and synthesis of biotin- or alkyne-conjugated photoaffinity probes for studying the target molecules of PD 404182. Bioorganic and Medicinal Chemistry, 2013, 21, 2079-2087.	1.4	14
189	Investigations of possible prodrug structures for 2-(2-mercaptophenyl)tetrahydropyrimidines: reductive conversion from anti-HIV agents with pyrimidobenzothiazine and isothiazolopyrimidine scaffolds. Organic and Biomolecular Chemistry, 2015, 13, 4706-4713.	1.5	14
190	<scp>TUBB</scp> 1 dysfunction in inherited thrombocytopenia causes genome instability. British Journal of Haematology, 2019, 185, 888-902.	1.2	14
191	HTLV-1 bZIP factor suppresses TDP1 expression through inhibition of NRF-1 in adult T-cell leukemia. Scientific Reports, 2017, 7, 12849.	1.6	13
192	Safety of mogamulizumab for relapsed ATL after allogeneic hematopoietic cell transplantation. Bone Marrow Transplantation, 2019, 54, 338-342.	1.3	13
193	Expression of <scp>IL</scp> â€34 correlates with macrophage infiltration and prognosis of diffuse large Bâ€cell lymphoma. Clinical and Translational Immunology, 2019, 8, e1074.	1.7	13
194	Ars Insulator Identified in Sea Urchin Possesses an Activity to Ensure the Transgene Expression in Mouse Cells. Journal of Biochemistry, 2006, 139, 705-714.	0.9	12
195	IL-2/IL-2 Receptor Pathway Plays a Crucial Role in the Growth and Malignant Transformation of HTLV-1-Infected T Cells to Develop Adult T-Cell Leukemia. Frontiers in Microbiology, 2020, 11, 356.	1.5	12
196	Immunoglobulin V gene replacement is caused by the intramolecular DNA deletion mechanism. EMBO Journal, $1992,11,611\text{-}8.$	3.5	12
197	Bioorganic synthesis of a recombinant HIV-1 fusion inhibitor, SC35EK, with an N-terminal pyroglutamate capping group. Bioorganic and Medicinal Chemistry, 2009, 17, 7964-7970.	1.4	11
198	Binding of Multivalent Anionic Porphyrins to V3 Loop Fragments of an HIVâ€1 Envelope and Their Antiviral Activity. Chemistry - an Asian Journal, 2010, 5, 825-834.	1.7	11

#	Article	IF	CITATIONS
199	FOXP3 <sup>+</sup> regulatory and TIAâ€1 <sup>+</sup> cytotoxic T lymphocytes in HIVâ€associated Hodgkin lymphoma. Pathology International, 2012, 62, 77-83.	0.6	11
200	The Roles of Coinhibitory Receptors in Pathogenesis of Human Retroviral Infections. Frontiers in Immunology, 2018, 9, 2755.	2.2	11
201	Evaluating the origin and virulence of a Helicobacter pylori cagA-positive strain isolated from a non-human primate. Scientific Reports, 2018, 8, 15981.	1.6	11
202	A Small Molecule, ACAi-028, with Anti-HIV-1 Activity Targets a Novel Hydrophobic Pocket on HIV-1 Capsid. Antimicrobial Agents and Chemotherapy, 2021, 65, e0103921.	1.4	11
203	T3 surface molecules on adult T cell leukemia cells are modulated in vivo. Blood, 1986, 67, 1070-6.	0.6	11
204	Enhanced antibody-mediated neutralization of HIV-1 variants that are resistant to fusion inhibitors. Retrovirology, 2016, 13, 70.	0.9	10
205	HTLV-1 activates YAP via NF- $\hat{\mathbb{P}}$ B/p65 to promote oncogenesis. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	3.3	10
206	Beneficial impact of firstâ€line mogamulizumabâ€containing chemotherapy in adult Tâ€cell leukaemiaâ€lymphoma. British Journal of Haematology, 2022, 198, 983-987.	1.2	10
207	Natural antibodies in sera from Japanese individuals infected with HTLV-I do not recognize HTLV-III. Blood, 1985, 66, 745-747.	0.6	9
208	The Development of Sleep and Wakefulness Cycle in Early Infancy and Its Relationship to Feeding Habit Tohoku Journal of Experimental Medicine, 1991, 165, 147-154.	0.5	9
209	Chromosomal abnormalities in non-hodgkin lymphoma with peripheral t-cell type: Effect of HTLV-I infection. Hematological Oncology, 2006, 5, 157-166.	0.8	9
210	A Novel Colorimetric Assay for CXCR4 and CCR5 Tropic Human Immunodeficiency Viruses. Antiviral Chemistry and Chemotherapy, 2006, 17, 215-223.	0.3	9
211	A simple, rapid, and sensitive system for the evaluation of anti-viral drugs in rats. Biochemical and Biophysical Research Communications, 2012, 424, 257-261.	1.0	9
212	Reevaluation of confirmatory tests for human <scp>T</scp> â€ell leukemia virus <scp>T</scp> ype 1 using a luciferase immunoprecipitation system in blood donors. Transfusion, 2015, 55, 880-889.	0.8	9
213	Impact of HIV-1 infection pathways on susceptibility to antiviral drugs and on virus spread. Virology, 2015, 484, 364-376.	1.1	9
214	Isolated Pancreatic Myeloid Sarcoma Associated with t(8;21)/ <i>RUNX1-RUNX1T1</i> Rearrangement. Internal Medicine, 2018, 57, 563-568.	0.3	9
215	IL-7R–Dependent Phosphatidylinositol 3-Kinase Competes with the STAT5 Signal to Modulate T Cell Development and Homeostasis. Journal of Immunology, 2020, 204, 844-857.	0.4	9
216	In vivo dynamics and adaptation of HTLV-1-infected clones under different clinical conditions. PLoS Pathogens, 2021, 17, e1009271.	2.1	9

#	Article	IF	CITATIONS
217	Genome wide association study of HTLV- $1\hat{a}\in$ "associated myelopathy/tropical spastic paraparesis in the Japanese population. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	9
218	A novel PDK1 inhibitor, JX06, inhibits glycolysis and induces apoptosis in multiple myeloma cells. Biochemical and Biophysical Research Communications, 2022, 587, 153-159.	1.0	9
219	Identification of Human Autoantibodies to the Transcriptional Repressor ZF5. Journal of Autoimmunity, 2000, 15, 75-80.	3.0	8
220	Development of adult T-cell leukemia in donor-derived human T-cell leukemia virus type I-infected T cells after allogeneic bone marrow transplantation. Leukemia, 2007, 21, 1594-1596.	3.3	8
221	Novel screening systems for HIV-1 fusion mediated by two extra-virion heptad repeats of gp41. Antiviral Research, 2008, 80, 71-76.	1.9	8
222	Bioorganic synthesis of end-capped anti-HIV peptides by simultaneous cyanocysteine-mediated cleavages of recombinant proteins. Bioorganic and Medicinal Chemistry, 2009, 17, 7487-7492.	1.4	8
223	Controlling leucine-zipper partner recognition in cells through modification of a–g interactions. Chemical Communications, 2014, 50, 6364-6367.	2.2	8
224	Pentosan Polysulfate Demonstrates Anti-human T-Cell Leukemia Virus Type 1 Activities <i>ln Vitro </i> ) and <i>li&gt; Journal of Virology, 2019, 93, .</i>	1.5	8
225	Mutation of CD95 (Fas/Apo-1) Gene in Adult T-Cell Leukemia Cells. Blood, 1998, 91, 3935-3942.	0.6	8
226	RNase S complex bearing arginine-rich peptide and anti-HIV activity. Journal of Molecular Recognition, 2005, 18, 169-174.	1.1	7
227	Involvement of double-stranded RNA-dependent protein kinase and antisense viral RNA in the constitutive NFκB activation in adult T-cell leukemia/lymphoma cells. Leukemia, 2015, 29, 1425-1429.	3.3	7
228	A Conformational Escape Reaction of HIV-1 against an Allosteric Integrase Inhibitor. Journal of Virology, 2020, 94, .	1.5	7
229	Germinal epimutation of Fragile Histidine Triad (FHIT) gene is associated with progression to acute and chronic adult T-cell leukemia diseases. Molecular Cancer, 2021, 20, 86.	7.9	7
230	Analysis of the Expression of Seven G Protein $\hat{l}_{\pm}$ Subunit Genes in Hematopoietic Cells. American Journal of the Medical Sciences, 1993, 306, 89-93.	0.4	7
231	Analysis of anti-HTLV-I antibody by strip radioimmunoassayâ€"comparison with indirect immunofluorescence assay, enzyme-linked immunosorbent assay and membrane immunofluorescence assay. Leukemia Research, 1986, 10, 605-610.	0.4	6
232	Deregulated c-fos Modulates B Cell Responses to Switch Mediators. Cellular Immunology, 1993, 149, 82-90.	1.4	6
233	Rev-derived peptides inhibit HIV-1 replication by antagonism of Rev and a co-receptor, CXCR4. International Journal of Biochemistry and Cell Biology, 2010, 42, 1482-1488.	1.2	6
234	Mechanism of resistance to S138A substituted enfuvirtide and its application to peptide design. International Journal of Biochemistry and Cell Biology, 2013, 45, 908-915.	1.2	6

#	Article	IF	CITATIONS
235	HIV-1 Resistance Mechanism to an Electrostatically Constrained Peptide Fusion Inhibitor That Is Active against T-20-Resistant Strains. Antimicrobial Agents and Chemotherapy, 2013, 57, 4035-4038.	1.4	6
236	Comprehensive <i>In Vitro </i> Analysis of Simian Retrovirus Type 4 Susceptibility to Antiretroviral Agents. Journal of Virology, 2013, 87, 4322-4329.	1.5	6
237	Cell adhesion molecule-1 (CADM1) expressed on adult T-cell leukemia/lymphoma cells is not involved in the interaction with macrophages Journal of Clinical and Experimental Hematopathology: JCEH, 2017, 57, 15-20.	0.3	6
238	Pancytopenia and Myelodysplastic Changes in Aceruloplasminemia: A Case with a Novel Pathogenic Variant in the Ceruloplasmin Gene. Internal Medicine, 2018, 57, 1905-1910.	0.3	6
239	Blocking cholesterol efflux mechanism is a potential target for antilymphoma therapy. Cancer Science, 2022, , .	1.7	6
240	Functional and Pathogenic Roles of Retroviral Antisense Transcripts. Frontiers in Immunology, 2022, 13, 875211.	2.2	6
241	T Cell γ Chain Gene Rearrangement without T Cell Receptor β Chain Gene Rearrangement in Two Cases of Non-Hodgkin's Lymphoma. Acta Haematologica, 1987, 77, 172-176.	0.7	5
242	Sea Urchin Arylsulfatase Insulator Exerts its Anti-silencing Effect without Interacting with the Nuclear Matrix. Journal of Molecular Biology, 2006, 357, 18-27.	2.0	5
243	A Potential Link between Alternative Splicing of the <i>NBS1</i> Gene and DNA Damage/Environmental Stress. Radiation Research, 2008, 170, 33-40.	0.7	5
244	Design and synthesis of membrane fusion inhibitors against the feline immunodeficiency virus. Bioorganic and Medicinal Chemistry, 2009, 17, 4916-4920.	1.4	5
245	Experimental evaluation of the zoonotic infection potency of simian retrovirus type 4 using humanized mouse model. Scientific Reports, 2015, 5, 14040.	1.6	5
246	Frequent horizontal and mother-to-child transmission may contribute to high prevalence of STLV-1 infection in Japanese macaques. Retrovirology, 2020, 17, 15.	0.9	5
247	A regulatory element in the 3′â€untranslated region of <i>CEBPA</i> is associated with myeloid/NK/Tâ€cell leukemia. European Journal of Haematology, 2021, 106, 327-339.	1.1	5
248	Impact of the SCF signaling pathway on leukemia stem cell-mediated ATL initiation and progression in an HBZ transgenic mouse model. Oncotarget, 2016, 7, 51027-51043.	0.8	5
249	Synthesis of 4′-C-Ethynyl and 4′-C-Cyano Purine Nucleosides from Natural Nucleosides and Their Anti-HIV Activity. Nucleosides, Nucleotides and Nucleic Acids, 2003, 22, 887-889.	0.4	4
250	Dual-Reporter Phenotypic Assay for Human Immunodeficiency Viruses. Journal of Clinical Microbiology, 2008, 46, 792-795.	1.8	4
251	Development and application of fluorescent SDF-1 derivatives. Future Medicinal Chemistry, 2012, 4, 837-844.	1.1	4
252	DNA Diagnosis of HTLV-I. Intervirology, 1996, 39, 158-164.	1.2	4

#	Article	IF	Citations
253	M-Sec induced by HTLV-1 mediates an efficient viral transmission. PLoS Pathogens, 2021, 17, e1010126.	2.1	4
254	HTLV-III Infection and Epitope Recognition by OKT4 Monoclonal Antibody. New England Journal of Medicine, 1985, 313, 1543-1544.	13.9	3
255	A B-CELL LINE HAVING CHROMOSOME 14 ABERRATION AT BREAK BAND qll DERIVED FROM AN ADULT T-CELL LEUKEMIA PATIENT. Japanese Journal of Cancer Research, 1988, 79, 12-16.	1.7	3
256	Attempt to Reduce Cytotoxicity by Synthesizing the L-Enantiomer of 4′-C-Ethynyl-2′-Deoxypurine Nucleosides as Antiviral Agents against HIV and HBV. Antiviral Chemistry and Chemotherapy, 2004, 15, 161-167.	0.3	3
257	Human T-Cell Leukemia Virus Type I., 2006, , 464-475.		3
258	Affinity selection and sequence-activity relationships of HIV-1 membrane fusion inhibitors directed at the drug-resistant variants. MedChemComm, 2010, 1, 276.	3.5	3
259	Potent Anti-HIV-1 Activity of N-HR-Derived Peptides Including a Deep Pocket-Forming Region without Antagonistic Effects on T-20. Antiviral Chemistry and Chemotherapy, 2011, 22, 51-55.	0.3	3
260	Epstein–Barr Viral Load is Associated to Response in AIDS-Related Lymphomas. Indian Journal of Hematology and Blood Transfusion, 2014, 30, 191-4.	0.3	3
261	Synergistic inhibition of cell-to-cell HIV-1 infection by combinations of single chain variable fragments and fusion inhibitors. Biochemistry and Biophysics Reports, 2019, 20, 100687.	0.7	3
262	Constitutive overexpression of the L-selectin gene in fresh leukemic cells of adult T-cell leukemia that can be transactivated by human T- cell lymphotropic virus type 1 Tax. Blood, 1995, 86, 3109-3117.	0.6	3
263	Adult T-Cell Leukemia/Lymphoma. , 0, , 211-229.		3
264	Prevention of acute graft-versus-host disease in adult T-cell leukemia–lymphoma patients who received mogamulizumab before allogeneic hematopoietic cell transplantation. International Journal of Hematology, 2022, 115, 435-439.	0.7	3
265	Binding Modes of Two Novel Non-Nucleoside Reverse Transcriptase Inhibitors, YM-215389 and YM-228855, to HIV Type-1 Reverse Transcriptase. Antiviral Chemistry and Chemotherapy, 2008, 19, 133-141.	0.3	2
266	STLV-1-infected Japanese macaque as a model of HTLV-1 infection. Retrovirology, 2014, 11, O12.	0.9	2
267	HTLV-1-mediated dysregulation of the Wnt pathways: roles of Tax and HBZ. Retrovirology, 2014, 11, P91.	0.9	2
268	ASSESSMENT OF POOR MOBILIZATION USING PERIPHERAL BLOOD STEM CELLS BY AN AUTOMATED HEMATOLOGY ANALYZER. Japanese Journal of Transfusion and Cell Therapy, 2018, 64, 510-515.	0.1	2
269	Systematic clustering algorithm for chromatin accessibility data and its application to hematopoietic cells. PLoS Computational Biology, 2020, 16, e1008422.	1.5	2
270	HTLV-1's Foxy Strategy for Survival and Transmission. Frontiers in Virology, 2022, 1, .	0.7	2

#	Article	IF	Citations
271	Daratumumab, lenalidomide and dexamethasone in newly diagnosed systemic light chain amyloidosis patients associated with multiple myeloma. British Journal of Haematology, 2022, 198, .	1.2	2
272	The structure and genomic integration site of the HTLV-1 provirus determine selective clonal expansion and transformation to adult T cell leukaemia/lymphoma. Retrovirology, 2014, 11, .	0.9	1
273	Integration site analysis in Japanese HTLV-1 infected asymptomatic carriers and HAM/TSP patients. Retrovirology, 2014, 11, .	0.9	1
274	The phase-I study of a therapeutic vaccine to ATL patients with autologous dendritic cells pulsed with peptides corresponding to Tax-specific CTL epitopes. Retrovirology, 2014, 11, .	0.9	1
275	Clinical potential of dual-energy cardiac CT in cardiac amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2019, 26, 91-92.	1.4	1
276	Development of a Novel Fusion Inhibitor against T-20-resistant HIV-1. Advances in Experimental Medicine and Biology, 2009, 611, 389-391.	0.8	1
277	HTLV-1 Dysregulates IL-6 and IL-10-JAK/STAT Signaling and Induces Leukemia/Lymphoma of Mature CD4+ T Cells with Regulatory T-Cell-like Signatures. Blood, 2019, 134, 1516-1516.	0.6	1
278	Targeting Nicotinamide Adenine Dinucleotide (NAD) Glycohydrase Activity of CD38 Exerts Anti-Myeloma Effect Accompanying Intracellular NAD Elevation. Blood, 2019, 134, 1810-1810.	0.6	1
279	Relationship between Serum Bortezomib Concentration and Emergence of Diarrhea in Patients with Multiple Myeloma and/or AL Amyloidosis. Cancers, 2021, 13, 5674.	1.7	1
280	Predictive impact of soluble interleukinâ€2 receptor and number of extranodal sites for identification of patients at very high risk of CNS relapse in diffuse large Bâ€cell lymphoma. EJHaem, 2022, 3, 385-393.	0.4	1
281	Expression of the HT462 antigen on fresh leukemic T cells and on cells of HTLV-I infected lines. Leukemia Research, 1987, 11, 251-257.	0.4	0
282	Guest editorial: a new era of ATL and HTLV-1 research. International Journal of Hematology, 2011, 94, 429-429.	0.7	0
283	II. Leukemogenesis and Mechanisms of HTLV-1 Replication and Infection. The Journal of the Japanese Society of Internal Medicine, 2017, 106, 1376-1382.	0.0	0
284	The HTLV-1 proviral status is a potential prognostic biomarker for adult T-cell leukemia-lymphoma treated with allogeneic stem cell transplantation. Bone Marrow Transplantation, 2021, 56, 2027-2030.	1.3	0
285	A case of primary nonleukemic myeloid sarcoma of the spleen, successfully treated by surgery and hematopoietic stem cell transplantation. Surgical Case Reports, 2021, 7, 180.	0.2	0
286	Aberrantly Hypermethylated Genes in Adult T-Cell Leukemia Cells: The Implications in the Leukemogenesis Blood, 2004, 104, 3493-3493.	0.6	0
287	Methylation Profile of B-Chronic Lymphocytic Leukemia Cells Blood, 2005, 106, 2951-2951.	0.6	0
288	Establishment of Novel Disease Models for Human Acute Type ATL and HTLV-I Carrier Using NOD-scid/IL2rgnull Mouse Blood, 2007, 110, 2797-2797.	0.6	0

#	Article	IF	CITATIONS
289	Human T-Cell Leukemia Virus Type 1: Pathogenesis and Host Immune Response. , 2014, , 229-262.		O
290	Oncofetal Protein SALL4 Is Highly Expressed in Myelodysplastic Syndrome Alongside with NAT10 and P53. Blood, 2020, 136, 34-34.	0.6	0
291	Whole-Genome Analysis of Adult T-Cell Leukemia/Lymphoma. Blood, 2020, 136, 29-30.	0.6	0
292	Targeting vulnerabilities of adult T-cell leukemia. Blood, 2022, 139, 1435-1435.	0.6	0
293	Title is missing!. , 2020, 16, e1008422.		O
294	Title is missing!. , 2020, 16, e1008422.		0
295	Title is missing!. , 2020, 16, e1008422.		O
296	Title is missing!. , 2020, 16, e1008422.		0
297	Title is missing!. , 2020, 16, e1008422.		O
298	Title is missing!. , 2020, 16, e1008422.		0
299	Title is missing!. , 2020, 16, e1008422.		O