Laura Pagani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2627735/publications.pdf

Version: 2024-02-01

59	2,376	27	48
papers	citations	h-index	g-index
59	59	59	2882
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Recommendations for the surveillance of multidrug-resistant bacteria in Italian long-term care facilities by the GLISTer working group of the Italian Association of Clinical Microbiologists (AMCLI). Antimicrobial Resistance and Infection Control, 2020, 9, 106.	4.1	11
2	Deadly Puppy Infection Caused by an MDR Escherichia coli O39 blaCTX–M–15, blaCMY–2, blaDHA–1, anc aac(6)-lb-cr – Positive in a Breeding Kennel in Central Italy. Frontiers in Microbiology, 2020, 11, 584.	3.5	13
3	Colonization of long-term care facility residents in three Italian Provinces by multidrug-resistant bacteria. Antimicrobial Resistance and Infection Control, 2018, 7, 33.	4.1	29
4	Multicenter prospective study on the prevalence of colistin resistance in Escherichia coli : relevance of mcr-1 -positive clinical isolates in Lombardy, Northern Italy. Infection and Drug Resistance, 2018, Volume 11, 377-385.	2.7	19
5	Gentamicin Sulfate PEG-PLGA/PLGA-H Nanoparticles: Screening Design and Antimicrobial Effect Evaluation toward Clinic Bacterial Isolates. Nanomaterials, 2018, 8, 37.	4.1	40
6	ST405 NDM-5 producing Escherichia coli in Northern Italy: the first two clinical cases. Clinical Microbiology and Infection, 2017, 23, 489-490.	6.0	28
7	Occurrence of Extended Spectrum \hat{l}^2 -Lactamases, KPC-Type, and MCR-1.2-Producing Enterobacteriaceae from Wells, River Water, and Wastewater Treatment Plants in Oltrep \tilde{A}^2 Pavese Area, Northern Italy. Frontiers in Microbiology, 2017, 8, 2232.	3.5	85
8	Evolving beta-lactamase epidemiology in Enterobacteriaceae from Italian nationwide surveillance, October 2013: KPC-carbapenemase spreading among outpatients. Eurosurveillance, 2017, 22, .	7.0	49
9	Review on colonization of residents and staff in Italian long-term care facilities by multidrug-resistant bacteria compared with other European countries. Antimicrobial Resistance and Infection Control, 2016, 5, 33.	4.1	27
10	Emergence of Escherichia coli Sequence Type 131 (ST131) and ST3948 with KPC-2, KPC-3 and KPC-8 carbapenemases from a Long-Term Care and Rehabilitation Facility (LTCRF) in Northern Italy. Advances in Experimental Medicine and Biology, 2015, 901, 77-89.	1.6	25
11	Liver fibrosis, microbial translocation and immune activation markers in HIV and HCV infections and in HIV/HCV co-infection. Digestive and Liver Disease, 2015, 47, 218-225.	0.9	35
12	Epidemic Diffusion of OXA-23-Producing Acinetobacter baumannii Isolates in Italy: Results of the First Cross-Sectional Countrywide Survey. Journal of Clinical Microbiology, 2014, 52, 3004-3010.	3.9	64
13	Prevalence of urinary colonization by extended spectrum-beta-lactamase Enterobacteriaceaeamong catheterised inpatients in Italian long term care facilities. BMC Infectious Diseases, 2013, 13, 124.	2.9	29
14	Rapid and sensitive detection of bla KPC gene in clinical isolates of Klebsiella pneumoniae by a molecular real-time assay. SpringerPlus, 2013, 2, 31.	1.2	16
15	Characterization of resistance mechanisms and genetic relatedness of carbapenem-resistant Acinetobacter baumannii isolated from blood, Italy. Diagnostic Microbiology and Infectious Disease, 2013, 75, 180-186.	1.8	30
16	Epidemic diffusion of KPC carbapenemase-producing Klebsiella pneumoniae in Italy: results of the first countrywide survey, 15 May to 30 June 2011. Eurosurveillance, 2013, 18, .	7.0	157
17	Epidemic diffusion of KPC carbapenemase-producing Klebsiella pneumoniae in Italy: results of the first countrywide survey, 15 May to 30 June 2011. Eurosurveillance, 2013, 18, .	7.0	86
18	Emergence and spread of a multidrug-resistant Acinetobacter baumannii clone producing both the carbapenemase OXA-23 and the 16S rRNA methylase ArmA. Journal of Medical Microbiology, 2012, 61, 653-661.	1.8	34

#	Article	IF	Citations
19	Epidemiological characterization and distribution of carbapenem-resistant Acinetobacter baumannii clinical isolates in Italy. Clinical Microbiology and Infection, 2012, 18, 160-166.	6.0	68
20	Metallo-Î ² -lactamases among Enterobacteriaceae from routine samples in an Italian tertiary-care hospital and long-term care facilities during 2008. Clinical Microbiology and Infection, 2011, 17, 181-189.	6.0	35
21	Healthcare-acquired infections in rehabilitation units of the Lombardy Region, Italy. Infection, 2011, 39, 353-358.	4.7	10
22	Complete Lipooligosaccharide Structure of the Clinical Isolate <i>Acinetobacter baumannii</i> , Strain SMAL. European Journal of Organic Chemistry, 2010, 2010, 1345-1352.	2.4	21
23	Clinical Isolates of <i>Mycobacterium tuberculosis</i> in Four European Hospitals Are Uniformly Susceptible to Benzothiazinones. Antimicrobial Agents and Chemotherapy, 2010, 54, 1616-1618.	3.2	90
24	Metallo- \hat{l}^2 -lactamases among Enterobacteriaceae from routine samples in an Italian tertiary care hospital and long-term care facilities during 2008. Clinical Microbiology and Infection, 2010, 17, 181-9.	6.0	12
25	Differences in biofilm formation and aggregative adherence between beta-lactam susceptible and beta-lactamases producing P. mirabilis clinical isolates. New Microbiologica, 2010, 33, 37-45.	0.1	14
26	Growth in glucose-based medium and exposure to subinhibitory concentrations of imipenem induce biofilm formation in a multidrug-resistant clinical isolate of Acinetobacter baumannii. BMC Microbiology, 2009, 9, 270.	3.3	84
27	Extended-spectrum \hat{I}^2 -lactamase production in E. coli strains isolated from clinical bovine mastitis. Veterinary Research Communications, 2009, 33, 141-144.	1.6	16
28	First Countrywide Survey of Acquired Metallo- \hat{l}^2 -Lactamases in Gram-Negative Pathogens in Italy. Antimicrobial Agents and Chemotherapy, 2008, 52, 4023-4029.	3.2	58
29	Spread of CTX-M-type ESßLs in isolates of E. coli from long-term care and rehabilitation facilities in Northern Italy. Microbiologia Medica, 2008, 23, .	0.1	1
30	Spread in an Italian Hospital of a Clonal Acinetobacter baumannii Strain Producing the TEM-92 Extended-Spectrum \hat{l}^2 -Lactamase. Antimicrobial Agents and Chemotherapy, 2007, 51, 2211-2214.	3.2	39
31	Prevalence, Antimicrobial Resistance, and Extended-Spectrum <i>β</i> -Lactamases Characterization of <i>Salmonella</i> Isolates in Apulia, Southern Italy (2001–2005). Microbial Drug Resistance, 2007, 13, 124-129.	2.0	10
32	Metallo- \hat{l}^2 -lactamases as emerging resistance determinants in Gram-negative pathogens: open issues. International Journal of Antimicrobial Agents, 2007, 29, 380-388.	2.5	134
33	Diagnostica delle ß-lattamasi a spettro esteso (ESBL) nelle Enterobacteriaceae: problemi e raccomandazioni nella realtà epidemiologica italiana. Microbiologia Medica, 2007, 22, .	0.1	2
34	Performance in detection and reporting \hat{l}^2 -lactam resistance phenotypes in Enterobacteriaceae: a nationwide proficiency study in Italian laboratories. Diagnostic Microbiology and Infectious Disease, 2006, 55, 311-318.	1.8	12
35	Epidemiologia molecolare di isolati clinici di P. aeruginosa MDR produttori di metallo-ß-lattamasi di tipo VIM-1 in una struttura di neuroriabilitazione. Microbiologia Medica, 2006, 21, .	0.1	0
36	Establishing Clonal Relationships between VIM-1-Like Metallo-Î ² -Lactamase-Producing Pseudomonas aeruginosa Strains from Four European Countries by Multilocus Sequence Typing. Journal of Clinical Microbiology, 2006, 44, 4309-4315.	3.9	78

#	Article	IF	Citations
37	CMY-16, a Novel Acquired AmpC-Type \hat{l}^2 -Lactamase of the CMY/LAT Lineage in Multifocal Monophyletic Isolates of Proteus mirabilis from Northern Italy. Antimicrobial Agents and Chemotherapy, 2006, 50, 618-624.	3.2	68
38	289 Containment of two Outbreaks of Serratia Marcescens in a Northern Italy NICU. Pediatric Research, 2005, 58, 404-404.	2.3	0
39	Clonal Relatedness and Conserved Integron Structures in Epidemiologically Unrelated Pseudomonas aeruginosa Strains Producing the VIM-1 Metallo- \hat{l}^2 -Lactamase from Different Italian Hospitals. Antimicrobial Agents and Chemotherapy, 2005, 49, 104-110.	3.2	64
40	Nosocomial Outbreak Caused by Multidrug-Resistant <i>Pseudomonas aeruginosa</i> Producing IMP-13 Metallo-β-Lactamase. Journal of Clinical Microbiology, 2005, 43, 3824-3828.	3.9	76
41	OXA-46, a New Class D \hat{I}^2 -Lactamase of Narrow Substrate Specificity Encoded by a bla VIM-1 -Containing Integron from a Pseudomonas aeruginosa Clinical Isolate. Antimicrobial Agents and Chemotherapy, 2005, 49, 1973-1980.	3.2	33
42	Multifocal Detection of Multidrug-Resistant <i>Pseudomonas aeruginosa</i> Producing the PER-1 Extended-Spectrum β-Lactamase in Northern Italy. Journal of Clinical Microbiology, 2004, 42, 2523-2529.	3.9	95
43	Multiple CTX-M-Type Extended-Spectrum \hat{I}^2 -Lactamases in Nosocomial Isolates of Enterobacteriaceae from a Hospital in Northern Italy. Journal of Clinical Microbiology, 2003, 41, 4264-4269.	3.9	201
44	Simple Microdilution Test for Detection of Metallo- \hat{l}^2 -Lactamase Production in Pseudomonas aeruginosa. Journal of Clinical Microbiology, 2002, 40, 4388-4390.	3.9	77
45	Emerging Extended-Spectrum \hat{l}^2 -Lactamases in <i>Proteus mirabilis</i> . Journal of Clinical Microbiology, 2002, 40, 1549-1552.	3.9	88
46	Biochemical Characterization of TEM-92 Extended-Spectrum \hat{I}^2 -Lactamase, a Protein Differing from TEM-52 in the Signal Peptide. Antimicrobial Agents and Chemotherapy, 2002, 46, 3981-3983.	3.2	6
47	Extended-Spectrum TEM- and SHV-Type \hat{l}^2 -Lactamase-Producing Klebsiella pneumoniae Strains Causing Outbreaks in Intensive Care Units in Italy. European Journal of Clinical Microbiology and Infectious Diseases, 2000, 19, 0765-0772.	2.9	19
48	Carbapenem-Resistant Pseudomonas aeruginosa with Acquired blavim Metallo-ß-Lactamase Determinants, Italy. Emerging Infectious Diseases, 2000, 6, 312-313.	4.3	29
49	Repeated epidemics caused by extended-spectrum beta-lactamase-producingSerratia marcescens strains. European Journal of Clinical Microbiology and Infectious Diseases, 1998, 17, 629-636.	2.9	25
50	Comparative Activity of Piperacillin/Tazobactam against Clinical Isolates of Extended- Spectrum \hat{l}^2 -Lactamase-Producing Enterobacteriaceae. Chemotherapy, 1998, 44, 377-384.	1.6	14
51	Repeated Epidemics Caused by Extended-Spectrum Beta-Lactamase-Producing Serratia marcescens Strains. European Journal of Clinical Microbiology and Infectious Diseases, 1998, 17, 629-636.	2.9	22
52	Characterization of a new TEM-derived beta-lactamase produced in a Serratia marcescens strain. Antimicrobial Agents and Chemotherapy, 1997, 41, 2374-2382.	3.2	34
53	Extended-spectrum \hat{I}^2 -lactamases fromKlebsiella pneumoniae strains isolated at an Italian hospital. European Journal of Epidemiology, 1994, 10, 533-540.	5.7	14
54	Outbreak of extended-spectrum β-lactamase producingSerratia marcescensin an intensive care unit. FEMS Immunology and Medical Microbiology, 1994, 10, 39-46.	2.7	21

#	Article	IF	CITATIONS
55	Outbreak of extended-spectrum \hat{l}^2 -lactamase producing Serratia marcescens in an intensive care unit. FEMS Immunology and Medical Microbiology, 1994, 10, 39-46.	2.7	5
56	Norfloxacin resistance in providencia stuartii: Modifications in DNA-gyrase and permeability. Biochemical Pharmacology, 1988, 37, 1855-1856.	4.4	0
57	Beta-lactam resistant Pseudomonas aeruginosa strains emerging during therapy: synergistic resistance mechanisms. Microbiologica, 1988, 11, 47-53.	0.2	6
58	Prevalence of antibody to human coronaviruses 229E, OC43 and neonatal calf diarrhea coronavirus (NCDCV) in patients of Northern Italy. European Journal of Epidemiology, 1986, 2, 112-117.	5.7	11
59	SPP1 DNA replicative forms: Growth of phage SPP1 in Bacillus subtilis mutants temperature-sensitive in DNA synthesis. Molecular Genetics and Genomics, 1978, 167, 157-164.	2.4	7