List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2629805/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Seroprevalence of anti-SARS-CoV-2 IgG antibodies in Geneva, Switzerland (SEROCoV-POP): a population-based study. Lancet, The, 2020, 396, 313-319.	6.3	919
2	American Cancer Society Guideline for the Early Detection of Prostate Cancer: Update 2010. Ca-A Cancer Journal for Clinicians, 2010, 60, 70-98.	157.7	759
3	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. Nature Communications, 2016, 7, 10023.	5.8	412
4	CKD Prevalence Varies across the European General Population. Journal of the American Society of Nephrology: JASN, 2016, 27, 2135-2147.	3.0	406
5	Gene–obesogenic environment interactions in the UK Biobank study. International Journal of Epidemiology, 2017, 46, dyw337.	0.9	159
6	Colorectal cancer screening barriers and facilitators in older persons. Preventive Medicine, 2010, 50, 3-10.	1.6	152
7	Serology-informed estimates of SARS-CoV-2 infection fatality risk in Geneva, Switzerland. Lancet Infectious Diseases, The, 2021, 21, e69-e70.	4.6	135
8	1999–2009 Trends in Prevalence, Unawareness, Treatment and Control of Hypertension in Geneva, Switzerland. PLoS ONE, 2012, 7, e39877.	1.1	113
9	Seasonality of cardiovascular risk factors: an analysis including over 230â€000 participants in 15 countries. Heart, 2014, 100, 1517-1523.	1.2	113
10	Prevalence of Symptoms More Than Seven Months After Diagnosis of Symptomatic COVID-19 in an Outpatient Setting. Annals of Internal Medicine, 2021, 174, 1252-1260.	2.0	109
11	Genome-wide association study of caffeine metabolites provides new insights to caffeine metabolism and dietary caffeine-consumption behavior. Human Molecular Genetics, 2016, 25, ddw334.	1.4	107
12	Reference Values and Factors Associated With Renal Resistive Index in a Family-Based Population Study. Hypertension, 2014, 63, 136-142.	1.3	97
13	Inactive Matrix Gla-Protein Is Associated With Arterial Stiffness in an Adult Population–Based Study. Hypertension, 2015, 66, 85-92.	1.3	85
14	Integrated care at home reduces unnecessary hospitalizations of community-dwelling frail older adults: a prospective controlled trial. BMC Geriatrics, 2017, 17, 53.	1.1	80
15	Corona Immunitas: study protocol of a nationwide program of SARS-CoV-2 seroprevalence and seroepidemiologic studies in Switzerland. International Journal of Public Health, 2020, 65, 1529-1548.	1.0	77
16	Analysis and quantification of vitamin D metabolites in serum by ultraâ€performance liquid chromatography coupled to tandem mass spectrometry and highâ€resolution mass spectrometry – a method comparison and validation. Rapid Communications in Mass Spectrometry, 2013, 27, 200-206.	0.7	75
17	Methodology used in studies reporting chronic kidney disease prevalence: a systematic literature review. Nephrology Dialysis Transplantation, 2015, 30, iv6-iv16.	0.4	69
18	Advantaged socioeconomic conditions in childhood are associated with higher cognitive functioning but stronger cognitive decline in older age. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 5478-5486.	3.3	69

#	Article	IF	CITATIONS
19	The Efficacy of Pharmacotherapy for Decreasing the Expansion Rate of Abdominal Aortic Aneurysms: A Systematic Review and Meta-Analysis. PLoS ONE, 2008, 3, e1895.	1.1	69
20	Risk of Reinfection After Seroconversion to Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2): A Population-based Propensity-score Matched Cohort Study. Clinical Infectious Diseases, 2022, 74, 622-629.	2.9	61
21	Insights into household transmission of SARS-CoV-2 from a population-based serological survey. Nature Communications, 2021, 12, 3643.	5.8	61
22	Seroprevalence of anti-SARS-CoV-2 antibodies after the second pandemic peak. Lancet Infectious Diseases, The, 2021, 21, 600-601.	4.6	59
23	New anthropometry-based age- and sex-specific reference values for urinary 24-hour creatinine excretion based on the adult Swiss population. BMC Medicine, 2015, 13, 40.	2.3	57
24	Epidemiology of Masked and White-Coat Hypertension: The Family-Based SKIPOGH Study. PLoS ONE, 2014, 9, e92522.	1.1	56
25	Caffeine intake and CYP1A2 variants associated with high caffeine intake protect non-smokers from hypertension. Human Molecular Genetics, 2012, 21, 3283-3292.	1.4	55
26	Low compliance with dietary recommendations for food intake among adults. Clinical Nutrition, 2013, 32, 783-788.	2.3	55
27	Precision global health in the digital age. Swiss Medical Weekly, 2017, 147, w14423.	0.8	53
28	Blood Pressure in Relation to Coffee and Caffeine Consumption. Current Hypertension Reports, 2014, 16, 468.	1.5	51
29	Fibroblast growth factor 23 and markers of mineral metabolism in individuals with preserved renalÂfunction. Kidney International, 2016, 90, 648-657.	2.6	51
30	Sociodemographic, behavioral and genetic determinants of allostatic load in a Swiss population-based study. Psychoneuroendocrinology, 2016, 67, 76-85.	1.3	50
31	Vitamin D and cognitive function: A Mendelian randomisation study. Scientific Reports, 2017, 7, 13230.	1.6	50
32	Copeptin Is Associated with Kidney Length, Renal Function, and Prevalence of Simple Cysts in a Population-Based Study. Journal of the American Society of Nephrology: JASN, 2015, 26, 1415-1425.	3.0	48
33	Heritability, determinants and reference values of renal length: a family-based population study. European Radiology, 2013, 23, 2899-2905.	2.3	47
34	Uromodulin and Nephron Mass. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 1556-1557.	2.2	44
35	Seroprevalence of anti-SARS-CoV-2 antibodies 6 months into the vaccination campaign in Geneva, Switzerland, 1 June to 7 July 2021. Eurosurveillance, 2021, 26, .	3.9	44
36	Vegetarian, pescatarian and flexitarian diets: sociodemographic determinants and association with cardiovascular risk factors in a Swiss urban population. British Journal of Nutrition, 2020, 124, 844-852.	1.2	42

#	Article	IF	CITATIONS
37	Association of socioeconomic status with sleep disturbances in the Swiss population-based CoLaus study. Sleep Medicine, 2015, 16, 469-476.	0.8	41
38	Socio-demographic and lifestyle determinants of dietary patterns in French-speaking Switzerland, 2009–2012. BMC Public Health, 2018, 18, 131.	1.2	41
39	Life Course Socioeconomic Conditions and Frailty at Older Ages. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2020, 75, 1348-1357.	2.4	41
40	Calcium, Vitamin D and Cardiovascular Disease. Kidney and Blood Pressure Research, 2011, 34, 404-417.	0.9	40
41	Association of early- and adult-life socioeconomic circumstances with muscle strength in older age. Age and Ageing, 2018, 47, 398-407.	0.7	40
42	Association of socioeconomic status with inflammatory markers: A two cohort comparison. Preventive Medicine, 2015, 71, 12-19.	1.6	39
43	Prostate cancer screening in Switzerland: 20-year trends and socioeconomic disparities. Preventive Medicine, 2016, 82, 83-91.	1.6	38
44	Reference intervals for the urinary steroid metabolome: The impact of sex, age, day and night time on human adult steroidogenesis. PLoS ONE, 2019, 14, e0214549.	1.1	38
45	Persistence of anti-SARS-CoV-2 antibodies: immunoassay heterogeneity and implications for serosurveillance. Clinical Microbiology and Infection, 2021, 27, 1695.e7-1695.e12.	2.8	38
46	Low documentation of chronic kidney disease among high-risk patients in a managed care population: a retrospective cohort study. BMC Nephrology, 2009, 10, 25.	0.8	36
47	25-hydroxyvitamin D concentration is inversely associated with serum MMP-9 in a cross-sectional study of African American ESRD patients. BMC Nephrology, 2011, 12, 24.	0.8	36
48	Associations of Ambulatory Blood Pressure With Urinary Caffeine and Caffeine Metabolite Excretions. Hypertension, 2015, 65, 691-696.	1.3	36
49	Colorectal Cancer Screening in Switzerland: Cross-Sectional Trends (2007-2012) in Socioeconomic Disparities. PLoS ONE, 2015, 10, e0131205.	1.1	36
50	Neighbourhood socioeconomic deprivation and allostatic load: a multi-cohort study. Scientific Reports, 2019, 9, 8790.	1.6	35
51	Functional connectivity underlying cognitive and psychiatric symptoms in post-COVID-19 syndrome: is anosognosia a key determinant?. Brain Communications, 2022, 4, fcac057.	1.5	35
52	Genome-wide association studies in pharmacogenomics: untapped potential for translation. Genome Medicine, 2009, 1, 46.	3.6	34
53	Role of Vitamin D Deficiency in Extraskeletal Complications: Predictor of Health Outcome or Marker of Health Status?. BioMed Research International, 2015, 2015, 1-13.	0.9	34
54	Prevalence of Frailty Indicators and Association with Socioeconomic Status in Middle-Aged and Older Adults in a Swiss Region with Universal Health Insurance Coverage: A Population-Based Cross-Sectional Study. Journal of Aging Research, 2014, 2014, 1-8.	0.4	33

#	Article	IF	CITATIONS
55	Screening Primary-Care Patients Forgoing Health Care for Economic Reasons. PLoS ONE, 2014, 9, e94006.	1.1	33
56	Patterns of Long COVID Symptoms: A Multi-Center Cross Sectional Study. Journal of Clinical Medicine, 2022, 11, 898.	1.0	33
57	Diagnostic accuracy of Augurix COVIDâ€19 IgG serology rapid test. European Journal of Clinical Investigation, 2020, 50, e13357.	1.7	31
58	Does the single-item self-rated health measure the same thing across different wordings? Construct validity study. Quality of Life Research, 2020, 29, 2593-2604.	1.5	31
59	Acute Respiratory and Cardiovascular Admissions after a Public Smoking Ban in Geneva, Switzerland. PLoS ONE, 2014, 9, e90417.	1.1	31
60	Head-to-Head Accuracy Comparison of Three Commercial COVID-19 IgM/IgG Serology Rapid Tests. Journal of Clinical Medicine, 2020, 9, 2369.	1.0	30
61	Large variation in anti-SARS-CoV-2 antibody prevalence among essential workers in Geneva, Switzerland. Nature Communications, 2021, 12, 3455.	5.8	30
62	Ether lipids, sphingolipids and toxic 1â€deoxyceramides as hallmarks for lean and obese type 2 diabetic patients. Acta Physiologica, 2021, 232, e13610.	1.8	29
63	Health care renunciation for economic reasons in Switzerland. Swiss Medical Weekly, 2011, 141, w13165.	0.8	29
64	Sociodemographic and Behavioural Determinants of a Healthy Diet in Switzerland. Annals of Nutrition and Metabolism, 2015, 67, 87-95.	1.0	28
65	Childhood socioeconomic circumstances and disability trajectories in older men and women: a European cohort study. European Journal of Public Health, 2019, 29, 50-58.	0.1	28
66	Vulnerable patients forgo health care during the first wave of the Covid-19 pandemic. Preventive Medicine, 2021, 150, 106696.	1.6	27
67	Symptoms After COVID-19 Vaccination in Patients with Post-Acute Sequelae of SARS-CoV-2. Journal of General Internal Medicine, 2022, 37, 1585-1588.	1.3	27
68	Eleven-year physical activity trends in a Swiss urban area. Preventive Medicine, 2014, 59, 25-30.	1.6	26
69	Compliance with the Swiss Society for Nutrition's Dietary Recommendations in the Population of Geneva, Switzerland: A 10-Year Trend Study (1999-2009). Journal of the Academy of Nutrition and Dietetics, 2014, 114, 774-780.	0.4	26
70	Persistent spatial clusters of high body mass index in a Swiss urban population as revealed by the 5-year GeoCoLaus longitudinal study. BMJ Open, 2016, 6, e010145.	0.8	26
71	Life-Course Circumstances and Frailty in Old Age Within Different European Welfare Regimes: A Longitudinal Study With SHARE. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2020, 75, 1326-1335.	2.4	26
72	Oneâ€year persistent symptoms and functional impairment in SARSâ€CoVâ€2 positive and negative individuals. Journal of Internal Medicine, 2022, 292, 103-115.	2.7	26

#	Article	IF	CITATIONS
73	Serum 25-Hydroxyvitamin D Level and Kidney Function Decline in a Swiss General Adult Population. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 1162-1169.	2.2	24
74	Impact of legal status change on undocumented migrants' health and well-being (Parchemins): protocol of a 4-year, prospective, mixed-methods study. BMJ Open, 2019, 9, e028336.	0.8	24
75	Size and duration of COVID-19 clusters go along with a high SARS-CoV-2 viral load: A spatio-temporal investigation in Vaud state, Switzerland. Science of the Total Environment, 2021, 787, 147483.	3.9	24
76	Long COVID Neuropsychological Deficits after Severe, Moderate, or Mild Infection. Clinical and Translational Neuroscience, 2022, 6, 9.	0.4	24
77	Comparisons of Serum Vitamin D Levels, Status, and Determinants in Populations With and Without Chronic Kidney Disease Not Requiring Renal Dialysis: A 24-Hour Urine Collection Population-Based Study. , 2014, 24, 303-312.		23
78	Association between dietary intake and inflammatory markers: results from the CoLaus study. Public Health Nutrition, 2019, 22, 498-505.	1.1	23
79	Socioeconomically Disadvantaged Neighborhoods Face Increased Persistence of SARS-CoV-2 Clusters. Frontiers in Public Health, 2020, 8, 626090.	1.3	23
80	Forgoing dental care for economic reasons in Switzerland: a six-year cross-sectional population-based study. BMC Oral Health, 2014, 14, 121.	0.8	22
81	Serum Vitamin D Concentrations Are Not Associated with Insulin Resistance in Swiss Adults. Journal of Nutrition, 2015, 145, 2117-2122.	1.3	22
82	Domains of importance to the quality of life of older people from two Swiss regions. Age and Ageing, 2015, 44, 979-985.	0.7	22
83	Estimated 24-h urinary sodium and sodium-to-potassium ratio are predictors of kidney function decline in a population-based study. Journal of Hypertension, 2019, 37, 1853-1860.	0.3	22
84	Do Welfare Regimes Moderate Cumulative Dis/advantages Over the Life Course? Cross-National Evidence from Longitudinal SHARE Data. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2020, 75, 1312-1325.	2.4	22
85	Clinical and Biological Determinants of Kidney Outcomes in a Population-Based Cohort Study. Kidney and Blood Pressure Research, 2014, 39, 74-85.	0.9	21
86	Chronic symptoms in a representative sample of community-dwelling older people: a cross-sectional study in Switzerland. BMJ Open, 2017, 7, e014485.	0.8	21
87	Association between Adverse Childhood Experiences and Muscle Strength in Older Age. Gerontology, 2019, 65, 474-484.	1.4	21
88	Prognostication of Mortality in Critically 111 Patients With Severe Infections. Chest, 2015, 148, 674-682.	0.4	20
89	A population-based approach to assess the heritability and distribution of renal handling of electrolytes. Kidney International, 2017, 92, 1536-1543.	2.6	20
90	European Prevention of Alzheimer's Dementia Registry: Recruitment and prescreening approach for a longitudinal cohort and prevention trials. Alzheimer's and Dementia, 2018, 14, 837-842.	0.4	20

#	Article	IF	CITATIONS
91	Dietary Intake according to Gender and Education: A Twenty-Year Trend in a Swiss Adult Population. Nutrients, 2015, 7, 9558-9572.	1.7	19
92	Relation of 24-hour urinary caffeine and caffeine metabolite excretions with self-reported consumption of coffee and other caffeinated beverages in the general population. Nutrition and Metabolism, 2016, 13, 81.	1.3	19
93	Geospatial digital monitoring of COVID-19 cases at high spatiotemporal resolution. The Lancet Digital Health, 2020, 2, e393-e394.	5.9	19
94	Short-term effects of particulate matters on pulse pressure in two general population studies. Journal of Hypertension, 2015, 33, 1144-1152.	0.3	18
95	Urinary Cadmium Excretion Is Associated With Increased Synthesis of Cortico- and Sex Steroids in a Population Study. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 748-758.	1.8	18
96	Negative effect of vitamin D on kidney function: a Mendelian randomization study. Nephrology Dialysis Transplantation, 2018, 33, 2139-2145.	0.4	18
97	Welfare regimes modify the association of disadvantaged adult-life socioeconomic circumstances with self-rated health in old age. International Journal of Epidemiology, 2019, 48, 1352-1366.	0.9	18
98	Geospatial analysis of individual-based Parkinson's disease data supports a link with air pollution: A case-control study. Parkinsonism and Related Disorders, 2021, 83, 41-48.	1.1	18
99	Associations of sodium, potassium and protein intake with blood pressure and hypertension in Switzerland. Swiss Medical Weekly, 2017, 147, w14411.	0.8	18
100	Twenty-year trends in dietary patterns in French-speaking Switzerland: toward healthier eating. American Journal of Clinical Nutrition, 2017, 106, 217-224.	2.2	17
101	Associations of Urinary Caffeine and Caffeine Metabolites With Arterial Stiffness in a Large Population-Based Study. Mayo Clinic Proceedings, 2018, 93, 586-596.	1.4	17
102	Disadvantaged Early-Life Socioeconomic Circumstances Are Associated With Low Respiratory Function in Older Age. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1134-1140.	1.7	17
103	Perceptions of immunity and vaccination certificates among the general population: a nested study within a serosurvey of anti-SARS-CoV-2 antibodies (SEROCoV-POP). Swiss Medical Weekly, 2020, 150, w20398.	0.8	17
104	Osteoporotic Fracture Risk in Elderly Women: Estimation with Quantitative Heel US and Clinical Risk Factors. Radiology, 2008, 248, 179-184.	3.6	16
105	Evidence-Based Precision Medicine is Needed to Move Toward General Internal Precision Medicine. Journal of General Internal Medicine, 2018, 33, 11-12.	1.3	16
106	A SARS-CoV-2 omicron (B.1.1.529) variant outbreak in a primary school in Geneva, Switzerland. Lancet Infectious Diseases, The, 2022, 22, 767-768.	4.6	16
107	A Population-Based Model to Consider the Effect of Seasonal Variation on Serum 25(OH)D and Vitamin D Status. BioMed Research International, 2015, 2015, 1-9.	0.9	15
108	Effect of childhood socioeconomic conditions on cancer onset in later life: an ambidirectional cohort study. International Journal of Public Health, 2018, 63, 799-810.	1.0	15

#	Article	IF	CITATIONS
109	Public smoking ban and socioeconomic inequalities in smoking prevalence and cessation: a cross-sectional population-based study in Geneva, Switzerland (1995–2014). Tobacco Control, 2018, 27, 663-669.	1.8	14
110	Urinary Sex Steroid and Clucocorticoid Hormones Are Associated With Muscle Mass and Strength in Healthy Adults. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 2195-2215.	1.8	14
111	CYP17A1 Enzyme Activity Is Linked to Ambulatory Blood Pressure in a Family-Based Population Study. American Journal of Hypertension, 2016, 29, 484-493.	1.0	13
112	Navigational needs and requirements of hospital staff: Geneva University hospitals case study. , 2017, , .		13
113	Association of neighbourhood disadvantage and individual socioeconomic position with all-cause mortality: a longitudinal multicohort analysis. Lancet Public Health, The, 2022, 7, e447-e457.	4.7	13
114	Trends in dietary intake in Switzerland, 1999 to 2009. Public Health Nutrition, 2014, 17, 479-485.	1.1	12
115	Heritability of ambulatory and office blood pressure in the Swiss population. Journal of Hypertension, 2015, 33, 2061-2067.	0.3	12
116	Change in quality of life among community-dwelling older adults: population-based longitudinal study. Quality of Life Research, 2019, 28, 1305-1314.	1.5	12
117	Independent association between socioeconomic indicators and macro- and micro-nutrient intake in Switzerland. PLoS ONE, 2017, 12, e0174578.	1.1	12
118	Specchio-COVID19 cohort study: a longitudinal follow-up of SARS-CoV-2 serosurvey participants in the canton of Geneva, Switzerland. BMJ Open, 2022, 12, e055515.	0.8	12
119	Evaluating Appropriateness of Treatment for Crohn's Disease: Feasibility of an Explicit Approach. Digestion, 2007, 75, 46-52.	1.2	11
120	Spatial clusters of daytime sleepiness and association with nighttime noise levels in a Swiss general population (GeoHypnoLaus). International Journal of Hygiene and Environmental Health, 2018, 221, 951-957.	2.1	11
121	Twenty-four-year trends and determinants of change in compliance with Swiss dietary guidelines. European Journal of Clinical Nutrition, 2019, 73, 859-868.	1.3	11
122	Prevalence and determinants of chronic kidney disease in the Swiss population. Swiss Medical Weekly, 2016, 146, w14313.	0.8	11
123	Introduction of an organised programme and social inequalities in mammography screening: A 22-year population-based study in Geneva, Switzerland. Preventive Medicine, 2017, 103, 49-55.	1.6	10
124	Trends and determinants of change in compliance to dietary guidelines in a Swiss community-dwelling sample. Preventive Medicine, 2018, 111, 198-203.	1.6	10
125	Organised population-based programmes and change in socioeconomic inequalities in mammography screening: A 1992–2012 nationwide quasi-experimental study. Preventive Medicine, 2018, 116, 19-26.	1.6	10
126	Quality of life profile in three cohorts of community-dwelling Swiss older people. BMC Geriatrics, 2019, 19, 96.	1.1	10

#	Article	IF	CITATIONS
127	Comparison of the Physical Activity Frequency Questionnaire (PAFQ) with accelerometry in a middle-aged and elderly population: The CoLaus study. Maturitas, 2019, 129, 68-75.	1.0	10
128	Overlapping spatial clusters of sugar-sweetened beverage intake and body mass index in Geneva state, Switzerland. Nutrition and Diabetes, 2019, 9, 35.	1.5	10
129	SARS oVâ€2 infection as a trigger of humoral response against apolipoprotein Aâ€1. European Journal of Clinical Investigation, 2021, 51, e13661.	1.7	10
130	Serum Calcium Levels Are Associated with Novel Cardiometabolic Risk Factors in the Population-Based CoLaus Study. PLoS ONE, 2011, 6, e18865.	1.1	9
131	Did Dumbo suffer a heart attack? independent association between earlobe crease and cardiovascular disease. BMC Cardiovascular Disorders, 2016, 16, 17.	0.7	9
132	Dietary intake of subjects with diabetes is inadequate in Switzerland: the CoLaus study. European Journal of Nutrition, 2017, 56, 981-989.	1.8	9
133	Seasonality of nutrient intake – An analysis including over 44,000 participants in 4 countries. Clinical Nutrition ESPEN, 2017, 21, 66-71.	0.5	9
134	Association of 24-Hour Blood Pressure With Urinary Sodium Excretion in Healthy Adults. American Journal of Hypertension, 2018, 31, 784-791.	1.0	9
135	The role of adult socioeconomic and relational reserves regarding the effect of childhood misfortune on late-life depressive symptoms. SSM - Population Health, 2019, 8, 100434.	1.3	9
136	Self-rated health among undocumented and newly regularized migrants in Geneva: a cross-sectional study. BMC Public Health, 2021, 21, 1198.	1.2	9
137	Health Insurance Deductibles and Health Care–Seeking Behaviors in a Consumer-Driven Health Care System With Universal Coverage. JAMA Network Open, 2021, 4, e2115722.	2.8	9
138	Cohort profile: Actionable Register of Geneva Outpatients and inpatients with SARS-CoV-2 (ARGOS). BMJ Open, 2021, 11, e048946.	0.8	9
139	Forgoing healthcare during the COVID-19 pandemic in Geneva, Switzerland – A cross-sectional population-based study. Preventive Medicine, 2022, 156, 106987.	1.6	9
140	COVID-19 vaccination acceptance in the canton of Geneva: a cross-sectional population-based study. Swiss Medical Weekly, 2021, 151, w30080.	0.8	9
141	Gene–environment interactions of selected pharmacogenes in arterial hypertension. Expert Review of Clinical Pharmacology, 2012, 5, 677-686.	1.3	8
142	Lost in translation: dietary management of cardiovascular risk factors is seldom implemented. Preventive Medicine, 2015, 76, 68-73.	1.6	8
143	Alcohol control policies and socioeconomic inequalities in hazardous alcohol consumption: a 22-year cross-sectional study in a Swiss urban population. BMJ Open, 2019, 9, e028971.	0.8	8
144	Parathyroid Hormone and Plasma Phosphate Are Predictors of Soluble α-Klotho Levels in Adults of European Descent. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e1135-e1143.	1.8	8

#	Article	IF	CITATIONS
145	Sodium and Potassium Intakes and Cardiovascular Risk Profiles in Childhood Cancer Survivors: The SCCSS-Nutrition Study. Nutrients, 2020, 12, 57.	1.7	8
146	Thirteen-year trends in the prevalence of diabetes according to socioeconomic condition and cardiovascular risk factors in a Swiss population. BMJ Open Diabetes Research and Care, 2020, 8, e001273.	1.2	8
147	Recommendations for the use of mathematical modelling to support decisionâ€making on integration of nonâ€communicable diseases into HIV care. Journal of the International AIDS Society, 2020, 23, e25505.	1.2	8
148	Ambulatory Blood Pressure in Relation to Plasma and Urinary Manganese. Hypertension, 2020, 75, 1133-1139.	1.3	8
149	Negative Association Between Smoking and Positive SARS-CoV-2 Testing: Results From a Swiss Outpatient Sample Population. Frontiers in Public Health, 2021, 9, 731981.	1.3	8
150	The Shift From Heart Disease to Cancer as the Leading Cause of Death in High-Income Countries: A Social Epidemiology Perspective. Annals of Internal Medicine, 2018, 169, 877.	2.0	7
151	Spatial distribution of mammography adherence in a Swiss urban population and its association with socioeconomic status. Cancer Medicine, 2018, 7, 6299-6307.	1.3	7
152	Variable oxytocin levels in humans with different degrees of obesity and impact of gastric bypass surgery. International Journal of Obesity, 2019, 43, 1120-1124.	1.6	7
153	Novel outpatient management of mild to moderate COVID-19 spares hospital capacity and safeguards patient outcome: The Geneva PneumoCoV-Ambu study. PLoS ONE, 2021, 16, e0247774.	1.1	7
154	May direct-to-consumer genetic testing have an impact on general practitioners' daily practice? a cross-sectional study of patients' intentions towards this approach. BMC Family Practice, 2021, 22, 79.	2.9	7
155	Spatial clusters of daily tobacco consumption before and after a smoke-free policy implementation. Health and Place, 2021, 70, 102616.	1.5	7
156	Perceptions of vaccination certificates among the general population in Geneva, Switzerland. , 2021, 151, w30079.		7
157	Occupational risk of SARS-CoV-2 infection and reinfection during the second pandemic surge: a cohort study. Occupational and Environmental Medicine, 2022, 79, 116-119.	1.3	7
158	Why and how would we implement a lung cancer screening program?. Public Health Reviews, 2015, 36, 10.	1.3	6
159	Alcohol policy changes and 22-year trends in individual alcohol consumption in a Swiss adult population: a 1993–2014 cross-sectional population-based study. BMJ Open, 2017, 7, e014828.	0.8	6
160	Trends and Determinants of Time in Bed in Geneva, Switzerland. Journal of Clinical Sleep Medicine, 2014, 10, 1129-1135.	1.4	6
161	Association between SARS-CoV-2 Seroprevalence in Nursing Home Staff and Resident COVID-19 Cases and Mortality: A Cross-Sectional Study. Viruses, 2022, 14, 43.	1.5	6
162	Patients with dyslipidemia on a self-reported diet have a healthier dietary intake than the general population. The CoLaus study. Clinical Nutrition ESPEN, 2016, 11, e33-e39.	0.5	5

#	Article	IF	CITATIONS
163	Skin cancer screening in Switzerland: Cross-sectional trends (1997–2012) in socioeconomic inequalities. Preventive Medicine, 2019, 129, 105829.	1.6	5
164	Lessons learned? Changes in dietary behavior after a coronary event. Clinical Nutrition ESPEN, 2019, 29, 112-118.	0.5	5
165	Association between colorectal cancer testing and insurance type: Evidence from the Swiss Health Interview Survey 2012. Preventive Medicine Reports, 2020, 19, 101111.	0.8	5
166	Head-to-Head Evaluation of Five Automated SARS-CoV-2 Serology Immunoassays in Various Prevalence Settings. Journal of Clinical Medicine, 2021, 10, 1605.	1.0	5
167	Network Analysis of Outpatients to Identify Predictive Symptoms and Combinations of Symptoms Associated With Positive/Negative SARS-CoV-2 Nasopharyngeal Swabs. Frontiers in Medicine, 2021, 8, 685124.	1.2	5
168	Health-related biological and non-biological consequences of forgoing healthcare for economic reasons. Preventive Medicine Reports, 2021, 24, 101602.	0.8	5
169	Temporal changes in importance of quality of life domains: a longitudinal study in community-dwelling Swiss older people. Quality of Life Research, 2019, 28, 421-428.	1.5	4
170	Sodium Intake Is Associated With Renal Resistive Index in an Adult Population-Based Study. Hypertension, 2020, 76, 1898-1905.	1.3	4
171	Screening Status as a Determinant of Choice of Colorectal Cancer Screening Method: A Population-Based Informed Survey. Gastrointestinal Tumors, 2021, 8, 63-70.	0.3	4
172	Geospatial Analysis of Sodium and Potassium Intake: A Swiss Population-Based Study. Nutrients, 2021, 13, 1798.	1.7	4
173	Acceptability of COVID-19 Certificates: A Qualitative Study in Geneva, Switzerland, in 2020. Frontiers in Public Health, 2021, 9, 682365.	1.3	4
174	Reframing Non-Communicable Diseases and Injuries for Equity in the Era of Universal Health Coverage: Findings and Recommendations from the Kenya NCDI Poverty Commission. Annals of Global Health, 2021, 87, 3.	0.8	4
175	Swiss Delphi study on iron deficiency. Swiss Medical Weekly, 2019, 149, w20097.	0.8	4
176	The neighborhood environment and its association with the spatio-temporal footprint of tobacco consumption and changes in smoking-related behaviors in a Swiss urban area. Health and Place, 2022, 76, 102845.	1.5	4
177	Abdominal aortic aneurysm screening: 2006 recommendations. Expert Review of Pharmacoeconomics and Outcomes Research, 2006, 6, 555-561.	0.7	3
178	Direct to Consumer Advertising: The Case for Greater Consumer Control. Journal of General Internal Medicine, 2015, 30, 392-394.	1.3	3
179	Educational differences in dietary intake and compliance with dietary recommendations in a Swiss adult population. International Journal of Public Health, 2016, 61, 1059-1067.	1.0	3
180	Association Between Plasma Caffeine and Other Methylxanthines and Metabolic Parameters in a Psychiatric Population Treated With Psychotropic Drugs Inducing Metabolic Disturbances. Frontiers in Psychiatry, 2018, 9, 573.	1.3	3

#	Article	IF	CITATIONS
181	Cytochrome P450 1A2 activity and incidence of thyroid disease and cancer after chronic or acute exposure to dioxins. Basic and Clinical Pharmacology and Toxicology, 2020, 126, 296-303.	1.2	3
182	Dietary Intake and Diet Quality of Adult Survivors of Childhood Cancer and the General Population: Results from the SCCSS-Nutrition Study. Nutrients, 2021, 13, 1767.	1.7	3
183	Geographic footprints of life expectancy inequalities in the state of Geneva, Switzerland. Scientific Reports, 2021, 11, 23326.	1.6	3
184	Assessing Overall Diet Quality: Development and Evaluation of the Performance of a Short Self-Administrated Questionnaire SCASA. Nutrients, 2021, 13, 677.	1.7	2
185	Detection of Spatiotemporal Clusters of COVID-19–Associated Symptoms and Prevention Using a Participatory Surveillance App: Protocol for the @choum Study. JMIR Research Protocols, 2021, 10, e30444.	0.5	2
186	Digital COVID Credentials: An Implementation Process. Frontiers in Digital Health, 2021, 3, 594124.	1.5	2
187	Sex- and age-specific reference intervals for diagnostic ratios reflecting relative activity of steroidogenic enzymes and pathways in adults. PLoS ONE, 2021, 16, e0253975.	1.1	2
188	No changes in dietary intake after quitting smoking; a prospective study in Switzerland. BMC Nutrition, 2021, 7, 34.	0.6	2
189	Investigating the Relations Between Caffeine-Derived Metabolites and Plasma Lipids in 2 Population-Based Studies. Mayo Clinic Proceedings, 2021, 96, 3071-3085.	1.4	2
190	Representations of personalised medicine in family medicine: a qualitative analysis. , 2022, 23, 37.		2
191	<scp>COVID</scp> â€19â€Related School Disruptions and Wellâ€Being of Children and Adolescents in Geneva. Journal of Paediatrics and Child Health, 2022, 58, 937-939.	0.4	2
192	Applying mixture model methods to SARS-CoV-2 serosurvey data from Geneva. Epidemics, 2022, 39, 100572.	1.5	2
193	Sex-specific modulation of circulating growth differentiation factor-15 in patients with type 2 diabetes and/or obesity. Endocrine Connections, 2022, 11, .	0.8	2
194	Body height in adult women and men in a cross-sectional population-based survey in Geneva: temporal trends, association with general health status and height loss after age 50. BMJ Open, 2022, 12, e059568.	0.8	2
195	Opposite impacts of dietary versus supplemental calcium on cardiovascular health. Evidence-Based Medicine, 2013, 18, 113-114.	0.6	1
196	Validity of the older people quality of life-7 domains (OQoL-7) scale. Health and Quality of Life Outcomes, 2020, 18, 340.	1.0	1
197	Reply to the letter to the editor "Vitamin D deficiency and cardiovascular disease" by Ahmed et al Swiss Medical Weekly, 2013, 143, w13822.	0.8	1
198	Implementing Lung Ultrasound in the Outpatient Management of COVID-19 Pneumonia: A Pilot Study to Update Local Guidelines. Frontiers in Medicine, 2021, 8, 774035.	1.2	1

#	Article	IF	CITATIONS
199	The association between objective sleep duration and diet. The CoLaus   HypnoLaus study. Clinical Nutrition ESPEN, 2022, 48, 313-320.	0.5	1
200	COVID-19 Fears and Preventive Behaviors among Prison Staff. Victims and Offenders, 2023, 18, 673-690.	1.0	1
201	Capsule Commentary on Fontil, et al. Physician Underutilization of Effective Medications for Resistant Hypertension at Office Visits in the United States: NAMCS 2006-2010. Journal of General Internal Medicine, 2014, 29, 516-516.	1.3	Ο
202	Relationship between land cover type and Body Mass Index in Geneva. , 2015, , .		0
203	FP345ESTIMATED 24H URINARY SODIUM AND SODIUM TO POTASSIUM RATIO ARE PREDICTORS OF KIDNEY FUNCTION DECLINE IN A POPULATION BASED STUDY. Nephrology Dialysis Transplantation, 2018, 33, i147-i148.	0.4	Ο
204	In Reply—Caffeine Effects on Arterial Stiffness: To Drink or Not to Drink. Mayo Clinic Proceedings, 2018, 93, 1150-1151.	1.4	0
205	The ABC of Primary Care for University Students: a 3-Step Structured Approach at Geneva University Hospitals. SN Comprehensive Clinical Medicine, 2021, 3, 1870-1880.	0.3	Ο
206	Dietary patterns according to vitamin supplement use. A cross-sectional study in Switzerland. International Journal for Vitamin and Nutrition Research, 2020, , 1-11.	0.6	0
207	Geographic clusters of objectively measured physical activity and the characteristics of their built environment in a Swiss urban area. PLoS ONE, 2022, 17, e0252255.	1.1	0