

Bin Gao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2636375/publications.pdf>

Version: 2024-02-01

239
papers

26,772
citations

4831

87
h-index

8034

154
g-index

244
all docs

244
docs citations

244
times ranked

28657
citing authors

#	ARTICLE	IF	CITATIONS
1	E-Selectin-Dependent Inflammation and Lipolysis in Adipose Tissue Exacerbate Steatosis-to-NASH Progression via S100A8/9. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 13, 151-171.	2.3	26
2	Aging exaggerates acute-to-chronic alcohol-induced liver injury in mice and humans by inhibiting neutrophilic sirtuin 1-EBP1-miRNA-223 axis. <i>Hepatology</i> , 2022, 75, 646-660.	3.6	29
3	Interplay of Gut Microbes and Aryl Hydrocarbon Receptor in Alcohol-Associated Liver Disease. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 13, 343-345.	2.3	0
4	Inflammation in alcohol-associated liver disease progression. <i>Zeitschrift Fur Gastroenterologie</i> , 2022, 60, 58-66.	0.2	2
5	Distinct histopathological phenotypes of severe alcoholic hepatitis suggest different mechanisms driving liver injury and failure. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	23
6	Myeloid-Cell-Specific IL-6 Signaling Promotes MicroRNA-223-Enriched Exosome Production to Attenuate NAFLD-Associated Fibrosis. <i>Hepatology</i> , 2021, 74, 116-132.	3.6	99
7	Immunopathobiology and therapeutic targets related to cytokines in liver diseases. <i>Cellular and Molecular Immunology</i> , 2021, 18, 18-37.	4.8	70
8	MicroRNAs as regulators, biomarkers and therapeutic targets in liver diseases. <i>Gut</i> , 2021, 70, 784-795.	6.1	260
9	MicroRNA-223 restricts liver fibrosis by inhibiting the TAZ-IHH-GLI2 and PDGF signaling pathways via the crosstalk of multiple liver cell types. <i>International Journal of Biological Sciences</i> , 2021, 17, 1153-1167.	2.6	17
10	Neutrophil-to-hepatocyte communication via LDLR-dependent miR-223-enriched extracellular vesicle transfer ameliorates nonalcoholic steatohepatitis. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	85
11	Brain ethanol metabolism by astrocytic ALDH2 drives the behavioural effects of ethanol intoxication. <i>Nature Metabolism</i> , 2021, 3, 337-351.	5.1	61
12	Bile acid-activated macrophages promote biliary epithelial cell proliferation through integrin $\alpha 6$ upregulation following liver injury. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	46
13	Kupffer cell restoration after partial hepatectomy is mainly driven by local cell proliferation in IL-6-dependent autocrine and paracrine manners. <i>Cellular and Molecular Immunology</i> , 2021, 18, 2165-2176.	4.8	22
14	Acute-on-chronic liver failure: A distinct clinical syndrome. <i>Journal of Hepatology</i> , 2021, 75, S27-S35.	1.8	55
15	Interleukin-20 exacerbates acute hepatitis and bacterial infection by downregulating $\beta 1$ target genes in hepatocytes. <i>Journal of Hepatology</i> , 2021, 75, 163-176.	1.8	12
16	Effects of a Peripherally Restricted Hybrid Inhibitor of CB1 Receptors and iNOS on Alcohol Drinking Behavior and Alcohol-Induced Endotoxemia. <i>Molecules</i> , 2021, 26, 5089.	1.7	4
17	From basic liver immunology to therapeutic opportunities for liver diseases. <i>Cellular and Molecular Immunology</i> , 2021, 18, 1-3.	4.8	13
18	Role of Neutrophils in the Pathogenesis of Nonalcoholic Steatohepatitis. <i>Frontiers in Endocrinology</i> , 2021, 12, 751802.	1.5	32

#	ARTICLE	IF	CITATIONS
19	Targeting adipose tissue to tackle NASH: SPARCL1 as an emerging player. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	13
20	ÎT Cells and CD1d, Novel Immune Players in Alcoholic and Nonalcoholic Steatohepatitis?. <i>Hepatology</i> , 2020, 71, 408-410.	3.6	6
21	Interleukin-22 Ameliorates Neutrophil-Driven Nonalcoholic Steatohepatitis Through Multiple Targets. <i>Hepatology</i> , 2020, 72, 412-429.	3.6	100
22	IL-17 signaling in steatotic hepatocytes and macrophages promotes hepatocellular carcinoma in alcohol-related liver disease. <i>Journal of Hepatology</i> , 2020, 72, 946-959.	1.8	113
23	Hepatic injury and inflammation alter ethanol metabolism and drinking behavior. <i>Food and Chemical Toxicology</i> , 2020, 136, 111070.	1.8	11
24	Interleukin-22 ameliorates acute-on-chronic liver failure by reprogramming impaired regeneration pathways in mice. <i>Journal of Hepatology</i> , 2020, 72, 736-745.	1.8	109
25	An Open-Label, Dose-Escalation Study to Assess the Safety and Efficacy of IL-22 Agonist F652 in Patients With Alcohol-Associated Hepatitis. <i>Hepatology</i> , 2020, 72, 441-453.	3.6	107
26	Recent advances in alcohol-related liver disease (ALD): summary of a Gut round table meeting. <i>Gut</i> , 2020, 69, 764-780.	6.1	112
27	Reply to: "Interleukin-22 in acute-on-chronic liver failure: A matter of ineffective levels, receptor dysregulation or defective signalling?". <i>Journal of Hepatology</i> , 2020, 73, 982-984.	1.8	1
28	Hepatic lipocalin 2 promotes liver fibrosis and portal hypertension. <i>Scientific Reports</i> , 2020, 10, 15558.	1.6	30
29	Interleukin-22 in alcoholic hepatitis and beyond. <i>Hepatology International</i> , 2020, 14, 667-676.	1.9	18
30	Distinct fate, dynamics and niches of renal macrophages of bone marrow or embryonic origins. <i>Nature Communications</i> , 2020, 11, 2280.	5.8	62
31	Disulfiram Treatment Normalizes Body Weight in Obese Mice. <i>Cell Metabolism</i> , 2020, 32, 203-214.e4.	7.2	46
32	Protective and Detrimental Roles of p38Î Mitogen-Activated Protein Kinase in Different Stages of Nonalcoholic Fatty Liver Disease. <i>Hepatology</i> , 2020, 72, 873-891.	3.6	42
33	Beyond Metabolism: Role of the Immune System in Hepatic Toxicity. <i>International Journal of Toxicology</i> , 2020, 39, 151-164.	0.6	11
34	Interleukin-22 acts as a mitochondrial protector. <i>Theranostics</i> , 2020, 10, 7836-7840.	4.6	5
35	Reply to Brewer: Liver-targeted ALDH2 inhibition may reduce alcohol-seeking behaviors with limited side effects. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 7573-7574.	3.3	0
36	Blockade of IL-17 signaling reverses alcohol-induced liver injury and excessive alcohol drinking in mice. <i>JCI Insight</i> , 2020, 5, .	2.3	29

#	ARTICLE	IF	CITATIONS
37	Chronic-plus-binge alcohol intake induces production of proinflammatory mtDNA-enriched extracellular vesicles and steatohepatitis via ASK1/p38MAPK \pm -dependent mechanisms. <i>JCI Insight</i> , 2020, 5, .	2.3	34
38	Obesity and binge alcohol intake are deadly combination to induce steatohepatitis: A model of high-fat diet and binge ethanol intake. <i>Clinical and Molecular Hepatology</i> , 2020, 26, 586-594.	4.5	20
39	Immunopathogenesis of Liver Cirrhosis. , 2020, , 583-595.		1
40	Pregnane X Receptor Regulates Liver Size and Liver Cell Fate by Yes ϵ -Associated Protein Activation in Mice. <i>Hepatology</i> , 2019, 69, 343-358.	3.6	66
41	Interleukin-22 from bench to bedside: a promising drug for epithelial repair. <i>Cellular and Molecular Immunology</i> , 2019, 16, 666-667.	4.8	45
42	Alcohol inhibits T-cell glucose metabolism and hepatitis in ALDH2-deficient mice and humans: roles of acetaldehyde and glucocorticoids. <i>Gut</i> , 2019, 68, 1311-1322.	6.1	44
43	Versatile cell ablation tools and their applications to study loss of cell functions. <i>Cellular and Molecular Life Sciences</i> , 2019, 76, 4725-4743.	2.4	16
44	ALDH2 deficiency promotes alcohol-associated liver cancer by activating oncogenic pathways via oxidized DNA-enriched extracellular vesicles. <i>Journal of Hepatology</i> , 2019, 71, 1000-1011.	1.8	117
45	Glutamate Signaling in Hepatic Stellate Cells Drives Alcoholic Steatosis. <i>Cell Metabolism</i> , 2019, 30, 877-889.e7.	7.2	68
46	Adipocyte Death Preferentially Induces Liver Injury and Inflammation Through the Activation of Chemokine (C ϵ C Motif) Receptor 2 ϵ -Positive Macrophages and Lipolysis. <i>Hepatology</i> , 2019, 69, 1965-1982.	3.6	47
47	Hippo signaling is intrinsically regulated during cell cycle progression by APC/C ^{Cdh1} . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9423-9432.	3.3	48
48	Endoplasmic Reticulum Stress Causes Liver Cancer Cells to Release Exosomal miR ϵ 23a ϵ 3p and Up ϵ regulate Programmed Death Ligand 1 Expression in Macrophages. <i>Hepatology</i> , 2019, 70, 241-258.	3.6	304
49	Global liver disease burdens and research trends: Analysis from a Chinese perspective. <i>Journal of Hepatology</i> , 2019, 71, 212-221.	1.8	327
50	MicroRNA ϵ 223 Ameliorates Nonalcoholic Steatohepatitis and Cancer by Targeting Multiple Inflammatory and Oncogenic Genes in Hepatocytes. <i>Hepatology</i> , 2019, 70, 1150-1167.	3.6	104
51	Targeting liver aldehyde dehydrogenase-2 prevents heavy but not moderate alcohol drinking. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 25974-25981.	3.3	41
52	Summary of the 2018 Alcohol and Immunology Research Interest Group (AIRIG) meeting. <i>Alcohol</i> , 2019, 77, 11-18.	0.8	4
53	Inflammatory pathways in alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2019, 70, 249-259.	1.8	238
54	How does your fat affect your liver when you drink?. <i>Journal of Clinical Investigation</i> , 2019, 129, 2181-2183.	3.9	6

#	ARTICLE	IF	CITATIONS
55	DEP domain-containing mTOR-interacting protein suppresses lipogenesis and ameliorates hepatic steatosis and acute-to-chronic liver injury in alcoholic liver disease. <i>Hepatology</i> , 2018, 68, 496-514.	3.6	85
56	Interleukins 17 and 27 promote liver regeneration by sequentially inducing progenitor cell expansion and differentiation. <i>Hepatology Communications</i> , 2018, 2, 329-343.	2.0	19
57	Hepatocytes and neutrophils cooperatively suppress bacterial infection by differentially regulating lipocalin 2 and neutrophil extracellular traps. <i>Hepatology</i> , 2018, 68, 1604-1620.	3.6	47
58	Neutrophil-Hepatic Stellate Cell Interactions Promote Fibrosis in Experimental Steatohepatitis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 5, 399-413.	2.3	95
59	Î²-Caryophyllene protects against alcoholic steatohepatitis by attenuating inflammation and metabolic dysregulation in mice. <i>British Journal of Pharmacology</i> , 2018, 175, 320-334.	2.7	68
60	IL-1 receptor like 1 protects against alcoholic liver injury by limiting NF-Î²B activation in hepatic macrophages. <i>Journal of Hepatology</i> , 2018, 68, 109-117.	1.8	22
61	Hepatic Hippo signaling inhibits protumoural microenvironment to suppress hepatocellular carcinoma. <i>Gut</i> , 2018, 67, 1692-1703.	6.1	122
62	Alcohol, adipose tissue and liver disease: mechanistic links and clinical considerations. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2018, 15, 50-59.	8.2	134
63	MAIT cells: a novel therapeutic target for alcoholic liver disease?. <i>Gut</i> , 2018, 67, 784-786.	6.1	16
64	Epidemiology and Pathogenesis of Alcoholic Liver Disease. , 2018, , 334-344.e3.		3
65	Ethanol and unsaturated dietary fat induce unique patterns of hepatic Î²-6 and Î³-3 PUFA oxylipins in a mouse model of alcoholic liver disease. <i>PLoS ONE</i> , 2018, 13, e0204119.	1.1	25
66	Alcoholic liver disease. <i>Nature Reviews Disease Primers</i> , 2018, 4, 16.	18.1	660
67	Inflammation is independent of steatosis in a murine model of steatohepatitis. <i>Hepatology</i> , 2017, 66, 108-123.	3.6	56
68	MicroRNA-223 ameliorates alcoholic liver injury by inhibiting the IL-6/p47 ^{phox} -oxidative stress pathway in neutrophils. <i>Gut</i> , 2017, 66, 705-715.	6.1	173
69	A small specific-sized hyaluronic acid ameliorates alcoholic liver disease by targeting a small RNA: New hope for therapy?. <i>Hepatology</i> , 2017, 66, 321-323.	3.6	6
70	Targeting inflammation for the treatment of alcoholic liver disease. , 2017, 180, 77-89.		60
71	Hepatic mitochondrial DNA/Toll-like receptor 9/MicroRNA-223 forms a negative feedback loop to limit neutrophil overactivation and acetaminophen hepatotoxicity in mice. <i>Hepatology</i> , 2017, 66, 220-234.	3.6	106
72	Activated hepatic stellate cells impair NK cell anti-fibrosis capacity through a TGF-Î²-dependent emperipolesis in HBV cirrhotic patients. <i>Scientific Reports</i> , 2017, 7, 44544.	1.6	53

#	ARTICLE	IF	CITATIONS
73	Role of gp91phox in hepatic macrophage programming and alcoholic liver disease. <i>Hepatology Communications</i> , 2017, 1, 765-779.	2.0	12
74	Dietary Linoleic Acid and Its Oxidized Metabolites Exacerbate Liver Injury Caused by Ethanol via Induction of Hepatic Proinflammatory Response in Mice. <i>American Journal of Pathology</i> , 2017, 187, 2232-2245.	1.9	55
75	Cannabidiol attenuates alcohol-induced liver steatosis, metabolic dysregulation, inflammation and neutrophil-mediated injury. <i>Scientific Reports</i> , 2017, 7, 12064.	1.6	78
76	Impairment of Hematopoietic Precursor Cell Activation during the Granulopoietic Response to Bacteremia in Mice with Chronic-Plus-Binge Alcohol Administration. <i>Infection and Immunity</i> , 2017, 85, .	1.0	10
77	Lipopolysaccharide downregulates macrophage-derived IL-22 to modulate alcohol-induced hepatocyte cell death. <i>American Journal of Physiology - Cell Physiology</i> , 2017, 313, C305-C313.	2.1	27
78	Aging aggravates alcoholic liver injury and fibrosis in mice by downregulating sirtuin 1 expression. <i>Journal of Hepatology</i> , 2017, 66, 601-609.	1.8	123
79	PARP inhibition protects against alcoholic and non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2017, 66, 589-600.	1.8	116
80	Animal Models of Alcoholic Liver Disease: Pathogenesis and Clinical Relevance. <i>Gene Expression</i> , 2017, 17, 173-186.	0.5	86
81	Mitochondrial DNA-enriched microparticles promote acute-on-chronic alcoholic neutrophilia and hepatotoxicity. <i>JCI Insight</i> , 2017, 2, .	2.3	76
82	Chronic expression of interferon-gamma leads to murine autoimmune cholangitis with a female predominance. <i>Hepatology</i> , 2016, 64, 1189-1201.	3.6	93
83	Alcoholic hepatitis: Translational approaches to develop targeted therapies. <i>Hepatology</i> , 2016, 64, 1343-1355.	3.6	91
84	Basic liver immunology. <i>Cellular and Molecular Immunology</i> , 2016, 13, 265-266.	4.8	87
85	The Detrimental Role Played by Lipocalin-2 in Alcoholic Fatty Liver in Mice. <i>American Journal of Pathology</i> , 2016, 186, 2417-2428.	1.9	39
86	Alcohol and Fat Promote Steatohepatitis: A Critical Role for Fat-Specific Protein 27/Cidec. <i>Journal of Investigative Medicine</i> , 2016, 64, 1078-1081.	0.7	4
87	The Role of IL-17 Signaling in Regulation of the Liver-Brain Axis and Intestinal Permeability in Alcoholic Liver Disease. <i>Current Pathobiology Reports</i> , 2016, 4, 27-35.	1.6	23
88	Inflammation in Alcoholic and Nonalcoholic Fatty Liver Disease: Friend or Foe?. <i>Gastroenterology</i> , 2016, 150, 1704-1709.	0.6	239
89	Therapeutic Role of Interleukin 22 in Experimental Intra-abdominal <i>Klebsiella pneumoniae</i> Infection in Mice. <i>Infection and Immunity</i> , 2016, 84, 782-789.	1.0	35
90	Hepatocytes: a key cell type for innate immunity. <i>Cellular and Molecular Immunology</i> , 2016, 13, 301-315.	4.8	299

#	ARTICLE	IF	CITATIONS
91	Invariant natural killer T cells contribute to chronic-plus-binge ethanol-mediated liver injury by promoting hepatic neutrophil infiltration. <i>Cellular and Molecular Immunology</i> , 2016, 13, 206-216.	4.8	70
92	Cre-inducible human CD59 mediates rapid cell ablation after interferon-gamma administration. <i>Journal of Clinical Investigation</i> , 2016, 126, 2321-2333.	3.9	27
93	Liver Fibrosis in Alcoholic Liver Disease. <i>Seminars in Liver Disease</i> , 2015, 35, 146-156.	1.8	93
94	Biologically active, high levels of interleukin-22 inhibit hepatic gluconeogenesis but do not affect obesity and its metabolic consequences. <i>Cell and Bioscience</i> , 2015, 5, 25.	2.1	26
95	Pharmacological chaperone therapies: Can aldehyde dehydrogenase activator make us healthier?. <i>Journal of Hepatology</i> , 2015, 62, 1228-1230.	1.8	15
96	Gaps in Knowledge and Research Priorities for Alcoholic Hepatitis. <i>Gastroenterology</i> , 2015, 149, 4-9.	0.6	25
97	A novel multivalent 99m Tc-labeled EG2-C4bp antibody for targeting the epidermal growth factor receptor in tumor xenografts. <i>Nuclear Medicine and Biology</i> , 2015, 42, 547-554.	0.3	11
98	Fat-Specific Protein 27/CIDEA Promotes Development of Alcoholic Steatohepatitis in Mice and Humans. <i>Gastroenterology</i> , 2015, 149, 1030-1041.e6.	0.6	114
99	Inhibition of type I natural killer T cells by retinoids or following sulfamide-mediated activation of type II natural killer T cells attenuates alcoholic liver disease in mice. <i>Hepatology</i> , 2015, 61, 1357-1369.	3.6	95
100	Short- or long-term high-fat diet feeding plus acute ethanol binge synergistically induce acute liver injury in mice: An important role for CXCL1. <i>Hepatology</i> , 2015, 62, 1070-1085.	3.6	152
101	Interplay of interleukin-22 and its binding protein in controlling liver scarring. <i>Hepatology</i> , 2015, 61, 1121-1123.	3.6	3
102	Combination therapy: New hope for alcoholic hepatitis?. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2015, 39, S7-S11.	0.7	29
103	Dietary Saturated Lipids in Alcoholic Liver Disease: New Microbiota-Targeting Bullets?. <i>Gastroenterology</i> , 2015, 148, 16-19.	0.6	7
104	Liver is the major source of elevated serum lipocalin levels after bacterial infection or partial hepatectomy: A critical role for IL-6/STAT3. <i>Hepatology</i> , 2015, 61, 692-702.	3.6	143
105	Chronic Ethanol Consumption Inhibits Glucokinase Transcriptional Activity by Atf3 and Triggers Metabolic Syndrome in Vivo. <i>Journal of Biological Chemistry</i> , 2014, 289, 27065-27079.	1.6	42
106	MicroRNAs control hepatocarcinogenesis by regulating hepatocyte nuclear factor 4-inflammasome signal feedback loops. <i>Hepatology</i> , 2014, 60, 1466-1468.	3.6	4
107	The global burden of liver disease: The major impact of China. <i>Hepatology</i> , 2014, 60, 2099-2108.	3.6	986
108	Activation of invariant natural killer T cells impedes liver regeneration by way of both IFN-gamma and IL-4-dependent mechanisms. <i>Hepatology</i> , 2014, 60, 1356-1366.	3.6	32

#	ARTICLE	IF	CITATIONS
109	New Approaches for Studying Alcoholic Liver Disease. <i>Current Pathobiology Reports</i> , 2014, 2, 171-183.	1.6	9
110	STAT4 Knockout Mice Are More Susceptible to Concanavalin A-Induced T-Cell Hepatitis. <i>American Journal of Pathology</i> , 2014, 184, 1785-1794.	1.9	22
111	Hepatic SIRT1 Attenuates Hepatic Steatosis and Controls Energy Balance in Mice by Inducing Fibroblast Growth Factor 21. <i>Gastroenterology</i> , 2014, 146, 539-549.e7.	0.6	240
112	Pathological functions of interleukin-22 in chronic liver inflammation and fibrosis with hepatitis B virus infection by promoting T helper 17 cell recruitment. <i>Hepatology</i> , 2014, 59, 1331-1342.	3.6	150
113	New drug targets for alcoholic liver disease. <i>Hepatology International</i> , 2014, 8, 475-480.	1.9	13
114	Poly (ADP-ribose) polymerase-1 is a key mediator of liver inflammation and fibrosis. <i>Hepatology</i> , 2014, 59, 1998-2009.	3.6	103
115	Animals Models of Gastrointestinal and Liver Diseases. Animal models of alcohol-induced liver disease: pathophysiology, translational relevance, and challenges. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, G819-G823.	1.6	108
116	IL-22 Ameliorates Renal Ischemia-Reperfusion Injury by Targeting Proximal Tubule Epithelium. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 967-977.	3.0	78
117	Chronic alcohol ingestion modulates hepatic macrophage populations and functions in mice. <i>Journal of Leukocyte Biology</i> , 2014, 96, 657-665.	1.5	109
118	Opposing effects of prednisolone treatment on T/NKT cell- and hepatotoxin-mediated hepatitis in mice. <i>Hepatology</i> , 2014, 59, 1094-1106.	3.6	44
119	Acute and Chronic Effects of IL-22 on Acetaminophen-Induced Liver Injury. <i>Journal of Immunology</i> , 2014, 193, 2512-2518.	0.4	55
120	Chemokines and alcoholic hepatitis: are chemokines good therapeutic targets?. <i>Gut</i> , 2014, 63, 1683-1684.	6.1	23
121	Aldehyde dehydrogenase 2 deficiency ameliorates alcoholic fatty liver but worsens liver inflammation and fibrosis in mice. <i>Hepatology</i> , 2014, 60, 146-157.	3.6	149
122	Alcohol dehydrogenase III exacerbates liver fibrosis by enhancing stellate cell activation and suppressing natural killer cells in mice. <i>Hepatology</i> , 2014, 60, 1044-1053.	3.6	69
123	The Immunopathogenesis of Cirrhosis. , 2014, , 413-424.		2
124	Hepatoprotective and anti-fibrotic functions of interleukin-22: Therapeutic potential for the treatment of alcoholic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 56-60.	1.4	82
125	Liver Immunology. , 2013, 3, 567-598.		148
126	Human and experimental evidence supporting a role for osteopontin in alcoholic hepatitis. <i>Hepatology</i> , 2013, 58, 1742-1756.	3.6	87

#	ARTICLE	IF	CITATIONS
127	Mouse model of chronic and binge ethanol feeding (the NIAAA model). <i>Nature Protocols</i> , 2013, 8, 627-637.	5.5	782
128	Natural killer cells in liver disease. <i>Hepatology</i> , 2013, 57, 1654-1662.	3.6	237
129	Natural killer and natural killer T cells in liver fibrosis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 1061-1069.	1.8	118
130	Therapeutic potential of interleukin 1 inhibitors in the treatment of alcoholic liver disease. <i>Hepatology</i> , 2013, 57, 2078-2080.	3.6	26
131	Chronic plus binge ethanol feeding synergistically induces neutrophil infiltration and liver injury in mice: A critical role for E-selectin. <i>Hepatology</i> , 2013, 58, 1814-1823.	3.6	233
132	IFN- γ inhibits liver progenitor cell proliferation in HBV-infected patients and in 3,5-diethoxycarbonyl-L-tryptophan diet-fed mice. <i>Journal of Hepatology</i> , 2013, 59, 738-745.	1.8	30
133	Dissecting the role of CB1 receptors on chronic liver diseases. <i>Gut</i> , 2013, 62, 957-958.	6.1	4
134	Invariant NKT cell activation induces neutrophil accumulation and hepatitis: Opposite regulation by IL-4 and IFN- γ . <i>Hepatology</i> , 2013, 58, 1474-1485.	3.6	73
135	Deletion of interleukin (IL)-12p35 induces liver fibrosis in dominant-negative TGF β 2 receptor type II mice. <i>Hepatology</i> , 2013, 57, 806-816.	3.6	81
136	Progression of Chronic Liver Inflammation and Fibrosis Driven by Activation of c-JUN Signaling in Sirt6 Mutant Mice. <i>Journal of Biological Chemistry</i> , 2012, 287, 41903-41913.	1.6	142
137	Activation of Natural Killer T Cells Promotes M2 Macrophage Polarization in Adipose Tissue and Improves Systemic Glucose Tolerance via Interleukin-4 (IL-4)/STAT6 Protein Signaling Axis in Obesity. <i>Journal of Biological Chemistry</i> , 2012, 287, 13561-13571.	1.6	182
138	STAT proteins are Key regulators of anti-viral responses, inflammation, and tumorigenesis in the liver. <i>Journal of Hepatology</i> , 2012, 57, 430-441.	1.8	146
139	Interleukin-22 Promotes Proliferation of Liver Stem/Progenitor Cells in Mice and Patients With Chronic Hepatitis B Virus Infection. <i>Gastroenterology</i> , 2012, 143, 188-198.e7.	0.6	138
140	Th17 Cells Regulate Liver Fibrosis by Targeting Multiple Cell Types: Many Birds With One Stone. <i>Gastroenterology</i> , 2012, 143, 536-539.	0.6	24
141	Interleukin-22 Ameliorates Cerulein-Induced Pancreatitis in Mice by Inhibiting the Autophagic Pathway. <i>International Journal of Biological Sciences</i> , 2012, 8, 249-257.	2.6	81
142	Cytokines and STATs in Liver Fibrosis. <i>Frontiers in Physiology</i> , 2012, 3, 69.	1.3	87
143	Interleukin-22 induces hepatic stellate cell senescence and restricts liver fibrosis in mice. <i>Hepatology</i> , 2012, 56, 1150-1159.	3.6	348
144	Inflammation in Alcoholic Liver Disease. <i>Annual Review of Nutrition</i> , 2012, 32, 343-368.	4.3	229

#	ARTICLE	IF	CITATIONS
145	Hepatoprotective and anti-inflammatory cytokines in alcoholic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 89-93.	1.4	162
146	Interferon-lambda (IFN- λ) induces signal transduction and gene expression in human hepatocytes, but not in lymphocytes or monocytes. <i>Journal of Leukocyte Biology</i> , 2012, 93, 377-385.	1.5	92
147	Alcoholic Liver Disease: Pathogenesis and New Therapeutic Targets. <i>Gastroenterology</i> , 2011, 141, 1572-1585.	0.6	1,544
148	Enhanced Liver Regeneration in IL-10-Deficient Mice after Partial Hepatectomy via Stimulating Inflammatory Response and Activating Hepatocyte STAT3. <i>American Journal of Pathology</i> , 2011, 178, 1614-1621.	1.9	62
149	Hepatoprotective versus Oncogenic Functions of STAT3 in Liver Tumorigenesis. <i>American Journal of Pathology</i> , 2011, 179, 714-724.	1.9	58
150	AMPK Phosphorylates and Inhibits SREBP Activity to Attenuate Hepatic Steatosis and Atherosclerosis in Diet-Induced Insulin-Resistant Mice. <i>Cell Metabolism</i> , 2011, 13, 376-388.	7.2	1,356
151	NKT cells in liver fibrosis: Controversies or complexities. <i>Journal of Hepatology</i> , 2011, 55, 1166.	1.8	5
152	Signal Transducer and Activator of Transcription 3 in Liver Diseases: A Novel Therapeutic Target. <i>International Journal of Biological Sciences</i> , 2011, 7, 536-550.	2.6	208
153	Molecular Mechanisms of Alcoholic Liver Disease: Innate Immunity and Cytokines. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 787-793.	1.4	148
154	Tissue inhibitor of metalloproteinase 1 (TIMP-1) deficiency exacerbates carbon tetrachloride-induced liver injury and fibrosis in mice: involvement of hepatocyte STAT3 in TIMP-1 production. <i>Cell and Bioscience</i> , 2011, 1, 14.	2.1	63
155	Hypercytolytic activity of hepatic natural killer cells correlates with liver injury in chronic hepatitis B patients. <i>Hepatology</i> , 2011, 53, 73-85.	3.6	141
156	Suppression of innate immunity (natural killer cell/interferon- γ) in the advanced stages of liver fibrosis in mice. <i>Hepatology</i> , 2011, 53, 1342-1351.	3.6	124
157	Natural killer cells take two tolls to destruct bile ducts. <i>Hepatology</i> , 2011, 53, 1076-1079.	3.6	16
158	In vivo consequences of liver-specific interleukin-22 expression in mice: Implications for human liver disease progression. <i>Hepatology</i> , 2011, 54, 252-261.	3.6	206
159	Inflammation-associated interleukin-6/signal transducer and activator of transcription 3 activation ameliorates alcoholic and nonalcoholic fatty liver diseases in interleukin-10-deficient mice. <i>Hepatology</i> , 2011, 54, 846-856.	3.6	145
160	Innate immunity in alcoholic liver disease. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, G516-G525.	1.6	191
161	Structure and Mechanism of Receptor Sharing by the IL-10R2 Common Chain. <i>Structure</i> , 2010, 18, 638-648.	1.6	74
162	Natural killer group 2 member D, its ligands, and liver disease: Good or bad?. <i>Hepatology</i> , 2010, 51, 8-11.	3.6	24

#	ARTICLE	IF	CITATIONS
163	Interplay of hepatic and myeloid signal transducer and activator of transcription 3 in facilitating liver regeneration via tempering innate immunity. <i>Hepatology</i> , 2010, 51, 1354-1362.	3.6	35
164	Dissociation between liver inflammation and hepatocellular damage induced by carbon tetrachloride in myeloid cell-specific signal transducer and activator of transcription 3 gene knockout mice. <i>Hepatology</i> , 2010, 51, 1724-1734.	3.6	60
165	Interleukin-22 treatment ameliorates alcoholic liver injury in a murine model of chronic-binge ethanol feeding: Role of signal transducer and activator of transcription 3. <i>Hepatology</i> , 2010, 52, 1291-1300.	3.6	364
166	Interleukin-6 is an important mediator for mitochondrial DNA repair after alcoholic liver injury in mice. <i>Hepatology</i> , 2010, 52, 2137-2147.	3.6	68
167	Anti-inflammatory and Anti-apoptotic Roles of Endothelial Cell STAT3 in Alcoholic Liver Injury. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 719-725.	1.4	61
168	Th17 cells and their associated cytokines in liver diseases. <i>Cellular and Molecular Immunology</i> , 2010, 7, 250-254.	4.8	127
169	Toll-Like Receptor 3 in Liver Diseases. <i>Gastroenterology Research and Practice</i> , 2010, 2010, 1-6.	0.7	25
170	Interleukin-6: a therapeutic Jekyll and Hyde in gastrointestinal and hepatic diseases. <i>Gut</i> , 2010, 59, 149-151.	6.1	11
171	Innate Immunity and Steatohepatitis: A Critical Role of Another Toll (TLR-9). <i>Gastroenterology</i> , 2010, 139, 27-30.	0.6	22
172	A critical role of STAT1 in streptozotocin-induced diabetic liver injury in mice: Controlled by ATF3. <i>Cellular Signalling</i> , 2009, 21, 1758-1767.	1.7	58
173	Diverse roles of invariant natural killer T cells in liver injury and fibrosis induced by carbon tetrachloride. <i>Hepatology</i> , 2009, 49, 1683-1694.	3.6	180
174	Molecular Mechanisms of Alcoholic Fatty Liver. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 191-205.	1.4	269
175	Myeloid STAT3 Inhibits T Cell-Mediated Hepatitis by Regulating T Helper 1 Cytokine and Interleukin-17 Production. <i>Gastroenterology</i> , 2009, 137, 2125-2135.e2.	0.6	119
176	Liver natural killer and natural killer T cells: immunobiology and emerging roles in liver diseases. <i>Journal of Leukocyte Biology</i> , 2009, 86, 513-528.	1.5	333
177	Liver: An organ with predominant innate immunity. <i>Hepatology</i> , 2008, 47, 729-736.	3.6	794
178	Natural killer T cells exacerbate liver injury in a transforming growth factor β 2 receptor II dominant-negative mouse model of primary biliary cirrhosis. <i>Hepatology</i> , 2008, 47, 571-580.	3.6	106
179	Innate immunity and alcoholic liver fibrosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, S112-8.	1.4	53
180	Abrogation of the Antifibrotic Effects of Natural Killer Cells/Interferon- γ 3 Contributes to Alcohol Acceleration of Liver Fibrosis. <i>Gastroenterology</i> , 2008, 134, 248-258.	0.6	223

#	ARTICLE	IF	CITATIONS
181	Endocannabinoids, CB1 Receptors, and Liver Disease: Hitting More Than One Bird With the Same Stone. <i>Gastroenterology</i> , 2008, 134, 622-625.	0.6	8
182	Cell Type-Dependent Pro- and Anti-Inflammatory Role of Signal Transducer and Activator of Transcription 3 in Alcoholic Liver Injury. <i>Gastroenterology</i> , 2008, 134, 1148-1158.	0.6	179
183	Paracrine Activation of Hepatic CB1 Receptors by Stellate Cell-Derived Endocannabinoids Mediates Alcoholic Fatty Liver. <i>Cell Metabolism</i> , 2008, 7, 227-235.	7.2	280
184	Endocannabinoids and Liver Disease. III. Endocannabinoid effects on immune cells: implications for inflammatory liver diseases. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, G850-G854.	1.6	42
185	Activation of innate immunity (NK/IFN- γ) in rat allogeneic liver transplantation: contribution to liver injury and suppression of hepatocyte proliferation. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, G1070-G1077.	1.6	31
186	Type I Natural Killer T (iNKT) Cells Regulate Inflammatory Immune Response in Mice Liver Injury Induced by CCl ₄ . <i>FASEB Journal</i> , 2008, 22, 1072.16.	0.2	0
187	Retinoic acid signaling sensitizes hepatic stellate cells to NK cell killing via upregulation of NK cell activating ligand RAE1. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, G809-G816.	1.6	113
188	Activation of natural killer cells inhibits liver fibrosis: a novel strategy to treat liver fibrosis. <i>Expert Review of Gastroenterology and Hepatology</i> , 2007, 1, 173-180.	1.4	54
189	Loss of signal transducer and activator of transcription 5 leads to hepatosteatosis and impaired liver regeneration. <i>Hepatology</i> , 2007, 46, 504-513.	3.6	170
190	Liver regeneration is suppressed in alcoholic cirrhosis: correlation with decreased STAT3 activation. <i>Alcohol</i> , 2007, 41, 271-280.	0.8	46
191	Role of STAT3 in liver regeneration: survival, DNA synthesis, inflammatory reaction and liver mass recovery. <i>Laboratory Investigation</i> , 2007, 87, 1018-1028.	1.7	129
192	Role of the Proteasome in Ethanol-Induced Liver Pathology. <i>Alcoholism: Clinical and Experimental Research</i> , 2007, 31, 1446-1459.	1.4	46
193	Natural Killer Cells Ameliorate Liver Fibrosis by Killing Activated Stellate Cells in NKG2D-Dependent and Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand-Dependent Manners. <i>Gastroenterology</i> , 2006, 130, 435-452.	0.6	533
194	Poly I:C prevents T cell-mediated hepatitis via an NK-dependent mechanism. <i>Journal of Hepatology</i> , 2006, 44, 446-454.	1.8	81
195	Chronic Ethanol Consumption Inhibits Hepatic Natural Killer Cell Activity and Accelerates Murine Cytomegalovirus-Induced Hepatitis. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 1615-1623.	1.4	58
196	Interleukin-15 prevents concanavalin A-induced liver injury in mice via NKT cell-dependent mechanism. <i>Hepatology</i> , 2006, 43, 1211-1219.	3.6	56
197	STAT1 contributes to dsRNA inhibition of liver regeneration after partial hepatectomy in mice. <i>Hepatology</i> , 2006, 44, 955-966.	3.6	62
198	STAT1 inhibits liver fibrosis in mice by inhibiting stellate cell proliferation and stimulating NK cell cytotoxicity. <i>Hepatology</i> , 2006, 44, 1441-1451.	3.6	239

#	ARTICLE	IF	CITATIONS
199	The complement system in liver diseases. <i>Cellular and Molecular Immunology</i> , 2006, 3, 333-40.	4.8	127
200	IL-6 modulates hepatocyte proliferation via induction of HGF/p21cip1: Regulation by SOCS3. <i>Biochemical and Biophysical Research Communications</i> , 2005, 338, 1943-1949.	1.0	67
201	Cytokines, STATs and liver disease. <i>Cellular and Molecular Immunology</i> , 2005, 2, 92-100.	4.8	199
202	IL-6 Prevents T Cell-Mediated Hepatitis via Inhibition of NKT Cells in CD4+ T Cell- and STAT3-Dependent Manners. <i>Journal of Immunology</i> , 2004, 172, 5648-5655.	0.4	90
203	IFN- γ /STAT1 acts as a proinflammatory signal in T cell-mediated hepatitis via induction of multiple chemokines and adhesion molecules: a critical role of IRF-1. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 287, G1044-G1052.	1.6	150
204	Chronic alcohol consumption accelerates liver injury in T cell-mediated hepatitis: alcohol dysregulation of NF- κ B and STAT3 signaling pathways. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 287, G471-G479.	1.6	51
205	Interleukin 6 alleviates hepatic steatosis and ischemia/reperfusion injury in mice with fatty liver disease. <i>Hepatology</i> , 2004, 40, 933-941.	3.6	2
206	Host factors and failure of interferon- α treatment in hepatitis C virus. <i>Hepatology</i> , 2004, 39, 880-890.	3.6	142
207	Interleukin 22 (IL-22) plays a protective role in T cell-mediated murine hepatitis: IL-22 is a survival factor for hepatocytes via STAT3 activation. <i>Hepatology</i> , 2004, 39, 1332-1342.	3.6	530
208	Interleukin 6 alleviates hepatic steatosis and ischemia/reperfusion injury in mice with fatty liver disease. <i>Hepatology</i> , 2004, 40, 933-941.	3.6	185
209	Therapeutic potential of interleukin-6 in preventing obesity- and alcohol-associated fatty liver transplant failure. <i>Alcohol</i> , 2004, 34, 59-65.	0.8	53
210	Negative regulation of liver regeneration by innate immunity (natural killer cells/interferon- γ). <i>Gastroenterology</i> , 2004, 127, 1525-1539.	0.6	178
211	Involvement of natural killer cells in PolyI:C-induced liver injury. <i>Journal of Hepatology</i> , 2004, 41, 966-973.	1.8	93
212	Interferon-gamma inhibits interferon-alpha signalling in hepatic cells: evidence for the involvement of STAT1 induction and hyperexpression of STAT1 in chronic hepatitis C. <i>Biochemical Journal</i> , 2004, 379, 199-208.	1.7	29
213	Hydrodynamic gene delivery of interleukin-22 protects the mouse liver from concanavalin A-, carbon tetrachloride-, and Fas ligand-induced injury via activation of STAT3. <i>Cellular and Molecular Immunology</i> , 2004, 1, 43-9.	4.8	159
214	IL-6-deficient mice are susceptible to ethanol-induced hepatic steatosis: IL-6 protects against ethanol-induced oxidative stress and mitochondrial permeability transition in the liver. <i>Cellular and Molecular Immunology</i> , 2004, 1, 205-11.	4.8	107
215	In vitro interleukin-6 treatment prevents mortality associated with fatty liver transplants in rats 1The authors thank Tim Lee (Moor Instruments Ltd., Millwey, United Kingdom) for assistance with Laser Doppler Image analysis.. <i>Gastroenterology</i> , 2003, 125, 202-215.	0.6	118
216	Crucial Role of IL-4/STAT6 in T Cell-Mediated Hepatitis: Up-Regulating Eotaxins and IL-5 and Recruiting Leukocytes. <i>Journal of Immunology</i> , 2003, 171, 3233-3244.	0.4	138

#	ARTICLE	IF	CITATIONS
217	STAT1 plays an essential role in LPS/D-galactosamine-induced liver apoptosis and injury. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 285, G761-G768.	1.6	56
218	Interferon- γ activates multiple STAT signals and down-regulates c-Met in primary human hepatocytes. <i>Gastroenterology</i> , 2002, 122, 1020-1034.	0.6	129
219	Impaired natural killer (NK) cell activity in leptin receptor deficient mice: leptin as a critical regulator in NK cell development and activation. <i>Biochemical and Biophysical Research Communications</i> , 2002, 298, 297-302.	1.0	235
220	Interaction of alcohol and hepatitis viral proteins. <i>Alcohol</i> , 2002, 27, 69-72.	0.8	38
221	Elevated interleukin-6 during ethanol consumption acts as a potential endogenous protective cytokine against ethanol-induced apoptosis in the liver: involvement of induction of Bcl-2 and Bcl-xL proteins. <i>Oncogene</i> , 2002, 21, 32-43.	2.6	154
222	Expression of interferon alfa signaling components in human alcoholic liver disease. <i>Hepatology</i> , 2002, 35, 425-432.	3.6	23
223	Opposing roles of STAT1 and STAT3 in T cell-mediated hepatitis: regulation by SOCS. <i>Journal of Clinical Investigation</i> , 2002, 110, 1503-1513.	3.9	224
224	Opposing roles of STAT1 and STAT3 in T cell-mediated hepatitis: regulation by SOCS. <i>Journal of Clinical Investigation</i> , 2002, 110, 1503-1513.	3.9	136
225	Constitutive activation of JAK-STAT3 signaling by BRCA1 in human prostate cancer cells. <i>FEBS Letters</i> , 2001, 488, 179-184.	1.3	104
226	Ethanol inhibits the JAK-STAT signaling pathway in freshly isolated rat hepatocytes but not in cultured hepatocytes or HepG2 cells: evidence for a lack of involvement of ethanol metabolism. <i>Clinical Biochemistry</i> , 2001, 34, 203-209.	0.8	29
227	Tumor necrosis factor γ attenuates interferon- γ signaling in the liver: involvement of SOCS3 and SHP2 and implication in resistance to interferon therapy. <i>FASEB Journal</i> , 2001, 15, 1595-1597.	0.2	70
228	Additive activation of hepatic NF- κ B by ethanol and hepatitis B protein X (HBX) or HCV core protein: involvement of TNF- α receptor 1-independent and -dependent mechanisms. <i>FASEB Journal</i> , 2001, 15, 2551-2553.	0.2	88
229	Interferons activate the p42/44 mitogen-activated protein kinase and JAK-STAT (Janus kinase-signal) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 regulation by acute ethanol via a protein kinase C-dependent mechanism. <i>Biochemical Journal</i> , 2000, 349, 427.	1.7	41
230	Interferons activate the p42/44 mitogen-activated protein kinase and JAK-STAT (Janus kinase-signal) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 regulation by acute ethanol via a protein kinase C-dependent mechanism. <i>Biochemical Journal</i> , 2000, 349, 427-434.	1.7	67
231	The concerted regulatory functions of the transcription factors nuclear factor-1 and upstream stimulatory factor on a composite element in the promoter of the hepatocyte growth factor gene. <i>Oncogene</i> , 2000, 19, 2786-2790.	2.6	14
232	IL-1 β Attenuates IFN- γ -Induced Antiviral Activity and STAT1 Activation in the Liver: Involvement of Proteasome-Dependent Pathway. <i>Journal of Immunology</i> , 2000, 165, 3959-3965.	0.4	68
233	IL-10 attenuates IFN- γ -activated STAT1 in the liver: involvement of SOCS2 and SOCS3. <i>FEBS Letters</i> , 2000, 480, 132-136.	1.3	90
234	Cross-talk between β 1B-Adrenergic Receptor (β 1BAR) and Interleukin-6 (IL-6) Signaling Pathways. <i>Journal of Biological Chemistry</i> , 1999, 274, 35492-35498.	1.6	29

#	ARTICLE	IF	CITATIONS
235	Ethanol rapidly inhibits IL-6-activated STAT3 and C/EBP mRNA expression in freshly isolated rat hepatocytes. <i>FEBS Letters</i> , 1999, 457, 162-168.	1.3	65
236	Histone H1 isoforms purified from rat liver bind nonspecifically to the nuclear factor 1 recognition sequence and serve as generalized transcriptional repressors. <i>Molecular and Cellular Biochemistry</i> , 1998, 178, 187-196.	1.4	11
237	β-Adrenergic inhibition of proliferation in HepG2 cells stably transfected with the β1B-adrenergic receptor through a p42MAPK/p21Cip1/WAF1-dependent pathway. <i>FEBS Letters</i> , 1998, 436, 131-138.	1.3	27
238	Effects of ethanol on mitogen-activated protein kinase and stress-activated protein kinase cascades in normal and regenerating liver. <i>Biochemical Journal</i> , 1998, 334, 669-676.	1.7	106
239	Effects of Short and Long Term Ethanol on the Activation of Signal Transducer and Activator Transcription Factor 3 in Normal and Regenerating Liver. <i>Biochemical and Biophysical Research Communications</i> , 1997, 239, 666-669.	1.0	38