

Stephen Serjeant

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2642470/publications.pdf>

Version: 2024-02-01

270
papers

14,090
citations

17440
63
h-index

24982
109
g-index

270
all docs

270
docs citations

270
times ranked

5137
citing authors

#	ARTICLE	IF	CITATIONS
1	The bright extragalactic ALMA redshift survey (BEARS) I: redshifts of bright gravitationally lensed galaxies from the <i>Herschel</i> ATLAS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 511, 3017-3033.	4.4	14
2	Detecting gravitational lenses using machine learning: exploring interpretability and sensitivity to rare lensing configurations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 512, 3464-3479.	4.4	11
3	The Nearby Evolved Stars Survey II: Constructing a volume-limited sample and first results from the James Clerk Maxwell Telescope. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 512, 1091-1110.	4.4	5
4	Modelling high-resolution ALMA observations of strongly lensed dusty star-forming galaxies detected by <i>Herschel</i>. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 512, 2426-2438.	4.4	6
5	A high-resolution investigation of the multiphase ISM in a galaxy during the first two billion years. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 510, 3734-3757.	4.4	18
6	Massive Molecular Gas Reservoir in a Luminous Submillimeter Galaxy during Cosmic Noon. <i>Astrophysical Journal</i> , 2022, 929, 41.	4.5	3
7	Multiwavelength properties of 850-1¼m selected sources from the North Ecliptic Pole SCUBA-2 survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 514, 2915-2935.	4.4	6
8	An ALMA Spectroscopic Survey of the Brightest Submillimeter Galaxies in the SCUBA-2-COSMOS Field (AS2COSPEC): Survey Description and First Results. <i>Astrophysical Journal</i> , 2022, 929, 159.	4.5	12
9	Close-up view of a luminous star-forming galaxy at <i>z</i> = 2.95. <i>Astronomy and Astrophysics</i> , 2021, 646, A122.	5.1	23
10	Engaging citizens in sustainability research: comparing survey recruitment and responses between Facebook, Twitter and qualtrics. <i>British Food Journal</i> , 2021, 123, 3116-3132.	2.9	1
11	Early science with the Large Millimeter Telescope: a 1.1Åmm AzTEC survey of red-<i>Herschel</i> dusty star-forming galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 505, 5260-5282.	4.4	4
12	Superresolving <i>Herschel</i> imaging: a proof of concept using Deep Neural Networks. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 507, 1546-1556.	4.4	7
13	Chronos: A NIR spectroscopic galaxy survey to probe the most fundamental stages of galaxy evolution. <i>Experimental Astronomy</i> , 2021, 51, 729.	3.7	0
14	Optically detected galaxy cluster candidates in the <i>AKARI</i> North Ecliptic Pole field based on photometric redshift from the Subaru Hyper Suprime-Cam. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 506, 6063-6080.	4.4	4
15	The Importance of Citizen Scientists in the Move Towards Sustainable Diets and a Sustainable Food System. <i>Frontiers in Sustainable Food Systems</i> , 2021, 5, .	3.9	5
16	How Does Citizen Science Compare to Online Survey Panels? A Comparison of Food Knowledge and Perceptions Between the Zooniverse, Prolific and Qualtrics UK Panels. <i>Frontiers in Sustainable Food Systems</i> , 2021, 4, .	3.9	16
17	An active galactic nucleus recognition model based on deep neural network. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 501, 3951-3961.	4.4	11
18	The e-MERGE Survey (e-MERLIN Galaxy Evolution Survey): overview and survey description. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 495, 1188-1208.	4.4	23

#	ARTICLE	IF	CITATIONS
19	Piloting Citizen Science Methods to Measure Perceptions of Carbon Footprint and Energy Content of Food. <i>Frontiers in Sustainable Food Systems</i> , 2020, 4, .	3.9	8
20	NEPSC2, the North Ecliptic Pole SCUBA-2 survey: 850- $\frac{1}{4}$ m map and catalogue of 850- $\frac{1}{4}$ m-selected sources over 2 \deg . <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 498, 5065-5079.	4.4	12
21	The future of astronomy with small satellites. <i>Nature Astronomy</i> , 2020, 4, 1031-1038.	10.1	18
22	NOEMA redshift measurements of bright <i>Herschel</i> galaxies. <i>Astronomy and Astrophysics</i> , 2020, 635, A7.	5.1	31
23	IRAM 30-m-EMIR redshift search of $z = 3.4$ lensed dusty starbursts selected from the HerBS sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 496, 2372-2390.	4.4	16
24	Explain ESA's last-minute ditching of new space telescope. <i>Nature</i> , 2020, 587, 548-548.	27.8	4
25	A high redshift population of galaxies at the North Ecliptic Pole. <i>Astronomy and Astrophysics</i> , 2020, 641, A129.	5.1	7
26	Identification of <i>AKARI</i> infrared sources by the Deep HSC Optical Survey: construction of a new band-merged catalogue in the North Ecliptic Pole Wide field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 500, 4078-4094.	4.4	12
27	Predictions for Strong-lens Detections with the Nancy Grace Roman Space Telescope. <i>Research Notes of the AAS</i> , 2020, 4, 190.	0.7	9
28	Using convolutional neural networks to identify gravitational lenses in astronomical images. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 487, 5263-5271.	4.4	37
29	The strong gravitational lens finding challenge. <i>Astronomy and Astrophysics</i> , 2019, 625, A119.	5.1	75
30	AKARI NEP field: Point source catalogs from GALEX and Herschel observations and selection of candidate lensed sub-millimeter galaxies. <i>Publication of the Astronomical Society of Japan</i> , 2019, 71, .	2.5	7
31	Spectroscopic confirmation and modelling of two lensed quadruple quasars in the Dark Energy Survey public footprint. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 485, 5086-5095.	4.4	8
32	What do astronomers want from the STFC?. <i>Astronomy and Geophysics</i> , 2019, 60, 2.13-2.17.	0.2	0
33	Spitzer Catalog of Herschel-selected Ultrared Dusty Star-forming Galaxies. <i>Astrophysical Journal, Supplement Series</i> , 2019, 244, 30.	7.7	11
34	The Herschel-PACS North Ecliptic Pole Survey. <i>Publication of the Astronomical Society of Japan</i> , 2019, 71, .	2.5	15
35	How Far Can We Push Deconvolution? A SCUBA-2 Test Case. <i>Research Notes of the AAS</i> , 2019, 3, 133.	0.7	1
36	Exploring cosmic origins with CORE: Survey requirements and mission design. <i>Journal of Cosmology and Astroparticle Physics</i> , 2018, 2018, 014-014.	5.4	98

#	ARTICLE		IF	CITATIONS
37	Exploring cosmic origins with CORE: Extragalactic sources in cosmic microwave background maps. <i>Journal of Cosmology and Astroparticle Physics</i> , 2018, 2018, 020-020.		5.4	20
38	< i>Spitzer</i> Observations of the North Ecliptic Pole. <i>Astrophysical Journal, Supplement Series</i> , 2018, 234, 38.		7.7	18
39	A dusty star-forming galaxy at $z = 6$ revealed by strong gravitational lensing. <i>Nature Astronomy</i> , 2018, 2, 56-62.		10.1	74
40	New RAS 200 show is all-round impressive. <i>Astronomy and Geophysics</i> , 2018, 59, 3.11-3.11.		0.2	0
41	SCUBA-2 Ultra Deep Imaging EAO Survey (STUDIES). II. Structural Properties and Near-infrared Morphologies of Faint Submillimeter Galaxies. <i>Astrophysical Journal</i> , 2018, 865, 103.		4.5	11
42	AKARI mid-infrared slitless spectroscopic survey of star-forming galaxies at < i>z</i> ≈ 0.5 . <i>Astronomy and Astrophysics</i> , 2018, 618, A101.		5.1	12
43	GravityCam: Wide-field high-resolution high-cadence imaging surveys in the visible from the ground. <i>Publications of the Astronomical Society of Australia</i> , 2018, 35, .		3.4	22
44	Probing the high-redshift universe with SPICA: Toward the epoch of reionisation and beyond. <i>Publications of the Astronomical Society of Australia</i> , 2018, 35, .		3.4	14
45	Modelling high-resolution ALMA observations of strongly lensed highly star-forming galaxies detected by Herschel.... <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 4383-4394.		4.4	35
46	JINGLE, a JCMT legacy survey of dust and gas for galaxy evolution studies – I. Survey overview and first results. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 481, 3497-3519.		4.4	30
47	Ultra-red Galaxies Signpost Candidate Protoclusters at High Redshift. <i>Astrophysical Journal</i> , 2018, 862, 96.		4.5	20
48	ALMA observations of lensed Herschel sources: testing the dark matter halo paradigm. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 4939-4952.		4.4	16
49	The Spitzer-IRAC/MIPS Extragalactic Survey (SIMES). II. Enhanced Nuclear Accretion Rate in Galaxy Groups at $z \approx 0.2$. <i>Astrophysical Journal</i> , 2018, 857, 64.		4.5	4
50	The < i>Herschel</i>-ATLAS: a sample of 500 μ m-selected lensed galaxies over 600 $^{\circ}$ ² . <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 465, 3558-3580.		4.4	96
51	The SCUBA-2 Cosmology Legacy Survey: 850 μ m maps, catalogues and number counts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 465, 1789-1806.		4.4	216
52	Tracing the Evolution of Dust Obscured Star Formation and Accretion Back to the Reionisation Epoch with < i>SPICA</i>. <i>Publications of the Astronomical Society of Australia</i> , 2017, 34, .		3.4	15
53	Galaxy Evolution Studies with the < i>SPace IR Telescope for Cosmology and Astrophysics</i> (< i>SPICA</i>): The Power of IR Spectroscopy. <i>Publications of the Astronomical Society of Australia</i> , 2017, 34, .		3.4	32
54	Finding bright $z \approx 6.6$ Ly α emitters with lensing: prospects for Euclid. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 470, 5007-5013.		4.4	9

#	ARTICLE	IF	CITATIONS
55	The SCUBA-2 Ambitious Sky Survey: a catalogue of beam-sized sources in the Galactic longitude range 120°–140°. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 468, 250-260.	4.4	6
56	AKARI/IRC source catalogues and source counts for the IRAC Dark Field, ELAIS North and the AKARI Deep Field South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 472, 4259-4286.	4.4	7
57	SONS: The JCMT legacy survey of debris discs in the submillimetre. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 470, 3606-3663.	4.4	106
58	HERSCHEL OBSERVATIONS IN THE AKARI NEP FIELD: INITIAL SOURCE COUNTS. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 219-223.	0.0	11
59	HYPERSUPRIME-CAMERA SURVEY OF THE AKARI NEP WIDE FIELD. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 225-230.	0.0	10
60	STRONG GRAVITATIONAL LENSES AND MULTI-WAVELENGTH GALAXY SURVEYS WITH AKARI, HERSCHEL, SPICA AND EUCLID. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 251-255.	0.0	2
61	AKARI DEEP FIELD SOUTH: SPECTROSCOPIC OBSERVATIONS OF INFRARED SOURCES. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 281-285.	0.0	1
62	AKARI ALL-SKY BRIGHT SOURCE CATALOGUE: FAR-INFRARED LUMINOUS QUASARS AND THE OPTICAL FAR-INFRARED CORRELATION. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 305-307.	0.0	1
63	AKARI-NEP : EFFECTS OF AGN PRESENCE ON SFR ESTIMATES OF GALAXIES. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 239-244.	0.0	0
64	THE AGN POPULATION IN THE AKARI NEP DEEP FIELD. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 271-273.	0.0	0
65	THE RADIO-FAR INFRARED CORRELATION IN THE NEP DEEP FIELD. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 267-269.	0.0	0
66	OVERVIEW OF NORTH ECLIPTIC POLE DEEP MULTI-WAVELENGTH SURVEY (NEP-DEEP). <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 213-217.	0.0	0
67	INITIAL ANALYSIS OF EXTRAGALACTIC FIELDS USING A NEW AKARI/IRC ANALYSIS PIPELINE. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 37-39.	0.0	0
68	GALAXIES ON DIET: FEEDBACK SIGNATURES IN RADIO-AGN HOST GALAXIES. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 201-203.	0.0	0
69	NEP-AKARI: EVOLUTION WITH REDSHIFT OF DUST ATTENUATION IN 8 SELECTED GALAXIES. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 257-261.	0.0	1
70	RADIO IDENTIFICATIONS IN THE NEP DEEP FIELD. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 231-233.	0.0	1
71	A new VLA/e-MERLIN limit on central images in the gravitational lens system CLASS B1030+074. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 459, 2394-2407.	4.4	19
72	H-ATLAS: a candidate high redshift cluster/protocluster of star-forming galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 461, 1719-1733.	4.4	25

#	ARTICLE	IF	CITATIONS
73	WITNESSING THE BIRTH OF THE RED SEQUENCE: ALMA HIGH-RESOLUTION IMAGING OF AND DUST IN TWO INTERACTING ULTRA-RED STARBURSTS AT $z = 4.425$. <i>Astrophysical Journal</i> , 2016, 827, 34.	4.5	75
74	THE SPITZER-IRAC/MIPS EXTRAGALACTIC SURVEY (SIMES) IN THE SOUTH ECLIPTIC POLE FIELD. <i>Astrophysical Journal, Supplement Series</i> , 2016, 223, 1.	7.7	10
75	The JCMT nearby galaxies legacy survey – X. Environmental effects on the molecular gas and star formation properties of spiral galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 456, 4384-4406.	4.4	36
76	Synergies between SALT and Herschel, Euclid and the SKA: strong gravitational lensing and galaxy evolution. , 2016, , .		1
77	Dust attenuation up to $z < i$ of 2 in the AKARI North Ecliptic Pole Deep Field. <i>Astronomy and Astrophysics</i> , 2015, 577, A141.	5.1	33
78	Evolution of mid-infrared galaxy luminosity functions from the entire AKARI NEP deep field with new CFHT photometry. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 1684-1693.	4.4	14
79	Extragalactic sources in Cosmic Microwave Background maps. <i>Journal of Cosmology and Astroparticle Physics</i> , 2015, 2015, 018-018.	5.4	13
80	H-ATLAS/GAMA: quantifying the morphological evolution of the galaxy population using cosmic calorimetry. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 3489-3507.	4.4	16
81	REST-FRAME OPTICAL SPECTRA AND BLACK HOLE MASSES OF 3 < $z < i$ < 6 QUASARS. <i>Astrophysical Journal</i> , 2015, 806, 109.	4.5	64
82	Strong Gravitational Lensing with the SKA. , 2015, , .		20
83	The first source counts at $18 \pm 1/4 m$ from the AKARI NEP Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 444, 846-859.	4.4	7
84	Herschel *-ATLAS: deep HST/WFC3 imaging of strongly lensed submillimetre galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 440, 1999-2012.	4.4	63
85	A TALE OF TWO FEEDBACKS: STAR FORMATION IN THE HOST GALAXIES OF RADIO AGNs. <i>Astrophysical Journal</i> , 2014, 784, 137.	4.5	31
86	LENS MODELS OF HERSCHEL-SELECTED GALAXIES FROM HIGH-RESOLUTION NEAR-IR OBSERVATIONS. <i>Astrophysical Journal</i> , 2014, 797, 138.	4.5	40
87	Constraints on the galaxy main sequence at $z > 5$: the stellar mass of HDF850.1. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 443, 3118-3126.	4.4	5
88	UP TO 100,000 RELIABLE STRONG GRAVITATIONAL LENSES IN FUTURE DARK ENERGY EXPERIMENTS. <i>Astrophysical Journal Letters</i> , 2014, 793, L10.	8.3	22
89	Polycyclic aromatic hydrocarbon feature deficit of starburst galaxies in the AKARI North Ecliptic Pole Deep field. <i>Astronomy and Astrophysics</i> , 2014, 566, A136.	5.1	21
90	Optical near-infrared catalog for the AKARI north ecliptic pole Deep field. <i>Astronomy and Astrophysics</i> , 2014, 566, A60.	5.1	33

#	ARTICLE	IF	CITATIONS
91	Observational Cosmology. Classical and Quantum Gravity, 2013, 30, 089001.	4.0	0
92	The SCUBA-2 Cosmology Legacy Survey: blank-field number counts of $450\text{-}1/4\text{m}$ -selected galaxies and their contribution to the cosmic infrared background. Monthly Notices of the Royal Astronomical Society, 2013, 432, 53-61.	4.4	89
93	Dust and star formation properties of a complete sample of local galaxies drawn from the Planck Early Release Compact Source Catalogue. Monthly Notices of the Royal Astronomical Society, 2013, 433, 695-711.	4.4	81
94	Detection of $\text{H}\hat{\pm}$ emission from $z > 3.5$ submillimetre luminous galaxies with AKARI-FUHYU spectroscopy. Monthly Notices of the Royal Astronomical Society, 2013, 436, 395-400.	4.4	3
95	The local luminosity function of star-forming galaxies derived from the Planck Early Release Compact Source Catalogue. Monthly Notices of the Royal Astronomical Society, 2013, 429, 1309-1323.	4.4	33
96	The preferentially magnified active nucleus in IRAS F10214+4724. I. Lens model and spatially resolved radio emission. Monthly Notices of the Royal Astronomical Society, 2013, 430, 2-21.	4.4	5
97	GRAVITATIONAL LENS MODELS BASED ON SUBMILLIMETER ARRAY IMAGING OF <i><sub>i</sub>HERSCHEL</i>-SELECTED STRONGLY LENSED SUB-MILLIMETER GALAXIES AT <i><sub>z</sub></i> > 1.5. Astrophysical Journal, 2013, 779, 25.</i>	4.5	163
98	<i><sub>i</sub>HERSCHEL</i>-ATLAS: A BINARY HyLIRG PINPOINTING A CLUSTER OF STARBURSTING PROTOELLIPTICALS.</i> Astrophysical Journal, 2013, 772, 137.	4.5	144
99	H-ATLAS: THE COSMIC ABUNDANCE OF DUST FROM THE FAR-INFRARED BACKGROUND POWER SPECTRUM. Astrophysical Journal, 2013, 768, 58.	4.5	42
100	Isothermal dust models of Herschel-ATLASâ... galaxies. Monthly Notices of the Royal Astronomical Society, 2013, 436, 2435-2453.	4.4	44
101	Far-infrared spectroscopy of a lensed starburst: a blind redshift from <i><sub>i</sub>Herschel</i>.</i> Monthly Notices of the Royal Astronomical Society: Letters, 2013, 436, L99-L103.	3.3	26
102	$\text{H}_{\text{sub}}2$ emission in high- <i><sub>z</sub></i> ultra-luminous infrared galaxies. Astronomy and Astrophysics, 2013, 551, A115.	5.1	72
103	Star Formation and AGN Activity in Galaxies Classified Using the 1.6 $1/4\text{m}$ Bump and PAH Features at <i><sub>z</sub></i> = 0.4â€“2. Publication of the Astronomical Society of Japan, 2012, 64, .	2.5	31
104	A COMPREHENSIVE VIEW OF A STRONGLY LENSED <i><sub>i</sub>PLANCK</i>-ASSOCIATED SUBMILLIMETER GALAXY.</i> Astrophysical Journal, 2012, 753, 134.	4.5	89
105	The North Ecliptic Pole Wide survey of AKARI: a near- and mid-infrared source catalog. Astronomy and Astrophysics, 2012, 548, A29.	5.1	36
106	MEASUREMENTS OF CO REDSHIFTS WITH Z-SPEC FOR LENSED SUBMILLIMETER GALAXIES DISCOVERED IN THE H-ATLAS SURVEY. Astrophysical Journal, 2012, 757, 135.	4.5	58
107	The AKARI NEP-Deep survey: a mid-infrared source catalogue. Astronomy and Astrophysics, 2012, 537, A24.	5.1	41
108	The JCMT Nearby Galaxies Legacy Survey â€” VIII. CO data and the LCO(3-2)-LFIR correlation in the SINGS sample. Monthly Notices of the Royal Astronomical Society, 2012, 424, 3050-3080.	4.4	70

#	ARTICLE	IF	CITATIONS
109	A deep ATCA 20 cm radio survey of the <i>AKARI</i> Deep Field South near the South Ecliptic Pole. Monthly Notices of the Royal Astronomical Society, 2012, 427, 1830-1846.	4.4	17
110	<i>Herschel</i>-ATLAS/GAMA: spatial clustering of low-redshift submm galaxies. Monthly Notices of the Royal Astronomical Society, 2012, 426, 3455-3463.	4.4	15
111	<i>HERSCHEL</i>-ATLAS: TOWARD A SAMPLE OF $\approx 1/4$ 1000 STRONGLY LENSED GALAXIES. Astrophysical Journal, 2012, 749, 65.	4.5	72
112	Strong biases in infrared-selected gravitational lenses. Monthly Notices of the Royal Astronomical Society, 2012, 424, 2429-2441.	4.4	79
113	THE SYNERGY OF LARGE AREA SURVEYS WITH AKARI AND HERSCHEL. Publications of the Korean Astronomical Society, 2012, 27, 375-380.	0.0	4
114	OVERVIEW OF THE NORTH ECLIPTIC POLE DEEP MULTI-WAVELENGTH SURVEY (NEP-DEEP). Publications of the Korean Astronomical Society, 2012, 27, 123-128.	0.0	0
115	A MULTI-WAVELENGTH VIEW OF GALAXY EVOLUTION WITH AKARI. Publications of the Korean Astronomical Society, 2012, 27, 305-310.	0.0	0
116	DETECTION OF H α EMISSION FROM $z > 3.5$ GALAXIES WITH AKARI-FUHYU NIR SPECTROSCOPY. Publications of the Korean Astronomical Society, 2012, 27, 357-360.	0.0	0
117	Observation of H ₂ O in a strongly lensed <i>Herschel</i>-ATLAS source at <i>z</i> = 2.3. Astronomy and Astrophysics, 2011, 530, L3.	5.1	46
118	<i>Planck</i> early results. XIII. Statistical properties of extragalactic radio sources in the <i>Planck</i> Early Release Compact Source Catalogue. Astronomy and Astrophysics, 2011, 536, A13.	5.1	103
119	<i>SPITZER</i> IMAGING OF <i>HERSCHEL</i>-ATLAS GRAVITATIONALLY LENSED SUBMILLIMETER SOURCES. Astrophysical Journal Letters, 2011, 728, L4.	8.3	18
120	Far Infrared Luminosity Function of Local Galaxies in the AKARI Deep Field South. Proceedings of the International Astronomical Union, 2011, 7, 289-291.	0.0	1
121	Multi-wavelength probes of distant lensed galaxies. Proceedings of the International Astronomical Union, 2011, 7, 475-481.	0.0	0
122	GREEN BANK TELESCOPE ZPECTROMETER CO(1-0) OBSERVATIONS OF THE STRONGLY LENSED SUBMILLIMETER GALAXIES FROM THE <i>HERSCHEL</i> ATLAS. Astrophysical Journal Letters, 2011, 726, L22.	8.3	61
123	The JCMT Nearby Galaxies Legacy Survey. Astronomy and Astrophysics, 2011, 527, A16.	5.1	8
124	DETECTION OF THE COSMIC FAR-INFRARED BACKGROUND IN AKARI DEEP FIELD SOUTH. Astrophysical Journal, 2011, 737, 2.	4.5	74
125	<i>HERSCHEL</i>-ATLAS GALAXY COUNTS AND HIGH-REDSHIFT LUMINOSITY FUNCTIONS: THE FORMATION OF MASSIVE EARLY-TYPE GALAXIES. Astrophysical Journal, 2011, 742, 24.	4.5	151
126	Luminosity functions of local infrared galaxies with AKARI: implications for the cosmic star formation history and AGN evolution. Monthly Notices of the Royal Astronomical Society, 2011, 410, 573-584.	4.4	46

#	ARTICLE	IF	CITATIONS
127	Infrared luminosity functions of AKARI Sloan Digital Sky Survey galaxies. Monthly Notices of the Royal Astronomical Society, 2011, 414, 1903-1913.	4.4	28
128	GAMA/H-ATLAS: the ultraviolet spectral slope and obscuration in galaxies. Monthly Notices of the Royal Astronomical Society, 2011, 415, 1002-1012.	4.4	32
129	Herschel-ATLAS: the link between accretion luminosity and star formation in quasar host galaxiesâ˜.... Monthly Notices of the Royal Astronomical Society, 2011, , no-no.	4.4	32
130	Herschel-Astrophysical Terahertz Large Area Survey: detection of a far-infrared population around galaxy clustersâ˜.... Monthly Notices of the Royal Astronomical Society, 2011, , no-no.	4.4	6
131	Far-infrared luminosity function of local star-forming galaxies in the AKARI Deep Field-South. Monthly Notices of the Royal Astronomical Society, 2011, 416, 1862-1870.	4.4	16
132	A pilot study for the SCUBA-2 â€˜All-Skyâ€™ Survey. Monthly Notices of the Royal Astronomical Society, 2011, 415, 1950-1960.	4.4	8
133	Herschel-ATLAS: first data release of the Science Demonstration Phase source catalogues. Monthly Notices of the Royal Astronomical Society, 2011, 415, 2336-2348.	4.4	110
134	Physical conditions of the interstellar medium of high-redshift, strongly lensed submillimetre galaxies from theâ€Herschel-ATLASâ˜.... Monthly Notices of the Royal Astronomical Society, 2011, 415, 3473-3484.	4.4	73
135	Herschelâ˜...-ATLAS: rapid evolution of dust in galaxies over the last 5 billion years. Monthly Notices of the Royal Astronomical Society, 2011, 417, 1510-1533.	4.4	198
136	< i>Herschel</i>ATLAS: The cosmic star formation history of quasar host galaxies. Astronomy and Astrophysics, 2010, 518, L7.	5.1	35
137	< i>Herschel</i>-ATLAS: Extragalactic number counts from 250 toÂ500Âmicrons. Astronomy and Astrophysics, 2010, 518, L8.	5.1	93
138	< i>Herschel</i>-ATLAS: Dust temperature and redshift distribution of SPIRE and PACS detected sources using submillimetre colours. Astronomy and Astrophysics, 2010, 518, L9.	5.1	102
139	< i>Herschel</i>-ATLAS: Evolution of the 250 Âµm luminosity function out to z<i>=</i>0.5. Astronomy and Astrophysics, 2010, 518, L10.	5.1	58
140	< i>Herschel</i>-ATLAS: The angular correlation function of submillimetre galaxies at high and low redshift. Astronomy and Astrophysics, 2010, 518, L11.	5.1	54
141	Evolution of infrared luminosity functions of galaxies in the AKARI NEP-deep field. Astronomy and Astrophysics, 2010, 514, A6.	5.1	79
142	Polycyclic aromatic hydrocarbon (PAH) luminous galaxies at<i>z</i>â€‰~â€‰1. Astronomy and Astrophysics, 2010, 514, A5.	5.1	40
143	Environmental dependence of 8Âµm luminosity functions of galaxies atz~ 0.8. Astronomy and Astrophysics, 2010, 514, A7.	5.1	7
144	The AGN fraction of submm-selected galaxies and contributions to the submm/mm-wave extragalactic background light. Astronomy and Astrophysics, 2010, 514, A10.	5.1	9

#	ARTICLE	IF	CITATIONS
145	THE JAMES CLERK MAXWELL TELESCOPE NEARBY GALAXIES LEGACY SURVEY. II. WARM MOLECULAR GAS AND STAR FORMATION IN THREE FIELD SPIRAL GALAXIES. <i>Astrophysical Journal</i> , 2010, 714, 571-588.	4.5	39
146	The AKARI Extragalactic Large Area Survey Towards the North Ecliptic Pole. , 2010, , .	0	
147	< i>Herschel</i>-ATLAS: Blazars in the science demonstration phase field. <i>Astronomy and Astrophysics</i> , 2010, 518, L38.	5.1	22
148	A deep survey of the AKARI north ecliptic pole field. <i>Astronomy and Astrophysics</i> , 2010, 517, A54.	5.1	26
149	ULTRA DEEP < i>AKARI</i> OBSERVATIONS OF ABELL 2218: RESOLVING THE 15 1/4m EXTRAGALACTIC BACKGROUND LIGHT. <i>Astrophysical Journal Letters</i> , 2010, 716, L45-L50.	8.3	22
150	The Dark and Dusty Side of Galaxy Evolution. , 2010, , .	0	
151	The JCMT Nearby Galaxies Legacy Survey - V. The CO(J= 3-2) distribution and molecular outflow in NCGâ€ƒ4631. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, , no-no.	4.4	10
152	H-ATLAS: PACS imaging for the Science Demonstration Phase. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 409, 38-47.	4.4	90
153	The JCMT Nearby Galaxies Legacy Survey - IV. Velocity dispersions in the molecular interstellar medium in spiral galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, , no-no.	4.4	18
154	AzTEC half square degree survey of the SHADES fields Ä¢Ä I. Maps, catalogues and source counts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 401, 160-176.	4.4	105
155	The JCMT Nearby Galaxies Legacy Survey - III. Comparisons of cold dust, polycyclic aromatic hydrocarbons, molecular gas and atomic gas in NGC 2403. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 402, 1409-1425.	4.4	61
156	< i>Herschel</i>-ATLAS: The dust energy balance in the edge-on spiral galaxy UGCâ€‰4754. <i>Astronomy and Astrophysics</i> , 2010, 518, L39.	5.1	74
157	A search for debris disks in the< i>Herschel</i>-ATLAS. <i>Astronomy and Astrophysics</i> , 2010, 518, L134.	5.1	13
158	The AKARI FU-HYU galaxy evolution program: first results from Äthe ÄGOODS-N field. <i>Astronomy and Astrophysics</i> , 2010, 514, A9.	5.1	7
159	The Detection of a Population of Submillimeter-Bright, Strongly Lensed Galaxies. <i>Science</i> , 2010, 330, 800-804.	12.6	330
160	AKARI infrared bright source catalogues. <i>Proceedings of SPIE</i> , 2010, , .	0.8	4
161	The Herschel ATLAS. <i>Publications of the Astronomical Society of the Pacific</i> , 2010, 122, 499-515.	3.1	489
162	Source counts at 15 microns from the AKARI NEP survey. <i>Astronomy and Astrophysics</i> , 2010, 514, A8.	5.1	18

#	ARTICLE		IF	CITATIONS
163	ON THE NATURE OF THE FIRST GALAXIES SELECTED AT 350 $\frac{1}{4}$ m. <i>Astrophysical Journal</i> , 2009, 706, 319-327.		4.5	2
164	THE MID-INFRARED VIEW OF RED SEQUENCE GALAXIES IN ABELL 2218 WITH <i>< i>AKARI</i></i> . <i>Astrophysical Journal</i> , 2009, 695, L198-L202.		4.5	15
165	The First release of the AKARI-FIS Bright Source Catalogue. , 2009, , .			13
166	The space infrared telescope for cosmology and astrophysics: SPICA A joint mission between JAXA and ESA. <i>Experimental Astronomy</i> , 2009, 23, 193-219.		3.7	100
167	The evolution of star formation in quasar host galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 397, 265-280.		4.4	39
168	Mid-infrared spectroscopy of infrared-luminous galaxies at <i>< i>z</i></i> $\hat{>}^{1/4}$ 0.5-3. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 395, 1695-1722.		4.4	61
169	Photometric redshift accuracy in <i>< i>AKARI</i></i> deep surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 394, 375-397.		4.4	16
170	THE JAMES CLERK MAXWELL TELESCOPE NEARBY GALAXIES LEGACY SURVEY. I. STAR-FORMING MOLECULAR GAS IN VIRGO CLUSTER SPIRAL GALAXIES. <i>Astrophysical Journal</i> , 2009, 693, 1736-1748.		4.5	89
171	A Milestone to SPICA Extragalactic Surveys: The AKARI NEP Survey. , 2009, , .			0
172	SPICA Deep Cosmological Survey: From AKARI to SPICA. , 2009, , .			0
173	The SCUBA HALf Degree Extragalactic Survey â€“ VI. 350- $\frac{1}{4}$ m mapping of submillimetre galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 384, 1597-1610.		4.4	108
174	The SCUBA HALf Degree Extragalactic Survey (SHADES) â€“ VII. Optical/IR photometry and stellar masses of submillimetre galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 386, 1107-1130.		4.4	80
175	Properties of dusty tori in active galactic nuclei â€“ I. The case of SWIRE/SDSS quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 386, 1252-1264.		4.4	63
176	The SCUBA Half-Degree Extragalactic Survey (SHADES) â€“ VIII. The nature of faint submillimetre galaxies in SHADES, SWIRE and SXDF surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 387, 247-267.		4.4	52
177	The SCUBA Half-Degree Extragalactic Survey (SHADES) â€“ IX. The environment, mass and redshift dependence of star formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 386, 1907-1921.		4.4	44
178	Timeline analysis and wavelet multiscale analysis of the AKARI All-Sky Survey at 90 $\frac{1}{4}$ m. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 387, 601-615.		4.4	2
179	AKARI/IRC Deep Survey in the North Ecliptic Pole Region. <i>Publication of the Astronomical Society of Japan</i> , 2008, 60, S517-S529.		2.5	54
180	Properties of UIR Bands in NGC6946 Based on Mid-Infrared Imaging and Spectroscopy with Infrared Camera on Board AKARI. <i>Publication of the Astronomical Society of Japan</i> , 2007, 59, S483-S495.		2.5	30

#	ARTICLE	IF	CITATIONS
181	Far-Infrared Distributions in Nearby Spiral Galaxies NGC 2841 and NGC 2976 Observed with AKARI/Far-Infrared Surveyor (FIS). Publication of the Astronomical Society of Japan, 2007, 59, S463-S471.	2.5	6
182	The Infrared Astronomical Mission AKARI. Publication of the Astronomical Society of Japan, 2007, 59, S369-S376.	2.5	663
183	Multi-Wavelength Analysis of 18 μ m Selected Galaxies in the AKARI/Irred-Camera monitor field towards the North Ecliptic Pole. Publication of the Astronomical Society of Japan, 2007, 59, S557-S569.	2.5	21
184	Optical Identification of 15 μ m Sources in the AKARI Performance Verification Field toward the North Ecliptic Pole. Publication of the Astronomical Society of Japan, 2007, 59, S543-S555.	2.5	13
185	The Far-Infrared Surveyor (FIS) for AKARI. Publication of the Astronomical Society of Japan, 2007, 59, S389-S400.	2.5	246
186	AKARI Infrared Imaging of Reflection Nebulae IC4954 and IC4955. Publication of the Astronomical Society of Japan, 2007, 59, S443-S454.	2.5	17
187	The Far-Infrared Properties of Spatially Resolved AKARI Observations. Publication of the Astronomical Society of Japan, 2007, 59, S429-S435.	2.5	16
188	First Constraints on Source Counts at 350 μ m. Astrophysical Journal, 2007, 665, 973-979.	4.5	17
189	The ultraluminous and hyperluminous infrared galaxies in the Sloan Digital Sky Survey, 2dF Galaxy Redshift Survey and 6dF Galaxy Survey. Monthly Notices of the Royal Astronomical Society, 2007, 375, 115-127.	4.4	21
190	The SCUBA Half Degree Extragalactic Survey - IV. Radio-mm-FIR photometric redshifts. Monthly Notices of the Royal Astronomical Society, 2007, 379, 1571-1588.	4.4	89
191	The SCUBA HALf Degree Extragalactic Survey (SHADES) - V. Submillimetre properties of near-infrared-selected galaxies in the Subaru/XMM-Newton deep field. Monthly Notices of the Royal Astronomical Society, 2007, 381, 1154-1168.	4.4	17
192	Sub-millimetre properties of massive star-forming galaxies at $z \sim 2$ in SHADES/SXDF. Proceedings of the International Astronomical Union, 2006, 2, 429-429.	0.0	0
193	A combined re-analysis of existing blank-field SCUBA surveys: comparative 850- μ m source lists, combined number counts, and evidence for strong clustering of the bright submillimetre galaxy population on arcminute scales. Monthly Notices of the Royal Astronomical Society, 2006, 370, 1057-1105.	4.4	76
194	The SCUBA Half-Degree Extragalactic Survey - II. Submillimetre maps, catalogue and number counts. Monthly Notices of the Royal Astronomical Society, 2006, 372, 1621-1652.	4.4	360
195	Deep Extragalactic Surveys around the Ecliptic Poles with AKARI (ASTRO-F). Publication of the Astronomical Society of Japan, 2006, 58, 673-694.	2.5	110
196	Estimating photometric redshifts with genetic algorithms. , 2006, , .	0	
197	Top-down decision-making. Astronomy and Geophysics, 2006, 47, 3.9-b-3.9.	0.2	0
198	Spectral Energy Distributions and Luminosities of Galaxies and Active Galactic Nuclei in the Spitzer Wide-Area Infrared Extragalactic (SWIRE) Legacy Survey. Astronomical Journal, 2005, 129, 1183-1197.	4.7	112

#	ARTICLE	IF	CITATIONS
199	Sloan Digital Sky Survey Quasars in the Spitzer Wide-Area Infrared Extragalactic Survey (SWIRE) ELAIS N1 Field: Properties and Spectral Energy Distributions. <i>Astronomical Journal</i> , 2005, 129, 1198-1211.	4.7	85
200	The European Large Area ISO Survey: optical identifications of 15- $\frac{1}{4}$ m and 1.4-GHz sources in N1 and N2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 358, 333-340.	4.4	11
201	Final analysis of ELAIS 15- $\frac{1}{4}$ m observations: method, reduction and catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 358, 397-418.	4.4	19
202	Properties of FIRBACK-ELAIS 175- \AA m sources in the ELAIS N2 region. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 361, 1352-1374.	4.4	22
203	The SCUBA Half-Degree Extragalactic Survey – I. Survey motivation, design and data processing. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 363, 563-580.	4.4	74
204	A robust sample of submillimetre galaxies: constraints on the prevalence of dusty, high-redshift starbursts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 364, 1025-1040.	4.4	62
205	The local submillimetre luminosity functions and predictions from Spitzer to Herschel. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 356, 192-204.	4.4	37
206	Spitzer Observations of MAMBO Galaxies: Weeding Out Active Nuclei in Starbursting Protoellipticals. <i>Astrophysical Journal, Supplement Series</i> , 2004, 154, 124-129.	7.7	108
207	Spitzer Observations of the SCUBA/VLA Sources in the Lockman Hole: Star Formation History of Infrared Luminous Galaxies. <i>Astrophysical Journal, Supplement Series</i> , 2004, 154, 130-136.	7.7	98
208	The environments of hyperluminous infrared galaxies at $0.44 < z < 1.55$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 349, 518-526.	4.4	15
209	Discovery of the galaxy counterpart of HDF 850.1, the brightest submillimetre source in the Hubble Deep Field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 350, 769-784.	4.4	70
210	The European Large-Area ISO Survey (ELAIS): the final band-merged catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 351, 1290-1306.	4.4	121
211	Large-scale structure in the ELAIS S1 Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 352, 44-48.	4.4	12
212	The European Large Area ISO Survey - VIII. 90- $\frac{1}{4}$ m final analysis and source counts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 354, 924-934.	4.4	26
213	A study of the 15- \AA m quasars in the ELAIS N1 and N2 fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 354, 961-970.	4.4	8
214	Mid-infrared sources in the ELAIS Deep X-ray Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 355, 97-105.	4.4	14
215	The European Large Area ISO Survey – IX. The 90- $\frac{1}{4}$ m luminosity function from the Final Analysis sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 355, 813-818.	4.4	27
216	The Mid-Infrared Luminosity Function of Galaxies in the European Large Area Infrared Space Observatory Survey Southern Fields. <i>Astrophysical Journal</i> , 2004, 609, 122-132.	4.5	58

#	ARTICLE	IF	CITATIONS
217	Dust and Gas Obscuration in ELAIS Deep X-ray Survey Reddened Quasars. <i>Astrophysical Journal</i> , 2004, 610, 140-150.	4.5	14
218	The Nature of the Mid-Infrared Population from Optical Identifications of the ELAIS-S1 Sample. <i>Astronomical Journal</i> , 2004, 127, 3075-3088.	4.7	41
219	First Insights into the Spitzer Wide-area Infrared Extragalactic Legacy Survey (SWIRE) Galaxy Populations. <i>Astrophysical Journal, Supplement Series</i> , 2004, 154, 54-59.	7.7	137
220	Submillimeter Detections of Spitzer Space Telescope Galaxy Populations. <i>Astrophysical Journal, Supplement Series</i> , 2004, 154, 118-123.	7.7	26
221	The Local Sub-Mm Luminosity Functions and Predictions from Astro-F/Sirtf to Herschel. , 2004, , 133-136.		0
222	Obscured active galactic nuclei from the ELAIS Deep X-ray Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 339, 397-409.	4.4	26
223	The ELAIS deep X-ray survey – I. Chandra source catalogue and first results. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 343, 293-305.	4.4	66
224	Submillimetre observations of the Hubble Deep Field and Flanking Fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 344, 887-904.	4.4	67
225	The K-band Hubble diagram of submillimetre galaxies and hyperluminous galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 346, L51-L56.	4.4	11
226	SWIRE: The SIRTF Wide-area Infrared Extragalactic Survey. <i>Publications of the Astronomical Society of the Pacific</i> , 2003, 115, 897-927.	3.1	593
227	The coincidence and angular clustering of Chandra and SCUBA sources. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 338, 303-311.	4.4	73
228	The local star formation rate and radio luminosity density. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 330, 621-624.	4.4	40
229	The SCUBA 8-mly survey – II. Multiwavelength analysis of bright submillimetre sources. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 331, 839-852.	4.4	61
230	The European Large Area Survey - VII. ROSAT observations of ELAIS sources. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 331, 417-422.	4.4	9
231	The SCUBA 8-mly survey – I. Submillimetre maps, sources and number counts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 331, 817-838.	4.4	320
232	Observations of the Hubble Deep Field South with the Infrared Space Observatory- I. Observations, data reduction and mid-infrared source counts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 332, 536-548.	4.4	38
233	Observations of the Hubble Deep Field South with the Infrared Space Observatory- II. Associations and star formation rates. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 332, 549-574.	4.4	38
234	The evolution of type 1 active galactic nuclei in the infrared (15 Åm): the view from ELAIS-S1. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 332, L11-L14.	4.4	23

#	ARTICLE	IF	CITATIONS
235	A new method for ISOCAM data reduction - II. Mid-infrared extragalactic source counts in the ELAIS Southern field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 335, 831-842.	4.4	70
236	Submillimetre observations of hyperluminous infrared galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 335, 1163-1175.	4.4	71
237	Deep radio imaging of the SCUBA 8-mJy survey fields: submillimetre source identifications and redshift distribution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 337, 1-25.	4.4	318
238	Near- and mid-infrared colours of star-forming galaxies in European Large Area ISO Survey fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 337, 1043-1058.	4.4	19
239	The European Large Area ISO Survey – IV. The preliminary 90-Å luminosity function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 322, 262-268.	4.4	34
240	Starburst activity in a ROSAT narrow emission-line galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 324, 305-312.	4.4	6
241	Radio-quiet quasar environments at $0.5 \leq z \leq 0.8$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 323, 231-247.	4.4	46
242	A new method for ISOCAM data reduction – I. Application to the European Large Area ISO Survey Southern Field: method and results. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 325, 1173-1189.	4.4	45
243	The European Large Area ISO Survey – VI. Discovery of a new hyperluminous infrared galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 327, 1187-1192.	4.4	18
244	Title is missing!. <i>Astrophysics and Space Science</i> , 2001, 276, 791-798.	1.4	4
245	HST/WFPC2 imaging of the QDOT ultraluminous infrared galaxy sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 326, 1333-1352.	4.4	104
246	QSO Environments at Intermediate Redshifts. , 2001, , 33-38.		2
247	The extended counterpart of submm source Lockman 850.1. <i>Astronomy and Astrophysics</i> , 2001, 378, 70-75.	5.1	46
248	The European Large-Area Infrared Space Observatory Survey V: A BeppoSAX Hard X-Ray Survey of the S1 Region. <i>Astrophysical Journal</i> , 2001, 554, 18-26.	4.5	31
249	Clustering of galaxies around radio quasars at $0.5 \leq z \leq 0.8$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000, 316, 267-282.	4.4	62
250	The European Large Area ISO Survey -- I. Goals, definition and observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000, 316, 749-767.	4.4	173
251	The European Large Area ISO Survey -- II. Mid-infrared extragalactic source counts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000, 316, 768-778.	4.4	86
252	Starburst galaxies and structure in the submillimetre background towards the Hubble Deep Field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000, 318, 535-546.	4.4	80

#	ARTICLE	IF	CITATIONS
253	Hubble Space Telescope imaging survey of sub-mJy star-forming galaxies " I. Morphologies at $z \approx 0.2$. Monthly Notices of the Royal Astronomical Society, 2000, 317, L29-L33.	4.4	9
254	The European Large Area ISO Survey -- III. 90-Åm extragalactic source counts. Monthly Notices of the Royal Astronomical Society, 2000, 319, 1169-1177.	4.4	60
255	High-redshift star formation in the Hubble Deep Field revealed by a submillimetre-wavelength survey. Nature, 1998, 394, 241-247.	27.8	1,084
256	The radio-optical correlation in steep-spectrum quasars. Monthly Notices of the Royal Astronomical Society, 1998, 294, 494-504.	4.4	26
257	A spectroscopic study of IRAS F10214 + 4724. Monthly Notices of the Royal Astronomical Society, 1998, 298, 321-331.	4.4	21
258	IRAS F10214+4724: the inner 100 pc. Monthly Notices of the Royal Astronomical Society, 1998, 299, 1220-1230.	4.4	19
259	The radio-optical correlation in steep-spectrum quasars. Monthly Notices of the Royal Astronomical Society, 1998, 294, 494-504.	4.4	36
260	Observations of the Hubble Deep Field with the Infrared Space Observatory - I. Data reduction, maps and sky coverage. Monthly Notices of the Royal Astronomical Society, 1997, 289, 457-464.	4.4	38
261	Observations of the Hubble Deep Field with the Infrared Space Observatory - III. Source counts and P(D) analysis. Monthly Notices of the Royal Astronomical Society, 1997, 289, 471-481.	4.4	72
262	Observations of the Hubble Deep Field with the Infrared Space Observatory - II. Source detection and photometry. Monthly Notices of the Royal Astronomical Society, 1997, 289, 465-470.	4.4	32
263	Observations of the Hubble Deep Field with the Infrared Space Observatory - V. Spectral energy distributions, starburst models and star formation history. Monthly Notices of the Royal Astronomical Society, 1997, 289, 490-496.	4.4	225
264	Observations of the Hubble Deep Field with the Infrared Space Observatory - IV. Association of sources with Hubble Deep Field galaxies. Monthly Notices of the Royal Astronomical Society, 1997, 289, 482-489.	4.4	37
265	HST Imaging of Redshift $z > 0.5$ 7C and 3C Quasars. Globular Clusters - Guides To Galaxies, 1997, , 188-193.	0.1	3
266	The redshift cutoff in steep spectrum radioquasars. New Astronomy Reviews, 1996, 40, 191-196.	0.3	0
267	Hidden quasars reddened by dust?. Nature, 1996, 379, 304-304.	27.8	33
268	Spectroscopic evidence that the extreme properties of IRAS F10214+4724 are due to gravitational lensing. Monthly Notices of the Royal Astronomical Society, 0, , .	4.4	3
269	The SCUBA HALf Degree Extragalactic Survey - III. Identification of radio and mid-infrared counterparts to submillimetre galaxies. Monthly Notices of the Royal Astronomical Society, 0, 380, 199-228.	4.4	269
270	Deep Optical and Near-IR Observations of the XMM/Chandra Regions in ELAIS. , 0, , 298-298.	0	0