

Ronald P Stolk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2642623/publications.pdf>

Version: 2024-02-01

243
papers

26,341
citations

8755

75
h-index

7518

151
g-index

244
all docs

244
docs citations

244
times ranked

37696
citing authors

#	ARTICLE	IF	CITATIONS
1	Motives for withdrawal of participation in biobanking and participants'™ willingness to allow linkages of their data. <i>European Journal of Human Genetics</i> , 2022, 30, 367-377.	2.8	5
2	Effect of metabolic genetic variants on long-term disease comorbidity in patients with type 2 diabetes. <i>Scientific Reports</i> , 2021, 11, 2794.	3.3	0
3	Infant Motor Milestones and Childhood Overweight: Trends over Two Decades in A Large Twin Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2366.	2.6	1
4	Later achievement of infant motor milestones is related to lower levels of physical activity during childhood: the GECKO Drenthe cohort. <i>BMC Pediatrics</i> , 2019, 19, 388.	1.7	3
5	Interventions for treating obesity in children. <i>The Cochrane Library</i> , 2019, 2019, CD001872.	2.8	13
6	Combining informal care and paid work: The use of work arrangements by working adult-child caregivers in the Netherlands. <i>Health and Social Care in the Community</i> , 2018, 26, e122-e131.	1.6	19
7	Long-term Air Pollution Exposure, Genome-wide DNA Methylation and Lung Function in the LifeLines Cohort Study. <i>Environmental Health Perspectives</i> , 2018, 126, 027004.	6.0	71
8	Maelstrom Research guidelines for rigorous retrospective data harmonization. <i>International Journal of Epidemiology</i> , 2017, 46, dyw075.	1.9	116
9	Ambient air pollution, traffic noise and adult asthma prevalence: a BioSHaRE approach. <i>European Respiratory Journal</i> , 2017, 49, 1502127.	6.7	62
10	Missing heritability: is the gap closing? An analysis of 32 complex traits in the Lifelines Cohort Study. <i>European Journal of Human Genetics</i> , 2017, 25, 877-885.	2.8	67
11	Long-term exposure to road traffic noise, ambient air pollution, and cardiovascular risk factors in the HUNT and lifelines cohorts. <i>European Heart Journal</i> , 2017, 38, 2290-2296.	2.2	120
12	Plasma N-terminal Prohomocysteinuric acid and Risk of Incident Cardiovascular Disease and All-Cause Mortality in a Prospective Observational Cohort: the PREVENT Study. <i>Clinical Chemistry</i> , 2017, 63, 278-287.	3.2	4
13	Changing the obesogenic environment to improve cardiometabolic health in residential patients with a severe mental illness: cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 211, 296-303.	2.8	23
14	Factors of physical activity among Chinese children and adolescents: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 36.	4.6	96
15	The relationship between social functioning and subjective memory complaints in older persons: a population-based longitudinal cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1059-1071.	2.7	26
16	The LifeLines Cohort Study: Prevalence and treatment of cardiovascular disease and risk factors. <i>International Journal of Cardiology</i> , 2017, 228, 495-500.	1.7	79
17	Survey nonresponse among informal caregivers: effects on the presence and magnitude of associations with caregiver burden and satisfaction. <i>BMC Public Health</i> , 2016, 16, 480.	2.9	23
18	Association of Depressive and Anxiety Disorders With Diagnosed Versus Undiagnosed Diabetes. <i>Psychosomatic Medicine</i> , 2016, 78, 233-241.	2.0	61

#	ARTICLE	IF	CITATIONS
19	The LifeLines Cohort Study: a resource providing new opportunities for environmental epidemiology. <i>Archives of Public Health</i> , 2016, 74, 32.	2.4	13
20	Glucocorticoid receptor haplotype and metabolic syndrome: the Lifelines cohort study. <i>European Journal of Endocrinology</i> , 2016, 175, 645-651.	3.7	18
21	Air pollution exposure is associated with restrictive ventilatory patterns. <i>European Respiratory Journal</i> , 2016, 48, 1221-1224.	6.7	19
22	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016, 7, 13357.	12.8	74
23	52 Genetic Loci Influencing Myocardial Mass. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1435-1448.	2.8	113
24	Neighborhood income and major depressive disorder in a large Dutch population: results from the LifeLines Cohort study. <i>BMC Public Health</i> , 2016, 16, 773.	2.9	24
25	Dutch healthcare professionals inadequately perceived if three- and four-year-old preschool children were overweight. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, 1198-1203.	1.5	3
26	Social relationships and cognitive decline: a systematic review and meta-analysis of longitudinal cohort studies. <i>International Journal of Epidemiology</i> , 2016, 45, dyw089.	1.9	151
27	Effect of diagnosis with a chronic disease on physical activity behavior in middle-aged women. <i>Preventive Medicine</i> , 2016, 83, 56-62.	3.4	20
28	The association of air pollution and depressed mood in 70,928 individuals from four European cohorts. <i>International Journal of Hygiene and Environmental Health</i> , 2016, 219, 212-219.	4.3	126
29	Eosinophil Count Is a Common Factor for Complex Metabolic and Pulmonary Traits and Diseases: The LifeLines Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0168480.	2.5	28
30	Cohort profile: LifeLines DEEP, a prospective, general population cohort study in the northern Netherlands: study design and baseline characteristics. <i>BMJ Open</i> , 2015, 5, e006772.	1.9	207
31	Change in HbA1c Levels between the Age of 8 Years and the Age of 12 Years in Dutch Children without Diabetes: The PIAMA Birth Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0119615.	2.5	6
32	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378.	3.5	331
33	Representativeness of the LifeLines Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0137203.	2.5	235
34	Noise and somatic symptoms: A role for personality traits?. <i>International Journal of Hygiene and Environmental Health</i> , 2015, 218, 543-549.	4.3	12
35	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015, 518, 187-196.	27.8	1,328
36	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015, 518, 197-206.	27.8	3,823

#	ARTICLE	IF	CITATIONS
37	Cohort Profile: LifeLines, a three-generation cohort study and biobank. <i>International Journal of Epidemiology</i> , 2015, 44, 1172-1180.	1.9	578
38	Social relationships and risk of dementia: A systematic review and meta-analysis of longitudinal cohort studies. <i>Ageing Research Reviews</i> , 2015, 22, 39-57.	10.9	683
39	Low levels of vitamin D are associated with multimorbidity: Results from the LifeLines Cohort Study. <i>Annals of Medicine</i> , 2015, 47, 474-481.	3.8	31
40	An activity stimulation programme during a child's first year reduces some indicators of adiposity at the age of two and a half. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, 414-421.	1.5	22
41	Bilirubin as a Potential Causal Factor in Type 2 Diabetes Risk: A Mendelian Randomization Study. <i>Diabetes</i> , 2015, 64, 1459-1469.	0.6	91
42	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. <i>Molecular Psychiatry</i> , 2015, 20, 647-656.	7.9	235
43	Determinants of Weight Gain during the First Two Years of Life—The GECKO Drenthe Birth Cohort. <i>PLoS ONE</i> , 2015, 10, e0133326.	2.5	26
44	(Un)Healthy in the City: Respiratory, Cardiometabolic and Mental Health Associated with Urbanity. <i>PLoS ONE</i> , 2015, 10, e0143910.	2.5	36
45	Comment on Vassy et al. Polygenic Type 2 Diabetes Prediction at the Limit of Common Variant Detection. <i>Diabetes</i> 2014;63:2172-2182. <i>Diabetes</i> , 2014, 63, e11-e12.	0.6	1
46	A multidisciplinary intervention programme has positive effects on quality of life in overweight and obese preschool children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 962-967.	1.5	14
47	Predictive accuracy of Edinburgh Postnatal Depression Scale assessment during pregnancy for the risk of developing postpartum depressive symptoms: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1604-1610.	2.3	40
48	DataSHIELD: taking the analysis to the data, not the data to the analysis. <i>International Journal of Epidemiology</i> , 2014, 43, 1929-1944.	1.9	188
49	Gene-centric Meta-analysis in 87,736 Individuals of European Ancestry Identifies Multiple Blood-Pressure-Related Loci. <i>American Journal of Human Genetics</i> , 2014, 94, 349-360.	6.2	158
50	Three-year follow-up of 3-year-old to 5-year-old children after participation in a multidisciplinary or a usual-care obesity treatment program. <i>Clinical Nutrition</i> , 2014, 33, 1095-1100.	5.0	21
51	Pleiotropic genes for metabolic syndrome and inflammation. <i>Molecular Genetics and Metabolism</i> , 2014, 112, 317-338.	1.1	107
52	Effect of obesity intervention programs on adipokines, insulin resistance, lipid profile, and low-grade inflammation in 3- to 5-year-old children. <i>Pediatric Research</i> , 2014, 75, 352-357.	2.3	13
53	Associations of life events during pregnancy with longitudinal change in symptoms of antenatal anxiety and depression. <i>Midwifery</i> , 2014, 30, 526-531.	2.3	32
54	The prevalence of metabolic syndrome and metabolically healthy obesity in Europe: a collaborative analysis of ten large cohort studies. <i>BMC Endocrine Disorders</i> , 2014, 14, 9.	2.2	440

#	ARTICLE	IF	CITATIONS
55	Gene-Age Interactions in Blood Pressure Regulation: A Large-Scale Investigation with the CHARGE, Global BPgen, and ICBP Consortia. <i>American Journal of Human Genetics</i> , 2014, 95, 24-38.	6.2	109
56	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	21.4	1,818
57	Circulating peroxiredoxin 4 and type 2 diabetes risk: the Prevention of Renal and Vascular Endstage Disease (PREVEND) study. <i>Diabetologia</i> , 2014, 57, 1842-1849.	6.3	20
58	Association of vitamin D status with arterial blood pressure and hypertension risk: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 719-729.	11.4	319
59	Identification of relevant biomarkers for type 2 diabetes. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 106-107.	11.4	5
60	Seasonal influenza vaccine effectiveness against influenza in 2012-2013: A hospital-based case-control study in Lithuania. <i>Vaccine</i> , 2014, 32, 857-863.	3.8	14
61	Causal inference algorithms can be useful in life course epidemiology. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 190-198.	5.0	13
62	The role of fitness in the association between fatness and cardiometabolic risk from childhood to adolescence. <i>Pediatric Diabetes</i> , 2013, 14, 57-65.	2.9	42
63	Growth during Infancy and Childhood, and Adiposity at Age 16 Years: Ages 2 to 7 Years Are Pivotal. <i>Journal of Pediatrics</i> , 2013, 162, 287-292.e2.	1.8	27
64	Role of HDL Cholesterol and Estimates of HDL Particle Composition in Future Development of Type 2 Diabetes in the General Population: The PREVEND Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E1352-E1359.	3.6	98
65	Loci influencing blood pressure identified using a cardiovascular gene-centric array. <i>Human Molecular Genetics</i> , 2013, 22, 1663-1678.	2.9	141
66	Infant movement opportunities are related to early growth - GECKO Drenthe cohort. <i>Early Human Development</i> , 2013, 89, 457-461.	1.8	17
67	Insulin Resistance and Cardiovascular Risk Factors in 3- to 5-Year-Old Overweight or Obese Children. <i>Hormone Research in Paediatrics</i> , 2013, 80, 201-206.	1.8	33
68	Data harmonization and federated analysis of population-based studies: the BioSHaRE project. <i>Emerging Themes in Epidemiology</i> , 2013, 10, 12.	2.7	105
69	Contamination Rates of Three Urine-Sampling Methods to Assess Bacteriuria in Pregnant Women. <i>Obstetrics and Gynecology</i> , 2013, 121, 299-305.	2.4	19
70	Ultrasound Estimates of Visceral and Subcutaneous-Abdominal Adipose Tissues in Infancy. <i>Journal of Obesity</i> , 2013, 2013, 1-9.	2.7	28
71	Peroxiredoxin 4, A Novel Circulating Biomarker for Oxidative Stress and the Risk of Incident Cardiovascular Disease and All-Cause Mortality. <i>Journal of the American Heart Association</i> , 2012, 1, e002956.	3.7	42
72	Results of a Multidisciplinary Treatment Program in 3-Year-Old to 5-Year-Old Overweight or Obese Children. <i>JAMA Pediatrics</i> , 2012, 166, 1109.	3.0	61

#	ARTICLE	IF	CITATIONS
73	Low HDL Cholesterol and the Risk of Diabetic Nephropathy and Retinopathy. <i>Diabetes Care</i> , 2012, 35, 2201-2206.	8.6	98
74	PS4 - 22. HDL-cholesterol, Apolipoprotein A-I/A-II, and HDL-cholesterol particle composition for the risk of developing type 2 diabetes in the community: the PREVEND Study. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 113-113.	0.0	0
75	PS4 - 23. Bilirubin and risk of type 2 diabetes: a mendelian randomization approach. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 113-114.	0.0	0
76	Prediction models for risk of developing type 2 diabetes: systematic literature search and independent external validation study. <i>BMJ, The</i> , 2012, 345, e5900-e5900.	6.0	237
77	Motorized Transportation, Social Status, and Adiposity. <i>American Journal of Preventive Medicine</i> , 2012, 43, 1-10.	3.0	78
78	Meta-analyses identify 13 loci associated with age at menopause and highlight DNA repair and immune pathways. <i>Nature Genetics</i> , 2012, 44, 260-268.	21.4	303
79	Large-Scale Gene-Centric Meta-analysis across 32 Studies Identifies Multiple Lipid Loci. <i>American Journal of Human Genetics</i> , 2012, 91, 823-838.	6.2	227
80	Comparison of Frequency of Periprocedural Myocardial Infarction in Patients With and Without Diabetes Mellitus to Those With Previously Unknown but Elevated Glycated Hemoglobin Levels (from) <i>Tj ETQq0 0 Qr BT /Overdock 10 T</i>		
81	Differential Effects of Comorbidity on Antihypertensive and Glucose-Regulating Treatment in Diabetes Mellitus "A Cohort Study. <i>PLoS ONE</i> , 2012, 7, e38707.	2.5	25
82	Liver Function Tests and Risk Prediction of Incident Type 2 Diabetes: Evaluation in Two Independent Cohorts. <i>PLoS ONE</i> , 2012, 7, e51496.	2.5	29
83	Sex differences in the association between plasma copeptin and incident type 2 diabetes: the Prevention of Renal and Vascular Endstage Disease (PREVEND) study. <i>Diabetologia</i> , 2012, 55, 1963-1970.	6.3	66
84	Parental history of type 2 diabetes and cardiometabolic biomarkers in offspring. <i>European Journal of Clinical Investigation</i> , 2012, 42, 974-982.	3.4	9
85	External validation of the KORA S4/F4 prediction models for the risk of developing type 2 diabetes in older adults: the PREVEND study. <i>European Journal of Epidemiology</i> , 2012, 27, 47-52.	5.7	15
86	Is directly measured physical activity related to adiposity in preschool children?. <i>Pediatric Obesity</i> , 2011, 6, 389-400.	3.2	21
87	Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. <i>Nature Genetics</i> , 2011, 43, 1131-1138.	21.4	501
88	Validation of Ultrasound Estimates of Visceral Fat in Black South African Adolescents. <i>Obesity</i> , 2011, 19, 1892-1897.	3.0	29
89	Vitamin D Deficiency: Universal Risk Factor for Multifactorial Diseases?. <i>Current Drug Targets</i> , 2011, 12, 97-106.	2.1	31
90	Maternal and paternal transmission of type 2 diabetes: influence of diet, lifestyle and adiposity. <i>Journal of Internal Medicine</i> , 2011, 270, 388-396.	6.0	31

#	ARTICLE	IF	CITATIONS
91	Medication Adherence Affects Treatment Modifications in Patients With Type 2 Diabetes. <i>Clinical Therapeutics</i> , 2011, 33, 121-134.	2.5	25
92	Plasma procalcitonin and risk of type 2 diabetes in the general population. <i>Diabetologia</i> , 2011, 54, 2463-2465.	6.3	25
93	PRegnancy Outcomes after a Maternity Intervention for Stressful EmotionS (PROMISES): study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 157.	1.6	18
94	Is rigorous retrospective harmonization possible? Application of the DataSHaPER approach across 53 large studies. <i>International Journal of Epidemiology</i> , 2011, 40, 1314-1328.	1.9	84
95	PS9 - 48. External validation of the KORA S4/F4 prediction models for the risk of developing type 2 diabetes in older adults: the PREVEND Study. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2011, 9, 124-124.	0.0	0
96	Low Physical Activity and Risk of Cardiovascular and All-Cause Mortality in Renal Transplant Recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 898-905.	4.5	120
97	HbA1c in Nondiabetic Dutch Infants Aged 8-12 Months. <i>Diabetes Care</i> , 2011, 34, 403-405.	8.6	6
98	Parental factors affecting the weights of the placenta and the offspring. <i>Journal of Perinatal Medicine</i> , 2011, 39, 27-34.	1.4	32
99	Development and Validation of a General Population Renal Risk Score. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1731-1738.	4.5	78
100	Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. <i>Nature Genetics</i> , 2011, 43, 1005-1011.	21.4	403
101	How do parents of 4- to 5-year-old children perceive the weight of their children?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010, 99, 263-267.	1.5	44
102	The analysis of longitudinal quality of life measures with informative drop-out: a pattern mixture approach. <i>Quality of Life Research</i> , 2010, 19, 137-148.	3.1	23
103	Does physical activity modify the risk of obesity for type 2 diabetes: a review of epidemiological data. <i>European Journal of Epidemiology</i> , 2010, 25, 5-12.	5.7	70
104	The bioelectrical impedance vector migration in healthy infants. <i>Clinical Nutrition</i> , 2010, 29, 222-226.	5.0	16
105	Comparison of methods to assess body fat in non-obese six to seven-year-old children. <i>Clinical Nutrition</i> , 2010, 29, 317-322.	5.0	20
106	Markers of the Hepatic Component of the Metabolic Syndrome as Predictors of Mortality in Renal Transplant Recipients. <i>American Journal of Transplantation</i> , 2010, 10, 106-114.	4.7	26
107	The LIFESTYLE study: costs and effects of a structured lifestyle program in overweight and obese subfertile women to reduce the need for fertility treatment and improve reproductive outcome. A randomised controlled trial. <i>BMC Women's Health</i> , 2010, 10, 22.	2.0	58
108	Cost-effectiveness of a screening strategy for Q fever among pregnant women in risk areas: a clustered randomized controlled trial. <i>BMC Women's Health</i> , 2010, 10, 32.	2.0	13

#	ARTICLE	IF	CITATIONS
109	Ultrasound Measurements of Visceral and Subcutaneous Abdominal Thickness to Predict Abdominal Adiposity Among Older Men and Women. <i>Obesity</i> , 2010, 18, 625-631.	3.0	103
110	Association between alcohol consumption and diabetic retinopathy and visual acuity—the AdRem Study. <i>Diabetic Medicine</i> , 2010, 27, 1130-1137.	2.3	33
111	Physical Activity, Adiposity, and Diabetes Risk in Middle-Aged and Older Chinese Population: The Guangzhou Biobank Cohort Study. <i>Diabetes Care</i> , 2010, 33, 2342-2348.	8.6	36
112	Influence of common variants near INSIG2, in FTO, and near MC4R genes on overweight and the metabolic profile in adolescence: the TRAILS (TRacking Adolescents' Individual Lives Survey) Study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 321-328.	4.7	48
113	Association between birth weight and visceral fat in adults. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 347-352.	4.7	81
114	Changes in renal risk factors versus renal function outcome during follow-up in a population-based cohort study. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1846-1853.	0.7	11
115	Cardiometabolic treatment decisions in patients with type 2 diabetes: the role of repeated measurements and medication burden. <i>BMJ Quality and Safety</i> , 2010, 19, 411-415.	3.7	8
116	Plasma Procalcitonin Is Associated with Obesity, Insulin Resistance, and the Metabolic Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, E26-E31.	3.6	49
117	<i>Escherichia coli</i> bacteriuria in female adults is associated with the development of hypertension. <i>International Journal of Infectious Diseases</i> , 2010, 14, e304-e307.	3.3	11
118	MRI-determined fat content of human liver, pancreas and kidney. <i>World Journal of Gastroenterology</i> , 2010, 16, 1993.	3.3	76
119	Clinical inertia in general practice: widespread and related to the outcome of diabetes care. <i>Family Practice</i> , 2009, 26, 428-436.	1.9	76
120	High Protein Intake Associates with Cardiovascular Events but not with Loss of Renal Function. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 1797-1804.	6.1	75
121	Cochrane review: Interventions for treating obesity in children. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2009, 4, 1571-1729.	2.0	65
122	Acute lymphoblastic leukemia and obesity: increased energy intake or decreased physical activity?. <i>Supportive Care in Cancer</i> , 2009, 17, 103-106.	2.2	53
123	Obesity and impaired renal function: potential for lifestyle intervention?. <i>European Journal of Epidemiology</i> , 2009, 24, 275-280.	5.7	14
124	Population ageing research: a family of disciplines. <i>European Journal of Epidemiology</i> , 2009, 24, 715-718.	5.7	11
125	Bivariate genetic modelling of the response to an oral glucose tolerance challenge: A gene–environment interaction approach. <i>Diabetologia</i> , 2009, 52, 1048-1055.	6.3	5
126	Effects of blood pressure lowering and intensive glucose control on the incidence and progression of retinopathy in patients with type 2 diabetes mellitus: a randomised controlled trial. <i>Diabetologia</i> , 2009, 52, 2027-2036.	6.3	150

#	ARTICLE	IF	CITATIONS
127	Comparison of various measures for assessing medication refill adherence using prescription data. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 159-165.	1.9	69
128	Refill adherence and polypharmacy among patients with type 2 diabetes in general practice. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 983-991.	1.9	52
129	Measuring abdominal adiposity in 6 to 7-year-old children. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 835-841.	2.9	43
130	Ultrasonography to Quantify Hepatic Fat Content: Validation by ¹ H Magnetic Resonance Spectroscopy. <i>Obesity</i> , 2009, 17, 2239-2244.	3.0	40
131	Non-alcoholic fatty liver disease is associated with cardiovascular disease risk markers. <i>Obesity Reviews</i> , 2009, 10, 412-419.	6.5	68
132	HbA _{1c} levels in non-diabetic Dutch children aged 8-9 years: the PIAMA birth cohort study. <i>Diabetic Medicine</i> , 2009, 26, 122-127.	2.3	11
133	Which factors are important in adults' uptake of a (pre)pandemic influenza vaccine?. <i>Vaccine</i> , 2009, 28, 207-227.	3.8	50
134	PMC31 THE MONDRIAAN PROJECT: THE DUTCH HEALTH CARE LANDSCAPE AS A POPULATION LABORATORY. <i>Value in Health</i> , 2009, 12, A392.	0.3	1
135	Interventions for treating obesity in children. <i>The Cochrane Library</i> , 2009, , CD001872.	2.8	882
136	Randomised controlled trial of intensive multifactorial treatment for cardiovascular risk in patients with screen-detected type 2 diabetes: 1-year data from the ADDITION Netherlands study. <i>British Journal of General Practice</i> , 2009, 59, 43-48.	1.4	66
137	Interventions for treating obesity in children. <i>Sao Paulo Medical Journal</i> , 2009, 127, 321-321.	0.9	17
138	Universal risk factors for multifactorial diseases. <i>European Journal of Epidemiology</i> , 2008, 23, 67-74.	5.7	301
139	Stepwise screening for diabetes identifies people with high but modifiable coronary heart disease risk. The ADDITION study. <i>Diabetologia</i> , 2008, 51, 1127-1134.	6.3	86
140	Three years follow-up of screen-detected diabetic and non-diabetic subjects: who is better off? The ADDITION Netherlands study. <i>BMC Family Practice</i> , 2008, 9, 67.	2.9	8
141	Do characteristics of practices and general practitioners influence the yield of diabetes screening in primary care? The ADDITION Netherlands study. <i>Scandinavian Journal of Primary Health Care</i> , 2008, 26, 160-165.	1.5	14
142	Cohort Profile: The GECKO Drenthe study, overweight programming during early childhood. <i>International Journal of Epidemiology</i> , 2008, 37, 486-489.	1.9	54
143	Influence of Elevated Cardiometabolic Risk Factor Levels on Treatment Changes in Type 2 Diabetes. <i>Diabetes Care</i> , 2008, 31, 501-503.	8.6	18
144	Overall quality of diabetes care in a defined geographic region: different sides of the same story. <i>British Journal of General Practice</i> , 2008, 58, 339-345.	1.4	18

#	ARTICLE	IF	CITATIONS
145	Differences in the Pattern of Antibiotic Prescription Profile and Recurrence Rate for Possible Urinary Tract Infections in Women With and Without Diabetes. <i>Diabetes Care</i> , 2008, 31, 1380-1385.	8.6	43
146	Retinal Vascular Lesions in Patients of Caucasian and Asian Origin With Type 2 Diabetes. <i>Diabetes Care</i> , 2008, 31, 708-713.	8.6	44
147	Gender differences in predictors of the decline of renal function in the general population. <i>Kidney International</i> , 2008, 74, 505-512.	5.2	112
148	Homocysteine, S-adenosylmethionine and S-adenosylhomocysteine are associated with retinal microvascular abnormalities: the Hoorn Study. <i>Clinical Science</i> , 2008, 114, 479-487.	4.3	24
149	Association Between Depressive Symptoms in Childhood and Adolescence and Overweight in Later Life. <i>JAMA Pediatrics</i> , 2008, 162, 981.	3.0	61
150	Predictors for Starting Depot Administration of Risperidone in Chronic Users of Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 625-630.	1.4	9
151	Low yield of population-based screening for Type 2 diabetes in the Netherlands: the ADDITION Netherlands study. <i>Family Practice</i> , 2007, 24, 555-561.	1.9	46
152	Common Genetic Variations in CCK, Leptin, and Leptin Receptor Genes Are Associated With Specific Human Eating Patterns. <i>Diabetes</i> , 2007, 56, 276-280.	0.6	82
153	Screening for diabetes. <i>BMJ: British Medical Journal</i> , 2007, 335, 457-458.	2.3	4
154	Association Between Escherichia coli Bacteriuria and Renal Function in Women. <i>Archives of Internal Medicine</i> , 2007, 167, 253.	3.8	8
155	Rationale and design of the AdRem study: Evaluating the effects of blood pressure lowering and intensive glucose control on vascular retinal disorders in patients with type 2 diabetes mellitus. <i>Contemporary Clinical Trials</i> , 2007, 28, 6-17.	1.8	22
156	Screen detected subjects with type 2 diabetes and impaired glucose tolerance have more adverse cardiovascular risk than subjects with impaired fasting glucose especially when they are obese. <i>Primary Care Diabetes</i> , 2007, 1, 69-74.	1.8	9
157	Shared and delegated systems are not quick remedies for improving diabetes care: A systematic review. <i>Primary Care Diabetes</i> , 2007, 1, 59-68.	1.8	15
158	High Dietary Glycemic Load and Glycemic Index Increase Risk of Cardiovascular Disease Among Middle-Aged Women. <i>Journal of the American College of Cardiology</i> , 2007, 50, 14-21.	2.8	144
159	Accident proneness, does it exist? A review and meta-analysis. <i>Accident Analysis and Prevention</i> , 2007, 39, 556-564.	5.7	91
160	Abdominal Fat and Risk of Coronary Heart Disease in Patients with Peripheral Arterial Disease. <i>Obesity</i> , 2007, 15, 1623-1630.	3.0	6
161	Is a single definition of the metabolic syndrome appropriate? A comparative study of the USA and Asia. <i>Atherosclerosis</i> , 2006, 184, 225-232.	0.8	55
162	Lower-extremity arterial calcification as a correlate of coronary artery calcification. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 1689-1696.	3.4	36

#	ARTICLE	IF	CITATIONS
163	Are retinal microvascular abnormalities associated with large artery endothelial dysfunction and intima-media thickness? The Hoorn Study. <i>Clinical Science</i> , 2006, 110, 597-604.	4.3	63
164	Noninferiority testing in cost-minimization studies: Practical issues concerning power analysis. <i>International Journal of Technology Assessment in Health Care</i> , 2006, 22, 261-266.	0.5	7
165	The Effect of Moderate Alcohol Consumption on Fat Distribution and Adipocytokines. <i>Obesity</i> , 2006, 14, 60-66.	3.0	84
166	The threshold for diagnosing impaired fasting glucose: a position statement by the European Diabetes Epidemiology Group. <i>Diabetologia</i> , 2006, 49, 822-827.	6.3	112
167	Determinants of daily insulin use in Type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2006, 20, 356-360.	2.3	16
168	Asymptomatic Bacteriuria in Women With Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 2006, 166, 2222.	3.8	60
169	Hyperglycemia and Diabetes in Patients With Schizophrenia or Schizoaffective Disorders. <i>Diabetes Care</i> , 2006, 29, 786-791.	8.6	101
170	Serial echocardiographic assessment of left ventricular mass. <i>Journal of Hypertension</i> , 2005, 23, 460-461.	0.5	1
171	Insulin treatment and cardiovascular disease; friend or foe? A point of view. <i>Diabetic Medicine</i> , 2005, 22, 118-126.	2.3	50
172	Fat distribution is strongly associated with plasma glucose levels and diabetes in Thai adults?the InterASIA study. <i>Diabetologia</i> , 2005, 48, 657-660.	6.3	29
173	Alcohol Consumption and Risk of Type 2 Diabetes Among Older Women. <i>Diabetes Care</i> , 2005, 28, 2933-2938.	8.6	68
174	High cumulative insulin exposure: a risk factor of atherosclerosis in type 1 diabetes?. <i>Atherosclerosis</i> , 2005, 181, 185-192.	0.8	35
175	Reply to Antipsychotic Medication and Diabetes. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 395.	2.2	3
176	Long-term effects of self-management education for patients with Type 2 diabetes taking maximal oral hypoglycaemic therapy: a randomized trial in primary care. <i>Diabetic Medicine</i> , 2004, 21, 491-496.	2.3	87
177	Initiation of glucose-lowering therapy in Type 2 diabetes mellitus patients in general practice. <i>Diabetic Medicine</i> , 2004, 21, 896-900.	2.3	12
178	History taking and leukocyturia predict the presence of asymptomatic bacteriuria in women with diabetes mellitus. <i>European Journal of Epidemiology</i> , 2004, 19, 1021-1027.	5.7	7
179	Antihypertensive drug therapy and the risk of lower extremity amputations in pharmacologically treated type 2 diabetes patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2004, 13, 139-146.	1.9	35
180	Î±-Tocopherol levels in plasma in new-onset, insulin-dependent diabetes mellitus. <i>European Journal of Internal Medicine</i> , 2004, 15, 371-374.	2.2	4

#	ARTICLE	IF	CITATIONS
181	Insulin monotherapy versus combinations of insulin with oral hypoglycaemic agents in patients with type 2 diabetes mellitus. The Cochrane Library, 2004, , CD003418.	2.8	70
182	Antipsychotic Drugs May Worsen Metabolic Control in Type 2 Diabetes Mellitus. Journal of Clinical Psychiatry, 2004, 65, 674-678.	2.2	25
183	Quality of life of patients with type I diabetes mellitus. Quality of Life Research, 2003, 12, 1089-1097.	3.1	56
184	Patient Characteristics do not Predict Poor Glycaemic Control in type 2 Diabetes Patients Treated in Primary Care. European Journal of Epidemiology, 2003, 19, 541-545.	5.7	87
185	Improving glycaemic control in patients with Type 2 diabetes mellitus without insulin therapy. Diabetic Medicine, 2003, 20, 540-544.	2.3	24
186	Refill compliance in type 2 diabetes mellitus: a predictor of switching to insulin therapy?. Pharmacoepidemiology and Drug Safety, 2003, 12, 121-127.	1.9	42
187	Common Cholesteryl Ester Transfer Protein Gene Polymorphisms and the Effect of Atorvastatin Therapy in Type 2 Diabetes. Diabetes Care, 2003, 26, 1216-1223.	8.6	102
188	Quality of recording of data from patients with type 2 diabetes is not a valid indicator of quality of care. A cross-sectional study. Family Practice, 2003, 20, 173-177.	1.9	52
189	The Prevalence and Management of Diabetes in Thai Adults: The International Collaborative Study of Cardiovascular Disease in Asia. Diabetes Care, 2003, 26, 2758-2763.	8.6	99
190	Atorvastatin Dose-Dependently Decreases Hepatic Lipase Activity in Type 2 Diabetes: Effect of sex and the LIPC promoter variant. Diabetes Care, 2003, 26, 427-432.	8.6	50
191	Ultrasound measurements of intraabdominal fat estimate the metabolic syndrome better than do measurements of waist circumference. American Journal of Clinical Nutrition, 2003, 77, 857-860.	4.7	100
192	Asymptomatic Bacteriuria can be Considered a Diabetic Complication in Women with Diabetes Mellitus. Advances in Experimental Medicine and Biology, 2002, 485, 309-314.	1.6	24
193	Aggressive Lipid Lowering Does Not Improve Endothelial Function in Type 2 Diabetes: The Diabetes Atorvastatin Lipid Intervention (DALI) Study: a randomized, double-blind, placebo-controlled trial. Diabetes Care, 2002, 25, 1211-1216.	8.6	93
194	Thyroid dysfunction during pregnancy and in the first postpartum year in women with diabetes mellitus type 1. European Journal of Endocrinology, 2002, 147, 443-451.	3.7	36
195	Tissue Factor Pathway Inhibitor and Other Endothelium-Dependent Hemostatic Factors in Elderly Individuals With Normal or Impaired Glucose Tolerance and Type 2 Diabetes. Diabetes Care, 2002, 25, 1340-1345.	8.6	55
196	Health-Related Quality of Life and Treatment Satisfaction in Dutch Patients With Type 2 Diabetes. Diabetes Care, 2002, 25, 458-463.	8.6	435
197	Cardiovascular risk factors and diseases precede oral hypoglycaemic therapy in patients with type 2 diabetes mellitus. Journal of Clinical Epidemiology, 2002, 55, 345-349.	5.0	8
198	Use of fluorquinolones is associated with a reduced risk of coronary heart disease in diabetes mellitus type 2 patients. European Heart Journal, 2002, 23, 1575-1579.	2.2	8

#	ARTICLE	IF	CITATIONS
199	Primary and secondary prevention in cardiovascular disease: an old-fashioned concept?. Journal of Internal Medicine, 2002, 251, 301-306.	6.0	5
200	Angiographic distribution of lower extremity atherosclerosis in patients with and without diabetes. Diabetic Medicine, 2002, 19, 366-370.	2.3	81
201	Resource consumption and costs in Dutch patients with Type 2 diabetes mellitus. Results from 29 general practices. Diabetic Medicine, 2002, 19, 246-253.	2.3	35
202	Experts' opinions on the profile of optimal care for patients with diabetes mellitus type 2 in the Netherlands. Netherlands Journal of Medicine, 2001, 58, 225-231.	0.5	5
203	Study Rationale and Design of ADVANCE: Action in Diabetes and Vascular disease - preterax and diamicon MR controlled evaluation. Diabetologia, 2001, 44, 1118-1120.	6.3	163
204	Virulence factors of Escherichia coli isolated from urine of diabetic women with asymptomatic bacteriuria: correlation with clinical characteristics. Antonie Van Leeuwenhoek, 2001, 80, 119-127.	1.7	22
205	Validity and reproducibility of ultrasonography for the measurement of intra-abdominal adipose tissue. International Journal of Obesity, 2001, 25, 1346-1351.	3.4	223
206	Ethnic differences in C-peptide levels and anti-GAD antibodies in South African patients with diabetic ketoacidosis. QJM - Monthly Journal of the Association of Physicians, 2001, 94, 39-43.	0.5	15
207	Cardiovascular Drug Use and Hospitalizations Attributable to Type 2 Diabetes. Diabetes Care, 2001, 24, 1428-1432.	8.6	11
208	Consequences of Asymptomatic Bacteriuria in Women With Diabetes Mellitus. Archives of Internal Medicine, 2001, 161, 1421.	3.8	99
209	Education integrated into structured general practice care for Type 2 diabetic patients results in sustained improvement of disease knowledge and self-care. Diabetic Medicine, 2000, 17, 190-197.	2.3	49
210	Cytokine secretion is impaired in women with diabetes mellitus. European Journal of Clinical Investigation, 2000, 30, 995-1001.	3.4	112
211	Management of type 2 diabetes: a challenge for patient and physician. Patient Education and Counseling, 2000, 40, 187-194.	2.2	92
212	Physical Activity in Elderly Subjects with Impaired Glucose Tolerance and Newly Diagnosed Diabetes Mellitus. American Journal of Epidemiology, 1999, 149, 219-227.	3.4	49
213	Prevalence of Variants in Candidate Genes for Type 2 Diabetes Mellitus in The Netherlands: The Rotterdam Study and the Hoorn Study1. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 1002-1006.	3.6	44
214	Incidence and determinants of mortality and cardiovascular events in diabetes mellitus: a meta-analysis. Vascular Medicine, 1999, 4, 67-75.	1.5	43
215	Variants in the sulphonylurea receptor gene: association of the exon 16-3t variant with Type II diabetes mellitus in Dutch Caucasians. Diabetologia, 1999, 42, 617-620.	6.3	79
216	Insulin resistance syndrome and left ventricular mass in an elderly population (The Rotterdam Study). American Journal of Cardiology, 1999, 84, 233-236.	1.6	26

#	ARTICLE	IF	CITATIONS
217	Performance of a predictive model to identify undiagnosed diabetes in a health care setting. <i>Diabetes Care</i> , 1999, 22, 213-219.	8.6	167
218	Discontinuation of prophylaxis for <i>Pneumocystis carinii</i> pneumonia in HIV-1-infected patients treated with highly active antiretroviral therapy. <i>Lancet</i> , The, 1999, 353, 201-203.	13.7	188
219	Prevalence of deafness is increased in patients with type 2 diabetes in The Netherlands. <i>Diabetes Care</i> , 1999, 22, 180-180.	8.6	5
220	Prevalence of Variants in Candidate Genes for Type 2 Diabetes Mellitus in The Netherlands: The Rotterdam Study and the Hoorn Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 1002-1006.	3.6	45
221	Serum free IGF-I, total IGF-I, IGFBP-1 and IGFBP-3 levels in an elderly population: relation to age and sex steroid levels. <i>Clinical Endocrinology</i> , 1998, 48, 471-478.	2.4	83
222	The acute effect of dexamethasone on plasma leptin concentrations and the relationships between fasting leptin, the IGF/IGFBP system, dehydroepiandrosterone, androstenedione and testosterone in an elderly population. <i>Clinical Endocrinology</i> , 1998, 48, 621-626.	2.4	26
223	Lack of associations between serum leptin, a polymorphism in the gene for the β ² -adrenergic receptor and glucose tolerance in the Dutch population.. <i>Clinical Endocrinology</i> , 1998, 49, 229-234.	2.4	26
224	Interperson Variability but Intraperson Stability of Baseline Plasma Cortisol Concentrations, and Its Relation to Feedback Sensitivity of the Hypothalamo-Pituitary-Adrenal Axis to a Low Dose of Dexamethasone in Elderly Individuals ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 47-54.	3.6	253
225	A Polymorphism in the Glucocorticoid Receptor Gene May Be Associated with an Increased Sensitivity to Glucocorticoids ¹ in Vivo. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 144-151.	3.6	420
226	Serum Total IGF-I, Free IGF-I, and IGFBP-1 Levels in an Elderly Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 277-282.	2.4	223
227	Gender-specific relationship between serum free and total IGF-I and bone mineral density in elderly men and women. <i>European Journal of Endocrinology</i> , 1998, 138, 627-632.	3.7	56
228	Effects of nitrendipine and enalapril on left ventricular mass in patients with non-insulin-dependent diabetes mellitus and hypertension. <i>Journal of Hypertension</i> , 1998, 16, 689-696.	0.5	21
229	Serum Free and Total Insulin-Like Growth Factor-I, Insulin-Like Growth Factor Binding Protein-1 and Insulin-Like Growth Factor Binding Protein-3 Levels in Healthy Elderly Individuals. <i>Gerontology</i> , 1998, 44, 277-280.	2.8	30
230	A Polymorphism in the Glucocorticoid Receptor Gene May Be Associated with an Increased Sensitivity to Glucocorticoids in Vivo. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 144-151.	3.6	377
231	Interperson Variability but Intraperson Stability of Baseline Plasma Cortisol Concentrations, and Its Relation to Feedback Sensitivity of the Hypothalamo-Pituitary-Adrenal Axis to a Low Dose of Dexamethasone in Elderly Individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 47-54.	3.6	168
232	A Prospective Study on Cortisol, Dehydroepiandrosterone Sulfate, and Cognitive Function in the Elderly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 3487-3492.	3.6	52
233	Insulin and Cognitive Function in an Elderly Population: The Rotterdam Study. <i>Diabetes Care</i> , 1997, 20, 792-795.	8.6	202
234	Lack of association between five polymorphisms in the human glucocorticoid receptor gene and glucocorticoid resistance. <i>Human Genetics</i> , 1997, 99, 663-668.	3.8	207

#	ARTICLE	IF	CITATIONS
235	Hyperinsulinemia and bone mineral density in an elderly population: The Rotterdam study. <i>Bone</i> , 1996, 18, 545-549.	2.9	159
236	Insulin, hypertension and antihypertensive drugs in elderly patients: the Rotterdam Study. <i>Journal of Hypertension</i> , 1996, 14, 237-242.	0.5	9
237	Association of diabetes mellitus and dementia: The Rotterdam Study. <i>Diabetologia</i> , 1996, 39, 1392-1397.	6.3	599
238	Gender differences in the associations between cortisol and insulin in healthy subjects. <i>Journal of Endocrinology</i> , 1996, 149, 313-318.	2.6	58
239	Plasma Fibrinogen in NIDDM: The Rotterdam Study. <i>Diabetes Care</i> , 1996, 19, 157-159.	8.6	39
240	Why Use the Oral Glucose Tolerance Test?. <i>Diabetes Care</i> , 1995, 18, 1045-1049.	8.6	61
241	Bone Density in Non-Insulin-Dependent Diabetes Mellitus: The Rotterdam Study. <i>Annals of Internal Medicine</i> , 1995, 122, 409.	3.9	270
242	Retinopathy, glucose, and insulin in an elderly population. The Rotterdam Study. <i>Diabetes</i> , 1995, 44, 11-15.	0.6	30
243	High blood pressure and the incidence of non-insulin dependent diabetes mellitus: Findings in A 11.5 year follow-up study in the Netherlands. <i>European Journal of Epidemiology</i> , 1993, 9, 134-139.	5.7	30