

Alberto Cervelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2642635/publications.pdf>

Version: 2024-02-01

455
papers

22,173
citations

9786
73
h-index

18130
120
g-index

477
all docs

477
docs citations

477
times ranked

10009
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Performance of the ATLAS Level-1 topological trigger in Run $\bar{2}$. European Physical Journal C, 2022, 82, 1. | 3.9 | 6 |
| 2 | Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, . | 3.9 | 14 |
| 3 | Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1. | 4.7 | 2 |
| 4 | Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1. | 3.9 | 8 |
| 5 | Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1. | 4.7 | 10 |
| 6 | AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1. | 2.9 | 23 |
| 7 | Measurement of the energy response of the ATLAS calorimeter to charged pions from W^{\pm} events in Run $\bar{2}$ data. European Physical Journal C, 2022, 82, 1. | 3.9 | 4 |
| 8 | The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1. | 3.9 | 5 |
| 9 | Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, . | 3.9 | 7 |
| 10 | Measurement of the energy asymmetry in $t\bar{t}$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, . | 3.9 | 2 |
| 11 | Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . European Physical Journal C, 2022, 82, 1. | 3.9 | 12 |
| 12 | Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 4 |
| 13 | Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 37 |
| 14 | Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1. | 3.9 | 12 |
| 15 | Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 38 |
| 16 | Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 18 |
| 17 | Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 17 |
| 18 | Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 6 |
| 20 | Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 14 |
| 21 | Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 22 |
| 22 | Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 18 |
| 23 | Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 15 |
| 24 | Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^-e^+e^-$ and $e^+e^-e^+e^-u\bar{u}$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 40 |
| 25 | Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 18 |
| 26 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $b\bar{b}$ and WW final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 26 |
| 27 | Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 23 |
| 28 | Measurements of $W+W^\pm$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 8 |
| 29 | Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 46 |
| 30 | Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 14 |
| 31 | Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\tau}_\pm$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 27 |
| 32 | Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 12 |
| 33 | Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\pm$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 10 |
| 34 | Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 8 |
| 35 | A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 5 |
| 36 | Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 82 |

| # | ARTICLE | | IF | CITATIONS |
|----|---|-----|----|-----------|
| 37 | Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 13 | |
| 38 | Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 3 | |
| 39 | Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 64 | |
| 40 | Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 12 | |
| 41 | Search for dark matter produced in association with a single top quark in proton-proton collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 9 | |
| 42 | Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 14 | |
| 43 | Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1. | 3.9 | 5 | |
| 44 | Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 12 | |
| 45 | Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using proton-proton collision data. European Physical Journal C, 2021, 81, 1. | 3.9 | 7 | |
| 46 | Measurement of the t-bar-t overline{t} production cross section in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 10 | |
| 47 | Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 10 | |
| 48 | Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 4 | |
| 49 | Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 4 | |
| 50 | Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 28 | |
| 51 | Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1. | 3.9 | 7 | |
| 52 | Measurement of b-quark fragmentation properties in jets using the decay $B \pm \bar{B} \rightarrow J/\psi K \pm$ in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 3 | |
| 53 | Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 17 | |
| 54 | Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 24 | |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4π decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1. | 3.9 | 32 |
| 56 | Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 34 |
| 57 | Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 11 |
| 58 | Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 17 |
| 59 | Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 12 |
| 60 | Measurements of top-quark pair spin correlations in the emu channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 22 |
| 61 | Higgs boson production cross-section measurements and their EFT interpretation in the ell decay channel at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 41 |
| 62 | Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 36 |
| 63 | Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 19 |
| 64 | Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 14 |
| 65 | Reconstruction and identification of boosted di-lepton systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 8 |
| 66 | Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1. | 3.9 | 93 |
| 67 | Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 4 |
| 68 | Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 30 |
| 69 | Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 29 |
| 70 | Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 36 |
| 71 | Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1. | 3.9 | 12 |
| 72 | Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 49 |
| 74 | Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 24 |
| 75 | Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 77 |
| 76 | Measurement of VH, $H \rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 14 |
| 77 | Performance of top-quark and \varvec{W} -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 42 |
| 78 | Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017. | 1.2 | 37 |
| 79 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 46 |
| 80 | Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 6 |
| 81 | Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 55 |
| 82 | Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 24 |
| 83 | Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 9 |
| 84 | ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 130 |
| 85 | Measurements of top-quark pair differential and double-differential cross-sections in the $e\ell + \text{jets}$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 34 |
| 86 | Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 17 |
| 87 | Measurement of the W -boson mass in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110. | 3.9 | 218 |
| 88 | Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154. | 3.9 | 52 |
| 89 | Measurement of quarkonium production in proton-proton collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 171. | 3.9 | 75 |
| 90 | A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 250. | 3.9 | 66 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 46 |
| 92 | Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow 2\ell 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 28 |
| 93 | Production and integration of the ATLAS Insertable B-Layer. <i>Journal of Instrumentation</i> , 2018, 13, T05008-T05008. | 1.2 | 260 |
| 94 | Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784. | 3.9 | 19 |
| 95 | Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 847. | 3.9 | 16 |
| 96 | Angular analysis of $B_0 \rightarrow K^+ \pi^- \eta'/\eta$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 76 |
| 97 | Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. <i>European Physical Journal C</i> , 2018, 78, 401. | 3.9 | 50 |
| 98 | Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 29 |
| 99 | Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 9 |
| 100 | Search for Higgs boson pair production in the $\gamma \gamma \gamma \gamma b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 38 |
| 101 | Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 30 |
| 102 | Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 903. | 3.9 | 181 |
| 103 | Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 995. | 3.9 | 125 |
| 104 | Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 37 |
| 105 | Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 22 |
| 106 | Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 48 |
| 107 | Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 67 |
| 108 | Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$, $t\bar{t} \gamma$, in the $t+jets$ and $t+lepton$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 59 |
| 110 | Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762. | 3.9 | 61 |
| 111 | Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 31 |
| 112 | Search for exclusive Higgs and Z boson decays to $t\bar{t}\gamma$ and $t\bar{t}Z$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 16 |
| 113 | Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 40 |
| 114 | Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 17 |
| 115 | Measurement of the inclusive and fiducial $t\bar{t}\gamma$ production cross-sections in the. <i>European Physical Journal C</i> , 2018, 78, 487. | 3.9 | 10 |
| 116 | Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 565. | 3.9 | 79 |
| 117 | Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 17 |
| 118 | Measurement of differential cross sections and $W+/\gamma$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 16 |
| 119 | Measurement of the W-boson mass in pp collisions at $(\sqrt{s}=7, \text{ TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1. | 1 | |
| 120 | Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 40. | 3.9 | 41 |
| 121 | A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26. | 3.9 | 29 |
| 122 | Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 29 |
| 123 | Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 220. | 3.9 | 11 |
| 124 | Measurement of the W boson polarisation in $t\bar{t}\gamma$ events from pp collisions at $\sqrt{s}=8 \text{ TeV}$ in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017, 77, 264. | 3.9 | 37 |
| 125 | Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017, 77, 195. | 3.9 | 87 |
| 126 | Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 292. | 3.9 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241. | 3.9 | 61 |
| 128 | Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76. | 3.9 | 81 |
| 129 | Search for triboson $W^{pm} W^{pm} W^{mp}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141. | 3.9 | 25 |
| 130 | Shielding an MCP Detector for a Space-Borne Mass Spectrometer Against the Harsh Radiation Environment in Jupiter's Magnetosphere. IEEE Transactions on Nuclear Science, 2017, 64, 605-613. | 2.0 | 11 |
| 131 | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490. | 3.9 | 325 |
| 132 | Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531. | 3.9 | 56 |
| 133 | Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474. | 3.9 | 26 |
| 134 | Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466. | 3.9 | 145 |
| 135 | Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428. | 3.9 | 86 |
| 136 | Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 31 |
| 137 | Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 9 |
| 138 | Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 9 |
| 139 | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673. | 3.9 | 75 |
| 140 | Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144. | 3.9 | 12 |
| 141 | Measurement of the $Z Z$ production cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the $Z Z \rightarrow 4\ell$ and $Z Z \rightarrow 4\ell + l_1 l_2 \bar{l}_1 \bar{l}_2$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 10 |
| 142 | Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 17 |
| 143 | Measurements of $\tau(2S)$ and $X(3872) \rightarrow J/\psi \ell^+\ell^-$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 33 |
| 144 | Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13 \text{ TeV}$, 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70. | 3.9 | 79 |
| 146 | Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317. | 3.9 | 489 |
| 147 | Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332. | 3.9 | 71 |
| 148 | Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ s. European Physical Journal C, 2017, 77, 361. | 3.9 | 47 |
| 149 | Precision measurement and interpretation of inclusive $W^+ + W^-$. European Physical Journal C, 2017, 77, 367. | 3.9 | 145 |
| 150 | Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ s $\text{NN} = 2.76$. European Physical Journal C, 2017, 77, 379. | 3.9 | 51 |
| 151 | Search for dark matter at $\sqrt{s}=13$ TeV $s = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393. | 3.9 | 80 |
| 152 | Measurement of charged-particle distributions sensitive to the underlying event in $s = 13$ $\sqrt{s}=13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 14 |
| 153 | Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ s $= 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898. | 3.9 | 50 |
| 154 | Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 8 |
| 155 | Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in \varvec{pp} p p collisions at $\sqrt{s}=13$ $s = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765. | 3.9 | 19 |
| 156 | Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 8 |
| 157 | Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 17 |
| 158 | Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8$ $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 23 |
| 159 | Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13$ $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 38 |
| 160 | Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580. | 3.9 | 35 |
| 161 | Measurement of $WW/WZ \rightarrow ell u q q' \rightarrow WW / WZ \rightarrow l^{\pm} l^{\mp} q q \rightarrow$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563. | 3.9 | 28 |
| 162 | Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13$ $\sqrt{s}=13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 30 |
| 164 | Studies of $Z \rightarrow l^+l^-$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 14 |
| 165 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 16 |
| 166 | Search for top quark decays $t \rightarrow t' qH$, with $H \rightarrow l^+l^-$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 18 |
| 167 | Study of $WW\gamma$ and $WZ\gamma$ production in pp collisions at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 646. | 3.9 | 30 |
| 168 | Measurements of top quark spin observables in $t\bar{t} \rightarrow l^+l^-$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 20 |
| 169 | Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 11 |
| 170 | Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow l^+l^-$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 16 |
| 171 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 28 |
| 172 | Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 45 |
| 173 | Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $s = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 31 |
| 174 | Search for pair production of heavy vector-like quarks decaying to high-p $T W$ bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 36 |
| 175 | Measurement of the k_t splitting scales in $Z \rightarrow l^+l^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 3 |
| 176 | Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 8 |
| 177 | Evidence for the $H \rightarrow b\bar{b} \rightarrow b\bar{b} \rightarrow b\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 64 |
| 178 | Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 168 |
| 179 | Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872. | 3.9 | 32 |
| 180 | Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 10 |
| 182 | Measurement of event-shape observables in $Z \rightarrow ell^+ ell^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375. | 3.9 | 15 |
| 183 | Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403. | 3.9 | 30 |
| 184 | Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502. | 3.9 | 61 |
| 185 | Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547. | 3.9 | 37 |
| 186 | Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585. | 3.9 | 51 |
| 187 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666. | 3.9 | 73 |
| 188 | Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670. | 3.9 | 12 |
| 189 | The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526. | 3.9 | 21 |
| 190 | Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541. | 3.9 | 23 |
| 191 | Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605. | 3.9 | 24 |
| 192 | Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 292. | 3.9 | 453 |
| 193 | Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 658. | 3.9 | 48 |
| 194 | Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 565. | 3.9 | 31 |
| 195 | Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 44 |
| 196 | Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 71 |
| 197 | Search for flavour-changing neutral current top-quark decays to qZ in $p\bar{p}$ collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 12. | 3.9 | 39 |
| 198 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 87. | 3.9 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81. | 3.9 | 10 |
| 200 | Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 43 |
| 201 | Study of the rare decays of $B^0 \rightarrow B^- \pi^+$ and $B^0 \rightarrow B^- \eta$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513. | 3.9 | 46 |
| 202 | Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions. European Physical Journal C, 2016, 76, 517. | 3.9 | 24 |
| 203 | Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 70 |
| 204 | Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442. | 3.9 | 43 |
| 205 | Measurement of the relative width difference of the $B^0 \rightarrow B^- \pi^+ \eta$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 8 |
| 206 | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295. | 3.9 | 50 |
| 207 | Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 581. | 3.9 | 298 |
| 208 | Measurement of the charged-particle multiplicity inside jets from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 322. | 3.9 | 51 |
| 209 | Measurement of jet activity in top quark events using the $e^{1/4}$ final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 4 |
| 210 | Measurement of the transverse momentum and ϕ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291. | 3.9 | 154 |
| 211 | Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm} \mu^{\mp} \nu \bar{\nu}$ with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 15 |
| 212 | Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 20 |
| 213 | A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 14 |
| 214 | Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 17 |
| 215 | A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021. | 2.9 | 2 |
| 216 | Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013. | 1.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 538. | 3.9 | 115 |
| 218 | Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 283. | 3.9 | 63 |
| 219 | Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653. | 3.9 | 279 |
| 220 | Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683. | 3.9 | 11 |
| 221 | Addendum to "Measurement of the $t\bar{t}$ production cross-section using events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector". European Physical Journal C, 2016, 76, 1. | 3.9 | 19 |
| 222 | Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 33 |
| 223 | Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 25 |
| 224 | Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 16 |
| 225 | Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 21 |
| 226 | Measurement of the CP-violating phase δ_s and the $B_s^0 \rightarrow D_s^+ \pi^-$ meson decay width difference with $B_s^0 \rightarrow D_s^+ \pi^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 13 |
| 227 | Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392. | 3.9 | 73 |
| 228 | Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 38 |
| 229 | A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 31 |
| 230 | Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 13 |
| 231 | Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199. | 3.9 | 60 |
| 232 | Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 14 |
| 233 | Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 19 |
| 234 | Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 154. | 3.9 | 62 |
| 236 | Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210. | 3.9 | 95 |
| 237 | Probing lepton flavour violation via neutrinoless $\varphi \rightarrow 3\mu \bar{\nu} 3\bar{\nu}$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232. | 3.9 | 19 |
| 238 | A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238. | 3.9 | 9 |
| 239 | Search for supersymmetry at $\sqrt{s}=13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259. | 3.9 | 72 |
| 240 | Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 49 |
| 241 | Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46. | 4.7 | 13 |
| 242 | Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 5. | 3.9 | 109 |
| 243 | Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7 \text{ TeV}$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6. | 3.9 | 274 |
| 244 | Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11. | 3.9 | 54 |
| 245 | Study of the $B_c^+ \rightarrow J/\psi D_s^+ \bar{B}_c + B_c^+ \bar{D}_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+ \bar{B}_c$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4. | 3.9 | 40 |
| 246 | Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45. | 3.9 | 197 |
| 247 | Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55. | 3.9 | 43 |
| 248 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1. | 1 | |
| 249 | Measurement of the $c\bar{c} \rightarrow \tau^+\tau^- \rightarrow e^+e^-$ decay branching fraction as a function of m_{τ^+} . Physical Review D, 2015, 91. | 4.7 | 28 |
| 250 | Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 4 |
| 251 | A search for high-mass resonances decaying to τ^+, τ^-, ν in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 23 |
| 252 | Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 55 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Search for lepton-flavour-violating $H \rightarrow l^+l^-$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 52 |
| 254 | Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76. | 4.7 | 11 |
| 255 | A search for $t\bar{t} \rightarrow t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 66 |
| 256 | Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 28 |
| 257 | Measurement of charged-particle spectra in $Pb+Pb$ collisions at $s_{NN} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 67 |
| 258 | Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 33 |
| 259 | Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 108 |
| 260 | Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39. | 4.7 | 78 |
| 261 | Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 40 |
| 262 | Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 84 |
| 263 | Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 71 |
| 264 | Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 20 |
| 265 | Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 60 |
| 266 | Determination of the top-quark pole mass using $t\bar{t} \rightarrow t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 25 |
| 267 | Measurement of the $t\bar{t} \rightarrow t\bar{t} W$ and $t\bar{t} \rightarrow t\bar{t} Z$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 22 |
| 268 | Search for flavour-changing neutral current top quark decays $t \rightarrow t\bar{q}$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65. | 4.7 | 19 |
| 269 | Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 36 |
| 270 | Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 116 |
| 272 | Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 17 |
| 273 | Search for $W' \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165. | 3.9 | 35 |
| 274 | Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 158. | 3.9 | 17 |
| 275 | Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208. | 3.9 | 67 |
| 276 | Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 22 |
| 277 | Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS experiment. <i>European Physical Journal C</i> , 2015, 75, 407. | 3.9 | 27 |
| 278 | Measurement of the production and lepton charge asymmetry of WW bosons in Pb+Pb collisions at $s_{NN} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 23. http://www.w3.org/1998/Math/MathML | 3.9 | 41 |
| 279 | display="inline">$\frac{C}{P}$ Asymmetry in WW production in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Physical Review Letters</i> , 2015, 114, 081801. http://www.w3.org/1998/Math/MathML | 3.9 | 15 |
| 280 | Jet energy measurement and its systematic uncertainty in proton-proton collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 17. | 3.9 | 268 |
| 281 | Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 79. | 3.9 | 30 |
| 282 | Search for resonant diboson production in the $q\bar{q} \rightarrow W^+W^-$ final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 69. | 3.9 | 74 |
| 283 | Measurements of the WW production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 82. | 3.9 | 92 |
| 284 | Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 92. | 3.9 | 77 |
| 285 | Measurement of the $t\bar{t} \rightarrow b\bar{b}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 30 |
| 286 | Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $s = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 27 |
| 287 | Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 33 |
| 288 | Search for the $b\bar{b} \rightarrow b\bar{b}$ decay of the Standard Model Higgs boson in associated $(W/Z)H$ production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 89 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 35 |
| 290 | Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s = 8 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 60 |
| 291 | Search for charged Higgs bosons decaying via $H \rightarrow \tilde{\chi}_1^{\pm} \tilde{\chi}_2^{\mp}, \tilde{\chi}_1^{\pm} \tilde{\chi}_1^{\mp}$ in fully hadronic final states using pp collision data at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 69 |
| 292 | Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 209. | 3.9 | 79 |
| 293 | Performance of the ATLAS muon trigger in pp collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 120. | 3.9 | 62 |
| 294 | Search for Higgs boson pair production in the $b\bar{b} b\bar{b} b\bar{b}$ final state from pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 412. | 3.9 | 90 |
| 295 | Determination of spin and parity of the Higgs boson in the $WW \rightarrow e^+e^- \mu^+\mu^-$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231. | 3.9 | 21 |
| 296 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 299. | 3.9 | 238 |
| 297 | Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e^+e^- \mu^+\mu^-$ final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 263. | 3.9 | 60 |
| 298 | Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 228. | 3.9 | 23 |
| 299 | Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 335. | 3.9 | 95 |
| 300 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 303. | 3.9 | 70 |
| 301 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 476. | 3.9 | 174 |
| 302 | Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 229. | 3.9 | 64 |
| 303 | Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 349. | 3.9 | 123 |
| 304 | Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 318. | 3.9 | 56 |
| 305 | Search for heavy long-lived multi-charged particles in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362. | 3.9 | 36 |
| 306 | Two-particle Bose-Einstein correlations in pp collisions at $s = 0.9 \text{ and } 7 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 466. | 3.9 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Measurement of the fraction and search for direct production of $Z \rightarrow l^+l^-$ in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Physical Review Letters</i> , 2014, 112, 1. | 4.7 | 78 |
| 326 | Dalitz plot analysis of $Z \rightarrow l^+l^- \nu \bar{\nu}$ in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2014, 89, 11. | 4.7 | 74 |
| 327 | Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8$ TeV $p\bar{p}$ collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 66 |
| 328 | Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7$ TeV in 2010. <i>European Physical Journal C</i> , 2014, 74, 3034. | 3.9 | 58 |
| 329 | Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014, 74, 1. | 3.9 | 172 |
| 330 | Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3134. | 3.9 | 48 |
| 331 | Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157. | 3.9 | 68 |
| 332 | Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3195. | 3.9 | 46 |
| 333 | Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 41 |
| 334 | Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow l^+l^- (\ell = e, \mu)$ in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 21 |
| 335 | Measurement of the Z/γ^* boson transverse momentum distribution in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 131 |
| 336 | Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 38 |
| 337 | Measurement of differential production cross-sections for a Z boson in association with b-jets in $p\bar{p}$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 45 |
| 338 | Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 47 |
| 339 | Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in $p\bar{p}$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 35 |
| 340 | Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 42 |
| 341 | Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Search for a Dark Photon in mml:math $\text{display}=\text{"inline"}$ $\text{at}\langle\text{i}\rangle\text{BaBar}\langle/\text{i}\rangle$. Physical Review Letters, 2014, 113, 201801. | | |
| 344 | Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton- $\bar{\text{p}}\text{t}$ collision data. European Physical Journal C, 2014, 74, 2941. | 3.9 | 204 |
| 345 | Measurement of the underlying event in jet events from 7 TeV proton- $\bar{\text{p}}\text{t}$ collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1. | 3.9 | 23 |
| 346 | Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982. | 3.9 | 22 |
| 347 | Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023. | 3.9 | 77 |
| 348 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 22 |
| 349 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 88 |
| 350 | Measurement of the production cross section of prompt J/ψ mesons in association with a $W \pm$ boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 35 |
| 351 | Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 36 |
| 352 | Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 59 |
| 353 | Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 145 |
| 354 | Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 355 | Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 25 |
| 356 | Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 59 |
| 357 | Measurement of $t\bar{t}$ c1 and $t\bar{t}$ c2 production with $\sqrt{s} = 7 \text{ TeV}$ pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 32 |
| 358 | Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 10 |
| 359 | Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 360 | Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883. | 3.9 | 55 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Search for lepton-number violating $B \rightarrow X \ell^+ \ell^-$ decays. Physical Review D, 2014, 89, . | 4.7 | 25 |
| 362 | Measurement of the $t\bar{t}$ production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. , 2014, 74, 1. | 2 | |
| 363 | Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 73 |
| 364 | Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 102 |
| 365 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 71 |
| 366 | Measurement of the differential cross-section of $B +$ meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 31 |
| 367 | Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 52 |
| 368 | Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2676. | 3.9 | 33 |
| 369 | Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 175 |
| 370 | Measurement of the top quark charge in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 17 |
| 371 | Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 175 |
| 372 | Branching fraction measurement of $B \rightarrow \tau^+ \tau^-$ decays. Physical Review D, 2013, 87, . | 4.7 | 15 |
| 373 | Search for direct $t\bar{t}$ production in $t\bar{t} \rightarrow b\bar{b} + \text{jet}$ at the PEP-II/Babar detector at the SLAC Linear Collider. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 679, 122. | 4.7 | 9 |
| 374 | Search for a low-mass scalar Higgs boson decaying to a tau pair in single-photon decays off $\Upsilon(1S)$. Physical Review D, 2013, 88, . | 4.7 | 31 |
| 375 | Study of $t\bar{t}$ production in $t\bar{t} \rightarrow b\bar{b} + \text{jet}$ at the PEP-II/Babar detector at the SLAC Linear Collider. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 679, 122. | 4.7 | 9 |
| 376 | Measurement of the $t\bar{t}$ production cross-section in $t\bar{t} \rightarrow b\bar{b} + \text{jet}$ at the PEP-II/Babar detector at the SLAC Linear Collider. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 679, 122. | 4.7 | 17 |
| 377 | Search for CP Violation in $B_0 \rightarrow D^{*-} \pi^+$ mixing using partial reconstruction of $B_0 \rightarrow D^{*-} \pi^+$ and a kaon tag. Physical Review Letters, 2013, 111, 101802. | 7.8 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | Measurement of branching fractions and rate asymmetries in the rare decays $\Lambda_c^+ \rightarrow \Lambda_c^0 \pi^+$. Physical Review D, 2012, 86, . | 4.7 | 112 |
| 398 | Study of high-multiplicity three-prong and five-prong decays at $\sqrt{s} = 10.5$ GeV. Physical Review D, 2012, 86, . | 4.7 | 24 |
| 399 | Study of $\Lambda_c^+ \rightarrow \Lambda_c^0 \pi^+$ decays at $\sqrt{s} = 10.5$ GeV. Physical Review D, 2012, 86, . | 4.7 | 61 |
| 400 | two-photon collisions. Physical Review D, 2012, 86, . | 4.7 | 170 |
| 401 | Exclusive measurements of $\Lambda_c^+ \rightarrow \Lambda_c^0 \pi^+$ decays, and determination of the transition Energy Spectrum, Branching Fraction, and Direct Asymmetry. Physical Review D, 2012, 86, . | 4.7 | 17 |
| 402 | Measurement of the time-dependent CP asymmetry of partially reconstructed $B_0 \rightarrow D^* \bar{D}$ decays. Physical Review D, 2012, 86, . | 4.7 | 5 |
| 403 | Study of the baryonic B -decay $B_s \rightarrow \Lambda_c^+ \ell^- \bar{\nu}_\ell$. Physical Review D, 2012, 86, . | 4.7 | 17 |
| 404 | Search for Low-Mass Dark-Sector Higgs Bosons. Physical Review Letters, 2012, 108, 211801. | 7.8 | 70 |
| 405 | Branching fraction and form-factor shape measurements of exclusive charmless semileptonic decays, and determination of the transition Energy Spectrum, Branching Fraction, and Direct Asymmetry. Physical Review D, 2012, 86, . | 4.7 | 65 |
| 406 | Amplitude analysis and measurement of the time-dependent CP asymmetry of $B_0 \rightarrow D^* \bar{D}$ decays. Physical Review D, 2012, 86, . | 4.7 | 19 |
| 407 | Evidence for an excess of $B_s \rightarrow \Lambda_c^+ \ell^- \bar{\nu}_\ell$ decays. Physical Review D, 2012, 86, . | 4.7 | 27 |
| 408 | Study of the reaction $\Lambda_c^+ \rightarrow \Lambda_c^0 \pi^+$. Physical Review D, 2012, 86, . | 4.7 | 4 |
| 409 | Improved limits on $\Lambda_c^+ \rightarrow \Lambda_c^0 \pi^+$ decays to invisible states. Physical Review D, 2012, 86, . | 4.7 | 18 |
| 410 | Search for resonances decaying to two-photon interactions. Physical Review D, 2012, 86, . | 4.7 | 87 |
| 411 | Branching fraction of $\Lambda_c^+ \rightarrow \Lambda_c^0 \pi^+$ decays. Physical Review D, 2012, 86, . | 4.7 | 10 |
| 412 | Improved limits on $\Lambda_c^+ \rightarrow \Lambda_c^0 \pi^+$ decays to invisible states. Physical Review D, 2012, 86, . | 4.7 | 10 |
| 413 | Search for resonances decaying to two-photon interactions. Physical Review D, 2012, 86, . | 4.7 | 87 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Search for the decay $D^0 \rightarrow D^+ \pi^-$ and measurement of the branching fraction for $D^0 \rightarrow D^+ \pi^-$. Physical Review D, 2012, 86, . | 4.7 | 22 |
| 416 | Search for exotic new Physics at BABAR. Journal of Physics: Conference Series, 2012, 347, 012016. | 4.7 | 23 |
| 417 | Observation of Time-Reversal Violation in the semileptonic branching fraction of the $B_s \rightarrow D_s^+ \pi^-$ meson. Physical Review Letters, 2012, 109, 211801. | 0.4 | 0 |
| 418 | Search for $B_s \rightarrow D_s^+ \pi^-$ decays in events with a fully reconstructed B_s meson. Physical Review D, 2012, 85, . | 7.8 | 118 |
| 419 | Measurement of the semileptonic branching fraction of the $B_s \rightarrow D_s^+ \pi^-$ meson. Physical Review D, 2012, 85, . | 4.7 | 12 |
| 420 | Search for the violation in the decay $B_s \rightarrow D_s^+ \pi^-$. Physical Review D, 2012, 85, . | 4.7 | 11 |
| 421 | Search for the violation in Dalitz-plot analyses of $B_s \rightarrow D_s^+ \pi^-$. Physical Review D, 2012, 85, . | 4.7 | 33 |
| 422 | Search for the violation in Dalitz-plot analyses of $B_s \rightarrow D_s^+ \pi^-$. Physical Review D, 2012, 85, . | 4.7 | 11 |
| 423 | Search for the violation in Dalitz-plot analyses of $B_s \rightarrow D_s^+ \pi^-$. Physical Review D, 2012, 85, . | 4.7 | 10 |
| 424 | Study of radiative bottomonium transitions using converted photons. Physical Review D, 2011, 84, . | 4.7 | 50 |
| 425 | Observation of the rare decay $B_s \rightarrow D_s^+ \pi^-$. Physical Review D, 2011, 84, . | 4.7 | 39 |
| 426 | Search for the violation in the decay $B_s \rightarrow D_s^+ \pi^-$. Physical Review D, 2011, 83, . | 4.7 | 28 |
| 427 | Searches for rare or forbidden semileptonic charm decays. Physical Review D, 2011, 84, . | 4.7 | 42 |
| 428 | Observation of the baryonic $B \rightarrow D^+ \pi^-$ decay. Physical Review D, 2011, 84, . | 4.7 | 12 |
| 429 | Observation of the rare decay $B_s \rightarrow D_s^+ \pi^-$. Physical Review D, 2011, 84, . | 4.7 | 3 |
| 430 | Search for the violation in the decay $B_s \rightarrow D_s^+ \pi^-$. Physical Review D, 2011, 84, . | 4.7 | 16 |
| 431 | Search for the violation in the decay $B_s \rightarrow D_s^+ \pi^-$. Physical Review D, 2011, 84, . | 4.7 | 8 |
| 432 | Study of dipion bottomonium transitions and search for the violation in the decay $B_s \rightarrow D_s^+ \pi^-$. Physical Review D, 2011, 84, . | 4.7 | 25 |

| # | ARTICLE | | IF | CITATIONS |
|-----|---|--|-----|-----------|
| 433 | Physics potential of SuperB project. <i>Journal of Physics: Conference Series</i> , 2011, 335, 012078. | | 0.4 | 0 |
| 434 | Thin pixel development for the SuperB silicon vertex tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011, 650, 169-173. | | 1.6 | 14 |
| 435 | Search for Lepton Flavor Violation in and at BaBar. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2011, 218, 9-14. | | 0.4 | 0 |
| 436 | The SuperB silicon vertex tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011, 636, S168-S172. | | 1.6 | 9 |
| 437 | Beam test results of different configurations of deep N-well MAPS matrices featuring in pixel full signal processing. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011, 628, 234-237. | | 1.6 | 4 |
| 438 | Branching fraction measurements of the color-suppressed decays $B^- \rightarrow D^*(*) \pi^-$, $D^*(*) \rightarrow D^- \pi^+$, and $D^*(*) \rightarrow D^- \pi^+ \pi^0$ and measurement of the polarization in the decay $B^- \rightarrow D^* \pi^-$. <i>Physical Review D</i> , 2011, 84, . | | 4.7 | 16 |
| 439 | Study of $(3S,2S) \rightarrow (1S)$ and $(3S,2S) \rightarrow (1S)$ hadronic transitions. <i>Physical Review D</i> , 2011, 84, . | | 4.7 | 15 |
| 440 | Measurements of branching fractions and Δm^2_{31} and θ_{23} . <i>Physical Review D</i> , 2011, 84, . | | 4.7 | 9 |
| 441 | Search for Hadronic Decays of a Light Higgs Boson in the Radiative Decay $H \rightarrow A \gamma$. <i>Physical Review Letters</i> , 2011, 107, 221803. | | 7.8 | 55 |
| 442 | Search for CP violation using T-odd correlations in $D \rightarrow K^+ K^-$ and $D_s \rightarrow K^+ K^-$ decays. <i>Physical Review D</i> , 2011, 84, . | | 4.7 | 14 |
| 443 | Beam-test results of 4k pixel CMOS MAPS and high resistivity tripllet detectors equipped with digital sparsified readout in the SLIM5 low mass silicon demonstrator. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2010, 617, 596-600. | | 1.6 | 9 |
| 444 | SLIM5 beam test results for thin tripllet detector and fast readout beam telescope. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2010, 617, 601-604. | | 1.6 | 10 |
| 445 | The high rate data acquisition system for the SLIM5 beam test. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2010, 617, 321-323. | | 1.6 | 6 |
| 446 | The superB silicon vertex tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2010, 617, 585-587. | | 1.6 | 15 |
| 447 | Deep n-well MAPS in a 130nm CMOS technology: Beam test results. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2010, 623, 195-197. | | 1.6 | 7 |
| 448 | The SLIM5 low mass silicon tracker demonstrator. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2010, 623, 942-953. | | 1.6 | 25 |
| 449 | Thin pixel development for the Layer0 of the SuperB Silicon Vertex Tracker. , 2010, , . | | 0 | |
| 450 | Branching fractions and CP-violating asymmetries in radiative $B^- \rightarrow K^- \bar{K}^0$. <i>Physical Review D</i> , 2009, 79, . | | 4.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|----|-----------|
| 451 | I., DECAYS AT BABAR. , 2009, , . | | 0 |
| 452 | The associative memory for the self-triggered SLIM5 silicon telescope. , 2008, , . | | 13 |
| 453 | Development of deep N-well MAPS in a 130 nm CMOS technology and beam test results on a 4k-pixel matrix with digital sparsified readout. , 2008, , . | | 19 |
| 454 | Recent development on triple well 130 nm CMOS MAPS with in-pixel signal processing and data sparsification capability. , 2007, , . | | 12 |
| 455 | Proposal of a data sparsification unit for a mixed-mode MAPS detector. , 2007, , . | | 22 |