List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2643228/publications.pdf Version: 2024-02-01

| 112<br>papers | 5,230<br>citations | 117625<br>34<br>h-index | 88630<br>70<br>g-index |
|---------------|--------------------|-------------------------|------------------------|
| 114           | 114                | 114                     | 4850                   |
| all docs      | docs citations     | times ranked            | citing authors         |

DITA S SUDI

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Accessing hemodialysis clinics during the COVID-19 pandemic. Transportation Research<br>Interdisciplinary Perspectives, 2022, 13, 100533.  | 2.7 | 4         |
| 2  | Long-term Effects of a Brief Mindfulness Intervention Versus a Health Enhancement Program for<br>Treating Depression and Anxiety in Patients Undergoing Hemodialysis: A Randomized Controlled Trial.<br>Canadian Journal of Kidney Health and Disease, 2022, 9, 205435812210745. | 1.1 | 0         |
| 3  | SARS-CoV-2 Vaccine Mandates for Patients on the Kidney Transplant Waitlist. Clinical Journal of the American Society of Nephrology: CJASN, 2022, , CJN.15611121.   | 4.5 | 2         |
| 4  | Opioid prescribing practices in chronic kidney disease: a population-based cohort study. Nephrology<br>Dialysis Transplantation, 2022, 37, 2408-2417.  | 0.7 | 1         |
| 5  | Lived Experiences of Patients Receiving Hemodialysis during the COVID-19 Pandemic: A Qualitative Study<br>from the Quebec Renal Network. Kidney360, 2022, 3, 1057-1064.  | 2.1 | 7         |
| 6  | Defective KIM-1 phagocytosis does not predispose to acute graft dysfunction after kidney transplantation in humans. Kidney International, 2022, , .  | 5.2 | 0         |
| 7  | Five Things to Know About Intradialytic Hypertension. Canadian Journal of Kidney Health and Disease, 2022, 9, 205435812211066.   | 1.1 | 3         |
| 8  | Recombinant apoptosis inhibitor of macrophage protein reduces delayed graft function in a murine model of kidney transplantation. PLoS ONE, 2021, 16, e0249838.  | 2.5 | 9         |
| 9  | Prevalence of Frailty in Patients Referred to the Kidney Transplant Waitlist. Kidney360, 2021, 2, 1287-1295.   | 2.1 | 10        |
| 10 | Short-term antibody response after 1 dose of BNT162b2 vaccine in patients receiving hemodialysis.<br>Cmaj, 2021, 193, E793-E800.   | 2.0 | 40        |
| 11 | Brief Mindfulness Intervention vs. Health Enhancement Program for Patients Undergoing Dialysis: A<br>Randomized Controlled Trial. Healthcare (Switzerland), 2021, 9, 659.  | 2.0 | 9         |
| 12 | Worldwide Early Impact of COVID-19 on Dialysis Patients and Staff and Lessons Learned: A DOPPS Roundtable Discussion. Kidney Medicine, 2021, 3, 619-634.   | 2.0 | 18        |
| 13 | Review of Early Immune Response to SARS-CoV-2 Vaccination Among Patients With CKD. Kidney<br>International Reports, 2021, 6, 2292-2304.  | 0.8 | 96        |
| 14 | Re-Envisioning the Canadian Nephrology Trials Network: A Can-SOLVE-CKD Stakeholder Meeting of<br>Patient Partners and Researchers. Canadian Journal of Kidney Health and Disease, 2021, 8,<br>205435812110303.   | 1.1 | 2         |
| 15 | Do Brief Mindfulness Interventions (BMI) and Health Enhancement Programs (HEP) Improve Sleep in<br>Patients in Hemodialysis with Depression and Anxiety?. Healthcare (Switzerland), 2021, 9, 1410.   | 2.0 | 2         |
| 16 | Canadian Association of Paediatric Nephrologists COVID-19 Rapid Response: Home and In-Center<br>Dialysis Guidance. Canadian Journal of Kidney Health and Disease, 2021, 8, 205435812110534.  | 1.1 | 0         |
| 17 | Quality of Life and Hemodynamic Effects of Switching From Hemodialysis to Hemodiafiltration: A<br>Canadian Controlled Cohort Study. Canadian Journal of Kidney Health and Disease, 2021, 8,<br>205435812110577.  | 1.1 | 3         |
| 18 | Infection control measures to prevent outbreaks of COVID-19 in Quebec hemodialysis units: a cross-sectional survey. CMAJ Open, 2021, 9, E1232-E1241.   | 2.4 | 5         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Management of Outpatient Hemodialysis During the COVID-19 Pandemic: Recommendations From the<br>Canadian Society of Nephrology COVID-19 Rapid Response Team. Canadian Journal of Kidney Health and<br>Disease, 2020, 7, 205435812093856.                                   | 1.1 | 16        |
| 20 | Frailty and the Kidney Transplant Wait List: Protocol for a Multicenter Prospective Study. Canadian<br>Journal of Kidney Health and Disease, 2020, 7, 205435812095743.   | 1.1 | 6         |
| 21 | A Mixed Method Investigation to Determine Priorities for Improving Information, Interaction, and<br>Individualization of Care Among Individuals on In-center Hemodialysis: The Triple I Study. Canadian<br>Journal of Kidney Health and Disease, 2020, 7, 205435812095328. | 1.1 | 7         |
| 22 | COVID-19 Status, Symptom Burden, and Characteristics of Dialysis Patients Residing in Areas of<br>Community Transmission: Research Letter. Canadian Journal of Kidney Health and Disease, 2020, 7,<br>205435812096417.   | 1.1 | 2         |
| 23 | The Dlalysis Symptom COntrol-Restless Legs Syndrome (DISCO-RLS) Trial: A Protocol for a Randomized,<br>Crossover, Placebo-Controlled Blinded Trial. Canadian Journal of Kidney Health and Disease, 2020, 7,<br>205435812096895.  | 1.1 | 5         |
| 24 | Canadian Society of Nephrology COVID-19 Rapid Response Team Home Dialysis Recommendations.<br>Canadian Journal of Kidney Health and Disease, 2020, 7, 205435812092815.   | 1.1 | 10        |
| 25 | Use of the FRAIL Questionnaire in Patients With End-Stage Kidney Disease. Canadian Journal of Kidney<br>Health and Disease, 2020, 7, 205435812095290.  | 1.1 | 6         |
| 26 | Facility Variation and Predictors of Do Not Resuscitate Orders of Hemodialysis Patients in Canada:<br>DOPPS. Canadian Journal of Kidney Health and Disease, 2019, 6, 205435811987977.  | 1.1 | 2         |
| 27 | Benefits and Barriers to and Desired Outcomes with Exercise in Patients with ESKD. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 268-276.   | 4.5 | 57        |
| 28 | Self-reported Urine Volume in Hemodialysis Patients: Predictors and Mortality Outcomes in the<br>International Dialysis Outcomes and Practice Patterns Study (DOPPS). American Journal of Kidney<br>Diseases, 2019, 74, 425-428.   | 1.9 | 11        |
| 29 | Heart failure in chronic kidney disease: conclusions from a Kidney Disease: Improving Global<br>Outcomes (KDIGO) Controversies Conference. Kidney International, 2019, 95, 1304-1317.  | 5.2 | 232       |
| 30 | Cultivating Innovative Pragmatic Cluster-Randomized Registry Trials Embedded in Hemodialysis Care:<br>Workshop Proceedings From 2018. Canadian Journal of Kidney Health and Disease, 2019, 6,<br>205435811989439.  | 1.1 | 7         |
| 31 | When is more frequent hemodialysis beneficial?. Seminars in Dialysis, 2018, 31, 332-342.   | 1.3 | 3         |
| 32 | Patients receiving frequent hemodialysis have better health-related quality of life compared to patients receiving conventional hemodialysis. Kidney International, 2017, 91, 746-754.   | 5.2 | 78        |
| 33 | Establishing Core Outcome Domains in Hemodialysis: Report of the Standardized Outcomes in<br>Nephrology–Hemodialysis (SONG-HD) Consensus Workshop. American Journal of Kidney Diseases, 2017,<br>69, 97-107.   | 1.9 | 148       |
| 34 | Comparative Effectiveness of Home Dialysis Therapies: A Matched Cohort Study. Canadian Journal of<br>Kidney Health and Disease, 2016, 3, 105.  | 1.1 | 14        |
| 35 | Establishing a Canadian National Clinical Trials Network for Kidney Disease: Proceedings of a Planning<br>Workshop. Canadian Journal of Kidney Health and Disease, 2015, 2, 80.  | 1.1 | 4         |
| 36 | Kidney Injury Molecule-1 Protects against Gα12 Activation and Tissue Damage in Renal<br>Ischemia-Reperfusion Injury. American Journal of Pathology, 2015, 185, 1207-1215.  | 3.8 | 48        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | β-Blocker Dialyzability and Mortality in Older Patients Receiving Hemodialysis. Journal of the American<br>Society of Nephrology: JASN, 2015, 26, 987-996.  | 6.1 | 93        |
| 38 | KDOQI Clinical Practice Guideline for Hemodialysis Adequacy: 2015 Update. American Journal of Kidney<br>Diseases, 2015, 66, 884-930.  | 1.9 | 822       |
| 39 | The risk of hospitalization and modality failure with home dialysis. Kidney International, 2015, 88, 360-368.   | 5.2 | 48        |
| 40 | The Author Replies:. Kidney International, 2014, 85, 479.   | 5.2 | 0         |
| 41 | Effects of Frequent Hemodialysis on Perceived Caregiver Burden in the Frequent Hemodialysis<br>Network Trials. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 936-942.   | 4.5 | 50        |
| 42 | Establishing a National Knowledge Translation and Generation Network in Kidney Disease: The<br>CAnadian KidNey KNowledge TraNslation and GEneration NeTwork. Canadian Journal of Kidney Health<br>and Disease, 2014, 1, 2.  | 1.1 | 10        |
| 43 | Dialysis Recovery Time: More Than Just Another Serum Albumin. American Journal of Kidney Diseases,<br>2014, 64, 7-9.  | 1.9 | 6         |
| 44 | Hypertension in pregnancy after <i><b>Escherichia coli</b></i> O157:H7 gastroenteritis: a cohort study.<br>Hypertension in Pregnancy, 2013, 32, 390-400.  | 1.1 | 0         |
| 45 | Patient experiences and preferences on short daily and nocturnal home hemodialysis. Hemodialysis<br>International, 2013, 17, 201-207.   | 0.9 | 20        |
| 46 | Risk of Vascular Access Complications with Frequent Hemodialysis. Journal of the American Society of<br>Nephrology: JASN, 2013, 24, 498-505.  | 6.1 | 138       |
| 47 | Dialysate Calcium Concentration and Mineral Metabolism in Long and Long-Frequent Hemodialysis: A<br>Systematic Review and Meta-analysis for a Canadian Society of Nephrology Clinical Practice Guideline.<br>American Journal of Kidney Diseases, 2013, 62, 97-111. | 1.9 | 18        |
| 48 | Modifiable variables affecting interdialytic weight gain include dialysis time, frequency, and dialysate sodium. Hemodialysis International, 2013, 17, 576-585.   | 0.9 | 8         |
| 49 | A multinational cohort study of in-center daily hemodialysis and patient survival. Kidney<br>International, 2013, 83, 300-307.  | 5.2 | 58        |
| 50 | Vascular Access for Intensive Maintenance Hemodialysis: A Systematic Review for a Canadian Society<br>of Nephrology Clinical Practice Guideline. American Journal of Kidney Diseases, 2013, 62, 112-131.  | 1.9 | 29        |
| 51 | Canadian Society of Nephrology Guidelines for the Management of Patients With ESRD Treated With<br>Intensive Hemodialysis. American Journal of Kidney Diseases, 2013, 62, 187-198.  | 1.9 | 62        |
| 52 | Biofeedback dialysis for hypotension and hypervolemia: a systematic review and meta-analysis.<br>Nephrology Dialysis Transplantation, 2013, 28, 182-191.  | 0.7 | 36        |
| 53 | Impact of frequent hemodialysis on anemia management: results from the Frequent Hemodialysis<br>Network (FHN) Trials. Nephrology Dialysis Transplantation, 2013, 28, 1888-1898.   | 0.7 | 25        |
| 54 | Early Dialysis Initiation and Rates and Timing of Withdrawal From Dialysis in Canada. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 265-270.  | 4.5 | 51        |

RITA S SURI

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Cardiovascular disease after <i>Escherichia coli</i> O157:H7 gastroenteritis. Cmaj, 2013, 185, E70-E77.   | 2.0 | 10        |
| 56 | Pre to post-dialysis plasma sodium change better predicts clinical outcomes than dialysate to plasma<br>sodium gradient in quotidian hemodialysis. Hemodialysis International, 2013, 17, n/a-n/a.   | 0.9 | 4         |
| 57 | Case report: Atenolol overdose successfully treated with hemodialysis. Hemodialysis International, 2013, 17, 652-655.   | 0.9 | 9         |
| 58 | The Authors Reply. Kidney International, 2013, 84, 409-410.   | 5.2 | 0         |
| 59 | Beta-blockers and cardiovascular outcomes in dialysis patients: a cohort study in Ontario, Canada.<br>Nephrology Dialysis Transplantation, 2012, 27, 1591-1598.   | 0.7 | 23        |
| 60 | Intensive Hemodialysis Associates with Improved Survival Compared with Conventional Hemodialysis.<br>Journal of the American Society of Nephrology: JASN, 2012, 23, 696-705.  | 6.1 | 184       |
| 61 | Survival with Three-Times Weekly In-Center Nocturnal Versus Conventional Hemodialysis. Journal of the American Society of Nephrology: JASN, 2012, 23, 687-695.  | 6.1 | 134       |
| 62 | Urine Volume and Change in Estimated GFR in a Community-Based Cohort Study. Clinical Journal of the<br>American Society of Nephrology: CJASN, 2011, 6, 2634-2641.   | 4.5 | 153       |
| 63 | Opioid and Benzodiazepine Use in End-Stage Renal Disease. Clinical Journal of the American Society of<br>Nephrology: CJASN, 2011, 6, 326-333.   | 4.5 | 59        |
| 64 | International quotidian dialysis registry: Annual report 2010. Hemodialysis International, 2011, 15, 15-22.   | 0.9 | 16        |
| 65 | Clinical Practice Guidelines and Recommendations on Peritoneal Dialysis Adequacy 2011. Peritoneal Dialysis International, 2011, 31, 218-239.  | 2.3 | 97        |
| 66 | Peritoneal dialysis vs hemodialysis: time to end the debate?. Nature Reviews Nephrology, 2011, 7, 308-310.  | 9.6 | 4         |
| 67 | Dipstick Proteinuria as a Screening Strategy to Identify Rapid Renal Decline. Journal of the American<br>Society of Nephrology: JASN, 2011, 22, 1729-1736.  | 6.1 | 59        |
| 68 | Hemodialysis in a Satellite Unit. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6,<br>1692-1699.   | 4.5 | 6         |
| 69 | Design and Rationale of Health-Related Quality of Life and Patient-Reported Outcomes Assessment in the Frequent Hemodialysis Network Trials. Blood Purification, 2011, 31, 151-158.   | 1.8 | 23        |
| 70 | Burden on caregivers as perceived by hemodialysis patients in the Frequent Hemodialysis Network<br>(FHN) trials. Nephrology Dialysis Transplantation, 2011, 26, 2316-2322.  | 0.7 | 85        |
| 71 | Long term risk for hypertension, renal impairment, and cardiovascular disease after gastroenteritis<br>from drinking water contaminated with Escherichia coli O157:H7: a prospective cohort study. BMJ:<br>British Medical Journal, 2010, 341, c6020-c6020. | 2.3 | 59        |
| 72 | Risk of Pregnancyâ€Related Hypertension Within 5 Years of Exposure to Drinking Water Contaminated<br>With <i>Escherichia coli</i> O157:H7. Journal of Clinical Hypertension, 2010, 12, 613-620.   | 2.0 | 7         |

RITA S SURI

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Frequent Hemodialysis. , 2010, , 370-384.   |     | 0         |
| 74 | Recruitment and Training for Home Hemodialysis. Clinical Journal of the American Society of<br>Nephrology: CJASN, 2010, 5, 1614-1620.   | 4.5 | 93        |
| 75 | Absent Risk of Dysglycemia after Bacterial Gastroenteritis. Canadian Journal of Diabetes, 2010, 34, 50-57.  | 0.8 | 0         |
| 76 | Treatment of severe accidental hypothermia with intermittent hemodialysis. Canadian Journal of<br>Emergency Medicine, 2009, 11, 174-177.  | 1.1 | 17        |
| 77 | Renal prognosis of toxigenic Escherichia coli infection. Kidney International, 2009, 75, S38-S41.   | 5.2 | 9         |
| 78 | Factors that led to the Walkerton tragedy. Kidney International, 2009, 75, S33-S34.   | 5.2 | 41        |
| 79 | TTP/HUS: observational studies generate hypotheses that lead to randomized controlled trials. Kidney<br>International, 2009, 75, S50-S51.   | 5.2 | 9         |
| 80 | Relationship between Escherichia coli O157:H7 and diabetes mellitus. Kidney International, 2009, 75,<br>S44-S46.  | 5.2 | 23        |
| 81 | Risk of pregnancy-related hypertension within five years of exposure to bacteria-contaminated drinking water. Kidney International, 2009, 75, S47-S49.                                    | 5.2 | 7         |
| 82 | Results of a randomized controlled trial on statin use in dialysis patients had no influence on statin prescription. Kidney International, 2009, 76, 1172-1179.                           | 5.2 | 14        |
| 83 | International quotidian dialysis registry: Annual report 2009. Hemodialysis International, 2009, 13,<br>240-249.  | 0.9 | 19        |
| 84 | The International Quotidian Dialysis Registry: Annual report 2008. Hemodialysis International, 2008,<br>12, 281-289.  | 0.9 | 10        |
| 85 | The International Quotidian Hemodialysis Registry: Rationale and challenges. Hemodialysis<br>International, 2008, 12, S61-S65.  | 0.9 | 5         |
| 86 | Albuminuria and Estimated GFR 5 Years After Escherichia coli O157 Hemolytic Uremic Syndrome: An<br>Update. American Journal of Kidney Diseases, 2008, 51, 435-444.                        | 1.9 | 41        |
| 87 | Elevated Blood Pressure in Relation to Overweight and Obesity Among Children in a Rural Canadian Community. Pediatrics, 2008, 122, e821-e827.   | 2.1 | 119       |
| 88 | Excessive fluid intake as a novel cause of proteinuria. Cmaj, 2008, 178, 173-175.   | 2.0 | 6         |
| 89 | Can Extracellular Fluid Volume Expansion in Hemodialysis Patients Be Safely Reduced Using the<br>Hemocontrol Biofeedback Algorithm? A Randomized Trial. ASAIO Journal, 2008, 54, 270-274. | 1.6 | 25        |
| 90 | Frequent Hemodialysis Network (FHN) randomized trials: Study design. Kidney International, 2007, 71,<br>349-359.  | 5.2 | 176       |

RITA S SURI

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Musings on Guidelines and Evidence: An Opposing View. Peritoneal Dialysis International, 2007, 27, 35-38.   | 2.3 | 14        |
| 92  | The International Quotidian Dialysis Registry: Annual Report 2007. Hemodialysis International, 2007, 11, 271-277.   | 0.9 | 19        |
| 93  | A gradient of acute gastroenteritis was characterized, to assess risk of long-term health sequelae<br>after drinking bacterial-contaminated water. Journal of Clinical Epidemiology, 2006, 59, 421-428. | 5.0 | 34        |
| 94  | The International Quotidian Dialysis Registry: Annual report 2006. Hemodialysis International, 2006,<br>10, 219-224.  | 0.9 | 12        |
| 95  | Randomized Trials of Frequent Hemodialysis – Infinite Possibilities. Blood Purification, 2006, 24, 123-127.   | 1.8 | 3         |
| 96  | Evaluation of GFR Estimating Equations in the General Community: Implications for Screening.<br>Clinical Journal of the American Society of Nephrology: CJASN, 2006, 1, 787-795.                        | 4.5 | 12        |
| 97  | Daily Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2006, 1, 33-42.  | 4.5 | 161       |
| 98  | Minutes to Recovery after a Hemodialysis Session. Clinical Journal of the American Society of Nephrology: CJASN, 2006, 1, 952-959.  | 4.5 | 168       |
| 99  | The International Quotidian Dialysis Registry: Annual report 2005. Hemodialysis International, 2005, 9,<br>203-209.   | 0.9 | 12        |
| 100 | Microalbuminuria three years after recovery from Escherichia coli O157 hemolytic uremic syndrome due to municipal water contamination. Kidney International, 2005, 67, 1476-1482.                       | 5.2 | 28        |
| 101 | Long-term Health Sequelae Following E.coli and Campylobacter Contamination of Municipal Water.<br>Canadian Journal of Public Health, 2005, 96, 125-130.   | 2.3 | 30        |
| 102 | Risk of hypertension and reduced kidney function after acute gastroenteritis from bacteria-contaminated drinking water. Cmaj, 2005, 173, 261-268.   | 2.0 | 23        |
| 103 | Diabetes During Diarrhea-Associated Hemolytic Uremic Syndrome: A systematic review and meta-analysis. Diabetes Care, 2005, 28, 2556-2562.   | 8.6 | 48        |
| 104 | PSYCHOSOCIAL FACTORS IN PATIENTS WITH CHRONIC KIDNEY DISEASE: Frequent Hemodialysis and Psychosocial Function. Seminars in Dialysis, 2005, 18, 132-136.   | 1.3 | 21        |
| 105 | Dialysis Prescription and Dose Monitoring in Frequent Hemodialysis. , 2004, 145, 75-88.   |     | 7         |
| 106 | The International Quotidian Hemodialysis Registry: Rationale and methods. Hemodialysis<br>International, 2004, 8, 354-359.  | 0.9 | 10        |
| 107 | Is more frequent hemodialysis beneficial and what is the evidence?. Current Opinion in Nephrology and Hypertension, 2004, 13, 631-635.  | 2.0 | 16        |
| 108 | Adequacy of hemodialysis. , 2004, , 597-638.  |     | 4         |

Adequacy of hemodialysis. , 2004, , 597-638. 108

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Volume control and blood pressure management in patients undergoing quotidian hemodialysis.<br>American Journal of Kidney Diseases, 2003, 42, 13-17. | 1.9 | 140       |
| 110 | The impact of quotidian hemodialysis on nutrition. American Journal of Kidney Diseases, 2003, 42, 30-35.   | 1.9 | 78        |
| 111 | Adequacy of quotidian hemodialysis. American Journal of Kidney Diseases, 2003, 42, 42-48.  | 1.9 | 56        |
| 112 | Long-term Renal Prognosis of Diarrhea-Associated Hemolytic Uremic Syndrome. JAMA - Journal of the<br>American Medical Association, 2003, 290, 1360.  | 7.4 | 447       |