

# Ondrej Cinek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2646784/publications.pdf>

Version: 2024-02-01

128  
papers

5,030  
citations

101543

36  
h-index

110387

64  
g-index

130  
all docs

130  
docs citations

130  
times ranked

7091  
citing authors

#	ARTICLE	IF	CITATIONS
1	Caesarean section is associated with an increased risk of childhood-onset type 1 diabetes mellitus: a meta-analysis of observational studies. <i>Diabetologia</i> , 2008, 51, 726-735.	6.3	496
2	Trends in childhood type 1 diabetes incidence in Europe during 1989â€“2008: evidence of non-uniformity over time in rates of increase. <i>Diabetologia</i> , 2012, 55, 2142-2147.	6.3	387
3	Trends and cyclical variation in the incidence of childhood type 1 diabetes in 26 European centres in the 25-year period 1989â€“2013: a multicentre prospective registration study. <i>Diabetologia</i> , 2019, 62, 408-417.	6.3	327
4	Global phylogeography and ancient evolution of the widespread human gut virus crAssphage. <i>Nature Microbiology</i> , 2019, 4, 1727-1736.	13.3	184
5	Biodiversity intervention enhances immune regulation and health-associated commensal microbiota among daycare children. <i>Science Advances</i> , 2020, 6, .	10.3	174
6	Breast-Feeding and Childhood-Onset Type 1 Diabetes. <i>Diabetes Care</i> , 2012, 35, 2215-2225.	8.6	122
7	Identification of germline susceptibility loci in ETV6-RUNX1-rearranged childhood acute lymphoblastic leukemia. <i>Leukemia</i> , 2012, 26, 902-909.	7.2	106
8	High Prevalence of Human Enterovirus A Infections in Natural Circulation of Human Enteroviruses. <i>Journal of Clinical Microbiology</i> , 2006, 44, 4095-4100.	3.9	101
9	Longitudinal observation of parechovirus in stool samples from Norwegian infants. <i>Journal of Medical Virology</i> , 2008, 80, 1835-1842.	5.0	100
10	Birthweight and the risk of childhood-onset type 1 diabetes: a meta-analysis of observational studies using individual patient data. <i>Diabetologia</i> , 2010, 53, 641-651.	6.3	95
11	De novo mutations of GCK, HNF1A and HNF4A may be more frequent in MODY than previously assumed. <i>Diabetologia</i> , 2014, 57, 480-484.	6.3	87
12	Temporal trends in diabetic ketoacidosis at diagnosis of paediatric type 1 diabetes between 2006 and 2016: results from 13 countries in three continents. <i>Diabetologia</i> , 2020, 63, 1530-1541.	6.3	86
13	Enterovirus as trigger of coeliac disease: nested case-control study within prospective birth cohort. <i>BMJ: British Medical Journal</i> , 2019, 364, l231.	2.3	75
14	Maternal Age at Birth and Childhood Type 1 Diabetes: A Pooled Analysis of 30 Observational Studies. <i>Diabetes</i> , 2010, 59, 486-494.	0.6	72
15	Asymptomatic circulation of HEV71 in Norway. <i>Virus Research</i> , 2007, 123, 19-29.	2.2	67
16	Further evidence that mutations in INS can be a rare cause of Maturity-Onset Diabetes of the Young (MODY). <i>BMC Medical Genetics</i> , 2010, 11, 42.	2.1	67
17	Gut Virome Sequencing in Children With Early Islet Autoimmunity. <i>Diabetes Care</i> , 2015, 38, 930-933.	8.6	58
18	Absence of breast-feeding is associated with the risk of type 1 diabetes: a caseâ€“control study in a population with rapidly increasing incidence. <i>European Journal of Pediatrics</i> , 2006, 165, 114-119.	2.7	56

#	ARTICLE	IF	CITATIONS
19	No independent role of the $\gamma$ 1123 G > C and + 2740 A > G variants in the association of PTPN22 with type 1 diabetes and juvenile idiopathic arthritis in two Caucasian populations. <i>Diabetes Research and Clinical Practice</i> , 2007, 76, 297-303.	2.8	56
20	Association of Insulin Gene VNTR Polymorphism with Polycystic Ovary Syndrome. <i>Annals of the New York Academy of Sciences</i> , 2002, 967, 558-565.	3.8	50
21	Glucokinase diabetes in 103 families from a country-based study in the Czech Republic: geographically restricted distribution of two prevalent GCK mutations. <i>Pediatric Diabetes</i> , 2010, 11, 529-535.	2.9	50
22	Birth order and childhood type 1 diabetes risk: a pooled analysis of 31 observational studies. <i>International Journal of Epidemiology</i> , 2011, 40, 363-374.	1.9	50
23	Nature-derived microbiota exposure as a novel immunomodulatory approach. <i>Future Microbiology</i> , 2018, 13, 737-744.	2.0	50
24	Islet autoantibody development during follow-up of high-risk children from the general Norwegian population from three months of age: Design and early results from the MIDIA study. <i>Journal of Autoimmunity</i> , 2007, 29, 44-51.	6.5	48
25	Human Enterovirus RNA in Monthly Fecal Samples and Islet Autoimmunity in Norwegian Children With High Genetic Risk for Type 1 Diabetes. <i>Diabetes Care</i> , 2011, 34, 151-155.	8.6	47
26	Prevalence of HHV-6 integrated chromosomally among children treated for acute lymphoblastic or myeloid leukemia in the Czech Republic. <i>Journal of Medical Virology</i> , 2009, 81, 258-263.	5.0	45
27	Bone geometry and volumetric bone mineral density in girls with Turner syndrome of different pubertal stages. <i>Clinical Endocrinology</i> , 2011, 74, 445-452.	2.4	45
28	Maternal BMI Before Pregnancy, Maternal Weight Gain During Pregnancy, and Risk of Persistent Positivity for Multiple Diabetes-Associated Autoantibodies in Children With the High-Risk HLA Genotype: The MIDIA study. <i>Diabetes Care</i> , 2009, 32, 1904-1906.	8.6	44
29	Imbalance of bacteriome profiles within the Finnish Diabetes Prediction and Prevention study: Parallel use of 16S profiling and virome sequencing in stool samples from children with islet autoimmunity and matched controls. <i>Pediatric Diabetes</i> , 2017, 18, 588-598.	2.9	44
30	HHV-6 DNA throughout the tissues of two stem cell transplant patients with chromosomally integrated HHV-6 and fatal CMV pneumonitis. <i>British Journal of Haematology</i> , 2009, 145, 394-398.	2.5	43
31	Unusually severe phenotype of neonatal primary hyperparathyroidism due to a heterozygous inactivating mutation in the CASR gene. <i>European Journal of Pediatrics</i> , 2009, 168, 569-573.	2.7	42
32	Tolerogenic Dendritic Cells from Poorly Compensated Type 1 Diabetes Patients Have Decreased Ability To Induce Stable Antigen-Specific T Cell Hyporesponsiveness and Generation of Suppressive Regulatory T Cells. <i>Journal of Immunology</i> , 2017, 198, 729-740.	0.8	42
33	Recommendations for the introduction of metagenomic high-throughput sequencing in clinical virology, part I: Wet lab procedure. <i>Journal of Clinical Virology</i> , 2021, 134, 104691.	3.1	42
34	Seasonal variation in month of diagnosis in children with type 1 diabetes registered in 23 European centers during 1989-2008: little short-term influence of sunshine hours or average temperature. <i>Pediatric Diabetes</i> , 2015, 16, 573-580.	2.9	41
35	Quantitative <i>CrAssphage</i> real-time PCR assay derived from data of multiple geographically distant populations. <i>Journal of Medical Virology</i> , 2018, 90, 767-771.	5.0	40
36	Next-Generation Sequencing Combined with Specific PCR Assays To Determine the Bacterial 16S rRNA Gene Profiles of Middle Ear Fluid Collected from Children with Acute Otitis Media. <i>MSphere</i> , 2017, 2, .	2.9	39

#	ARTICLE	IF	CITATIONS
37	Yard vegetation is associated with gut microbiota composition. <i>Science of the Total Environment</i> , 2020, 713, 136707.	8.0	39
38	Longitudinal observation of enterovirus and adenovirus in stool samples from Norwegian infants with the highest genetic risk of type 1 diabetes. <i>Journal of Clinical Virology</i> , 2006, 35, 33-40.	3.1	38
39	Risk of Celiac Disease in Children With Type 1 Diabetes Is Modified by Positivity for HLA-DQB1*02-DQA1*05 and TNF -308A. <i>Diabetes Care</i> , 2006, 29, 858-863.	8.6	38
40	Widespread clone of <i>Burkholderia cenocepacia</i> in cystic fibrosis patients in the Czech Republic. <i>Journal of Medical Microbiology</i> , 2005, 54, 655-659.	1.8	36
41	Autosomal inheritance of diabetes in two families characterized by obesity and a novel H241Q mutation in <i>NEUROD1</i> . <i>Pediatric Diabetes</i> , 2008, 9, 367-372.	2.9	36
42	Long-term biodiversity intervention shapes health-associated commensal microbiota among urban day-care children. <i>Environment International</i> , 2021, 157, 106811.	10.0	36
43	The bacteriome at the onset of type 1 diabetes: A study from four geographically distant African and Asian countries. <i>Diabetes Research and Clinical Practice</i> , 2018, 144, 51-62.	2.8	35
44	Partial remission with cyclosporine A in a patient with nephrotic syndrome due to NPHS2 mutation. <i>Pediatric Nephrology</i> , 2009, 24, 2051-2053.	1.7	34
45	Hepatic phenotypes of <i>HNF1B</i> gene mutations: A case of neonatal cholestasis requiring portoenterostomy and literature review. <i>World Journal of Gastroenterology</i> , 2015, 21, 2550.	3.3	33
46	Genetic diagnosis of steroid-resistant nephrotic syndrome in a longitudinal collection of Czech and Slovak patients: a high proportion of causative variants in NUP93. <i>Pediatric Nephrology</i> , 2018, 33, 1347-1363.	1.7	33
47	Enterovirus RNA in Peripheral Blood May Be Associated with the Variants of rs1990760, a Common Type 1 Diabetes Associated Polymorphism in IFIH1. <i>PLoS ONE</i> , 2012, 7, e48409.	2.5	32
48	Effectiveness of sequencing selected exons of <i>DNAH5</i> and <i>DNAI1</i> in diagnosis of primary ciliary dyskinesia. <i>Pediatric Pulmonology</i> , 2012, 47, 864-875.	2.0	32
49	Pendred syndrome among patients with congenital hypothyroidism detected by neonatal screening: identification of two novel PDS/SLC26A4 mutations. <i>European Journal of Pediatrics</i> , 2008, 167, 777-783.	2.7	31
50	<i>Moraxella catarrhalis</i> Might Be More Common than Expected in Acute Otitis Media in Young Finnish Children. <i>Journal of Clinical Microbiology</i> , 2016, 54, 2373-2379.	3.9	31
51	Type 1 diabetes mellitus in Czech children diagnosed in 1990-1997: a significant increase in incidence and male predominance in the age group 0-4 years. <i>Diabetic Medicine</i> , 2000, 17, 64-69.	2.3	30
52	The CTLA4 +49 A/G dimorphism is not associated with type 1 diabetes in Czech children. <i>International Journal of Immunogenetics</i> , 2002, 29, 219-222.	1.2	29
53	The incidence of type 1 diabetes in young Czech children stopped rising. <i>Pediatric Diabetes</i> , 2012, 13, 559-563.	2.9	29
54	Enterovirus RNA in longitudinal blood samples and risk of islet autoimmunity in children with a high genetic risk of type 1 diabetes: the MIDIA study. <i>Diabetologia</i> , 2014, 57, 2193-2200.	6.3	29

#	ARTICLE	IF	CITATIONS
55	An effective combination of sanger and next generation sequencing in diagnostics of primary ciliary dyskinesia. <i>Pediatric Pulmonology</i> , 2016, 51, 498-509.	2.0	28
56	High Prevalence of <i>PROP1</i> Defects in Lithuania: Phenotypic Findings in an Ethnically Homogenous Cohort of Patients With Multiple Pituitary Hormone Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 299-306.	3.6	27
57	Two Cases of Diabetic Ketoacidosis in HNF1A-MODY Linked to Severe Dehydration. <i>Diabetes Care</i> , 2013, 36, 2573-2574.	8.6	27
58	Direct PCR Detection of <i>Burkholderia cepacia</i> Complex and Identification of Its Genomovars by Using Sputum as Source of DNA. <i>Journal of Clinical Microbiology</i> , 2002, 40, 3485-3488.	3.9	26
59	HNF1A mutation presenting with fetal macrosomia and hypoglycemia in childhood prior to onset of overt diabetes. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2011, 24, 187-9.	0.9	26
60	Genesis of two most prevalent <i>PROP1</i> gene variants causing combined pituitary hormone deficiency in 21 populations. <i>European Journal of Human Genetics</i> , 2016, 24, 415-420.	2.8	26
61	Association of single nucleotide polymorphisms within cytokine genes with juvenile idiopathic arthritis in the Czech population. <i>Journal of Rheumatology</i> , 2004, 31, 1206-10.	2.0	26
62	Genetic association of type 1 diabetes in an Azerbaijanian population: the HLA-DQ, -DRB1*04, the insulin gene, and CTLA4. <i>Pediatric Diabetes</i> , 2006, 7, 88-93.	2.9	25
63	Human gut microbiota transferred to germ-free NOD mice modulate the progression towards type 1 diabetes regardless of the pace of beta cell function loss in the donor. <i>Diabetologia</i> , 2019, 62, 1291-1296.	6.3	25
64	No Ljungan Virus RNA in Stool Samples From the Norwegian Environmental Triggers of Type 1 Diabetes (MIDIA) Cohort Study. <i>Diabetes Care</i> , 2010, 33, 1069-1071.	8.6	23
65	HLA class II genetic association of type 1 diabetes mellitus in Czech children. <i>Pediatric Diabetes</i> , 2001, 2, 98-102.	2.9	22
66	Variants of <i>CARD15</i> , <i>TNFA</i> and <i>PTPN22</i> and susceptibility to Crohn's disease in the Czech population: high frequency of the <i>CARD15</i> 1007fs. <i>Tissue Antigens</i> , 2008, 71, 538-547.	1.0	22
67	Cytomegalovirus encephalitis/retinitis in allogeneic haematopoietic stem cell transplant recipient treated successfully with combination of cidofovir and foscarnet. <i>Pediatric Transplantation</i> , 2009, 13, 919-922.	1.0	22
68	Polymorphisms in the Innate Immune <i>IFIH1</i> Gene, Frequency of Enterovirus in Monthly Fecal Samples during Infancy, and Islet Autoimmunity. <i>PLoS ONE</i> , 2011, 6, e27781.	2.5	22
69	Frameshift mutations in the insulin gene leading to prolonged molecule of insulin in two families with Maturity-Onset Diabetes of the Young. <i>European Journal of Medical Genetics</i> , 2015, 58, 230-234.	1.3	21
70	Heterogeneity in the systems of pediatric diabetes care across the European Union. <i>Pediatric Diabetes</i> , 2012, 13, 5-14.	2.9	20
71	Vipie: web pipeline for parallel characterization of viral populations from multiple NGS samples. <i>BMC Genomics</i> , 2017, 18, 378.	2.8	20
72	Gluten-free diet in children with recent-onset type 1 diabetes: A 12-month intervention trial. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 866-872.	4.4	20

#	ARTICLE	IF	CITATIONS
73	Predictors of sub-clinical enterovirus infections in infants: a prospective cohort study. <i>International Journal of Epidemiology</i> , 2010, 39, 459-468.	1.9	19
74	Mutations and Pituitary Morphology in a Series of 82 Patients with PROP1 Gene Defects. <i>Hormone Research in Paediatrics</i> , 2011, 76, 348-354.	1.8	19
75	Longitudinal study of parechovirus infection in infancy and risk of repeated positivity for multiple islet autoantibodies: the MIDIA study. <i>Pediatric Diabetes</i> , 2011, 12, 58-62.	2.9	19
76	High genotypic diversity of <i>Pseudomonas aeruginosa</i> strains isolated from patients with cystic fibrosis in the Czech Republic. <i>Research in Microbiology</i> , 2007, 158, 324-329.	2.1	18
77	Lessons from whole-exome sequencing in MODYX families. <i>Diabetes Research and Clinical Practice</i> , 2014, 104, e72-e74.	2.8	17
78	Glucokinase Gene May Be a More Suitable Target Than the Insulin Gene for Detection of $\beta$ Cell Death. <i>Endocrinology</i> , 2017, 158, 2058-2065.	2.8	17
79	High prevalence of coeliac disease in siblings of children with type 1 diabetes. <i>European Journal of Pediatrics</i> , 2005, 164, 9-12.	2.7	16
80	The CTLA4 variants may interact with the IL23R- and NOD2-conferred risk in development of Crohn's disease. <i>BMC Medical Genetics</i> , 2010, 11, 91.	2.1	16
81	PCR detection of <i>Burkholderia cepacia</i> complex as one of key factors to handle a long-term outbreak. <i>Journal of Cystic Fibrosis</i> , 2012, 11, 440-445.	0.7	16
82	Genetic Determinants of Enterovirus Infections: Polymorphisms in Type 1 Diabetes and Innate Immune Genes in the MIDIA Study. <i>Viral Immunology</i> , 2015, 28, 556-563.	1.3	15
83	Five years of improving diabetes control in Czech children after the establishment of the population-based childhood diabetes register $\check{A}$ ENDA. <i>Pediatric Diabetes</i> , 2020, 21, 77-87.	2.9	15
84	Genomovar distribution of the <i>Burkholderia cepacia</i> complex differs significantly between Czech and Slovak patients with cystic fibrosis. <i>Journal of Medical Microbiology</i> , 2003, 52, 603-604.	1.8	14
85	Blastocystis in the faeces of children from six distant countries: prevalence, quantity, subtypes and the relation to the gut bacteriome. <i>Parasites and Vectors</i> , 2021, 14, 399.	2.5	14
86	Parechovirus Infection in Early Childhood and Association With Subsequent Celiac Disease. <i>American Journal of Gastroenterology</i> , 2021, 116, 788-795.	0.4	14
87	Familial mild hyperglycemia associated with a novel ABCC8-V84I mutation within three generations. <i>Pediatric Diabetes</i> , 2011, 12, 266-269.	2.9	13
88	Harmonize care to optimize outcome in children and adolescents with diabetes mellitus: treatment recommendations in Europe. <i>Pediatric Diabetes</i> , 2012, 13, 15-19.	2.9	13
89	Chronic Mild Hyperglycemia in GCK-MODY Patients Does Not Increase Carotid Intima-Media Thickness. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-5.	1.5	13
90	Stool metabolome-microbiota evaluation among children and adolescents with obesity, overweight, and normal-weight using $^1\text{H}$ NMR and 16S rRNA gene profiling. <i>PLoS ONE</i> , 2021, 16, e0247378.	2.5	13

#	ARTICLE	IF	CITATIONS
91	Association of <i>IL23R</i> p.381Gln and <i>ATG16L1</i> p.197Ala With Crohn Disease in the Czech Population. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2009, 49, 405-410.	1.8	12
92	Direct Culture-Independent Strain Typing of <i>Burkholderia cepacia</i> Complex in Sputum Samples from Patients with Cystic Fibrosis. <i>Journal of Clinical Microbiology</i> , 2010, 48, 1888-1891.	3.9	12
93	Use of <sc>continuous glucose monitoring</sc> and its association with type 1 diabetes control in children over the first 3&#x2013;years of reimbursement approval: Population data from the <sc>ACEENDA</sc> registry. <i>Pediatric Diabetes</i> , 2021, 22, 439-447.	2.9	12
94	Anti-GAD65 reactive peripheral blood mononuclear cells in the pathogenesis of cystic fibrosis related diabetes mellitus. <i>Autoimmunity</i> , 2005, 38, 319-323.	2.6	11
95	Eukaryotic viruses in the fecal virome at the onset of type 1 diabetes: A study from four geographically distant African and Asian countries. <i>Pediatric Diabetes</i> , 2021, 22, 558-566.	2.9	11
96	NEUROD polymorphism Ala45Thr is associated with Type 1 diabetes mellitus in Czech children. <i>Diabetes Research and Clinical Practice</i> , 2003, 60, 49-56.	2.8	10
97	Response to elxacaftor/tezacaftor/ivacaftor in intestinal organoids derived from people with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2022, 21, 243-245.	0.7	10
98	Incidence of HHV7 in donors and recipients of allogeneic hematopoietic stem cell transplantation. <i>Pediatric Blood and Cancer</i> , 2008, 50, 935-935.	1.5	9
99	Two independent genetic factors responsible for the associations of the IBD5 locus with Crohn's disease in the Czech population. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 1523-1529.	1.9	9
100	Novel calcium-sensing receptor cytoplasmic tail deletion mutation causing autosomal dominant hypocalcemia: molecular and clinical study. <i>European Journal of Endocrinology</i> , 2016, 174, K1-K11.	3.7	9
101	Virus genotyping by massive parallel amplicon sequencing: adenovirus and enterovirus in the Norwegian MIDIA study. <i>Journal of Medical Virology</i> , 2019, 91, 606-614.	5.0	9
102	Epidemiology of Childhood Type 1 Diabetes Mellitus: Lessons from Central and Eastern European Data. <i>Hormone Research in Paediatrics</i> , 2011, 76, 52-56.	1.8	8
103	Treated Autoimmune Thyroid Disease Is Associated with a Decreased Quality of Life among Young Persons with Type 1 Diabetes. <i>International Journal of Endocrinology</i> , 2015, 2015, 1-9.	1.5	8
104	Continuing increase in incidence of childhood-onset type 1 diabetes in the Czech Republic 1990&#x2013;2001. <i>European Journal of Pediatrics</i> , 2003, 162, 428-429.	2.7	7
105	Thyroidectomy in a Patient with Multinodular Dysmorphogenetic Goitre - A Case of Pendred Syndrome Confirmed by Mutations in the PDS/SLC26A4 Gene. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2008, 21, 1179-84.	0.9	7
106	HNF1A mutation presenting with fetal macrosomia and hypoglycemia in childhood prior to onset of overt diabetes. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2011, 24, .	0.9	7
107	Ancestral mutations may cause a significant proportion of GCK-MODY. <i>Pediatric Diabetes</i> , 2012, 13, 489-498.	2.9	7
108	MODY in Ukraine: genes, clinical phenotypes and treatment. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2017, 30, 1095-1103.	0.9	7

#	ARTICLE	IF	CITATIONS
109	Virome Sequencing of Stool Samples. <i>Methods in Molecular Biology</i> , 2018, 1838, 59-83.	0.9	7
110	Saffold Virus, a Human Cardiovirus, and Risk of Persistent Islet Autoantibodies in the Longitudinal Birth Cohort Study MIDIA. <i>PLoS ONE</i> , 2015, 10, e0136849.	2.5	7
111	Pediatric diabetes training for healthcare professionals in Europe: Time for change. <i>Pediatric Diabetes</i> , 2018, 19, 578-585.	2.9	6
112	Do Rural Second Homes Shape Commensal Microbiota of Urban Dwellers? A Pilot Study among Urban Elderly in Finland. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3742.	2.6	6
113	Genetic analysis of the <i>CYP21A2</i> gene in neonatal dried blood spots from children with transiently elevated 17 $\alpha$ -hydroxyprogesterone. <i>Clinical Endocrinology</i> , 2012, 77, 187-194.	2.4	5
114	Choledochal Cyst with 17q12 Chromosomal Duplication. <i>Annals of Human Genetics</i> , 2018, 82, 48-51.	0.8	5
115	Changes in the lung bacteriome in relation to antipseudomonal therapy in children with cystic fibrosis. <i>Folia Microbiologica</i> , 2018, 63, 237-248.	2.3	5
116	A case of digenic maturity onset diabetes of the young with heterozygous variants in both <i>HNF1<math>\beta</math></i> and <i>HNF1<math>\gamma</math></i> genes. <i>European Journal of Medical Genetics</i> , 2021, 64, 104264.	1.3	5
117	HLA-DRB1-DQA1-DQB1 genotype and frequency of enterovirus in longitudinal monthly fecal samples from healthy infants. <i>Viral Immunology</i> , 2012, 25, 187-92.	1.3	5
118	SNPman: a program for genotype calling using run data from TaqMan allelic discrimination. <i>Bioinformatics</i> , 2011, 27, 2306-2308.	4.1	4
119	Comparison of molecular diagnostic approaches for the detection and differentiation of the intestinal protist <i>Blastocystis</i> sp. in humans. <i>Parasite</i> , 2022, 29, 30.	2.0	4
120	Successful maintenance of partial remission in a child with COQ2 nephropathy by coenzyme Q10 treatment. <i>Nephrology</i> , 2020, 25, 187-188.	1.6	3
121	Coxsackievirus B4 sewage-isolate induces pancreatitis after oral infection of mice. <i>FEMS Microbiology Letters</i> , 2021, 368, .	1.8	2
122	1371-P: Continuing Improvement of Diabetes Control after the Establishment of the Population-Based Childhood Diabetes Register $\check{A}$ CEENDA. <i>Diabetes</i> , 2019, 68, .	0.6	2
123	1378-P: Gluten-Free Diet in Children with Recent-Onset Type 1 Diabetes without Coeliac Disease: A 12-Month Intervention Trial. <i>Diabetes</i> , 2019, 68, 1378-P.	0.6	1
124	Continuing improvement in metabolic control in Czech children with type 1 diabetes: data from the $\check{A}$ CEENDA registry (2013-2020). <i>Cesko-Slovenska Pediatrie</i> , 2022, 77, 64-71.	0.2	1
125	Protocol for faecal microbiota transplantation in irritable bowel syndrome: the MISCEAT study $\hat{A}$ a randomised, double-blind cross-over study using mixed microbiota from healthy donors. <i>BMJ Open</i> , 2022, 12, e056594.	1.9	1
126	Quality of Life and Treatment Satisfaction in Participants with Maturity-Onset Diabetes of the Young: A Comparison to Other Major Forms of Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2022, 130, 85-93.	1.2	0



#	ARTICLE	IF	CITATIONS
127	Type 1 diabetes: etiology and epidemiology. Vnitri Lekarstvi, 2019, 65, 235-247.	0.2	0
128	Postinital remission in children with type 1 diabetes mellitus. Cesko-Slovenska Pediatrie, 2022, 77, 72-77.	0.2	0