Alessandra Testa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2648159/publications.pdf

Version: 2024-02-01

414414 430874 1,073 36 18 32 citations h-index g-index papers 36 36 36 2075 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Linkage Disequilibrium Patterns and tagSNP Transferability among European Populations. American Journal of Human Genetics, 2005, 76, 387-398.	6.2	117
2	ACE genotype and ACE inhibitors induced renoprotection in chronic proteinuric nephropathies 1. Kidney International, 2000, 57, 274-281.	5.2	75
3	Association of IL-6 and a Functional Polymorphism in the IL-6 Gene with Cardiovascular Events in Patients with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 232-240.	4.5	64
4	Mutations in the GLA Gene and LysoGb3: Is It Really Anderson-Fabry Disease?. International Journal of Molecular Sciences, 2018, 19, 3726.	4.1	63
5	Vitamin D receptor (VDR) gene polymorphism is associated with left ventricular (LV) mass and predicts left ventricular hypertrophy (LVH) progression in end-stage renal disease (ESRD) patients. Journal of Bone and Mineral Research, 2010, 25, 313-319.	2.8	59
6	Genetic polymorphisms of the \hat{l}^2 -adrenergic system: association with essential hypertension and response to \hat{l}^2 -blockade. Pharmacogenomics Journal, 2004, 4, 154-160.	2.0	57
7	Pro- and anti-inflammatory cytokine gene expression in subcutaneous and visceral fat in severe obesity. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 1137-1143.	2.6	54
8	Association of a Polymorphism in a Gene Encoding a Urate Transporter with CKD Progression. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 1059-1065.	4.5	51
9	Adipose tissue cytokines, insulin sensitivity, inflammation, and cardiovascular outcomes in end-stage renal disease patients., 2005, 15, 125-130.		45
10	Mendelian Randomization: A New Approach to Studying Epidemiology in ESRD. American Journal of Kidney Diseases, 2006, 47, 332-341.	1.9	43
11	Hyperhomocysteinemia and arteriovenous fistula thrombosis in hemodialysis patients. American Journal of Kidney Diseases, 2005, 45, 702-707.	1.9	42
12	A polymorphism in the major gene regulating serum uric acid associates with clinic SBP and the white-coat effect in a family-based study. Journal of Hypertension, 2014, 32, 1621-1628.	0.5	38
13	The <i>ENPP1</i> Q121 Variant Predicts Major Cardiovascular Events in High-Risk Individuals. Diabetes, 2011, 60, 1000-1007.	0.6	37
14	Plasma cytokines, glomerular filtration rate and adipose tissue cytokines gene expression in chronic kidney disease (CKD) patients. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 981-988.	2.6	33
15	The GLU298ASP variant of nitric oxide synthase interacts with asymmetric dimethyl arginine in determining cardiovascular mortality in patients with end-stage renal disease. Journal of Hypertension, 2005, 23, 1825-1830.	0.5	27
16	A Genetic Marker of Uric Acid Level, Carotid Atherosclerosis, and Arterial Stiffness: A Family-Based Study. American Journal of Kidney Diseases, 2015, 65, 294-302.	1.9	27
17	Joint effect of insulin signaling genes on cardiovascular events and on whole body and endothelial insulin resistance. Atherosclerosis, 2013, 226, 140-145.	0.8	23
18	Office, standardized and 24-h ambulatory blood pressure and renal function loss in renal transplant patients. Journal of Hypertension, 2018, 36, 119-125.	0.5	23

#	Article	IF	CITATIONS
19	The deletion polymorphism of the angiotensin-converting enzyme is associated with nephroangiosclerosis. American Journal of Hypertension, 2000, 13, 433-437.	2.0	20
20	Long-term blood pressure monitoring by office and 24-h ambulatory blood pressure in renal transplant patients: a longitudinal study. Nephrology Dialysis Transplantation, 2019, 34, 1558-1564.	0.7	19
21	The E-selectin gene polymorphism and carotid atherosclerosis in end-stage renal disease. Nephrology Dialysis Transplantation, 2006, 21, 1921-1926.	0.7	18
22	The fat-mass and obesity-associated gene (FTO) predicts mortality in chronic kidney disease of various severity. Nephrology Dialysis Transplantation, 2012, 27, iv58-iv62.	0.7	15
23	eNOS and Caveolin-1 Gene Polymorphisms Interaction and Intima Media Thickness: A Proof of Concept Study in ESRD Patients. American Journal of Hypertension, 2012, 25, 103-108.	2.0	15
24	A genetic marker of hyperuricemia predicts cardiovascular events in a meta-analysis of three cohort studies in high risk patients. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 1087-1094.	2.6	15
25	Atherosclerosis and the Glu298Asp Polymorphism of the eNOS Gene in White Patients With End-Stage Renal Disease. American Journal of Hypertension, 2005, 18, 1549-1555.	2.0	14
26	A polymorphism in a major antioxidant gene (Kelch-like ECH-associated protein 1) predicts incident cardiovascular events in chronic kidney disease patients. Journal of Hypertension, 2016, 34, 928-934.	0.5	12
27	Synergism between asymmetric dimethylarginine (ADMA) and a genetic marker of uric acid in CKD progression. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 167-172.	2.6	10
28	An Additive Effect of Endothelial Nitric Oxide Synthase Gene Polymorphisms Contributes to the Severity of Atherosclerosis in Patients on Dialysis. American Journal of Hypertension, 2007, 20, 758-763.	2.0	9
29	Neuropeptide Y receptor Y2 gene polymorphism interacts with plasma neuropeptide Y levels in predicting left ventricular hypertrophy in dialysis patients. Journal of Hypertension, 2010, 28, 1745-1751.	0.5	9
30	Insulin resistance and left ventricular hypertrophy in end-stage renal disease: association between the ENPP1 gene and left ventricular concentric remodelling. Nephrology Dialysis Transplantation, 2012, 27, 661-666.	0.7	9
31	MR Characterization of Hepatic Lesions by t-Null Inversion Recovery Sequence. Journal of Computer Assisted Tomography, 1990, 14, 96-101.	0.9	7
32	Joint effect of insulin signaling genes on all-cause mortality. Atherosclerosis, 2014, 237, 639-644.	0.8	7
33	Systematic DNA Study for Fabry Disease in the End Stage Renal Disease Patients from a Southern Italy Area. Kidney and Blood Pressure Research, 2018, 43, 1344-1351.	2.0	7
34	The sirtuin1 gene associates with left ventricular myocardial hypertrophy and remodeling in two chronic kidney disease cohorts. Journal of Hypertension, 2018, 36, 1705-1711.	0.5	6
35	Tissue inhibitor of metalloproteinases (TIMP-1), genetic markers of insulin resistance and cardiomyopathy in patients with kidney failure. Nephrology Dialysis Transplantation, 2012, 27, 2440-2445.	0.7	3
36	SP831RATE OF GFR FALL OVER TIME, 24H AMBULATORY BP MONITORING AND OFFICE BP IN TRANSPLANT PATIENTS. Nephrology Dialysis Transplantation, 2015, 30, iii652-iii652.	0.7	0

3