

Jian-yong Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2649944/publications.pdf>

Version: 2024-02-01

129
papers

8,075
citations

76326

40
h-index

48315

88
g-index

133
all docs

133
docs citations

133
times ranked

9879
citing authors

#	ARTICLE	IF	CITATIONS
1	Applications of metal-organic frameworks in heterogeneous supramolecular catalysis. <i>Chemical Society Reviews</i> , 2014, 43, 6011-6061.	38.1	2,540
2	The application of ZIF-67 and its derivatives: adsorption, separation, electrochemistry and catalysts. <i>Journal of Materials Chemistry A</i> , 2018, 6, 1887-1899.	10.3	452
3	A synthetic route to ultralight hierarchically micro/mesoporous Al(III)-carboxylate metal-organic aerogels. <i>Nature Communications</i> , 2013, 4, 1774.	12.8	310
4	Metal-organic gels: From discrete metallogelators to coordination polymers. <i>Coordination Chemistry Reviews</i> , 2013, 257, 1373-1408.	18.8	297
5	Piezofluorochromic Properties and Mechanism of an Aggregation-Induced Emission Enhancement Compound Containing <i>N</i> -Hexyl-phenothiazine and Anthracene Moieties. <i>Journal of Physical Chemistry B</i> , 2011, 115, 7606-7611.	2.6	259
6	Bright Blue-Emitting Ce ³⁺ Complexes with Encapsulating Polybenzimidazole Tripodal Ligands as Potential Electroluminescent Devices. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 7399-7403.	13.8	176
7	Piezofluorochromic and Aggregation-Induced Emission Compounds Containing Triphenylethylene and Tetraphenylethylene Moieties. <i>Chemistry - an Asian Journal</i> , 2011, 6, 1470-1478.	3.3	150
8	A Multistimuli-Responsive Photochromic Metal-Organic Gel. <i>Advanced Materials</i> , 2014, 26, 2072-2077.	21.0	135
9	Evolution of Spherical Assemblies to Fibrous Networked Pd(II) Metallogels from a Pyridine-Based Tripodal Ligand and Their Catalytic Property. <i>Chemistry of Materials</i> , 2009, 21, 557-563.	6.7	133
10	Mesoporous Metal-Organic Frameworks: Synthetic Strategies and Emerging Applications. <i>Small</i> , 2018, 14, e1801454.	10.0	133
11	Coordination Assemblies of Metallacyclic, Prismatic and Tubular Molecular Architectures Based on the Non-rigid Ligands. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 2997-3010.	2.0	113
12	Nanotubular Metal-Organic Frameworks with High Porosity Based on T-Shaped Pyridyl Dicarboxylate Ligands. <i>Inorganic Chemistry</i> , 2011, 50, 1743-1748.	4.0	104
13	Emerging porous materials in confined spaces: from chromatographic applications to flow chemistry. <i>Chemical Society Reviews</i> , 2019, 48, 2566-2595.	38.1	103
14	Piezofluorochromism and morphology of a new aggregation-induced emission compound derived from tetraphenylethylene and carbazole. <i>New Journal of Chemistry</i> , 2012, 36, 685-693.	2.8	100
15	Metal-organic gels as functionalisable supports for catalysis. <i>New Journal of Chemistry</i> , 2009, 33, 1070.	2.8	87
16	Porous organic-inorganic hybrid aerogels based on Cr ³⁺ /Fe ³⁺ and rigid bridging carboxylates. <i>Journal of Materials Chemistry</i> , 2012, 22, 1862-1867.	6.7	87
17	Silver Telluride Nanotubes Prepared by the Hydrothermal Method. <i>Inorganic Chemistry</i> , 2007, 46, 7403-7409.	4.0	84
18	Zero to Three Dimensional Increase of Silver(I) Coordination Assemblies Controlled by Deprotonation of 1,3,5-Tri(2-benzimidazolyl)benzene and Aggregation of Multinuclear Building Units. <i>Inorganic Chemistry</i> , 2007, 46, 4617-4625.	4.0	83

#	ARTICLE	IF	CITATIONS
19	Tricarbonylrhenium(I) complexes of phosphine-derivatized amines, amino acids and a model peptide: structures, solution behavior and cytotoxicity. <i>Journal of Organometallic Chemistry</i> , 2002, 650, 123-132.	1.8	78
20	Assembly of CdI ₂ -type coordination networks from triangular ligand and octahedral metal center: topological analysis and potential framework porosity. <i>Chemical Communications</i> , 2008, , 356-358.	4.1	78
21	Dynamic functionalised metallogel: An approach to immobilised catalysis with improved activity. <i>Journal of Molecular Catalysis A</i> , 2010, 317, 97-103.	4.8	74
22	Temperature-Dependent Guest-Driven Single-Crystal-to-a-Single-Crystal Ligand Exchange in a Two-Fold Interpenetrated Cd ^{II} Grid Network. <i>Chemistry - A European Journal</i> , 2009, 15, 7578-7585.	3.3	73
23	A new TPE-based tetrapodal ligand and its Ln(ⁱⁱⁱ) complexes: multi-stimuli responsive AIE (aggregation-induced emission)/ILCT (intraligand charge transfer)-bifunctional photoluminescence and NIR emission sensitization. <i>Dalton Transactions</i> , 2016, 45, 943-950.	3.3	67
24	Anion-tuned sorption and catalytic properties of a soft metal-organic solid with polycatenated frameworks. <i>Journal of Materials Chemistry</i> , 2011, 21, 7098.	6.7	66
25	The photo-, electro- and photoelectro-catalytic properties and application prospects of porous coordinate polymers. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6130-6154.	10.3	66
26	Magnetite Nanoparticle-Supported Coordination Polymer Nanofibers: Synthesis and Catalytic Application in Suzuki-Miyaura Coupling. <i>ACS Applied Materials & Interfaces</i> , 2010, 2, 2333-2338.	8.0	63
27	Three-Dimensional Phosphine Metal-Organic Frameworks Assembled from Cu(I) and Pyridyl Diphosphine. <i>Chemistry of Materials</i> , 2012, 24, 480-485.	6.7	63
28	Creating Coordination-Based Cavities in a Multiresponsive Supramolecular Gel. <i>Chemistry - A European Journal</i> , 2015, 21, 7418-7427.	3.3	57
29	A dynamic covalent imine gel as a luminescent sensor. <i>Chemical Communications</i> , 2014, 50, 11942-11945.	4.1	56
30	Highly porous aerogels based on imine chemistry: syntheses and sorption properties. <i>Journal of Materials Chemistry A</i> , 2015, 3, 10990-10998.	10.3	56
31	Metal-Organic Gel Material Based on UiO-66-NH ₂ Nanoparticles for Improved Adsorption and Conversion of Carbon Dioxide. <i>Chemistry - an Asian Journal</i> , 2016, 11, 2278-2283.	3.3	56
32	Guest Inclusion and Interpenetration Tuning of Cd(II)/Mn(II) Coordination Grid Networks Assembled from a Rigid Linear Diimidazole Schiff Base Ligand. <i>Inorganic Chemistry</i> , 2009, 48, 287-295.	4.0	54
33	Syntheses, structures and bioactivities of silver(I) complexes with a tridentate heterocyclic N- and S-ligand. <i>Polyhedron</i> , 2009, 28, 145-149.	2.2	51
34	Ring-Opening Isomerization Based on the 3-Connecting Node: Formation of a 0-D M ₂ L ₃ Cage, 1-D Loop-and-Chain, and 2-D (6, 3) Network. <i>Crystal Growth and Design</i> , 2010, 10, 4076-4084.	3.0	51
35	Axially chiral metal-organic frameworks produced from spontaneous resolution with an achiral pyridyl dicarboxylate ligand. <i>CrystEngComm</i> , 2012, 14, 63-66.	2.6	51
36	Applications of Porous Metal-Organic Framework MIL-100(M) (M = Cr, Fe, Sc, Al, V). <i>Crystal Growth and Design</i> , 2018, 18, 7730-7744.	3.0	51

#	ARTICLE	IF	CITATIONS
37	A catalytic chiral gel microfluidic reactor assembled via dynamic covalent chemistry. <i>Chemical Science</i> , 2015, 6, 2292-2296.	7.4	47
38	A novel metal-organic gel based electrolyte for efficient quasi-solid-state dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 15406.	10.3	45
39	From Zeolitic Imidazolate Frameworks to Metal-Organic Frameworks (<sc>MOF</sc>s): Representative Substance for the General Study of Pioneering <sc>MOF</sc> Applications. <i>Energy and Environmental Materials</i> , 2018, 1, 209-220.	12.8	45
40	Polar Self-Assembly: Steric Effects Leading to Polar Mixed-Ligand Coordination Cages. <i>Chemistry - A European Journal</i> , 2006, 12, 2448-2453.	3.3	42
41	Facile synthesis of rGO@In ₂ S ₃ @LiO-66 ternary composite with enhanced visible-light photodegradation activity for methyl orange. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019, 384, 112025.	3.9	42
42	A tetraphenylethylene-based acylhydrazone gel for selective luminescence sensing. <i>Chemical Communications</i> , 2018, 54, 3045-3048.	4.1	41
43	Gold nanoparticles confined in imidazolium-based porous organic polymers to assemble a microfluidic reactor: controllable growth and enhanced catalytic activity. <i>Journal of Materials Chemistry A</i> , 2018, 6, 2115-2121.	10.3	37
44	Luminescent metal-organic gels with tetraphenylethylene moieties: porosity and aggregation-induced emission. <i>RSC Advances</i> , 2013, 3, 16340.	3.6	36
45	Porphyrin-based imine gels for enhanced visible-light photocatalytic hydrogen production. <i>Journal of Materials Chemistry A</i> , 2018, 6, 3195-3201.	10.3	36
46	Solution state coordination polymers featuring wormlike macroscopic structures and cage-polymer interconversions. <i>Chemical Communications</i> , 2006, , 4218-4220.	4.1	35
47	Two-Dimensional Charge-Separated Metal-Organic Framework for Hysteretic and Modulated Sorption. <i>Inorganic Chemistry</i> , 2013, 52, 4198-4204.	4.0	35
48	A luminescent silver-phosphine tetragonal cage based on tetraphenylethylene. <i>Dalton Transactions</i> , 2016, 45, 1668-1673.	3.3	33
49	Dynamic covalent gels assembled from small molecules: from discrete gelators to dynamic covalent polymers. <i>Chinese Chemical Letters</i> , 2017, 28, 168-183.	9.0	33
50	Efficient Removal of Copper Ion from Wastewater Using a Stable Chitosan Gel Material. <i>Molecules</i> , 2019, 24, 4205.	3.8	33
51	Synthesis, characterization and molecular structures of Cu(II) and Ba(II) fluorinated carboxylate complexes. <i>Polyhedron</i> , 2005, 24, 1185-1195.	2.2	32
52	The Interplay between Yttrium and Barium or Copper Trifluoroacetates and N-Methyldiethanolamine: Synthesis of a Heterometallic Y ₃ Cu Trifluoroacetate Complex and a Homometallic Ba-TFA 1D Polymer. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 602-608.	2.0	31
53	Supramolecular gels in crystal engineering. <i>CrystEngComm</i> , 2015, 17, 7976-7977.	2.6	31
54	Interplay between aminoalcohols and trifluoroacetate ligands: Ba-Cu heterometallics or cocrystallization of homometallics?. <i>Inorganic Chemistry Communication</i> , 2004, 7, 979-984.	3.9	30

#	ARTICLE	IF	CITATIONS
55	Metal-organic aerogels based on dinuclear rhodium paddle-wheel units: design, synthesis and catalysis. <i>Inorganic Chemistry Frontiers</i> , 2016, 3, 702-710.	6.0	30
56	Discrete Ag ₆ L ₆ coordination nanotubular structures based on a T-shaped pyridyl diphosphine. <i>Chemical Communications</i> , 2011, 47, 3849.	4.1	29
57	Tetraphenylethylene-based phosphine: tuneable emission and carbon dioxide fixation. <i>Dalton Transactions</i> , 2014, 43, 15785-15790.	3.3	29
58	Formation of Disilver(I) Metallacycle and One-Dimensional Polymeric Chain from the Same Mononuclear Building Block: Assembly Mechanism upon Crystallization. <i>Crystal Growth and Design</i> , 2008, 8, 897-905.	3.0	28
59	Continuous flow synthesis of porous materials. <i>Chinese Chemical Letters</i> , 2020, 31, 1448-1461.	9.0	28
60	Impregnation of metal ions into porphyrin-based imine gels to modulate guest uptake and to assemble a catalytic microfluidic reactor. <i>Journal of Materials Chemistry A</i> , 2016, 4, 8328-8336.	10.3	26
61	Reactions of Doubly Bridged Bis(cyclopentadienes) with Iron Pentacarbonyl. <i>Organometallics</i> , 2003, 22, 5543-5555.	2.3	25
62	A discrete dimer of coordination clusters connected through additional bridging ligands. <i>Chemical Communications</i> , 2004, , 2808.	4.1	25
63	One-dimensional silver(I) and mercury(II) complexes with 1,4-bis(1-benzyl-benzimidazol-2-yl)cyclohexane (N-BBzBimCH). <i>Inorganica Chimica Acta</i> , 2007, 360, 2990-2996.	2.4	25
64	Heterometallic Coordination Polymer Gels Based on a Rigid, Bifunctional Ligand. <i>Chemistry - A European Journal</i> , 2011, 17, 2369-2372.	3.3	25
65	Guest uptake and heterogeneous catalysis of a porous Pd(II) N-heterocyclic carbene polymer. <i>Journal of Molecular Catalysis A</i> , 2014, 394, 33-39.	4.8	25
66	Luminescent coordination polymer gels based on rigid terpyridyl phosphine and Ag(I). <i>Dalton Transactions</i> , 2012, 41, 3616.	3.3	24
67	Guest Inclusion Behavior of Double-Strand 1D Coordination Polymers Based on N ² -Type Schiff Base Ligands. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 1702-1711.	2.0	22
68	Syntheses, structures and bioactivities of cadmium(II) complexes with a tridentate heterocyclic N- and S-ligand. <i>Inorganica Chimica Acta</i> , 2009, 362, 3519-3525.	2.4	22
69	Pd ₂ L ₂ metallacycles as molecular containers for small molecules. <i>Dalton Transactions</i> , 2010, 39, 11171.	3.3	22
70	Porous organic-inorganic hybrid aerogels based on bridging acetylacetonate. <i>Microporous and Mesoporous Materials</i> , 2014, 187, 108-113.	4.4	21
71	Self-sorting multimetal-organic gel electrocatalysts for a highly efficient oxygen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2021, 9, 17451-17458.	10.3	21
72	Assembly of 1D meso coordination polymer from a chiral mononuclear complex by N-deprotonation of the tris(2-benzimidazolyl) ligand. <i>Inorganica Chimica Acta</i> , 2008, 361, 2934-2940.	2.4	19

#	ARTICLE	IF	CITATIONS
73	A 2D Ag(I) layered coordination polymer based on pyridyl diphosphine: structure and selective sorption properties via weak C-H...F/O interactions. <i>CrystEngComm</i> , 2010, 12, 725-729.	2.6	19
74	Perylene Diimide Based Imine Cages for Inclusion of Aromatic Guest Molecules and Visible-Light Photocatalysis. <i>ChemPhotoChem</i> , 2019, 3, 1014-1019.	3.0	19
75	Synthesis, Characterization and Molecular Structures of Yttrium Trifluoroacetate Complexes with O- and N-Donors: Complexation vs. Hydrolysis. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 3928-3935.	2.0	18
76	Trace-doped metal-organic gels with remarkably enhanced luminescence. <i>RSC Advances</i> , 2017, 7, 37194-37199.	3.6	18
77	A nanocomposite gel based on 1D coordination polymers and nanoclusters reversibly gelate water upon heating. <i>RSC Advances</i> , 2012, 2, 12718.	3.6	17
78	Structures and luminescent properties of Tb(III) and Tb(III)-Ni(II) coordination polymers based on pyridyl dicarboxylate. <i>Inorganica Chimica Acta</i> , 2012, 388, 16-21.	2.4	17
79	Hierarchical Gelation of a Pd ₁₂ L ₂₄ Metal-Organic Cage Regulated by Cholesteryl Groups. <i>Inorganic Chemistry</i> , 2019, 58, 10019-10027.	4.0	17
80	Gelation of Luminescent Supramolecular Cages and Transformation to Crystals with Trace-Doped-Enhancement Luminescence. <i>Langmuir</i> , 2016, 32, 12184-12189.	3.5	15
81	Transforming HKUST-1 Metal-Organic Frameworks into Gels - Stimuli-Responsiveness and Morphology Evolution. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 2580-2584.	2.0	15
82	Zirconium-based metal-organic framework gels for selective luminescence sensing. <i>RSC Advances</i> , 2020, 10, 44912-44919.	3.6	15
83	Gel Chemistry. <i>Lecture Notes in Quantum Chemistry II</i> , 2018, , .	0.3	14
84	Effect of Coordinating Solvents on Solution Speciation and the Crystallisation via ROP of a Triphos-Silver Coordination Cage. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2005, 15, 431-437.	3.7	13
85	Solvent-free synthesis of a Pd(II) coordination networked complex as reusable catalyst based on 3,5-bis(diphenylphosphino)benzoic acid. <i>Inorganica Chimica Acta</i> , 2009, 362, 3513-3518.	2.4	13
86	A scenario for high accuracy I_{∞} mass measurement at BEPC-II. <i>Chinese Physics C</i> , 2012, 36, 573-577.	3.7	13
87	Covalently Modified Electrode with Pt Nanoparticles Encapsulated in Porous Organic Polymer for Efficient Electrocatalysis. <i>ACS Applied Nano Materials</i> , 2018, 1, 6477-6482.	5.0	13
88	Post-modified porphyrin imine gels with improved chemical stability and efficient heterogeneous activity in CO ₂ transformation. <i>New Journal of Chemistry</i> , 2019, 43, 10017-10024.	2.8	13
89	UiO-67 metal-organic gel material deposited on photonic crystal matrix for photoelectrocatalytic hydrogen production. <i>RSC Advances</i> , 2020, 10, 14778-14784.	3.6	13
90	Phytic Acid-Based FeCo Bimetallic Metal-Organic Gels for Electrocatalytic Oxygen Evolution Reaction. <i>Chemistry - an Asian Journal</i> , 2021, 16, 3213-3220.	3.3	13

#	ARTICLE	IF	CITATIONS
91	Incorporation of Functional Groups Expands the Applications of UiO-67 for Adsorption, Catalysis and Thiols Detection. <i>ChemistrySelect</i> , 2018, 3, 7066-7080.	1.5	12
92	Electrochemical Activation of Heterometallic Nanofibers for Hydrogen Evolution. <i>ACS Applied Nano Materials</i> , 2020, 3, 2393-2401.	5.0	12
93	Imine Gels Based on Ferrocene and Porphyrin and Their Electrocatalytic Property. <i>Chemistry - an Asian Journal</i> , 2020, 15, 1963-1969.	3.3	12
94	Self-Foaming Metal-Organic Gels Based on Phytic Acid and Their Mechanical, Moldable, and Load-Bearing Properties.. <i>Chemistry - A European Journal</i> , 2021, 27, 8791-8798.	3.3	12
95	Imidazolium-functionalized stable gel materials for efficient adsorption of phenols from aqueous solutions. <i>Environmental Technology and Innovation</i> , 2020, 17, 100511.	6.1	11
96	Synthesis and structures of doubly bridged bis(cyclopentadienyl) tetracarbonyl diiron complexes. <i>Journal of Organometallic Chemistry</i> , 2001, 626, 186-191.	1.8	10
97	Platinum nanoparticles confined in imidazolium-based ionic polymer for assembling a microfluidic reactor with enhanced catalytic activity. <i>Applied Catalysis A: General</i> , 2019, 585, 117186.	4.3	10
98	Effective adsorption of arsenate, dyes and eugenol from aqueous solutions by cationic supramolecular gel materials. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 616, 126238.	4.7	10
99	Framework disorder and its effect on selective hysteretic sorption of a T-shaped azole-based metal-organic framework. <i>IUCr</i> , 2019, 6, 85-95.	2.2	10
100	A two-dimensional flexible porous coordination polymer based on Co(μ_2) and terpyridyl phosphine oxide. <i>Inorganic Chemistry Frontiers</i> , 2015, 2, 388-394.	6.0	9
101	Upgrade of beam energy measurement system at BEPC-II. <i>Chinese Physics C</i> , 2016, 40, 076001.	3.7	8
102	Title is missing!. <i>Transition Metal Chemistry</i> , 2002, 27, 58-61.	1.4	7
103	Syntheses and Crystal Structures of Linear and Zigzag 1D Coordination Polymers with Schiff-base N ₂ -Type Ligands. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 2463-2469.	1.2	6
104	Study of radiation background at the north crossing point of the BEPC II in collision mode. <i>Chinese Physics C</i> , 2011, 35, 642-655.	3.7	6
105	Coordination-Driven Terpyridyl Phosphine Pd(II) Gels. <i>Chinese Journal of Chemistry</i> , 2015, 33, 141-146.	4.9	6
106	Ultra-high-frequency microwave response from flexible transparent Au electromagnetic metamaterial nanopatterned antenna. <i>Nanotechnology</i> , 2018, 29, 06LT01.	2.6	6
107	Zr-Based Metal-Organic Framework Films Grown on Bio-Template for Photoelectrocatalysis. <i>ChemistrySelect</i> , 2020, 5, 13855-13861.	1.5	6
108	Stabilized nanotube and nanofiber gel materials toward multifunctional adsorption. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 628, 127347.	4.7	6

#	ARTICLE	IF	CITATIONS
109	Surface modification of supramolecular nanotubes and selective guest capture. <i>New Journal of Chemistry</i> , 2014, 38, 3755-3761.	2.8	5
110	The circular electron-positron collider beam energy measurement with Compton scattering and beam tracking method. <i>Review of Scientific Instruments</i> , 2020, 91, 033109.	1.3	5
111	Synthesis of a Stable Benzoxazole Gel from an Imine Gel for Adsorption and Catalysis. <i>Langmuir</i> , 2021, 37, 5531-5539.	3.5	5
112	A spirobifluorene-based water-soluble imidazolium polymer for luminescence sensing. <i>New Journal of Chemistry</i> , 2021, 45, 13021-13028.	2.8	5
113	Metal-Organic Gels. <i>Lecture Notes in Quantum Chemistry II</i> , 2018, , 61-118.	0.3	4
114	Pillararene for fluorescence detection of <i>n</i> -alkane vapours. <i>Materials Chemistry Frontiers</i> , 2021, 5, 7910-7920.	5.9	4
115	Supported Metal Nanoparticles in Metal-Organic Monoliths for Assembly of a Catalytic Microfluidic Reactor. <i>ChemNanoMat</i> , 2021, 7, 334-340.	2.8	4
116	Confinement of a Au-N-heterocyclic carbene in a Pd ₆ L ₁₂ metal-organic cage. <i>RSC Advances</i> , 2020, 10, 39323-39327.	3.6	4
117	Measurement of the ripple of magnet power supply and its effect to the beam energy. <i>Radiation Detection Technology and Methods</i> , 2017, 1, 1.	0.8	3
118	On Two Cryogenic Systems of High Purity Germanium Detector. <i>Detection</i> , 2013, 01, 13-20.	0.8	3
119	Effects due to a Pu-C source on a HPGe detector and the corresponding neutron shielding. <i>Chinese Physics C</i> , 2011, 35, 660-667.	3.7	2
120	Dynamic Covalent Gels. <i>Lecture Notes in Quantum Chemistry II</i> , 2018, , 119-151.	0.3	2
121	Stability, Stimuli-Responsiveness, and Versatile Sorption Properties of a Dynamic Covalent Acylhydrazone Gel. <i>Global Challenges</i> , 2019, 3, 1800073.	3.6	2
122	High energy beam energy measurement with microwave-electron Compton backscattering. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2022, 1026, 166216.	1.6	2
123	A Microporous 1D Heterometallic Coordination Polymer Based on Phosphine-Ag ₅ Cl ₄ Saddle Unit. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2012, 22, 686-691.	3.7	1
124	Annealing restoration of HPGe detector. <i>Radiation Detection Technology and Methods</i> , 2020, 4, 106-109.	0.8	1
125	τ lepton mass measurement at BESIII. , 2019, , .		1
126	Frontispiece: Creating Coordination-Based Cavities in a Multiresponsive Supramolecular Gel. <i>Chemistry - A European Journal</i> , 2015, 21, n/a-n/a.	3.3	0

#	ARTICLE	IF	CITATIONS
127	Polymer Gels. Lecture Notes in Quantum Chemistry II, 2018, , 153-189.	0.3	0
128	Porous gel materials assembled from small molecules. Acta Crystallographica Section A: Foundations and Advances, 2017, 73, C1332-C1332.	0.1	0
129	<i>L</i> Physics at BESIII. , 2020, , .		0