

# Erik Jeppesen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2654216/publications.pdf>

Version: 2024-02-01

587  
papers

42,229  
citations

2215

99  
h-index

3915

177  
g-index

596  
all docs

596  
docs citations

596  
times ranked

21405  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Nitrogen Input on Community Structure of the Denitrifying Bacteria with Nitrous Oxide Reductase Gene ( <i>nosZ I</i> ): a Long-Term Pond Experiment. <i>Microbial Ecology</i> , 2023, 85, 454-464.	2.8	1
2	Human impact on current environmental state in Chinese lakes. <i>Journal of Environmental Sciences</i> , 2023, 126, 297-307.	6.1	9
3	Human activities uncouple the cascading effects of hydrological gradients on plant diversity and ecosystem functions in the Lake Dongting wetland. <i>Ecohydrology</i> , 2022, 15, e2359.	2.4	2
4	Diet and food selection by fish larvae in turbid and clear water shallow temperate lakes. <i>Science of the Total Environment</i> , 2022, 804, 150050.	8.0	5
5	Periphyton biomass and life-form responses to a gradient of discharge in contrasting light and nutrients scenarios in experimental lowland streams. <i>Science of the Total Environment</i> , 2022, 806, 150505.	8.0	9
6	High-resolution reconstruction of typhoon events since ~1850ÂCE based on multi-proxy sediment records in a coastal lagoon, South China. <i>Science of the Total Environment</i> , 2022, 803, 150063.	8.0	10
7	Effects of DOC addition from different sources on phytoplankton community in a temperate eutrophic lake: An experimental study exploring lake compartments. <i>Science of the Total Environment</i> , 2022, 803, 150049.	8.0	11
8	The influence of spring warming and food chain length on plankton phenology in subtropical shallow lakes: a mesocosm study. <i>Journal of Plankton Research</i> , 2022, 44, 73-87.	1.8	1
9	Cascading effects of benthic fish impede reinstatement of clear water conditions in lakes: A mesocosm study. <i>Journal of Environmental Management</i> , 2022, 301, 113898.	7.8	9
10	Phenotypic responses of a submerged macrophyte ( <i>Vallisneria natans</i> ) to low light combined with water depth. <i>Aquatic Botany</i> , 2022, 176, 103462.	1.6	15
11	Linking human activities and global climatic oscillation to phytoplankton dynamics in a subtropical lake. <i>Water Research</i> , 2022, 208, 117866.	11.3	23
12	The importance of allochthonous organic matter quality when investigating pulse disturbance events in freshwater lakes: a mesocosm experiment. <i>Hydrobiologia</i> , 2022, 849, 3905-3929.	2.0	5
13	Community-level and function response of photoautotrophic periphyton exposed to oxytetracycline hydrochloride. <i>Environmental Pollution</i> , 2022, 294, 118593.	7.5	4
14	Responses of coastal sediment phosphorus release to elevated urea loading. <i>Marine Pollution Bulletin</i> , 2022, 174, 113203.	5.0	2
15	Freshwater salinisation: a research agenda for a saltier world. <i>Trends in Ecology and Evolution</i> , 2022, 37, 440-453.	8.7	93
16	Feedback between climate change and eutrophication: revisiting the allied attack concept and how to strike back. <i>Inland Waters</i> , 2022, 12, 187-204.	2.2	41
17	The impact of climate change and eutrophication on phosphorus forms in sediment: Results from a long-term lake mesocosm experiment. <i>Science of the Total Environment</i> , 2022, 825, 153751.	8.0	7
18	Can the '10-year fishing ban' rescue biodiversity of the Yangtze River?. <i>Innovation(China)</i> , 2022, 3, 100235.	9.1	12

#	ARTICLE	IF	CITATIONS
19	Geochemical baseline establishment and pollution assessment of heavy metals in the largest coastal lagoon (Pinqing Lagoon) in China mainland. <i>Marine Pollution Bulletin</i> , 2022, 177, 113459.	5.0	10
20	Seabird-mediated transport of organohalogen compounds to remote sites (North West Greenland) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	8.0	4
21	Aquatic macrophyte fluctuations since the 1900s in the third largest Chinese freshwater lake (Lake) <i>Tj ETQq1 1 0.784314 rgBT /Overl</i>	5.0	12
22	Metagenomics reveals bacterioplankton community adaptation to long-term thermal pollution through the strategy of functional regulation in a subtropical bay. <i>Water Research</i> , 2022, 216, 118298.	11.3	11
23	Fish communities in Italian sub-alpine lakes: Non-native species and anthropogenic pressures increase community dissimilarities. <i>Science of the Total Environment</i> , 2022, 832, 154959.	8.0	4
24	Asexual reproduction for overwintering of the submersed macrophyte <i>Vallisneria spinulosa</i> at different light intensities. <i>Aquatic Sciences</i> , 2022, 84, 1.	1.5	7
25	Increased Water Abstraction and Climate Change Have Substantial Effect on Morphometry, Salinity, and Biotic Communities in Lakes: Examples from the Semi-Arid Burdur Basin (Turkey). <i>Water (Switzerland)</i> , 2022, 14, 1241.	2.7	10
26	Water depth and land-use intensity indirectly determine phytoplankton functional diversity and further regulate resource use efficiency at a multi-lake scale. <i>Science of the Total Environment</i> , 2022, 834, 155303.	8.0	10
27	Combining lanthanum-modified bentonite (LMB) and submerged macrophytes alleviates water quality deterioration in the presence of omni-benthivorous fish. <i>Journal of Environmental Management</i> , 2022, 314, 115036.	7.8	3
28	Effects of Elevated Temperature on Resources Competition of Nutrient and Light Between Benthic and Planktonic Algae. <i>Frontiers in Environmental Science</i> , 2022, 10, .	3.3	5
29	Flow pulses shape periphyton differently according to local light and nutrient conditions in experimental lowland streams. <i>Freshwater Biology</i> , 2022, 67, 1272-1286.	2.4	0
30	Can top-down effects of planktivorous fish removal be used to mitigate cyanobacterial blooms in large subtropical highland lakes?. <i>Water Research</i> , 2022, 218, 118483.	11.3	12
31	Effects of climate change and nutrient concentrations on carbon sources for zooplankton in a Tibetan Plateau lake over the past millennium. <i>Journal of Paleolimnology</i> , 2022, 68, 249-263.	1.6	6
32	Invasive and toxic cyanobacteria regulate allochthonous resource use and community niche width of reservoir zooplankton. <i>Freshwater Biology</i> , 2022, 67, 1344-1356.	2.4	10
33	Six decades of field observations reveal how anthropogenic pressure changes the coverage and community of submerged aquatic vegetation in a eutrophic lake. <i>Science of the Total Environment</i> , 2022, 842, 156878.	8.0	15
34	Changes in Phytoplankton Community Composition and Phytoplankton Cell Size in Response to Nitrogen Availability Depend on Temperature. <i>Microorganisms</i> , 2022, 10, 1322.	3.6	5
35	Combined effects of eutrophication and warming on polyunsaturated fatty acids in complex phytoplankton communities: A mesocosm experiment. <i>Science of the Total Environment</i> , 2022, 843, 157001.	8.0	11
36	Piscivore stocking significantly suppresses small fish but does not facilitate a clear-water state in subtropical shallow mesocosms: A biomanipulation experiment. <i>Science of the Total Environment</i> , 2022, 842, 156967.	8.0	6

#	ARTICLE	IF	CITATIONS
37	Patterns of Seasonal Stability of Lake Phytoplankton Mediated by Resource and Grazer Control During Two Decades of Re-oligotrophication. <i>Ecosystems</i> , 2021, 24, 911-925.	3.4	5
38	Species-specific responses of submerged macrophytes to the presence of a small omnivorous bitterling <i>Acheilognathus macropterus</i> . <i>Science of the Total Environment</i> , 2021, 753, 141998.	8.0	7
39	How does fish functional diversity respond to environmental changes in two large shallow lakes?. <i>Science of the Total Environment</i> , 2021, 753, 142158.	8.0	13
40	Particulate organic matter as causative factor to eutrophication of subtropical deep freshwater: Role of typhoon (tropical cyclone) in the nutrient cycling. <i>Water Research</i> , 2021, 188, 116470.	11.3	39
41	Response of community composition and biomass of submerged macrophytes to variation in underwater light, wind and trophic status in a large eutrophic shallow lake. <i>Journal of Environmental Sciences</i> , 2021, 103, 298-310.	6.1	23
42	Bioaccumulation, trophic transfer and biomagnification of perfluoroalkyl acids (PFAAs) in the marine food web of the South China Sea. <i>Journal of Hazardous Materials</i> , 2021, 405, 124681.	12.4	47
43	Distribution patterns of epiphytic reed-associated macroinvertebrate communities across European shallow lakes. <i>Science of the Total Environment</i> , 2021, 760, 144117.	8.0	3
44	How morphology shapes the parameter sensitivity of lake ecosystem models. <i>Environmental Modelling and Software</i> , 2021, 136, 104945.	4.5	16
45	Physiological adaptations of the submerged macrophyte <i>Vallisneria spinulosa</i> in response to water level fluctuations. <i>Aquatic Ecology</i> , 2021, 55, 33-45.	1.5	1
46	Chromophoric dissolved organic matter in inland waters: Present knowledge and future challenges. <i>Science of the Total Environment</i> , 2021, 759, 143550.	8.0	79
47	Pelagic energy flow supports the food web of a shallow lake following a dramatic regime shift driven by water level changes. <i>Science of the Total Environment</i> , 2021, 756, 143642.	8.0	21
48	Effects of omnivorous fish on benthic-pelagic habitats coupling in shallow aquatic ecosystems: A minireview. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2021, 33, 667-674.	0.8	4
49	Effects of co-occurrence of invading <i>Procambarus clarkii</i> and <i>Pomacea canaliculata</i> on <i>Vallisneria denseserrulata</i> -dominated clear-water ecosystems: a mesocosm approach. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2021, , 29.	1.1	6
50	Nutrient Loading, Temperature and Heat Wave Effects on Nutrients, Oxygen and Metabolism in Shallow Lake Mesocosms Pre-Adapted for 11 Years. <i>Water (Switzerland)</i> , 2021, 13, 127.	2.7	10
51	How hydrology and anthropogenic activity influence the molecular composition and export of dissolved organic matter: Observations along a large river continuum. <i>Limnology and Oceanography</i> , 2021, 66, 1730-1742.	3.1	29
52	Responses of submerged macrophytes and periphyton to warming under two nitrogen scenarios: A microcosm study. <i>Hydrobiologia</i> , 2021, 848, 1333-1346.	2.0	10
53	Resource aromaticity affects bacterial community successions in response to different sources of dissolved organic matter. <i>Water Research</i> , 2021, 190, 116776.	11.3	101
54	Changes in Pelagic Fish Community Composition, Abundance, and Biomass along a Productivity Gradient in Subtropical Lakes. <i>Water (Switzerland)</i> , 2021, 13, 858.	2.7	15

#	ARTICLE	IF	CITATIONS
55	Assessing Impacts of Changes in External Nutrient Loadings on a Temperate Chinese Drinking Water Reservoir. <i>Frontiers in Environmental Science</i> , 2021, 9, .	3.3	3
56	Salinity shapes food webs of lakes in semiarid climate zones: a stable isotope approach. <i>Inland Waters</i> , 2021, 11, 476-491.	2.2	19
57	Effects of nitrate on phosphorus release from lake sediments. <i>Water Research</i> , 2021, 194, 116894.	11.3	57
58	Warming exacerbates the impact of nutrient enrichment on microbial functional potentials important to the nutrient cycling in shallow lake mesocosms. <i>Limnology and Oceanography</i> , 2021, 66, 2481-2495.	3.1	6
59	Eutrophication alters bacterial co-occurrence networks and increases the importance of chromophoric dissolved organic matter composition. <i>Limnology and Oceanography</i> , 2021, 66, 2319-2332.	3.1	35
60	Silver carp ( <i>Hypophthalmichthys molitrix</i> ) stocking promotes phytoplankton growth by suppression of zooplankton rather than through nutrient recycling: An outdoor mesocosm study. <i>Freshwater Biology</i> , 2021, 66, 1074-1088.	2.4	18
61	Semi-automated classification of colonial <i>Microcystis</i> by FlowCAM imaging flow cytometry in mesocosm experiment reveals high heterogeneity during seasonal bloom. <i>Scientific Reports</i> , 2021, 11, 9377.	3.3	13
62	Does differential phosphorus processing by plankton influence the ecological state of shallow lakes?. <i>Science of the Total Environment</i> , 2021, 769, 144357.	8.0	1
63	Food Webs and Fish Size Patterns in Insular Lakes Partially Support Climate-Related Features in Continental Lakes. <i>Water (Switzerland)</i> , 2021, 13, 1380.	2.7	2
64	Omnivorous Carp ( <i>Carassius gibelio</i> ) Increase Eutrophication in Part by Preventing Development of Large-Bodied Zooplankton and Submerged Macrophytes. <i>Water (Switzerland)</i> , 2021, 13, 1497.	2.7	10
65	Model-based decomposition of environmental, spatial and species-interaction effects on the community structure of common fish species in 772 European lakes. <i>Global Ecology and Biogeography</i> , 2021, 30, 1558-1571.	5.8	8
66	The impacts of extreme climate on summer-stratified temperate lakes: Lake Søholm, Denmark, as an example. <i>Hydrobiologia</i> , 2021, 848, 3521-3537.	2.0	8
67	The combined effects of macrophytes ( <i>Vallisneria spiralis</i> ) and a lanthanum-modified bentonite on water quality of shallow eutrophic lakes: A mesocosm study. <i>Environmental Pollution</i> , 2021, 277, 116720.	7.5	23
68	Non-native fishes homogenize native fish communities and reduce ecosystem multifunctionality in tropical lakes over 16 years. <i>Science of the Total Environment</i> , 2021, 769, 144524.	8.0	13
69	From unusual suspect to serial killer: Cyanotoxins boosted by climate change may jeopardize megafauna. <i>Innovation(China)</i> , 2021, 2, 100092.	9.1	62
70	Farming practices affect the amino acid profiles of the aquaculture Chinese mitten crab. <i>PeerJ</i> , 2021, 9, e11605.	2.0	6
71	Consumer-driven nutrient release to the water by a small omnivorous fish enhanced ramet production but reduced the growth rate of the submerged macrophyte <i>Vallisneria spiralis</i> (Makino) Makino. <i>Hydrobiologia</i> , 2021, 848, 4335-4346.	2.0	2
72	Intraguild predation dampens trophic cascades in shallow aquatic mesocosms in the subtropics: Implications for lake restoration by biomanipulation. <i>Freshwater Biology</i> , 2021, 66, 1571-1580.	2.4	5

#	ARTICLE	IF	CITATIONS
73	Low shifts in salinity determined assembly processes and network stability of microeukaryotic plankton communities in a subtropical urban reservoir. <i>Microbiome</i> , 2021, 9, 128.	11.1	191
74	Copepods as environmental indicator in lakes: special focus on changes in the proportion of calanoids along nutrient and pH gradients. <i>Aquatic Ecology</i> , 2021, 55, 1241-1252.	1.5	6
75	Invasion of <i>Ceratium furcoides</i> in subtropical lakes in Uruguay: Environmental drivers and fish kill record during its bloom. <i>Biological Invasions</i> , 2021, 23, 3597-3612.	2.4	8
76	Warming and eutrophication interactively drive changes in the methane-oxidizing community of shallow lakes. <i>ISME Communications</i> , 2021, 1, .	4.2	13
77	Abiotic and biotic drivers of temporal dynamics in the spatial heterogeneity of zooplankton communities across lakes in recovery from eutrophication. <i>Science of the Total Environment</i> , 2021, 778, 146368.	8.0	9
78	Decadal changes in size, salinity, waterbirds, and fish in lakes of the Konya Closed Basin, Turkey, associated with climate change and increasing water abstraction for agriculture. <i>Inland Waters</i> , 2021, 11, 538-555.	2.2	19
79	Eutrophication increases deterministic processes and heterogeneity of co-occurrence networks of bacterioplankton metacommunity assembly at a regional scale in tropical coastal reservoirs. <i>Water Research</i> , 2021, 202, 117460.	11.3	11
80	Biodegradable dissolved organic carbon shapes bacterial community structures and co-occurrence patterns in large eutrophic Lake Taihu. <i>Journal of Environmental Sciences</i> , 2021, 107, 205-217.	6.1	29
81	Water clarity response to climate warming and wetting of the Inner Mongolia-Xinjiang Plateau: A remote sensing approach. <i>Science of the Total Environment</i> , 2021, 796, 148916.	8.0	11
82	Small-sized omnivorous fish induce stronger effects on food webs than warming and eutrophication in experimental shallow lakes. <i>Science of the Total Environment</i> , 2021, 797, 148998.	8.0	15
83	Effect of Extreme Climate Events on Lake Ecosystems. <i>Water (Switzerland)</i> , 2021, 13, 282.	2.7	11
84	Comparing microbial composition and diversity in freshwater lakes between Greenland and the Tibetan Plateau. <i>Limnology and Oceanography</i> , 2021, 66, S142.	3.1	6
85	Decreasing toxicity of un-ionized ammonia on the gastropod <i>Bellamya aeruginosa</i> when moving from laboratory to field scale. <i>Ecotoxicology and Environmental Safety</i> , 2021, 227, 112933.	6.0	5
86	Impacts of Human Activities and Climate Change on Freshwater Fish. <i>Water (Switzerland)</i> , 2021, 13, 3068.	2.7	4
87	The future of temporary wetlands in drylands under global change. <i>Inland Waters</i> , 2021, 11, 445-456.	2.2	24
88	Submersed macrophyte restoration with artificial light-emitting diodes: A mesocosm experiment. <i>Ecotoxicology and Environmental Safety</i> , 2021, 228, 113044.	6.0	4
89	Increased Nitrogen Loading Boosts Summer Phytoplankton Growth by Alterations in Resource and Zooplankton Control: A Mesocosm Study. <i>Frontiers in Environmental Science</i> , 2021, 9, .	3.3	4
90	Regime shifts in a shallow lake over 12 years: Consequences for taxonomic and functional diversities, and ecosystem multifunctionality. <i>Journal of Animal Ecology</i> , 2021, . .	2.8	9

#	ARTICLE	IF	CITATIONS
91	Climate and landscape changes enhance the global spread of a bloom-forming dinoflagellate related to fish kills and water quality deterioration. <i>Ecological Indicators</i> , 2021, 133, 108408.	6.3	4
92	Do Cross-Latitude and Local Studies Give Similar Predictions of Phytoplankton Responses to Warming? An Analysis of Monitoring Data from 504 Danish Lakes. <i>Sustainability</i> , 2021, 13, 14049.	3.2	5
93	Sediment oxygen demand in streams : lab measurements underestimate in situ rates substantially. <i>Mongolian Journal of Chemistry</i> , 2021, 22, 19-24.	0.3	0
94	Relationships between breeding waterbird abundance, diversity, and clear water status after the restoration of two shallow nutrient-rich Danish lakes. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2020, 30, 237-245.	2.0	7
95	Trait-based community assembly of submersed macrophytes subjected to nutrient enrichment in freshwater lakes: Do traits at the individual level matter?. <i>Ecological Indicators</i> , 2020, 110, 105895.	6.3	19
96	Mesocosm experiment reveals a strong positive effect of snail presence on macrophyte growth, resulting from control of epiphyton and nuisance filamentous algae: Implications for shallow lake management. <i>Science of the Total Environment</i> , 2020, 705, 135958.	8.0	25
97	Large-scale geographical and environmental drivers of shallow lake diatom metacommunities across Europe. <i>Science of the Total Environment</i> , 2020, 707, 135887.	8.0	14
98	Decreasing diversity of rare bacterial subcommunities relates to dissolved organic matter along permafrost thawing gradients. <i>Environment International</i> , 2020, 134, 105330.	10.0	48
99	Assessing the impacts of groundwater abstractions on flow regime and stream biota: Combining SWAT-MODFLOW with flow-biota empirical models. <i>Science of the Total Environment</i> , 2020, 706, 135702.	8.0	23
100	Ecotoxicological effects of sulfonamide on and its removal by the submerged plant <i>Vallisneria spiralis</i> (Lour.) Hara. <i>Water Research</i> , 2020, 170, 115354.	11.3	80
101	Turning up the heat: warming influences plankton biomass and spring phenology in subtropical waters characterized by extensive fish omnivory. <i>Oecologia</i> , 2020, 194, 251-265.	2.0	7
102	Rainstorm events shift the molecular composition and export of dissolved organic matter in a large drinking water reservoir in China: High frequency buoys and field observations. <i>Water Research</i> , 2020, 187, 116471.	11.3	38
103	Quantifying the effects of climate change on hydrological regime and stream biota in a groundwater-dominated catchment: A modelling approach combining SWAT-MODFLOW with flow-biota empirical models. <i>Science of the Total Environment</i> , 2020, 745, 140933.	8.0	24
104	Using Freshwater Bivalves ( <i>Corbicula fluminea</i> ) to Alleviate Harmful Effects of Small-Sized Crucian Carp ( <i>Carassius auratus</i> ) on Growth of Submerged Macrophytes during Lake Restoration by Biomanipulation. <i>Water (Switzerland)</i> , 2020, 12, 3161.	2.7	3
105	The host mussel <i>Sinanodonta woodiana</i> alleviates negative effects of a small omnivorous fish ( <i>Acheilognathus macropterus</i> ) on water quality: A mesocosm experiment. <i>Freshwater Science</i> , 2020, 39, 752-761.	1.8	4
106	Seasonal and long-term trends in the spatial heterogeneity of lake phytoplankton communities over two decades of restoration and climate change. <i>Science of the Total Environment</i> , 2020, 748, 141106.	8.0	8
107	Biofilms attached to <i>Myriophyllum spicatum</i> play a dominant role in nitrogen removal in constructed wetland mesocosms with submersed macrophytes: Evidence from 15N tracking, nitrogen budgets and metagenomics analyses. <i>Environmental Pollution</i> , 2020, 266, 115203.	7.5	21
108	Effects of Crucian Carp ( <i>Carassius auratus</i> ) on Water Quality in Aquatic Ecosystems: An Experimental Mesocosm Study. <i>Water (Switzerland)</i> , 2020, 12, 1444.	2.7	10



#	ARTICLE	IF	CITATIONS
109	Variation in growth, reproduction, and resource allocation in an aquatic plant, <i>Vallisneria spirulosa</i> : the influence of amplitude and frequency of water level fluctuations. <i>Aquatic Sciences</i> , 2020, 82, 1.	1.5	12
110	Impact of nutrients and water level changes on submerged macrophytes along a temperature gradient: A pan-European mesocosm experiment. <i>Global Change Biology</i> , 2020, 26, 6831-6851.	9.5	33
111	Impact of Nutrients, Temperatures, and a Heat Wave on Zooplankton Community Structure: An Experimental Approach. <i>Water (Switzerland)</i> , 2020, 12, 3416.	2.7	13
112	Phytoplankton Community Response to Nutrients, Temperatures, and a Heat Wave in Shallow Lakes: An Experimental Approach. <i>Water (Switzerland)</i> , 2020, 12, 3394.	2.7	29
113	Predicting ecosystem state changes in shallow lakes using an aquatic ecosystem model: Lake Hinge, Denmark, an example. <i>Ecological Applications</i> , 2020, 30, e02160.	3.8	33
114	The impact of climate change on a Mediterranean shallow lake: insights based on catchment and lake modelling. <i>Regional Environmental Change</i> , 2020, 20, 1.	2.9	30
115	Decadal changes in zooplankton biomass, composition, and body mass in four shallow brackish lakes in Denmark subjected to varying degrees of eutrophication. <i>Inland Waters</i> , 2020, 10, 186-196.	2.2	11
116	Lake types and their definition: a case study from Denmark. <i>Inland Waters</i> , 2020, 10, 227-240.	2.2	14
117	Influences of climate and nutrient enrichment on the multiple trophic levels of Turkish shallow lakes. <i>Inland Waters</i> , 2020, 10, 173-185.	2.2	14
118	Do bigheaded carp act as a phosphorus source for phytoplankton in (sub)tropical Chinese reservoirs?. <i>Water Research</i> , 2020, 180, 115841.	11.3	11
119	Brian Moss: the wizard of shallow lakes. <i>Inland Waters</i> , 2020, 10, 153-158.	2.2	0
120	Scientistsâ€™ Warning to Humanity: Rapid degradation of the worldâ€™s large lakes. <i>Journal of Great Lakes Research</i> , 2020, 46, 686-702.	1.9	140
121	Impacts of multiple stressors on freshwater biota across spatial scales and ecosystems. <i>Nature Ecology and Evolution</i> , 2020, 4, 1060-1068.	7.8	336
122	Toward predicting climate change effects on lakes: a comparison of 1656 shallow lakes from Florida and Denmark reveals substantial differences in nutrient dynamics, metabolism, trophic structure, and top-down control. <i>Inland Waters</i> , 2020, 10, 197-211.	2.2	38
123	Are nitrous oxide emissions indirectly fueled by input of terrestrial dissolved organic nitrogen in a large eutrophic Lake Taihu, China?. <i>Science of the Total Environment</i> , 2020, 722, 138005.	8.0	11
124	Interaction between non-native predatory fishes and native galaxiids (Pisces: Galaxiidae) shapes food web structure in Tasmanian lakes. <i>Inland Waters</i> , 2020, 10, 212-226.	2.2	5
125	A small omnivorous bitterling fish ( <i>Acheilognathus macropterus</i> ) facilitates dominance of cyanobacteria, rotifers and <i>Limnodrilus</i> in an outdoor mesocosm experiment. <i>Environmental Science and Pollution Research</i> , 2020, 27, 23862-23870.	5.3	11
126	The Role of Top-Down and Bottom-Up Control for Phytoplankton in a Subtropical Shallow Eutrophic Lake: Evidence Based on Long-Term Monitoring and Modeling. <i>Ecosystems</i> , 2020, 23, 1449-1463.	3.4	39



#	ARTICLE	IF	CITATIONS
127	Energy-based top-down and bottom-up relationships between fish community energy demand or production and phytoplankton across lakes at a continental scale. <i>Limnology and Oceanography</i> , 2020, 65, 892-902.	3.1	13
128	Modeling the Ecological Response of a Temporarily Summer-Stratified Lake to Extreme Heatwaves. <i>Water (Switzerland)</i> , 2020, 12, 94.	2.7	16
129	Water column nutrient concentrations are related to excretion by benthic invertebrates in Lake Taihu, China. <i>Environmental Pollution</i> , 2020, 261, 114161.	7.5	8
130	Winter Climate Shapes Spring Phytoplankton Development in Non-Ice-Covered Lakes: Subtropical Lake Taihu as an Example. <i>Water Resources Research</i> , 2020, 56, e2019WR026680.	4.2	20
131	Long-term changes in littoral fish community structure and resilience of total catch to re-oligotrophication in a large, peri-alpine European lake. <i>Freshwater Biology</i> , 2020, 65, 1325-1336.	2.4	7
132	Influence of Farming Intensity and Climate on Lowland Stream Nitrogen. <i>Water (Switzerland)</i> , 2020, 12, 1021.	2.7	16
133	Subfossil cladocerans as quantitative indicators of past ecological conditions in Yangtze River Basin lakes, China. <i>Science of the Total Environment</i> , 2020, 728, 138794.	8.0	10
134	Combining bivalve ( <i>Corbicula fluminea</i> ) and filter-feeding fish ( <i>Aristichthys nobilis</i> ) enhances the bioremediation effect of algae: An outdoor mesocosm study. <i>Science of the Total Environment</i> , 2020, 727, 138692.	8.0	21
135	Warming Effects on Periphyton Community and Abundance in Different Seasons Are Influenced by Nutrient State and Plant Type: A Shallow Lake Mesocosm Study. <i>Frontiers in Plant Science</i> , 2020, 11, 404.	3.6	21
136	Salinization Increase due to Climate Change Will Have Substantial Negative Effects on Inland Waters: A Call for Multifaceted Research at the Local and Global Scale. <i>Innovation(China)</i> , 2020, 1, 100030.	9.1	68
137	Quantifying the streamflow response to groundwater abstractions for irrigation or drinking water at catchment scale using SWAT and SWAT-MODFLOW. <i>Environmental Sciences Europe</i> , 2020, 32, .	5.5	28
138	Do interactions between eutrophication and CO2 enrichment increase the potential of elodeid invasion in tropical lakes?. <i>Biological Invasions</i> , 2020, 22, 2787-2795.	2.4	6
139	Land Use and Land Cover Changes in the Owabi Reservoir Catchment, Ghana: Implications for Livelihoods and Management. <i>Geosciences (Switzerland)</i> , 2019, 9, 286.	2.2	18
140	Carbon Transfer from Cyanobacteria to Pelagic and Benthic Consumers in a Subtropical Lake: Evidence from a <sup>13</sup> C Labelling Experiment. <i>Water (Switzerland)</i> , 2019, 11, 1536.	2.7	3
141	Effects of Artificial LED Light on the Growth of Three Submerged Macrophyte Species during the Low-Growth Winter Season: Implications for Macrophyte Restoration in Small Eutrophic Lakes. <i>Water (Switzerland)</i> , 2019, 11, 1512.	2.7	13
142	Variability in Dissolved Organic Matter Composition and Biolability across Gradients of Glacial Coverage and Distance from Glacial Terminus on the Tibetan Plateau. <i>Environmental Science &amp; Technology</i> , 2019, 53, 12207-12217.	10.0	37
143	Autochthonous dissolved organic matter potentially fuels methane ebullition from experimental lakes. <i>Water Research</i> , 2019, 166, 115048.	11.3	48
144	Preface: Shallow lakes research: advances and perspectives. <i>Hydrobiologia</i> , 2019, 829, 1-4.	2.0	3

#	ARTICLE	IF	CITATIONS
145	Response of chromophoric dissolved organic matter dynamics to tidal oscillations and anthropogenic disturbances in a large subtropical estuary. <i>Science of the Total Environment</i> , 2019, 662, 769-778.	8.0	29
146	Multiple stabilizing pathways in wetland plant communities subjected to an elevation gradient. <i>Ecological Indicators</i> , 2019, 104, 704-710.	6.3	7
147	Pigments in surface sediments of South American shallow lakes as an integrative proxy for primary producers and their drivers. <i>Freshwater Biology</i> , 2019, 64, 1437-1452.	2.4	9
148	Species-Specific Responses of Submerged Macrophytes to Simulated Extreme Precipitation: A Mesocosm Study. <i>Water (Switzerland)</i> , 2019, 11, 1160.	2.7	5
149	Local and regional drivers of turnover and nestedness components of species and functional beta diversity in lake macrophyte communities in China. <i>Science of the Total Environment</i> , 2019, 687, 206-217.	8.0	53
150	Microbial production and consumption of dissolved organic matter in glacial ecosystems on the Tibetan Plateau. <i>Water Research</i> , 2019, 160, 18-28.	11.3	78
151	To measure chlorophyll or phytoplankton biovolume: an aquatic conundrum with implications for the management of lakes. <i>Lake and Reservoir Management</i> , 2019, 35, 181-192.	1.3	8
152	Linking heterotrophic bacterioplankton community composition to the optical dynamics of dissolved organic matter in a large eutrophic Chinese lake. <i>Science of the Total Environment</i> , 2019, 679, 136-147.	8.0	35
153	Beta Diversity Partitioning and Drivers of Variations in Fish Assemblages in a Headwater Stream: Lijiang River, China. <i>Water (Switzerland)</i> , 2019, 11, 680.	2.7	5
154	Crucian Carp ( <i>Carassius carassius</i> ) Strongly Affect C/N/P Stoichiometry of Suspended Particulate Matter in Shallow Warm Water Eutrophic Lakes. <i>Water (Switzerland)</i> , 2019, 11, 524.	2.7	23
155	The relative importance of weather and nutrients determining phytoplankton assemblages differs between seasons in large Lake Taihu, China. <i>Aquatic Sciences</i> , 2019, 81, 1.	1.5	30
156	Influence of the three Gorges Reservoir on the shrinkage of China's two largest freshwater lakes. <i>Global and Planetary Change</i> , 2019, 177, 45-55.	3.5	39
157	Local habitat heterogeneity determines the differences in benthic diatom metacommunities between different urban river types. <i>Science of the Total Environment</i> , 2019, 669, 711-720.	8.0	24
158	Leaf Soluble Carbohydrates, Free Amino Acids, Starch, Total Phenolics, Carbon and Nitrogen Stoichiometry of 24 Aquatic Macrophyte Species Along Climate Gradients in China. <i>Frontiers in Plant Science</i> , 2019, 10, 442.	3.6	9
159	Hydrologic and anthropogenic influences on aquatic macrophyte development in a large, shallow lake in China. <i>Freshwater Biology</i> , 2019, 64, 799-812.	2.4	28
160	Why Lake Taihu continues to be plagued with cyanobacterial blooms through 10+ years (2007-2017) efforts. <i>Science Bulletin</i> , 2019, 64, 354-356.	9.0	243
161	Stable isotope signatures of Holocene syngenetic permafrost trace seabird presence in the Thule District (NW Greenland). <i>Biogeosciences</i> , 2019, 16, 4261-4275.	3.3	4
162	Responses of fish assemblage structure to large-scale weir construction in riverine ecosystems. <i>Science of the Total Environment</i> , 2019, 657, 1334-1342.	8.0	25

#	ARTICLE	IF	CITATIONS
163	Horizontal distribution of pelagic crustacean zooplankton biomass and body size in contrasting habitat types in Lake Poyang, China. <i>Environmental Science and Pollution Research</i> , 2019, 26, 2270-2280.	5.3	8
164	A comparative study of three different methods for assessing fish communities in a small eutrophic lake. <i>Ecology of Freshwater Fish</i> , 2019, 28, 341-352.	1.4	9
165	Effects of changes in land use and climate on aquatic ecosystems: Coupling of models and decomposition of uncertainties. <i>Science of the Total Environment</i> , 2019, 657, 627-633.	8.0	48
166	Effects of trophic status, water level, and temperature on shallow lake metabolism and metabolic balance: A standardized pan-European mesocosm experiment. <i>Limnology and Oceanography</i> , 2019, 64, 616-631.	3.1	23
167	Modelling the fate and transport of <i>Cryptosporidium</i> , a zoonotic and waterborne pathogen, in the Daning River watershed of the Three Gorges Reservoir Region, China. <i>Journal of Environmental Management</i> , 2019, 232, 462-474.	7.8	14
168	Effects of lake restoration on breeding abundance of globally declining common pochard ( <i>Aythya Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i> )	2.0	10
169	Differences in food webs and trophic states of Brazilian tropical humid and semi-arid shallow lakes: implications of climate change. <i>Hydrobiologia</i> , 2019, 829, 95-111.	2.0	12
170	Role of plant architecture on littoral macroinvertebrates in temperate and subtropical shallow lakes: a comparative manipulative field experiment. , 2019, 38, 759-772.		16
171	Distribution, fate and risk assessment of PAHs in water and sediments from an aquaculture- and shipping-impacted subtropical lake, China. <i>Chemosphere</i> , 2018, 201, 612-620.	8.2	79
172	Salinity shapes zooplankton communities and functional diversity and has complex effects on size structure in lakes. <i>Hydrobiologia</i> , 2018, 813, 237-255.	2.0	62
173	Synergy between nutrients and warming enhances methane ebullition from experimental lakes. <i>Nature Climate Change</i> , 2018, 8, 156-160.	18.8	130
174	Reply to Cao et al.'s comment on "Does the responses of <i>Vallisneria natans</i> (Lour.) Hara to high nitrogen loading differ between the summer high-growth season and the low-growth season? <i>Science of the Total Environment</i> 601-602 (2017) 1513-1521". <i>Science of the Total Environment</i> , 2018, 615, 1093-1094.	8.0	3
175	Modeling the effects of climatic and land use changes on phytoplankton and water quality of the largest Turkish freshwater lake: Lake Beyşehir. <i>Science of the Total Environment</i> , 2018, 621, 802-816.	8.0	97
176	Fish assemblages in deep Italian subalpine lakes: history and present status with an emphasis on non-native species. <i>Hydrobiologia</i> , 2018, 824, 255-270.	2.0	23
177	Living in an oasis: Rapid transformations, resilience, and resistance in the North Water Area societies and ecosystems. <i>Ambio</i> , 2018, 47, 296-309.	5.5	11
178	Hydrological alterations as the major driver on environmental change in a floodplain Lake Poyang (China): Evidence from monitoring and sediment records. <i>Journal of Great Lakes Research</i> , 2018, 44, 377-387.	1.9	29
179	Fish shift the feeding behaviour and trophic niche diversification of their prey in subarctic Lake Mývatn, Iceland. <i>Hydrobiologia</i> , 2018, 816, 243-254.	2.0	3
180	Effects of warming and nutrients on the microbial food web in shallow lake mesocosms. <i>European Journal of Protistology</i> , 2018, 64, 1-12.	1.5	18

#	ARTICLE	IF	CITATIONS
181	The history of seabird colonies and the North Water ecosystem: Contributions from palaeoecological and archaeological evidence. <i>Ambio</i> , 2018, 47, 175-192.	5.5	21
182	Non-native Fish Occurrence and Biomass in 1943 Western Palearctic Lakes and Reservoirs and their Abiotic and Biotic Correlates. <i>Ecosystems</i> , 2018, 21, 395-409.	3.4	14
183	Synergistic negative effects of small-sized benthivorous fish and nitrogen loading on the growth of submerged macrophytes – Relevance for shallow lake restoration. <i>Science of the Total Environment</i> , 2018, 610-611, 1572-1580.	8.0	46
184	Paleolimnological records reveal biotic homogenization driven by eutrophication in tropical reservoirs. <i>Journal of Paleolimnology</i> , 2018, 60, 299-309.	1.6	38
185	Gravel pit lakes in Denmark: Chemical and biological state. <i>Science of the Total Environment</i> , 2018, 612, 9-17.	8.0	48
186	Size diversity and species diversity relationships in fish assemblages of Western Palearctic lakes. <i>Ecography</i> , 2018, 41, 1064-1076.	4.5	10
187	Patterns of microbial food webs in Mediterranean shallow lakes with contrasting nutrient levels and predation pressures. <i>Hydrobiologia</i> , 2018, 806, 13-27.	2.0	13
188	Contrasting patterns of freshwater microbial metabolic potentials and functional gene interactions between an acidic mining lake and a weakly alkaline lake. <i>Limnology and Oceanography</i> , 2018, 63, S354.	3.1	10
189	Higher Tolerance of Canopy-Forming <i>Potamogeton crispus</i> Than Rosette-Forming <i>Vallisneria spiralis</i> to High Nitrogen Concentration as Evidenced From Experiments in 10 Ponds With Contrasting Nitrogen Levels. <i>Frontiers in Plant Science</i> , 2018, 9, 1845.	3.6	9
190	Cannibalism and Habitat Selection of Cultured Chinese Mitten Crab: Effects of Submerged Aquatic Vegetation with Different Nutritional and Refuge Values. <i>Water (Switzerland)</i> , 2018, 10, 1542.	2.7	11
191	The response of phytoplankton communities to experimentally elevated temperatures in the presence and absence of <i>Potamogeton crispus</i> . <i>Algal Research</i> , 2018, 35, 539-546.	4.6	6
192	Successful restoration of a tropical shallow eutrophic lake: Strong bottom-up but weak top-down effects recorded. <i>Water Research</i> , 2018, 146, 88-97.	11.3	136
193	How autochthonous dissolved organic matter responds to eutrophication and climate warming: Evidence from a cross-continental data analysis and experiments. <i>Earth-Science Reviews</i> , 2018, 185, 928-937.	9.1	98
194	Stocking of herbivorous fish in eutrophic shallow clear-water lakes to reduce standing height of submerged macrophytes while maintaining their biomass. <i>Ecological Engineering</i> , 2018, 113, 61-64.	3.6	10
195	Response of dissolved organic matter optical properties to net inflow runoff in a large fluvial plain lake and the connecting channels. <i>Science of the Total Environment</i> , 2018, 639, 876-887.	8.0	25
196	Ecological Responses of Lakes to Climate Change. <i>Water (Switzerland)</i> , 2018, 10, 917.	2.7	38
197	Response of Submerged Macrophyte Communities to External and Internal Restoration Measures in North Temperate Shallow Lakes. <i>Frontiers in Plant Science</i> , 2018, 9, 194.	3.6	97
198	Climatically-modulated decline in wind speed may strongly affect eutrophication in shallow lakes. <i>Science of the Total Environment</i> , 2018, 645, 1361-1370.	8.0	109

#	ARTICLE	IF	CITATIONS
199	Fish-mediated plankton responses to increased temperature in subtropical aquatic mesocosm ecosystems: Implications for lake management. <i>Water Research</i> , 2018, 144, 304-311.	11.3	44
200	Effects of multiple stressors on cyanobacteria abundance vary with lake type. <i>Global Change Biology</i> , 2018, 24, 5044-5055.	9.5	84
201	Responses of primary producers in shallow lakes to elevated temperature: a mesocosm experiment during the growing season of <i>Potamogeton crispus</i> . <i>Aquatic Sciences</i> , 2018, 80, 1.	1.5	17
202	Bio-cord plays a similar role as submerged macrophytes in harboring bacterial assemblages in an eco-ditch. <i>Environmental Science and Pollution Research</i> , 2018, 25, 26550-26561.	5.3	10
203	High ammonium loading can increase alkaline phosphatase activity and promote sediment phosphorus release: A two-month mesocosm experiment. <i>Water Research</i> , 2018, 145, 388-397.	11.3	61
204	Accumulation of Terrestrial Dissolved Organic Matter Potentially Enhances Dissolved Methane Levels in Eutrophic Lake Taihu, China. <i>Environmental Science &amp; Technology</i> , 2018, 52, 10297-10306.	10.0	76
205	Indirect effects of extreme precipitation on the growth of <i>Vallisneria denseserrulata</i> Makino. <i>Environmental and Experimental Botany</i> , 2018, 153, 229-235.	4.2	12
206	Stable isotope analysis confirms substantial differences between subtropical and temperate shallow lake food webs. <i>Hydrobiologia</i> , 2017, 784, 111-123.	2.0	29
207	Using palaeolimnological data and historical records to assess long-term dynamics of ecosystem services in typical Yangtze shallow lakes (China). <i>Science of the Total Environment</i> , 2017, 584-585, 791-802.	8.0	28
208	Future water availability in the largest freshwater Mediterranean lake is at great risk as evidenced from simulations with the SWAT model. <i>Science of the Total Environment</i> , 2017, 581-582, 413-425.	8.0	62
209	Effects of nutrient and water level changes on the composition and size structure of zooplankton communities in shallow lakes under different climatic conditions: a pan-European mesocosm experiment. <i>Aquatic Ecology</i> , 2017, 51, 257-273.	1.5	23
210	Potential rainfall-intensity and pH-driven shifts in the apparent fluorescent composition of dissolved organic matter in rainwater. <i>Environmental Pollution</i> , 2017, 224, 638-648.	7.5	34
211	Nitrogen or phosphorus limitation in lakes and its impact on phytoplankton biomass and submerged macrophyte cover. <i>Hydrobiologia</i> , 2017, 795, 35-48.	2.0	124
212	Improving water quality in China: Environmental investment pays dividends. <i>Water Research</i> , 2017, 118, 152-159.	11.3	140
213	Heatwave effects on greenhouse gas emissions from shallow lake mesocosms. <i>Freshwater Biology</i> , 2017, 62, 1130-1142.	2.4	22
214	The effects of cadmium pulse dosing on physiological traits and growth of the submerged macrophyte <i>Vallisneria spinulosa</i> and phytoplankton biomass: a mesocosm study. <i>Environmental Science and Pollution Research</i> , 2017, 24, 15308-15314.	5.3	8
215	Effect of a nitrogen pulse on ecosystem N processing at different temperatures: A mesocosm experiment with $^{15}\text{NO}_3^-$ addition. <i>Freshwater Biology</i> , 2017, 62, 1232-1243.	2.4	10
216	Strong altitudinal control on the response of local glaciers to Holocene climate change in southwest Greenland. <i>Quaternary Science Reviews</i> , 2017, 168, 69-78.	3.0	37

#	ARTICLE	IF	CITATIONS
217	Effects of high ammonia concentrations on three cyprinid fish: Acute and whole-ecosystem chronic tests. <i>Science of the Total Environment</i> , 2017, 598, 900-909.	8.0	42
218	Nutrient availability limits biological production in Arctic sea ice melt ponds. <i>Polar Biology</i> , 2017, 40, 1593-1606.	1.2	12
219	Does turbidity induced by <i>Carassius carassius</i> limit phytoplankton growth? A mesocosm study. <i>Environmental Science and Pollution Research</i> , 2017, 24, 5012-5018.	5.3	26
220	Bio-manipulation-induced reduction of sediment phosphorus release in a tropical shallow lake. <i>Hydrobiologia</i> , 2017, 794, 49-57.	2.0	13
221	Warming and nutrient enrichment in combination increase stochasticity and beta diversity of bacterioplankton assemblages across freshwater mesocosms. <i>ISME Journal</i> , 2017, 11, 613-625.	9.8	57
222	Allelopathic effect boosts <i>Chrysochloris ovalisporum</i> dominance in summer at the expense of <i>Microcystis panniformis</i> in a shallow coastal water body. <i>Environmental Science and Pollution Research</i> , 2017, 24, 4666-4675.	5.3	16
223	Ecological resilience in lakes and the conjunction fallacy. <i>Nature Ecology and Evolution</i> , 2017, 1, 1616-1624.	7.8	52
224	Hydraulic connectivity and evaporation control the water quality and sources of chromophoric dissolved organic matter in Lake Bosten in arid northwest China. <i>Chemosphere</i> , 2017, 188, 608-617.	8.2	20
225	Global loss of aquatic vegetation in lakes. <i>Earth-Science Reviews</i> , 2017, 173, 259-265.	9.1	249
226	Comparison of periphyton communities on natural and artificial macrophytes with contrasting morphological structures. <i>Freshwater Biology</i> , 2017, 62, 1783-1793.	2.4	51
227	Size-based interactions across trophic levels in food webs of shallow Mediterranean lakes. <i>Freshwater Biology</i> , 2017, 62, 1819-1830.	2.4	16
228	Factors controlling the stable isotope composition and C:N ratio of seston and periphyton in shallow lake mesocosms with contrasting nutrient loadings and temperatures. <i>Freshwater Biology</i> , 2017, 62, 1596-1613.	2.4	14
229	Does the responses of <i>Vallisneria spiralis</i> (Lour.) Hara to high nitrogen loading differ between the summer high-growth season and the low-growth season?. <i>Science of the Total Environment</i> , 2017, 601-602, 1513-1521.	8.0	31
230	The structuring role of fish in Greenland lakes: an overview based on contemporary and paleoecological studies of 87 lakes from the low and the high Arctic. <i>Hydrobiologia</i> , 2017, 800, 99-113.	2.0	28
231	Responses of trophic structure and zooplankton community to salinity and temperature in Tibetan lakes: Implication for the effect of climate warming. <i>Water Research</i> , 2017, 124, 618-629.	11.3	88
232	Could artificial plant beds favour microcrustaceans during bio-manipulation of eutrophic shallow lakes?. <i>Hydrobiologia</i> , 2017, 802, 221-233.	2.0	4
233	Temperature effects on periphyton, epiphyton and epipelton under a nitrogen pulse in low-nutrient experimental freshwater lakes. <i>Hydrobiologia</i> , 2017, 795, 267-279.	2.0	14
234	Role of predation in biological communities in naturally eutrophic sub-Arctic Lake Mjvatn, Iceland. <i>Hydrobiologia</i> , 2017, 790, 213-223.	2.0	7



#	ARTICLE	IF	CITATIONS
235	Different responses of functional traits and diversity of stream macroinvertebrates to environmental and spatial factors in the Xishuangbanna watershed of the upper Mekong River Basin, China. <i>Science of the Total Environment</i> , 2017, 574, 288-299.	8.0	90
236	Fluorescence peak integration ratio IC:IT as a new potential indicator tracing the compositional changes in chromophoric dissolved organic matter. <i>Science of the Total Environment</i> , 2017, 574, 1588-1598.	8.0	64
237	Effects of Exposed Artificial Substrate on the Competition between Phytoplankton and Benthic Algae: Implications for Shallow Lake Restoration. <i>Water (Switzerland)</i> , 2017, 9, 24.	2.7	13
238	Herbivory of Omnivorous Fish Shapes the Food Web Structure of a Chinese Tropical Eutrophic Lake: Evidence from Stable Isotope and Fish Gut Content Analyses. <i>Water (Switzerland)</i> , 2017, 9, 69.	2.7	18
239	Lake Restoration and Management in a Climate Change Perspective: An Introduction. <i>Water (Switzerland)</i> , 2017, 9, 122.	2.7	54
240	Fish but Not Macroinvertebrates Promote Trophic Cascading Effects in High Density Submersed Plant Experimental Lake Food Webs in Two Contrasting Climate Regions. <i>Water (Switzerland)</i> , 2017, 9, 514.	2.7	14
241	Recent Sedimentation Rates of Shallow Lakes in the Middle and Lower Reaches of the Yangtze River: Patterns, Controlling Factors and Implications for Lake Management. <i>Water (Switzerland)</i> , 2017, 9, 617.	2.7	34
242	Repeated Fish Removal to Restore Lakes: Case Study of Lake VÅ ng, Denmarkâ€”Two Biomanipulations during 30 Years of Monitoring. <i>Water (Switzerland)</i> , 2017, 9, 43.	2.7	33
243	Translating Regime Shifts in Shallow Lakes into Changes in Ecosystem Functions and Services. <i>BioScience</i> , 2017, 67, 928-936.	4.9	144
244	FABM-PCLake â€” linking aquatic ecology with hydrodynamics. <i>Geoscientific Model Development</i> , 2016, 9, 2271-2278.	3.6	49
245	Dominance of <i>Myriophyllum spicatum</i> in submerged macrophyte communities associated with grass carp. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2016, , 24.	1.1	12
246	Is Recovery of Large-Bodied Zooplankton after Nutrient Loading Reduction Hampered by Climate Warming? A Long-Term Study of Shallow Hypertrophic Lake SÅbygaard, Denmark. <i>Water (Switzerland)</i> , 2016, 8, 341.	2.7	13
247	Long-Term Trends and Temporal Synchrony in Plankton Richness, Diversity and Biomass Driven by Re-Oligotrophication and Climate across 17 Danish Lakes. <i>Water (Switzerland)</i> , 2016, 8, 427.	2.7	30
248	Restoration of Shallow Lakes in Subtropical and Tropical China: Response of Nutrients and Water Clarity to Biomanipulation by Fish Removal and Submerged Plant Transplantation. <i>Water (Switzerland)</i> , 2016, 8, 438.	2.7	45
249	Climate Change Will Make Recovery from Eutrophication More Difficult in Shallow Danish Lake SÅbygaard. <i>Water (Switzerland)</i> , 2016, 8, 459.	2.7	36
250	Response of <i>Vallisneria natans</i> to Increasing Nitrogen Loading Depends on Sediment Nutrient Characteristics. <i>Water (Switzerland)</i> , 2016, 8, 563.	2.7	13
251	Use of Multi-Carbon Sources by Zooplankton in an Oligotrophic Lake in the Tibetan Plateau. <i>Water (Switzerland)</i> , 2016, 8, 565.	2.7	7
252	Effects of benthic-feeding common carp and filter-feeding silver carp on benthic-pelagic coupling: Implications for shallow lake management. <i>Ecological Engineering</i> , 2016, 88, 256-264.	3.6	43



#	ARTICLE	IF	CITATIONS
253	Inflow rate-driven changes in the composition and dynamics of chromophoric dissolved organic matter in a large drinking water lake. <i>Water Research</i> , 2016, 100, 211-221.	11.3	110
254	Discovering hidden biodiversity: the use of complementary monitoring of fish diet based on DNA barcoding in freshwater ecosystems. <i>Ecology and Evolution</i> , 2016, 6, 219-232.	1.9	31
255	Fish assemblage and diversity in lakes of western and central Turkey: role of geo-climatic and other environmental variables. <i>Hydrobiologia</i> , 2016, 771, 31-44.	2.0	16
256	Impact of alternating wet and dry periods on long-term seasonal phosphorus and nitrogen budgets of two shallow Mediterranean lakes. <i>Science of the Total Environment</i> , 2016, 563-564, 456-467.	8.0	28
257	Environment not dispersal limitation drives clonal composition of Arctic <i>Daphnia</i> in a recently deglaciated area. <i>Molecular Ecology</i> , 2016, 25, 5830-5842.	3.9	17
258	Effects of small-sized crucian carp ( <i>Carassius carassius</i> ) on the growth of submerged macrophytes: Implications for shallow lake restoration. <i>Ecological Engineering</i> , 2016, 95, 567-573.	3.6	30
259	Differential photosynthetic and morphological adaptations to low light affect depth distribution of two submersed macrophytes in lakes. <i>Scientific Reports</i> , 2016, 6, 34028.	3.3	44
260	Colonization history and clonal richness of asexual <i>Daphnia</i> in periglacial habitats of contrasting age in West Greenland. <i>Journal of Animal Ecology</i> , 2016, 85, 1108-1117.	2.8	9
261	The influence of nutrient loading, climate and water depth on nitrogen and phosphorus loss in shallow lakes: a pan-European mesocosm experiment. <i>Hydrobiologia</i> , 2016, 778, 13-32.	2.0	17
262	Geochemical records of anoxic water mass expansion in an oligotrophic alpine lake (Yunnan Province, China). <i>Journal of Great Lakes Research</i> , 2016, 42, 107-117.	1.7	17
263	Response of <i>Vallisneria spinulosa</i> (Hydrocharitaceae) to contrasting nitrogen loadings in controlled lake mesocosms. <i>Hydrobiologia</i> , 2016, 766, 215-223.	2.0	18
264	Will enhanced turbulence in inland waters result in elevated production of autochthonous dissolved organic matter?. <i>Science of the Total Environment</i> , 2016, 543, 405-415.	8.0	27
265	Major changes in CO <sub>2</sub> efflux when shallow lakes shift from a turbid to a clear water state. <i>Hydrobiologia</i> , 2016, 778, 33-44.	2.0	22
266	Combined effects of climate models, hydrological model structures and land use scenarios on hydrological impacts of climate change. <i>Journal of Hydrology</i> , 2016, 535, 301-317.	5.4	156
267	Potential drivers of seasonal shifts in fish omnivory in a subtropical stream. <i>Hydrobiologia</i> , 2016, 768, 183-196.	2.0	24
268	The response of <i>Vallisneria spinulosa</i> (Hydrocharitaceae) and plankton to pulse addition of inorganic nitrogen with different loading patterns. <i>Hydrobiologia</i> , 2016, 767, 175-184.	2.0	14
269	Ecological classification of lakes: Uncertainty and the influence of year-to-year variability. <i>Ecological Indicators</i> , 2016, 61, 248-257.	6.3	32
270	Multi-proxy palaeoecological responses to water-level fluctuations in three shallow Turkish lakes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 449, 553-566.	2.3	13

#	ARTICLE	IF	CITATIONS
271	Submerged macrophytes facilitate dominance of omnivorous fish in a subtropical shallow lake: implications for lake restoration. <i>Hydrobiologia</i> , 2016, 775, 97-107.	2.0	47
272	Ecological Instability in Lakes: A Predictable Condition?. <i>Environmental Science &amp; Technology</i> , 2016, 50, 3285-3286.	10.0	10
273	Influence of riparian forests on fish assemblages in temperate lowland streams. <i>Environmental Biology of Fishes</i> , 2016, 99, 133-144.	1.0	12
274	Inferring past environmental changes in three Turkish lakes from sub-fossil Cladocera. <i>Hydrobiologia</i> , 2016, 778, 295-312.	2.0	10
275	Dissolved organic matter fluorescence at wavelength 275/342Ånm as a key indicator for detection of point-source contamination in a large Chinese drinking water lake. <i>Chemosphere</i> , 2016, 144, 503-509.	8.2	84
276	Ecosystem change in the large and shallow Lake SÅkylÅn PyhÅjÅrvi, Finland, during the past ~400Åyears: implications for management. <i>Hydrobiologia</i> , 2016, 778, 273-294.	2.0	16
277	Assessing effects of change in land use on size-related variables of fish in subtropical streams. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 547-556.	1.4	27
278	Density-dependent effects as key drivers of intraspecific size structure of six abundant fish species in lakes across Europe. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 519-534.	1.4	33
279	Environmental ImpactsÅ”Lake Ecosystems. <i>Regional Climate Studies</i> , 2016, , 315-340.	1.2	14
280	Warming shows differential effects on late-season growth and competitive capacity of <i>Elodea canadensis</i> and <i>Potamogeton crispus</i> in shallow lakes. <i>Inland Waters</i> , 2015, 5, 421-432.	2.2	17
281	Factors influencing nitrogen processing in lakes: an experimental approach. <i>Freshwater Biology</i> , 2015, 60, 646-662.	2.4	14
282	Tracking a century of change in trophic structure and dynamics in a floodplain wetland: integrating palaeoecological and palaeoisotopic evidence. <i>Freshwater Biology</i> , 2015, 60, 711-723.	2.4	27
283	Eutrophication effects on greenhouse gas fluxes from shallowÅ”lake mesocosms override those of climate warming. <i>Global Change Biology</i> , 2015, 21, 4449-4463.	9.5	132
284	Strong impact of nitrogen loading on submerged macrophytes and algae: a longÅ”term mesocosm experiment in a shallow Chinese lake. <i>Freshwater Biology</i> , 2015, 60, 1525-1536.	2.4	84
285	10 Years Later. <i>Advances in Ecological Research</i> , 2015, 53, 1-53.	2.7	43
286	Macroecological Patterns of Resilience Inferred from a Multinational, Synchronized Experiment. <i>Sustainability</i> , 2015, 7, 1142-1160.	3.2	6
287	Effects of water temperature on summer periphyton biomass in shallow lakes: a pan-European mesocosm experiment. <i>Aquatic Sciences</i> , 2015, 77, 499-510.	1.5	34
288	Significant fraction of CO2 emissions from boreal lakes derived from hydrologic inorganic carbonÅ”inputs. <i>Nature Geoscience</i> , 2015, 8, 933-936.	12.9	171

#	ARTICLE	IF	CITATIONS
289	Homogenization of fish assemblages in different lake depth strata at local and regional scales. <i>Freshwater Biology</i> , 2015, 60, 745-757.	2.4	34
290	Size-dependent feeding of omnivorous Nile tilapia in a macrophyte-dominated lake: implications for lake management. <i>Hydrobiologia</i> , 2015, 749, 125-134.	2.0	25
291	Environmental rather than spatial factors structure bacterioplankton communities in shallow lakes along a 6000 km latitudinal gradient in North America. <i>Environmental Microbiology</i> , 2015, 17, 2336-2351.	3.8	67
292	Ecological impacts of global warming and water abstraction on lakes and reservoirs due to changes in water level and related changes in salinity. <i>Hydrobiologia</i> , 2015, 750, 201-227.	2.0	355
293	Predation and competition effects on the size diversity of aquatic communities. <i>Aquatic Sciences</i> , 2015, 77, 45-57.	1.5	41
294	Size-based diel migration of zooplankton in Mediterranean shallow lakes assessed from in situ experiments with artificial plants. <i>Hydrobiologia</i> , 2015, 753, 47-59.	2.0	18
295	Chromophoric dissolved organic matter of black waters in a highly eutrophic Chinese lake: Freshly produced from algal scums?. <i>Journal of Hazardous Materials</i> , 2015, 299, 222-230.	12.4	73
296	Effects of high nitrogen concentrations on the growth of submersed macrophytes at moderate phosphorus concentrations. <i>Water Research</i> , 2015, 83, 385-395.	11.3	63
297	pH Influences the Importance of Niche-Related and Neutral Processes in Lacustrine Bacterioplankton Assembly. <i>Applied and Environmental Microbiology</i> , 2015, 81, 3104-3114.	3.1	67
298	Exploring, exploiting and evolving diversity of aquatic ecosystem models: a community perspective. <i>Aquatic Ecology</i> , 2015, 49, 513-548.	1.5	97
299	The importance of environmental variables for submerged macrophyte community assemblage and coverage in shallow lakes: differences between northern and southern Europe. <i>Hydrobiologia</i> , 2015, 744, 49-61.	2.0	21
300	General validation of formalin-preserved fish samples in food web studies using stable isotopes. <i>Methods in Ecology and Evolution</i> , 2015, 6, 307-314.	5.2	36
301	Temperature effects on body size of freshwater crustacean zooplankton from Greenland to the tropics. <i>Hydrobiologia</i> , 2015, 743, 27-35.	2.0	53
302	Zooplankton response to climate warming: a mesocosm experiment at contrasting temperatures and nutrient levels. <i>Hydrobiologia</i> , 2015, 742, 185-203.	2.0	45
303	Managing aquatic ecosystems and water resources under multiple stress – An introduction to the MARS project. <i>Science of the Total Environment</i> , 2015, 503-504, 10-21.	8.0	231
304	Climate change impacts on lakes: an integrated ecological perspective based on a multi-faceted approach, with special focus on shallow lakes. <i>Journal of Limnology</i> , 2014, 73, .	1.1	235
305	Phytoplankton response to winter warming modified by large-bodied zooplankton: an experimental microcosm study. <i>Journal of Limnology</i> , 2014, , .	1.1	0
306	A trait-based approach to assess climate change sensitivity of freshwater invertebrates across Swedish ecoregions. <i>Environmental Epigenetics</i> , 2014, 60, 221-232.	1.8	39

#	ARTICLE	IF	CITATIONS
307	Geographical patterns in the body size structure of European lake fish assemblages along abiotic and biotic gradients. <i>Journal of Biogeography</i> , 2014, 41, 2221-2233.	3.0	50
308	Epiphytic Diatoms along Environmental Gradients in Western European Shallow Lakes. <i>Clean - Soil, Air, Water</i> , 2014, 42, 229-235.	1.1	20
309	Relatedness between contemporary and subfossil cladoceran assemblages in Turkish lakes. <i>Journal of Paleolimnology</i> , 2014, 52, 367-383.	1.6	17
310	Similarity between contemporary vegetation and plant remains in the surface sediment in Mediterranean lakes. <i>Freshwater Biology</i> , 2014, 59, 724-736.	2.4	31
311	Effects of climate and nutrient load on the water quality of shallow lakes assessed through ensemble runs by PCLake. <i>Ecological Applications</i> , 2014, 24, 1926-1944.	3.8	55
312	Advancing projections of phytoplankton responses to climate change through ensemble modelling. <i>Environmental Modelling and Software</i> , 2014, 61, 371-379.	4.5	78
313	Lack of steady-state in the global biogeochemical Si cycle: emerging evidence from lake Si sequestration. <i>Biogeochemistry</i> , 2014, 117, 255-277.	3.5	61
314	Effects of nutrient loading, temperature regime and grazing pressure on nutrient limitation of periphyton in experimental ponds. <i>Freshwater Biology</i> , 2014, 59, 905-917.	2.4	31
315	An evolutionary perspective on the resistance of <i>Daphnia</i> to the epizoic rotifer <i>Bryochionus rubens</i> . <i>Freshwater Biology</i> , 2014, 59, 1247-1256.	2.4	9
316	Hydrological and water quality impact assessment of a Mediterranean limno-reservoir under climate change and land use management scenarios. <i>Journal of Hydrology</i> , 2014, 509, 354-366.	5.4	168
317	Fish determine macroinvertebrate food webs and assemblage structure in Greenland subarctic streams. <i>Freshwater Biology</i> , 2014, 59, 1830-1842.	2.4	17
318	Monitoring fish communities in wadeable lowland streams: comparing the efficiency of electrofishing methods at contrasting fish assemblages. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 1665-1677.	2.7	20
319	Effects of deposit-feeding tubificid worms and filter-feeding bivalves on benthic-pelagic coupling: Implications for the restoration of eutrophic shallow lakes. <i>Water Research</i> , 2014, 50, 135-146.	11.3	54
320	Water level and fish-mediated cascading effects on the microbial community in eutrophic warm shallow lakes: a mesocosm experiment. <i>Hydrobiologia</i> , 2014, 740, 25-35.	2.0	7
321	Cross-taxon congruence in lake plankton largely independent of environmental gradients. <i>Ecology</i> , 2014, 95, 2778-2788.	3.2	35
322	Effects of cyanobacterial blooms on submerged macrophytes alleviated by the native Chinese bivalve <i>Hyriopsis cumingii</i> : A mesocosm experiment study. <i>Ecological Engineering</i> , 2014, 71, 363-367.	3.6	36
323	Fish community assemblages changed but biomass remained similar after lake restoration by biomanipulation in a Chinese tropical eutrophic lake. <i>Hydrobiologia</i> , 2014, 724, 127-140.	2.0	43
324	Temporal trends and variability in a high-arctic ecosystem in Greenland: multidimensional analyses of limnic and terrestrial ecosystems. <i>Polar Biology</i> , 2014, 37, 1073-1082.	1.2	8

#	ARTICLE	IF	CITATIONS
325	Does stocking of filter-feeding fish for production have a cascading effect on zooplankton and ecological state? A study of fourteen (sub)tropical Chinese reservoirs with contrasting nutrient concentrations. <i>Hydrobiologia</i> , 2014, 736, 115-125.	2.0	29
326	Disturbance from pond management obscures local and regional drivers of assemblages of primary producers. <i>Freshwater Biology</i> , 2014, 59, 1406-1422.	2.4	16
327	The response of two submerged macrophytes and periphyton to elevated temperatures in the presence and absence of snails: a microcosm approach. <i>Hydrobiologia</i> , 2014, 738, 49-59.	2.0	51
328	Environmental species sorting dominates forest bird community assembly across scales. <i>Journal of Animal Ecology</i> , 2013, 82, 266-274.	2.8	26
329	The role of palaeolimnology in assessing eutrophication and its impact on lakes. <i>Journal of Paleolimnology</i> , 2013, 49, 391-410.	1.6	61
330	The role of uncertainty in climate change adaptation strategies – A Danish water management example. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2013, 18, 337-359.	2.1	92
331	Fish diversity in European lakes: geographical factors dominate over anthropogenic pressures. <i>Freshwater Biology</i> , 2013, 58, 1779-1793.	2.4	113
332	Planktonic ciliate community structure in shallow lakes of lowland Western Europe. <i>European Journal of Protistology</i> , 2013, 49, 538-551.	1.5	15
333	Restoration of a subtropical eutrophic shallow lake in China: effects on nutrient concentrations and biological communities. <i>Hydrobiologia</i> , 2013, 718, 59-71.	2.0	40
334	Mesocosm Experiments as a Tool for Ecological Climate-Change Research. <i>Advances in Ecological Research</i> , 2013, 48, 71-181.	2.7	237
335	The effect of benthic algae on phosphorus exchange between sediment and overlying water in shallow lakes: a microcosm study using <sup>32</sup> P as a tracer. <i>Hydrobiologia</i> , 2013, 710, 109-116.	2.0	49
336	Persistent internal phosphorus loading during summer in shallow eutrophic lakes. <i>Hydrobiologia</i> , 2013, 710, 95-107.	2.0	219
337	Contrasting roles of water chemistry, lake morphology, land-use, climate and spatial processes in driving phytoplankton richness in the Danish landscape. <i>Hydrobiologia</i> , 2013, 710, 173-187.	2.0	37
338	Influence of substrate type on periphyton biomass and nutrient state at contrasting high nutrient levels in a subtropical shallow lake. <i>Hydrobiologia</i> , 2013, 710, 129-141.	2.0	18
339	Descarga localizada de Água subterrânea com fósforo para um lago drenante eutrófico (Lago Vãl, ng.) <i>Tj ETQq1 1 0.784314 rgBT / Overl</i> 2013, 21, 1787-1802.	2.1	63
340	Linking carbon and nitrogen metabolism to depth distribution of submersed macrophytes using high ammonium dosing tests and a lake survey. <i>Freshwater Biology</i> , 2013, 58, 2532-2540.	2.4	52
341	Plankton dynamics under different climate conditions in tropical freshwater systems (a reply to the) <i>Tj ETQq1 1 0.784314 rgBT / Overl</i> 2013, 21, 1787-1802.	2.4	14
342	Climate-driven changes in water level: a decadal scale multi-proxy study recording the 8.2-ka event and ecosystem responses in Lake Sarup (Denmark). <i>Journal of Paleolimnology</i> , 2013, 49, 267-285.	1.6	12

#	ARTICLE	IF	CITATIONS
343	Plankton dynamics under different climatic conditions in space and time. <i>Freshwater Biology</i> , 2013, 58, 463-482.	2.4	259
344	Ecological status assessment of European lakes: a comparison of metrics for phytoplankton, macrophytes, benthic invertebrates and fish. <i>Hydrobiologia</i> , 2013, 704, 57-74.	2.0	123
345	Recent invasion by a non-native cyprinid (common bream <i>Abramis brama</i> ) is followed by major changes in the ecological quality of a shallow lake in southern Europe. <i>Biological Invasions</i> , 2013, 15, 2065-2079.	2.4	26
346	Long-term effects of warming and nutrients on microbes and other plankton in mesocosms. <i>Freshwater Biology</i> , 2013, 58, 483-493.	2.4	56
347	Variation in fish community structure, richness, and diversity in 56 Danish lakes with contrasting depth, size, and trophic state: does the method matter?. <i>Hydrobiologia</i> , 2013, 710, 47-59.	2.0	20
348	Nitrogen, macrophytes, shallow lakes and nutrient limitation: resolution of a current controversy?. <i>Hydrobiologia</i> , 2013, 710, 3-21.	2.0	156
349	Assessing ways to combat eutrophication in a Chinese drinking water reservoir using SWAT. <i>Marine and Freshwater Research</i> , 2013, 64, 475.	1.3	33
350	Daily net ecosystem production in lakes predicted from midday dissolved oxygen saturation: analysis of a five-year high frequency dataset from 24 mesocosms with contrasting trophic states and temperatures. <i>Limnology and Oceanography: Methods</i> , 2013, 11, 202-212.	2.0	8
351	The population biology and life history traits of Eurasian ruffe [ <i>Gymnocephalus cernuus</i> (L.), Pisces: Percidae] introduced into eutrophic and oligotrophic lakes in Northern Italy. <i>Journal of Limnology</i> , 2013, 72, 22.	1.1	14
352	Watershed land use effects on lake water quality in Denmark. <i>Ecological Applications</i> , 2012, 22, 1187-1200.	3.8	136
353	Strong correspondence between gillnet catch per unit effort and hydroacoustically derived fish biomass in stratified lakes. <i>Freshwater Biology</i> , 2012, 57, 2436-2448.	2.4	58
354	Bio-manipulation as a Restoration Tool to Combat Eutrophication. <i>Advances in Ecological Research</i> , 2012, 47, 411-488.	2.7	211
355	Taxonomic or ecological approaches? Searching for phytoplankton surrogates in the determination of richness and assemblage composition in ponds. <i>Ecological Indicators</i> , 2012, 18, 575-585.	6.3	44
356	Beyond the Plankton Ecology Group (PEG) Model: Mechanisms Driving Plankton Succession. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2012, 43, 429-448.	8.3	604
357	Benthic-planktonic coupling, regime shifts, and whole-lake primary production in shallow lakes. <i>Ecology</i> , 2012, 93, 619-631.	3.2	86
358	Environmental Warming in Shallow Lakes. <i>Advances in Ecological Research</i> , 2012, 46, 259-349.	2.7	161
359	Effects of Temperature, Salinity and Fish in Structuring the Macroinvertebrate Community in Shallow Lakes: Implications for Effects of Climate Change. <i>PLoS ONE</i> , 2012, 7, e30877.	2.5	86
360	Impacts of climate warming on the long-term dynamics of key fish species in 24 European lakes. <i>Hydrobiologia</i> , 2012, 694, 1-39.	2.0	226



#	ARTICLE	IF	CITATIONS
361	Seasonal Dynamics of CO <sub>2</sub> Flux Across the Surface of Shallow Temperate Lakes. <i>Ecosystems</i> , 2012, 15, 336-347.	3.4	75
362	Meta-analysis Shows a Consistent and Strong Latitudinal Pattern in Fish Omnivory Across Ecosystems. <i>Ecosystems</i> , 2012, 15, 492-503.	3.4	121
363	Lower biodiversity of native fish but only marginally altered plankton biomass in tropical lakes hosting introduced piscivorous <i>Cichla cf. ocellaris</i> . <i>Biological Invasions</i> , 2012, 14, 1353-1363.	2.4	33
364	Sediments, not plants, offer the preferred refuge for <i>Daphnia</i> against fish predation in Mediterranean shallow lakes: an experimental demonstration. <i>Freshwater Biology</i> , 2012, 57, 795-802.	2.4	31
365	Warmer climates boost cyanobacterial dominance in shallow lakes. <i>Global Change Biology</i> , 2012, 18, 118-126.	9.5	663
366	The influence of water level on macrophyte growth and trophic interactions in eutrophic Mediterranean shallow lakes: a mesocosm experiment with and without fish. <i>Freshwater Biology</i> , 2012, 57, 1631-1642.	2.4	54
367	A community-based framework for aquatic ecosystem models. <i>Hydrobiologia</i> , 2012, 683, 25-34.	2.0	87
368	Community structure of fish in lowland streams differ substantially between subtropical and temperate climates. <i>Hydrobiologia</i> , 2012, 684, 143-160.	2.0	25
369	Short- and long term niche segregation and individual specialization of brown trout ( <i>Salmo trutta</i> ) in species poor Faroese lakes. <i>Environmental Biology of Fishes</i> , 2012, 93, 305-318.	1.0	12
370	Lake Restoration. <i>Encyclopedia of Earth Sciences Series</i> , 2012, , 455-458.	0.1	3
371	Changed cycling of P, N, Si, and DOC in Danish Lake Nordborg after aluminum treatment. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2011, 68, 842-856.	1.4	35
372	Using chlorophyll a and cyanobacteria in the ecological classification of lakes. <i>Ecological Indicators</i> , 2011, 11, 1403-1412.	6.3	64
373	Allied attack: climate change and eutrophication. <i>Inland Waters</i> , 2011, 1, 101-105.	2.2	548
374	Effects of warming and nutrients on sediment community respiration in shallow lakes: an outdoor mesocosm experiment. <i>Freshwater Biology</i> , 2011, 56, 437-447.	2.4	31
375	Filamentous green algae inhibit phytoplankton with enhanced effects when lakes get warmer. <i>Freshwater Biology</i> , 2011, 56, 541-553.	2.4	35
376	Ambiguous climate impacts on competition between submerged macrophytes and phytoplankton in shallow lakes. <i>Freshwater Biology</i> , 2011, 56, 1540-1553.	2.4	59
377	Parallel genetic algorithm in bus route headway optimization. <i>Applied Soft Computing Journal</i> , 2011, 11, 5081-5091.	7.2	65
378	Climate change effects on nitrogen loading from cultivated catchments in Europe: implications for nitrogen retention, ecological state of lakes and adaptation. <i>Hydrobiologia</i> , 2011, 663, 1-21.	2.0	242



#	ARTICLE	IF	CITATIONS
379	Winter ecology of shallow lakes: strongest effect of fish on water clarity at high nutrient levels. <i>Hydrobiologia</i> , 2011, 664, 147-162.	2.0	29
380	High predation is of key importance for dominance of small-bodied zooplankton in warm shallow lakes: evidence from lakes, fish enclosures and surface sediments. <i>Hydrobiologia</i> , 2011, 667, 133-147.	2.0	156
381	Assessing lake typologies and indicator fish species for Italian natural lakes using past fish richness and assemblages. <i>Hydrobiologia</i> , 2011, 671, 227-240.	2.0	21
382	Zooplankton as indicators in lakes: a scientific-based plea for including zooplankton in the ecological quality assessment of lakes according to the European Water Framework Directive (WFD). <i>Hydrobiologia</i> , 2011, 676, 279-297.	2.0	292
383	The role of cladocerans in tracking long-term change in shallow lake trophic status. <i>Hydrobiologia</i> , 2011, 676, 299-315.	2.0	45
384	Inferring a single variable from an assemblage with multiple controls: getting into deep water with cladoceran lake-depth transfer functions. <i>Hydrobiologia</i> , 2011, 676, 129-142.	2.0	13
385	Sediment accumulation rates in European lakes since AD 1850: trends, reference conditions and exceedence. <i>Journal of Paleolimnology</i> , 2011, 45, 447-468.	1.6	91
386	Rapid Ecological Shift Following Piscivorous Fish Introduction to Increasingly Eutrophic and Warmer Lake Furnas (Azores Archipelago, Portugal): A Paleocological Approach. <i>Ecosystems</i> , 2011, 14, 458-477.	3.4	29
387	Predicting the effects of climate change on trophic status of three morphologically varying lakes: Implications for lake restoration and management. <i>Environmental Modelling and Software</i> , 2011, 26, 354-370.	4.5	155
388	Nitrogen deposition induced changes in DOC:NO <sub>3</sub> -N ratios determine the efficiency of nitrate removal from freshwaters. <i>Global Change Biology</i> , 2010, 16, 2358-2365.	9.5	20
389	Challenges and opportunities for integrating lake ecosystem modelling approaches. <i>Aquatic Ecology</i> , 2010, 44, 633-667.	1.5	208
390	Impacts of climate warming on lake fish community structure and potential effects on ecosystem function. <i>Hydrobiologia</i> , 2010, 646, 73-90.	2.0	371
391	Community structure and diel migration of zooplankton in shallow brackish lakes: role of salinity and predators. <i>Hydrobiologia</i> , 2010, 646, 215-229.	2.0	42
392	Bacterioplankton in the littoral and pelagic zones of subtropical shallow lakes. <i>Hydrobiologia</i> , 2010, 646, 311-326.	2.0	20
393	Drought-induced changes in nutrient concentrations and retention in two shallow Mediterranean lakes subjected to different degrees of management. <i>Hydrobiologia</i> , 2010, 646, 61-72.	2.0	71
394	Trophic cascade effects of <i>Hoplias malabaricus</i> (Characiformes, Erythrinidae) in subtropical lakes food webs: a mesocosm approach. <i>Hydrobiologia</i> , 2010, 644, 325-335.	2.0	35
395	Influence of nutrients, submerged macrophytes and zooplankton grazing on phytoplankton biomass and diversity along a latitudinal gradient in Europe. <i>Hydrobiologia</i> , 2010, 653, 79-90.	2.0	55
396	The simultaneous inference of zooplanktivorous fish and macrophyte density from subfossil cladoceran assemblages: a multivariate regression tree approach. <i>Freshwater Biology</i> , 2010, 55, 546-564.	2.4	87

#	ARTICLE	IF	CITATIONS
397	The response of periphyton and submerged macrophytes to nitrogen and phosphorus loading in shallow warm lakes: a mesocosm experiment. <i>Freshwater Biology</i> , 2010, 55, 463-475.	2.4	65
398	Rapid changes in fish community structure and habitat distribution following the precipitation of lake phosphorus with aluminium. <i>Freshwater Biology</i> , 2010, 55, 1036-1049.	2.4	13
399	Submerged macrophytes as indicators of the ecological quality of lakes. <i>Freshwater Biology</i> , 2010, 55, 893-908.	2.4	202
400	Factors influencing zooplankton size structure at contrasting temperatures in coastal shallow lakes: Implications for effects of climate change. <i>Limnology and Oceanography</i> , 2010, 55, 1697-1711.	3.1	148
401	Eutrophication and Restoration of Shallow Lakes from a Cold Temperate to a Warm Mediterranean and a (Sub)Tropical Climate. , 2010, , 91-108.		19
402	Relationships between pelagic bacteria and phytoplankton abundances in contrasting tropical freshwaters. <i>Aquatic Microbial Ecology</i> , 2010, 60, 261-272.	1.8	28
403	Influence of nutrients, submerged macrophytes and zooplankton grazing on phytoplankton biomass and diversity along a latitudinal gradient in Europe. , 2010, , 79-90.		0
404	Assessing ecological quality of shallow lakes: Does knowledge of transparency suffice?. <i>Basic and Applied Ecology</i> , 2009, 10, 89-96.	2.7	31
405	Effects of Submerged Vegetation on Water Clarity Across Climates. <i>Ecosystems</i> , 2009, 12, 1117-1129.	3.4	69
406	Effects of hypolimnetic oxygenation on water quality: results from five Danish lakes. <i>Hydrobiologia</i> , 2009, 625, 157-172.	2.0	51
407	Periphyton biomass, potential production and respiration in a shallow lake during winter and spring. <i>Hydrobiologia</i> , 2009, 632, 201-210.	2.0	16
408	The role of light for fishâ€“zooplanktonâ€“phytoplankton interactions during winter in shallow lakes â€“ a climate change perspective. <i>Freshwater Biology</i> , 2009, 54, 1093-1109.	2.4	21
409	Climateâ€“related differences in the dominance of submerged macrophytes in shallow lakes. <i>Global Change Biology</i> , 2009, 15, 2503-2517.	9.5	125
410	Substantial differences in littoral fish community structure and dynamics in subtropical and temperate shallow lakes. <i>Freshwater Biology</i> , 2009, 54, 1202-1215.	2.4	143
411	Restoring lakes by using artificial plant beds: habitat selection of zooplankton in a clear and a turbid shallow lake. <i>Freshwater Biology</i> , 2009, 54, 1520-1531.	2.4	27
412	Subfossil Cladocera in relation to contemporary environmental variables in 54 Panâ€“European lakes. <i>Freshwater Biology</i> , 2009, 54, 2401-2417.	2.4	92
413	Species richness of crustacean zooplankton and trophic structure of brackish lagoons in contrasting climate zones: north temperate Denmark and Mediterranean Catalonia (Spain). <i>Ecography</i> , 2009, 32, 692-702.	4.5	89
414	Lake and watershed characteristics rather than climate influence nutrient limitation in shallow lakes. <i>Ecological Applications</i> , 2009, 19, 1791-1804.	3.8	91

#	ARTICLE	IF	CITATIONS
415	Climate Change and the Future of Freshwater Biodiversity in Europe: A Primer for Policy-Makers. <i>Freshwater Reviews: A Journal of the Freshwater Biological Association</i> , 2009, 2, 103-130.	1.0	80
416	Ecological Dynamics Across the Arctic Associated with Recent Climate Change. <i>Science</i> , 2009, 325, 1355-1358.	12.6	1,043
417	Climate Change Effects on Runoff, Catchment Phosphorus Loading and Lake Ecological State, and Potential Adaptations. <i>Journal of Environmental Quality</i> , 2009, 38, 1930-1941.	2.0	502
418	Paleolimnological evidence of the effects on lakes of energy and mass transfer from climate and humans. <i>Limnology and Oceanography</i> , 2009, 54, 2330-2348.	3.1	163
419	Sedimentary pigments in 308 alpine lakes and their relation to environmental gradients. <i>Advances in Limnology</i> , 2009, 62, 247-268.	0.4	24
420	Climate Versus In-Lake Processes as Controls on the Development of Community Structure in a Low-Arctic Lake (South-West Greenland). <i>Ecosystems</i> , 2008, 11, 307-324.	3.4	89
421	Lake Restoration by Fish Removal: Short- and Long-Term Effects in 36 Danish Lakes. <i>Ecosystems</i> , 2008, 11, 1291-1305.	3.4	160
422	Field and experimental evidence of the effect of <i>Jenynsia multidentata</i> , a small omnivorous planktivorous fish, on the size distribution of zooplankton in subtropical lakes. <i>Freshwater Biology</i> , 2008, 53, 1797-1807.	2.4	63
423	Effects of increased temperature and nutrient enrichment on the stoichiometry of primary producers and consumers in temperate shallow lakes. <i>Freshwater Biology</i> , 2008, 53, 1434-1452.	2.4	57
424	The response of <i>Vallisneria spirulosa</i> (Hydrocharitaceae) to different loadings of ammonia and nitrate at moderate phosphorus concentration: a mesocosm approach. <i>Freshwater Biology</i> , 2008, 53, 2321-2330.	2.4	30
425	Inferring recent changes in the ecological state of 21 Danish candidate reference lakes (EU Water) Tj ETQq1 1 0.784314 rgBT/Overlo	4.0	33
426	The Water Framework Directive: Setting the phosphorus loading target for a deep lake in Denmark using the 1D lake ecosystem model DYRESM-CAEDYM. <i>Ecological Modelling</i> , 2008, 219, 138-152.	2.5	79
427	Predicting the effects of reduced external nitrogen loading on the nitrogen dynamics and ecological state of deep Lake Ravn, Denmark, using the DYRESM-CAEDYM model. <i>Limnologica</i> , 2008, 38, 220-232.	1.5	47
428	A comparison of methods for calculating Catch Per Unit Effort (CPUE) of gill net catches in lakes. <i>Fisheries Research</i> , 2008, 93, 204-211.	1.7	32
429	Late Quaternary Environmental and Cultural Changes in the Wollaston Forland Region, Northeast Greenland. <i>Advances in Ecological Research</i> , 2008, 40, 45-79.	2.7	37
430	Lake Flora and Fauna in Relation to Ice-Melt, Water Temperature and Chemistry at Zackenberg. <i>Advances in Ecological Research</i> , 2008, 40, 371-389.	2.7	41
431	The power of species sorting: Local factors drive bacterial community composition over a wide range of spatial scales. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 20404-20409.	7.1	395
432	Nitrate-depleted conditions on the increase in shallow northern European lakes. <i>Limnology and Oceanography</i> , 2007, 52, 1346-1353.	3.1	61

#	ARTICLE	IF	CITATIONS
433	Danish and other European experiences in managing shallow lakes. <i>Lake and Reservoir Management</i> , 2007, 23, 439-451.	1.3	25
434	Effects of habitat complexity on community structure and predator avoidance behaviour of littoral zooplankton in temperate versus subtropical shallow lakes. <i>Freshwater Biology</i> , 2007, 52, 1009-1021.	2.4	245
435	A comparison of shallow Danish and Canadian lakes and implications of climate change. <i>Freshwater Biology</i> , 2007, 52, 1782-1792.	2.4	86
436	Major changes in trophic dynamics in large, deep sub-alpine Lake Maggiore from 1940s to 2002: a high resolution comparative palaeo-neolimnological study. <i>Freshwater Biology</i> , 2007, 52, 2256-2269.	2.4	83
437	Lake depth and geographical position modify lake fish assemblages of the European "Central Plains" ecoregion. <i>Freshwater Biology</i> , 2007, 52, 2285-2297.	2.4	65
438	Adaptive microevolutionary responses to simulated global warming in <i>Simocephalus vetulus</i> : a mesocosm study. <i>Global Change Biology</i> , 2007, 13, 878-886.	9.5	55
439	Can warm climate-related structure of littoral predator assemblies weaken the clear water state in shallow lakes?. <i>Global Change Biology</i> , 2007, 13, 1888-1897.	9.5	248
440	Lake restoration: successes, failures and long-term effects. <i>Journal of Applied Ecology</i> , 2007, 44, 1095-1105.	4.0	458
441	Anthropogenic impacts on lake and stream ecosystems, and approaches to restoration. <i>Journal of Applied Ecology</i> , 2007, 44, 1089-1094.	4.0	148
442	Shallow lake restoration by nutrient loading reduction" some recent findings and challenges ahead. <i>Hydrobiologia</i> , 2007, 584, 239-252.	2.0	275
443	Horizontal dynamics of zooplankton in subtropical Lake Blanca (Uruguay) hosting multiple zooplankton predators and aquatic plant refuges. <i>Hydrobiologia</i> , 2007, 584, 179-189.	2.0	73
444	Interclonal variation in diel horizontal migration behaviour of the water flea <i>Daphnia magna</i> " searching for a signature of adaptive evolution. <i>Hydrobiologia</i> , 2007, 594, 117-129.	2.0	12
445	Are the controls of species composition similar for contemporary and sub-fossil cladoceran assemblages? A study of 39 shallow lakes of contrasting trophic status. <i>Journal of Paleolimnology</i> , 2007, 38, 117-134.	1.6	80
446	Regime Shifts in Shallow Lakes. <i>Ecosystems</i> , 2007, 10, 1-3.	3.4	218
447	Salinity Induced Regime Shift in Shallow Brackish Lagoons. <i>Ecosystems</i> , 2007, 10, 48-58.	3.4	110
448	Use of Cladoceran Resting Eggs to Trace Climate-driven and Anthropogenic Changes in Aquatic Ecosystems. , 2007, , 135-157.		10
449	Horizontal dynamics of Zooplankton in subtropical Lake Bianca (Uruguay) hosting multiple Zooplankton predators and aquatic plant refuges. , 2007, , 179-189.		14
450	Shallow lake restoration by nutrient loading reduction" some recent findings and challenges ahead. , 2007, , 239-252.		17

#	ARTICLE	IF	CITATIONS
451	Adaptive microevolutionary responses to simulated global warming in <i>Simocephalus vetulus</i> : a mesocosm study. <i>Global Change Biology</i> , 2007, .	9.5	1
452	Substratum as a driver of variation in periphyton chlorophyll and productivity in lakes. <i>Journal of the North American Benthological Society</i> , 2006, 25, 379-392.	3.1	80
453	An empirical model describing the seasonal dynamics of phosphorus in 16 shallow eutrophic lakes after external loading reduction. <i>Limnology and Oceanography</i> , 2006, 51, 791-800.	3.1	64
454	Small habitat size and isolation can promote species richness: second-order effects on biodiversity in shallow lakes and ponds. <i>Oikos</i> , 2006, 112, 227-231.	2.7	320
455	Habitat distribution of fish in late summer: changes along a nutrient gradient in Danish lakes. <i>Ecology of Freshwater Fish</i> , 2006, 15, 180-190.	1.4	35
456	Structure, biomass, production and depth distribution of periphyton on artificial substratum in shallow lakes with contrasting nutrient concentrations. <i>Freshwater Biology</i> , 2006, 51, 95-109.	2.4	80
457	An experimental study of habitat choice by <i>Daphnia</i> : plants signal danger more than refuge in subtropical lakes. <i>Freshwater Biology</i> , 2006, 51, 1320-1330.	2.4	110
458	Lake depth rather than fish planktivory determines cladoceran community structure in Faroese lakes ? evidence from contemporary data and sediments. <i>Freshwater Biology</i> , 2006, 51, 2124-2142.	2.4	42
459	Implications of Climate-enforced Temperature Increases on Freshwater Pico- and Nanoplankton Populations Studied in Artificial Ponds During 16 Months. <i>Hydrobiologia</i> , 2006, 560, 259-266.	2.0	52
460	Center Stage: The Crucial Role of Macrophytes in Regulating Trophic Interactions in Shallow Lake Wetlands. <i>Ecological Studies</i> , 2006, , 37-59.	1.2	55
461	Uncovering hidden species: hatching diapausing eggs for the analysis of cladoceran species richness. <i>Limnology and Oceanography: Methods</i> , 2005, 3, 399-407.	2.0	56
462	Water Framework Directive: ecological classification of Danish lakes. <i>Journal of Applied Ecology</i> , 2005, 42, 616-629.	4.0	227
463	Does high nitrogen loading prevent clear-water conditions in shallow lakes at moderately high phosphorus concentrations?. <i>Freshwater Biology</i> , 2005, 50, 27-41.	2.4	146
464	Hatching of cladoceran resting eggs: temperature and photoperiod. <i>Freshwater Biology</i> , 2005, 50, 96-104.	2.4	140
465	Seasonal response of nutrients to reduced phosphorus loading in 12 Danish lakes. <i>Freshwater Biology</i> , 2005, 50, 1605-1615.	2.4	114
466	Response of fish and plankton to nutrient loading reduction in eight shallow Danish lakes with special emphasis on seasonal dynamics. <i>Freshwater Biology</i> , 2005, 50, 1616-1627.	2.4	110
467	Lake responses to reduced nutrient loading - an analysis of contemporary long-term data from 35 case studies. <i>Freshwater Biology</i> , 2005, 50, 1747-1771.	2.4	1,080
468	Combining palaeolimnological and limnological approaches in assessing lake ecosystem response to nutrient reduction. <i>Freshwater Biology</i> , 2005, 50, 1772-1780.	2.4	144

#	ARTICLE	IF	CITATIONS
469	Ecological effects of reduced nutrient loading (oligotrophication) on lakes: an introduction. <i>Freshwater Biology</i> , 2005, 50, 1589-1593.	2.4	83
470	Periphyton-macroinvertebrate interactions in light and fish manipulated enclosures in a clear and a turbid shallow lake. <i>Aquatic Ecology</i> , 2005, 39, 23-39.	1.5	36
471	Dormant propagule banks integrate spatio-temporal heterogeneity in cladoceran communities. <i>Oecologia</i> , 2005, 142, 109-116.	2.0	50
472	Relationships between environmental variables and zooplankton subfossils in the surface sediments of 36 shallow coastal brackish lakes with special emphasis on the role of fish. <i>Journal of Paleolimnology</i> , 2005, 33, 39-51.	1.6	45
473	Response of northern temperate shallow lakes to reduced nutrient loading, with special emphasis on Danish lakes. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , 2005, 29, 115-122.	0.1	1
474	Mid- to late-Holocene land-use change and lake development at Dallund Sø, Denmark: trophic structure inferred from cladoceran subfossils. <i>Holocene</i> , 2005, 15, 1143-1151.	1.7	23
475	Pond or lake: does it make any difference?. <i>Archiv für Hydrobiologie</i> , 2005, 162, 143-165.	1.1	190
476	Global warming: Design of a flow-through shallow lake mesocosm climate experiment. <i>Limnology and Oceanography: Methods</i> , 2005, 3, 1-9.	2.0	83
477	The role of climate in shaping zooplankton communities of shallow lakes. <i>Limnology and Oceanography</i> , 2005, 50, 2008-2021.	3.1	179
478	CONTROLS OF ALGAL ABUNDANCE AND COMMUNITY COMPOSITION DURING ECOSYSTEM STATE CHANGE. <i>Ecology</i> , 2005, 86, 2200-2211.	3.2	107
479	Primary Consumer Stable Nitrogen Isotopes as Indicators of Nutrient Source. <i>Environmental Science &amp; Technology</i> , 2005, 39, 7509-7515.	10.0	139
480	Nutrient pressures and ecological responses to nutrient loading reductions in Danish streams, lakes and coastal waters. <i>Journal of Hydrology</i> , 2005, 304, 274-288.	5.4	264
481	MULTI-GROUP BIODIVERSITY IN SHALLOW LAKES ALONG GRADIENTS OF PHOSPHORUS AND WATER PLANT COVER. <i>Ecology</i> , 2005, 86, 1905-1915.	3.2	198
482	Use of ephippial morphology to assess richness of anomopods: potentials and pitfalls. <i>Journal of Limnology</i> , 2004, 63, 75.	1.1	71
483	Reconstructing the salinity and environment of the Limfjord and Vejlerne Nature Reserve, Denmark, using a diatom model for brackish lakes and fjords. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2004, 61, 1988-2006.	1.4	42
484	Impact of fish predation on cladoceran body weight distribution and zooplankton grazing in lakes during winter. <i>Freshwater Biology</i> , 2004, 49, 432-447.	2.4	100
485	Hatching Rate and Hatching Success with and Without Isolation of Zooplankton Resting Stages. <i>Hydrobiologia</i> , 2004, 526, 235-241.	2.0	40
486	Aquatic invertebrates and high latitude paleolimnology. , 2004, , 159-186.		26



#	ARTICLE	IF	CITATIONS
487	Cascading effect of three-spined stickleback <i>Gasterosteus aculeatus</i> on community composition, size, biomass and diversity of phytoplankton in shallow, eutrophic brackish lagoons. <i>Marine Ecology - Progress Series</i> , 2004, 279, 305-309.	1.9	21
488	Title is missing!. <i>Journal of Paleolimnology</i> , 2003, 29, 495-507.	1.6	29
489	Sub-fossils of cladocerans in the surface sediment of 135 lakes as proxies for community structure of zooplankton, fish abundance and lake temperature. <i>Hydrobiologia</i> , 2003, 491, 321-330.	2.0	78
490	Role of sediment and internal loading of phosphorus in shallow lakes. <i>Hydrobiologia</i> , 2003, 506-509, 135-145.	2.0	1,160
491	Response of submerged macrophytes in Danish lakes to nutrient loading reductions and biomanipulation. <i>Hydrobiologia</i> , 2003, 506-509, 641-649.	2.0	85
492	The determination of ecological status in shallow lakes - a tested system (ECOFRAME) for implementation of the European Water Framework Directive. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2003, 13, 507-549.	2.0	266
493	Temporal dynamics in epipelagic, pelagic and epiphytic algal production in a clear and a turbid shallow lake. <i>Freshwater Biology</i> , 2003, 48, 418-431.	2.4	153
494	Spatial and temporal distribution of fish and zooplankton in a shallow lake. <i>Freshwater Biology</i> , 2003, 48, 1353-1362.	2.4	50
495	The Impact of Nutrient State and Lake Depth on Top-down Control in the Pelagic Zone of Lakes: A Study of 466 Lakes from the Temperate Zone to the Arctic. <i>Ecosystems</i> , 2003, 6, 313-325.	3.4	251
496	From Greenland to green lakes: Cultural eutrophication and the loss of benthic pathways in lakes. <i>Limnology and Oceanography</i> , 2003, 48, 1408-1418.	3.1	513
497	Does resuspension prevent a shift to a clear state in shallow lakes during reoligotrophication?. <i>Limnology and Oceanography</i> , 2003, 48, 1913-1919.	3.1	50
498	Climatic warming and regime shifts in lake food webs – some comments. <i>Limnology and Oceanography</i> , 2003, 48, 1346-1349.	3.1	45
499	Recovery from Eutrophication. , 2003, , 135-175.		11
500	Impact of three-spined stickleback <i>Gasterosteus aculeatus</i> on zooplankton and chl a in shallow, eutrophic, brackish lakes. <i>Marine Ecology - Progress Series</i> , 2003, 262, 277-284.	1.9	31
501	Seasonal dynamics in the concentrations and retention of phosphorus in shallow Danish lakes after reduced loading. <i>Aquatic Ecosystem Health and Management</i> , 2002, 5, 19-29.	0.6	66
502	Response of phytoplankton, zooplankton, and fish to re-oligotrophication: An 11 year study of 23 Danish lakes. <i>Aquatic Ecosystem Health and Management</i> , 2002, 5, 31-43.	0.6	90
503	Diel horizontal migration of zooplankton: costs and benefits of inhabiting the littoral. <i>Freshwater Biology</i> , 2002, 47, 343-365.	2.4	323
504	Phosphorus dynamics in Danish lakes and the implications for diatom ecology and palaeoecology. <i>Freshwater Biology</i> , 2002, 47, 1963-1975.	2.4	61



#	ARTICLE	IF	CITATIONS
505	Title is missing!. Journal of Paleolimnology, 2002, 27, 133-143.	1.6	73
506	Cascading trophic interactions in the littoral zone: an enclosure experiment in shallow Lake Stigsholm, Denmark. Fundamental and Applied Limnology, 2002, 153, 533-555.	0.7	40
507	Functional ecology and palaeolimnology: using cladoceran remains to reconstruct anthropogenic impact. Trends in Ecology and Evolution, 2001, 16, 191-198.	8.7	196
508	Changes in the abundance of planktivorous fish in Lake Skanderborg during the past two centuries—a palaeoecological approach. Palaeogeography, Palaeoclimatology, Palaeoecology, 2001, 172, 143-152.	2.3	32
509	Retention and Internal Loading of Phosphorus in Shallow, Eutrophic Lakes. Scientific World Journal, The, 2001, 1, 427-442.	2.1	301
510	Littoral zone structures as <i>Daphnia</i> refugia against fish predators. Limnology and Oceanography, 2001, 46, 230-237.	3.1	137
511	Title is missing!. Hydrobiologia, 2001, 442, 329-337.	2.0	59
512	Horizontal distribution of cladocerans in arctic Greenland lakes — impact of macrophytes and fish. Hydrobiologia, 2001, 442, 107-116.	2.0	37
513	Pelagic prey and benthic predators: impact of odonate predation on <i>Daphnia</i> . Journal of the North American Benthological Society, 2001, 20, 615-628.	3.1	54
514	Lake restoration in Denmark. Lakes and Reservoirs: Research and Management, 2000, 5, 151-159.	0.9	72
515	Trophic structure, species richness and biodiversity in Danish lakes: changes along a phosphorus gradient. Freshwater Biology, 2000, 45, 201-218.	2.4	788
516	Macrophyte and fish chemicals suppress <i>Daphnia</i> growth and alter life-history traits. Oikos, 2000, 88, 139-147.	2.7	79
517	Title is missing!. Hydrobiologia, 2000, 428, 151-159.	2.0	19
518	Is trophic state or regional location the strongest determinant for Chl-a/TP relationships in lakes?. Aquatic Sciences, 2000, 62, 195-204.	1.5	15
519	Landlocked Arctic charr ( <i>Salvelinus alpinus</i> ) population structure and lake morphometry in Greenland - is there a connection?. Polar Biology, 2000, 23, 550-558.	1.2	42
520	Hypolimnetic Nitrate Treatment to Reduce Internal Phosphorus Loading in a Stratified Lake. Lake and Reservoir Management, 2000, 16, 195-204.	1.3	53
521	Trophic structure in the pelagial of 25 shallow New Zealand lakes: changes along nutrient and fish gradients. Journal of Plankton Research, 2000, 22, 951-968.	1.8	118
522	The impact of metazooplankton on the structure of the microbial food web in a shallow, hypertrophic lake. Journal of Plankton Research, 2000, 22, 1047-1070.	1.8	95

#	ARTICLE	IF	CITATIONS
523	Internal phosphorus loading in shallow Danish lakes. , 1999, , 145-152.		46
524	Trophic dynamics in turbid and clearwater lakes with special emphasis on the role of zooplankton for water clarity. , 1999, , 217-231.		33
525	Internal phosphorus loading in shallow Danish lakes. Hydrobiologia, 1999, 408/409, 145-152.	2.0	216
526	Title is missing!. Hydrobiologia, 1999, 408/409, 217-231.	2.0	118
527	Lake and catchment management in Denmark. Hydrobiologia, 1999, 395/396, 419-432.	2.0	109
528	Title is missing!. Hydrobiologia, 1999, 408/409, 241-250.	2.0	30
529	Title is missing!. Aquatic Ecology, 1999, 33, 167-173.	1.5	10
530	Impact of metazooplankton on the composition and population dynamics of planktonic ciliates in a shallow, hypertrophic lake. Aquatic Microbial Ecology, 1999, 17, 61-75.	1.8	72
531	Lake and catchment management in Denmark. , 1999, , 419-432.		24
532	Diel variation in horizontal distribution of Daphnia and Ceriodaphnia in oligotrophic and mesotrophic lakes with contrasting fish densities. , 1999, , 241-250.		12
533	Cascading Trophic Interactions from Fish to Bacteria and Nutrients after Reduced Sewage Loading: An 18-Year Study of a Shallow Hypertrophic Lake. Ecosystems, 1998, 1, 250-267.	3.4	140
534	Minireview: Biomanipulation as an Application of Food-Chain Theory: Constraints, Synthesis, and Recommendations for Temperate Lakes. Ecosystems, 1998, 1, 558-574.	3.4	374
535	Alternative Stable States. Ecological Studies, 1998, , 397-406.	1.2	64
536	Horizontal Migration of Zooplankton: Predator-Mediated Use of Macrophyte Habitat. Ecological Studies, 1998, , 233-239.	1.2	30
537	Bacterioplankton and Carbon Turnover in a Dense Macrophyte Canopy. Ecological Studies, 1998, , 250-261.	1.2	5
538	Cascading Effects on Microbial Food Web Structure in a Dense Macrophyte Bed. Ecological Studies, 1998, , 262-273.	1.2	16
539	Macrophyte-Waterfowl Interactions: Tracking a Variable Resource and the Impact of Herbivory on Plant Growth. Ecological Studies, 1998, , 298-306.	1.2	14
540	Macrophytes and Turbidity in Brackish Lakes with Special Emphasis on the Role of Top-Down Control. Ecological Studies, 1998, , 369-377.	1.2	23

#	ARTICLE	IF	CITATIONS
541	Impact of Submerged Macrophytes on Fish-Zooplankton Interactions in Lakes. <i>Ecological Studies</i> , 1998, , 91-114.	1.2	147
542	Changes in nitrogen retention in shallow eutrophic lakes following a decline in density of cyprinids. <i>Fundamental and Applied Limnology</i> , 1998, 142, 129-151.	0.7	57
543	Top-down control in freshwater lakes: the role of nutrient state, submerged macrophytes and water depth. , 1997, , 151-164.		131
544	Do planktivorous fish structure the zooplankton communities in New Zealand lakes?. <i>New Zealand Journal of Marine and Freshwater Research</i> , 1997, 31, 163-173.	2.0	69
545	Title is missing!. <i>Hydrobiologia</i> , 1997, 342/343, 311-318.	2.0	67
546	Title is missing!. <i>Hydrobiologia</i> , 1997, 342/343, 151-164.	2.0	508
547	Title is missing!. <i>Hydrobiologia</i> , 1997, 342/343, 319-325.	2.0	52
548	Can Simple Empirical Equations Describe the Seasonal Dynamics of Bacterioplankton in Lakes: An Eight-Year Study in Shallow Hypertrophic and Biologically Highly Dynamic Lake SÅbygård, Denmark. <i>Microbial Ecology</i> , 1997, 34, 11-26.	2.8	30
549	Pike ( <i>Esox lucius</i> L.) stocking as a biomanipulation tool 2. Effects on lower trophic levels in Lake Lyng, Denmark. , 1997, , 319-325.		10
550	Phosphorus fractions and profiles in the sediment of shallow Danish lakes as related to phosphorus load, sediment composition and lake chemistry. <i>Water Research</i> , 1996, 30, 992-1002.	11.3	130
551	The impact of grazing waterfowl on submerged macrophytes: In situ experiments in a shallow eutrophic lake. <i>Aquatic Botany</i> , 1996, 53, 73-84.	1.6	125
552	Reconstructing the past density of planktivorous fish and trophic structure from sedimentary zooplankton fossils: a surface sediment calibration data set from shallow lakes. <i>Freshwater Biology</i> , 1996, 36, 115-127.	2.4	102
553	Modelling of seasonal variation in nitrogen retention and in-lake concentration: A four-year mass balance study in 16 shallow Danish lakes. <i>Biogeochemistry</i> , 1996, 33, 25.	3.5	112
554	The importance of macrophyte bed size for cladoceran composition and horizontal migration in a shallow lake. <i>Journal of Plankton Research</i> , 1996, 18, 2283-2294.	1.8	174
555	Fish-induced changes in zooplankton grazing on phytoplankton and bacterioplankton: a long-term study in shallow hypertrophic Lake SÅbygaard. <i>Journal of Plankton Research</i> , 1996, 18, 1605-1625.	1.8	40
556	Impact of submerged macrophytes on fish-zooplanl phytoplankton interactions: large-scale enclosure experiments in a shallow eutrophic lake. <i>Freshwater Biology</i> , 1995, 33, 255-270.	2.4	385
557	Seasonal dynamics of the mysid <i>Neomysis integer</i> and its predation on the copepod <i>Eurytemora affinis</i> in a shallow hypertrophic brackish lake. <i>Marine Ecology - Progress Series</i> , 1995, 127, 47-56.	1.9	42
558	Colonization and succession of submerged macrophytes in shallow Lake VÅng during the first five years following fish manipulation. <i>Hydrobiologia</i> , 1994, 275-276, 233-242.	2.0	62

#	ARTICLE	IF	CITATIONS
559	Impact of Nutrients and Physical Factors on the Shift from Cyanobacterial to Chlorophyte Dominance in Shallow Danish Lakes. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1994, 51, 1692-1699.	1.4	294
560	Eight years of internal phosphorus loading and changes in the sediment phosphorus profile of Lake Siðbygaard, Denmark. <i>Hydrobiologia</i> , 1993, 253, 345-356.	2.0	65
561	Alternative equilibria in shallow lakes. <i>Trends in Ecology and Evolution</i> , 1993, 8, 275-279.	8.7	2,235
562	Colonization of submerged macrophytes in shallow fish manipulated Lake VÅng: impact of sediment composition and waterfowl grazing. <i>Aquatic Botany</i> , 1993, 46, 1-15.	1.6	115
563	Eight years of internal phosphorus loading and changes in the sediment phosphorus profile of Lake SÅbygaard, Denmark. , 1993, , 345-356.		18
564	Life cycle of <i>Cyclops vicinus</i> in relation to food availability, predation, diapause and temperature. <i>Journal of Plankton Research</i> , 1992, 14, 591-605.	1.8	40
565	Phosphorus release from resuspended sediment in the shallow and wind-exposed Lake Arresjø, Denmark. <i>Hydrobiologia</i> , 1992, 228, 91-99.	2.0	403
566	Resuspension in a shallow eutrophic lake. <i>Hydrobiologia</i> , 1992, 228, 101-109.	2.0	189
567	Changes in the abundance and composition of cyclopoid copepods following fish manipulation in eutrophic Lake Vaeng, Denmark. <i>Freshwater Biology</i> , 1992, 28, 183-193.	2.4	19
568	Nitrogen Loss and Denitrification as Studied in Relation to Reductions in Nitrogen Loading in a Shallow, Hypertrophic Lake (Lake SÅbygaard, Denmark). <i>International Review of Hydrobiology</i> , 1992, 77, 29-42.	0.6	57
569	A continuous-flow system for measuring in vitro oxygen and nitrogen metabolism in separated stream communities. <i>Freshwater Biology</i> , 1991, 26, 495-506.	2.4	7
570	Interactions between sediment and water in a shallow and hypertrophic lake: a study on phytoplankton collapses in Lake Siðbygaard, Denmark. <i>Hydrobiologia</i> , 1990, 191, 139-148.	2.0	48
571	Interactions between phytoplankton, zooplankton and fish in a shallow, hypertrophic lake: a study of phytoplankton collapses in Lake Siðbygaard, Denmark. <i>Hydrobiologia</i> , 1990, 191, 149-164.	2.0	53
572	Interactions between sediment and water in a shallow and hypertrophic lake: a study on phytoplankton collapses in Lake SÅbygaard, Denmark. , 1990, , 139-148.		15
573	Interactions between phytoplankton, zooplankton and fish in a shallow, hypertrophic lake: a study of phytoplankton collapses in Lake SÅbygaard, Denmark. , 1990, , 149-164.		21
574	Growth of macrophytes and ecosystem consequences in a lowland Danish stream. <i>Freshwater Biology</i> , 1989, 22, 15-32.	2.4	119
575	Biomass and oxygen dynamics of the epiphyte community in a Danish lowland stream. <i>Freshwater Biology</i> , 1989, 22, 431-443.	2.4	19
576	Two Simple Models for Estimating Daily Mean Water Temperatures and Diel Variations in a Danish Low Gradient Stream. <i>Oikos</i> , 1987, 49, 149.	2.7	43

#	ARTICLE	IF	CITATIONS
577	Reaeration of Oxygen in Shallow, Macrophyte Rich Streams: I â€œ Determination of the Reaeration Rate Coefficient. <i>International Review of Hydrobiology</i> , 1987, 72, 405-429.	0.6	44
578	Diurnal variation in the oxygen uptake of river sediments <i>in vitro</i> by use of continuous flow-through systems. <i>Hydrobiologia</i> , 1982, 91-92, 189-195.	2.0	7
579	Body size and trophic cascades in lakes. , 0, , 118-139.		11
580	Metadata of European Lake Fishes Dataset. <i>Freshwater Metadata Journal</i> , 0, , 1-8.	0.0	7
581	A 15-year Study of the Spatial Distribution of <i>Rutilus rutilus</i> and <i>Perca fluviatilis</i> in Late Summer in Two Shallow Lakes With Contrasting Trophic State. <i>Journal of Limnology and Freshwater Fisheries Research</i> , 0, , .	0.3	0
582	Can artificial light promote submerged macrophyte growth in summer?. <i>Aquatic Ecology</i> , 0, , 1.	1.5	2
583	Submerged macrophytes in Danish lakes: impact of morphological and chemical factors on abundance and species richness. <i>Hydrobiologia</i> , 0, , 1.	2.0	5
584	Potential effects of warming on the trophic structure of shallow lakes in South America: a comparative analysis of subtropical and tropical systems. <i>Hydrobiologia</i> , 0, , 1.	2.0	1
585	Large fish forage lower in the food web and food webs are more truncated in warmer climates. <i>Hydrobiologia</i> , 0, , 1.	2.0	6
586	Periphyton responses to nitrogen decline and warming in eutrophic shallow lake mesocosms. <i>Hydrobiologia</i> , 0, , 1.	2.0	2
587	Effects of High Ammonium Loading on Two Submersed Macrophytes of Different Growth Form Based on an 18-Month Pond Experiment. <i>Frontiers in Plant Science</i> , 0, 13, .	3.6	1