

# Andrey Rempel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2654976/publications.pdf>

Version: 2024-02-01

173  
papers

3,007  
citations

172457

29  
h-index

233421

45  
g-index

180  
all docs

180  
docs citations

180  
times ranked

2043  
citing authors

#	ARTICLE	IF	CITATIONS
1	High-entropy alloys: properties and prospects of application as protective coatings. Russian Chemical Reviews, 2022, 91, .	6.5	16
2	Positrons as chemically sensitive probes in interfaces of multicomponent complex materials: Nanocrystalline Fe <sub>90</sub> Zr <sub>7</sub> B <sub>3</sub> . International Journal of Materials Research, 2022, 94, 1073-1078.	0.3	0
3	Synthesis and properties of azines functionalized graphene with extremely high adsorptive ability to Eu <sup>3+</sup> ions. FlatChem, 2022, 33, 100348.	5.6	1
4	Solubility of ĐfıOy/HAp nanocomposites in body simulated fluid. Ceramics International, 2022, 48, 25213-25218.	4.8	0
5	Impact of annealing of nanotubular titanium dioxide in a hydrogen flow on structure and morphology. AIP Conference Proceedings, 2022, , .	0.4	0
6	Synthesis, modification and characterization of titania nanostructures. AIP Conference Proceedings, 2022, , .	0.4	1
7	Titanium dioxide nanotubes: synthesis, structure, properties and applications. Russian Chemical Reviews, 2021, 90, 1397-1414.	6.5	21
8	Nonstoichiometry, structure and properties of nanocrystalline oxides, carbides and sulfides. Russian Chemical Reviews, 2021, 90, 601-626.	6.5	8
9	Synthesis and Physicochemical Properties of Nanostructured TiO <sub>2</sub> with Enhanced Photocatalytic Activity. Inorganic Materials, 2021, 57, 503-510.	0.8	17
10	Analysis of the Probability of Synthesizing High-Entropy Alloys in the Systems Ti-Zr-Hf-V-Nb, Cd-Ti-Zr-Nb-Al, and Zr-Hf-V-Nb-Ni. Physical Mesomechanics, 2021, 24, 701-706.	1.9	4
11	Production, Properties and Practical Application of High-Entropy Alloys. Steel in Translation, 2020, 50, 243-247.	0.3	3
12	Deep machine learning interatomic potential for liquid silica. Physical Review E, 2020, 102, 052125.	2.1	25
13	High Photocatalytic Activity Under Visible Light of Sandwich Structures Based on Anodic TiO <sub>2</sub> /CdS Nanoparticles/Solâ€™Gel TiO <sub>2</sub> . Topics in Catalysis, 2020, 63, 130-138.	2.8	17
14	<i>Ab initio</i> molecular dynamics and high-dimensional neural network potential study of VZrNbHfTa melt. Journal of Physics Condensed Matter, 2020, 32, 214006.	1.8	7
15	Modification of the titanium oxide Ti <sub>2</sub> O <sub>3</sub> powders structure on the duration of mechanical high-energy treatment. AIP Conference Proceedings, 2020, , .	0.4	0
16	Machine learning interatomic potential for molten TiZrHfNb. AIP Conference Proceedings, 2020, , .	0.4	0
17	Size effect in nonstoichiometric titanium monoxide and vanadium carbide nanocrystals measured by positron lifetime spectroscopy. Mendeleev Communications, 2019, 29, 486-488.	1.6	4
18	Orientation Relationships upon the Structural Transformation of Monoclinic and Cubic Phases in Silver Sulfide. Semiconductors, 2019, 53, 941-946.	0.5	4

#	ARTICLE	IF	CITATIONS
19	Synthesis of a TiO <sub>2</sub> Photocatalyst for Dehydrogenative Cross-Coupling of (Hetero)Arenes. <i>Inorganic Materials</i> , 2019, 55, 155-161.	0.8	10
20	Nanostructured titanium dioxide for medicinal chemistry. <i>Russian Chemical Bulletin</i> , 2019, 68, 2163-2171.	1.5	14
21	Synthesis of nonstoichiometric titanium dioxide in the hydrogen flow. <i>AIP Conference Proceedings</i> , 2019, , .	0.4	7
22	Partial pair correlation functions of liquid TiZrNbHfTa high-entropy alloy. <i>AIP Conference Proceedings</i> , 2019, , .	0.4	1
23	Lifetime of Positrons in Nanostructured Nonstoichiometric Silver Sulfide Ag <sub>2</sub> S. <i>JETP Letters</i> , 2018, 107, 4-9.	1.4	5
24	Superimposure of M <sub>6</sub> X <sub>5</sub> Superstructures in Ordered Niobium Carbide NbCO <sub>0.83</sub> . <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2018, 82, 595-599.	0.6	1
25	Stability of Defectless Structures of Titanium Monoxide at High Pressures. <i>JETP Letters</i> , 2018, 108, 476-480.	1.4	4
26	Microinhomogeneity of the Structure of Nanocrystalline Niobium and Vanadium Carbides. <i>JETP Letters</i> , 2018, 108, 253-259.	1.4	5
27	Structure of a HAp/TiO <sub>y</sub> Nanocomposite Studied by Vibrational Spectroscopy Techniques. <i>Inorganic Materials</i> , 2018, 54, 898-903.	0.8	7
28	Nonstoichiometric titanium dioxide nanotubes with enhanced catalytical activity under visible light. <i>Scientific Reports</i> , 2018, 8, 9607.	3.3	50
29	Nanostructured silver sulfide: synthesis of various forms and their application. <i>Russian Chemical Reviews</i> , 2018, 87, 303-327.	6.5	47
30	Micro-Raman Spectroscopy of Nanostructured Silver Sulfide. <i>Doklady Physical Chemistry</i> , 2018, 480, 81-84.	0.9	29
31	Distribution of Vacancies in a Hybrid M(5 <sup>11/18</sup> )X(5 <sup>11/18</sup> ) Superstructure of a High-Temperature Ordered $\beta$ -TiO Phase. <i>Physics of the Solid State</i> , 2018, 60, 461-465.	0.6	0
32	A New Ti <sub>9</sub> O <sub>10</sub> Nanophase Prepared by Heat-Treating Nonstoichiometric Milled TiO <sub>y</sub> Nanopowder. <i>Inorganic Materials</i> , 2018, 54, 568-574.	0.8	9
33	Evolution of microstructure of niobium carbide NbC <sub>0.77</sub> powders. <i>Crystal Research and Technology</i> , 2017, 52, 1700061.	1.3	5
34	Order-order transition structural state in titanium monoxide TiO <sub>1.0</sub> . <i>Physics of the Solid State</i> , 2017, 59, 1190-1195.	0.6	1
35	Sol-gel synthesis of nanosized titanium dioxide at various pH of the initial solution. <i>AIP Conference Proceedings</i> , 2017, , .	0.4	13
36	Selforganization of nanoparticles in the system of silver-sulfide-mercaptopropylsilane. <i>AIP Conference Proceedings</i> , 2017, , .	0.4	2

#	ARTICLE	IF	CITATIONS
37	Superposition of M5X5 superstructures and X-ray diffraction in TiO <sub>1.0</sub> titanium monoxide. Journal of Experimental and Theoretical Physics, 2017, 125, 235-245.	0.9	2
38	Influence of the degree of order and nonstoichiometry on the microstructure and microhardness of titanium monoxide. Inorganic Materials, 2017, 53, 1174-1179.	0.8	9
39	Photoluminescence of nanostructured Zn <sub>2</sub> SiO <sub>4</sub> :Mn <sup>2+</sup> ceramics under UV and VUV excitation. Journal of Surface Investigation, 2017, 11, 727-731.	0.5	2
40	Quantum-chemical study of titanium monoxide nanoparticles with structural vacancies. Doklady Physical Chemistry, 2017, 473, 71-74.	0.9	0
41	Size, zeta potential, and semiconductor properties of hybrid CdS/ZnS nanoparticles in a stable aqueous colloidal solution. Russian Journal of Physical Chemistry A, 2017, 91, 1105-1108.	0.6	4
42	Short-range order in disordered and ordered niobium carbide NbC <sub>0.83</sub> from ab initio calculations. Bulletin of the Russian Academy of Sciences: Physics, 2017, 81, 373-376.	0.6	1
43	Diffraction spectra of order-order transition structural states in titanium monoxide. JETP Letters, 2017, 106, 157-161.	1.4	3
44	Effect of high pressure on the period of the basis lattice and concentration of vacancies in titanium monoxide TiO. JETP Letters, 2017, 106, 354-357.	1.4	4
45	Microhardness and phase composition of TiO <sub>2</sub> /hydroxyapatite nanocomposites synthesized under low-temperature annealing conditions. Inorganic Materials, 2016, 52, 476-482.	0.8	13
46	Zeta Potential, Size, and Semiconductor Properties of Zinc Sulfide Nanoparticles in a Stable Aqueous Colloid Solution. Russian Journal of Physical Chemistry A, 2016, 90, 864-869.	0.6	13
47	Nanostructured lead sulfide: synthesis, structure and properties. Russian Chemical Reviews, 2016, 85, 731-758.	6.5	49
48	Direct functionalization of the C-H bond in (hetero)arenes: aerobic photoinduced oxidative coupling of azines with aromatic nucleophiles (S <sub>N</sub> H-reactions) in the presence of a CdS/TiO <sub>2</sub> photocatalyst. Russian Chemical Bulletin, 2016, 65, 445-450.	1.5	11
49	Dependence of Van-Vleck paramagnetism on the size of nanocrystals in superstoichiometric TiO <sub>2</sub> . Journal of Experimental and Theoretical Physics, 2016, 122, 722-726.	0.9	6
50	Formation of CdS nanoparticles in the matrix of silicate glass and its optical properties. Glass Physics and Chemistry, 2016, 42, 251-256.	0.7	3
51	Synthesis of hybrid nanoparticles based on magnetic Fe <sub>3</sub> O <sub>4</sub> nanoparticles and luminescent CdS nanoparticles. Doklady Chemistry, 2016, 467, 113-117.	0.9	4
52	Influence of particle size, stoichiometry, and degree of long-range order on magnetic susceptibility of titanium monoxide. Physics of the Solid State, 2016, 58, 771-778.	0.6	18
53	Silver sulfide nanoparticles with a carbon-containing shell. Inorganic Materials, 2016, 52, 441-446.	0.8	12
54	High-temperature X-ray diffraction and thermal expansion of nanocrystalline and coarse-crystalline acanthite $\text{I} \pm \text{Ag}_{2-x}\text{S}$ and argentite $\text{I}^2 \text{Ag}_{2-x}\text{S}$ . Physical Chemistry Chemical Physics, 2016, 18, 4617-4626.	2.8	59

#	ARTICLE	IF	CITATIONS
55	Synthesis and optical properties of glass with cadmium sulfide nanoparticles. <i>Glass Physics and Chemistry</i> , 2016, 42, 38-42.	0.7	3
56	Thermal expansion of nanocrystalline and coarse-crystalline silver sulfide Ag <sub>2</sub> S. <i>Physics of the Solid State</i> , 2016, 58, 251-257.	0.6	20
57	Inclusion of the correlation short-range order in Ab initio calculations of the energy of the ground state by example of titanium monoxide TiO. <i>JETP Letters</i> , 2015, 102, 85-90.	1.4	17
58	Structure and stoichiometry of nanocrystalline silver sulfide. <i>Doklady Physical Chemistry</i> , 2015, 464, 238-243.	0.9	7
59	In situ study of atomic-vacancy ordering in stoichiometric titanium monoxide by the magnetic susceptibility. <i>JETP Letters</i> , 2015, 101, 258-263.	1.4	20
60	Nanocrystalline VC <sub>y</sub> powders in the homogeneity range of a disordered cubic phase. <i>Inorganic Materials</i> , 2015, 51, 1243-1250.	0.8	4
61	Size and zeta potential of CdS nanoparticles in stable aqueous solution of EDTA and NaCl. <i>Inorganic Materials</i> , 2015, 51, 215-219.	0.8	30
62	Sol-gel synthesis and photoluminescence of Zn <sub>2</sub> SiO <sub>4</sub> :Mn nanoparticles. <i>Inorganic Materials</i> , 2015, 51, 152-157.	0.8	17
63	Titania synthesized through regulated mineralization of cellulose and its photocatalytic activity. <i>RSC Advances</i> , 2015, 5, 8544-8551.	3.6	18
64	Synthesis of nanocrystalline silver sulfide. <i>Inorganic Materials</i> , 2015, 51, 759-766.	0.8	31
65	Synthesis of cadmium sulfide CdS nanoparticles in a silicate glass matrix. <i>Inorganic Materials</i> , 2015, 51, 933-938.	0.8	12
66	Domains of the phases V <sub>8</sub> C <sub>7</sub> and V <sub>3</sub> C <sub>2</sub> in bulk carbide VC <sub>y</sub> . <i>JETP Letters</i> , 2015, 101, 533-538.	1.4	12
67	Aerobic oxidative C-H/C-H coupling of azaaromatics with indoles and pyrroles in the presence of TiO <sub>2</sub> as a photocatalyst. <i>Green Chemistry</i> , 2015, 17, 4401-4410.	9.0	65
68	Artificial silver sulfide Ag <sub>2</sub> S: Crystal structure and particle size in deposited powders. <i>Superlattices and Microstructures</i> , 2015, 83, 35-47.	3.1	84
69	Short-range order in disordered transition metal oxides, carbides, and nitrides with the B1 structure. <i>Physics of the Solid State</i> , 2015, 57, 637-651.	0.6	5
70	Synthesis and solar light catalytic properties of titania-cadmium sulfide hybrid nanostructures. <i>Catalysis Communications</i> , 2015, 68, 61-66.	3.3	38
71	Nonstoichiometry of nanocrystalline monoclinic silver sulfide. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 12466-12471.	2.8	84
72	Effect of stoichiometry on the size of titanium monoxide nanoparticles produced by fragmentation. <i>Inorganic Materials</i> , 2015, 51, 1132-1137.	0.8	22

#	ARTICLE	IF	CITATIONS
73	An in situ high-temperature scanning electron microscopy study of acanthite $\leftrightarrow$ argentite phase transformation in nanocrystalline silver sulfide powder. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 20495-20501.	2.8	50
74	Fragmentation of disordered titanium monoxide of stoichiometric composition TiO. <i>Russian Chemical Bulletin</i> , 2014, 63, 2729-2732.	1.5	12
75	Development of new methods in modern selective organic synthesis: preparation of functionalized molecules with atomic precision. <i>Russian Chemical Reviews</i> , 2014, 83, 885-985.	6.5	182
76	Synthesis of a stable colloidal solution of PbS nanoparticles. <i>Inorganic Materials</i> , 2014, 50, 969-975.	0.8	9
77	NbO disintegration by surfactant-assisted high-energy ball milling. <i>Inorganic Materials</i> , 2014, 50, 398-403.	0.8	4
78	Concentration quenching of fluorescence of colloid quantum dots of cadmium sulfide. <i>Physics of the Solid State</i> , 2014, 56, 568-571.	0.6	17
79	Photoluminescence of nanosized Zn <sub>2</sub> SiO <sub>4</sub> :Mn depending upon preparation method. <i>Journal of Physics: Conference Series</i> , 2014, 552, 012043.	0.4	3
80	Role of structural vacancies in the stabilization of the basic B1 structure in nonstoichiometric titanium monoxide TiO <sub>y</sub> . <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2013, 77, 309-312.	0.6	1
81	In situ study of the temperature stability of TiO <sub>1.05</sub> titanium monoxide using synchrotron radiation. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2013, 77, 134-137.	0.6	0
82	Internal energy and parameters of the order-disorder phase transition in titanium monoxide TiO <sub>y</sub> . <i>Journal of Experimental and Theoretical Physics</i> , 2013, 116, 945-951.	0.9	12
83	Simulation of the short-range order in disordered cubic titanium monoxide TiO <sub>1.0</sub> . <i>JETP Letters</i> , 2013, 97, 616-620.	1.4	17
84	Template synthesis of titania on polysaccharides. <i>Russian Chemical Bulletin</i> , 2013, 62, 976-983.	1.5	8
85	Hybrid nanoparticles based on sulfides, oxides, and carbides. <i>Russian Chemical Bulletin</i> , 2013, 62, 857-868.	1.5	19
86	The use of 3-mercaptopropyltrimethoxysilane for stabilization of luminescent cadmium sulfide nanoparticles. <i>Doklady Chemistry</i> , 2013, 452, 215-219.	0.9	7
87	Electronic structure and stability of nonstoichiometric titanium monoxide TiO <sub>y</sub> with structural vacancies in one of the sublattices. <i>Physics of the Solid State</i> , 2013, 55, 2108-2115.	0.6	5
88	Dependence of the size of nanoparticles of lead sulfide PbS on the chemical affinity of its formation reaction. <i>Doklady Physical Chemistry</i> , 2013, 453, 270-273.	0.9	4
89	Effect of cobalt powder morphology on the properties of WC-Co hard alloys. <i>Inorganic Materials</i> , 2013, 49, 889-893.	0.8	8
90	Disintegration of microcrystalline Zn <sub>2</sub> SiO <sub>4</sub> :Mn phosphor powder. <i>Inorganic Materials</i> , 2013, 49, 1019-1022.	0.8	3

#	ARTICLE	IF	CITATIONS
91	Morphology and crystal-chemical characteristics of cobalt and nickel nanopowders prepared by thermochemical and electrolytic methods. <i>Inorganic Materials</i> , 2013, 49, 153-158.	0.8	3
92	Positron annihilation sites in nano lead sulfide powders. <i>Journal of Physics: Conference Series</i> , 2013, 443, 012013.	0.4	4
93	Chemical design of the CdS-TiO <sub>2</sub> composite photocatalyst. <i>Doklady Physical Chemistry</i> , 2012, 447, 207-209.	0.9	1
94	Electronic structure of disordered titanium monoxide TiO <sub>y</sub> depending on stoichiometry. <i>JETP Letters</i> , 2012, 95, 647-651.	1.4	17
95	Effect of the long-range order in the vacancy distribution on the electronic structure of titanium monoxide TiO <sub>1.0</sub> . <i>JETP Letters</i> , 2012, 96, 507-510.	1.4	13
96	Photocatalytic oxidation of ethanol vapors under visible light on CdS@TiO <sub>2</sub> nanocatalyst. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2012, 250, 103-109.	3.9	48
97	Probabilities of octahedral clusters depending on long-range order parameters and composition in nonstoichiometric titanium monoxide TiO <sub>y</sub> . <i>Journal of Experimental and Theoretical Physics</i> , 2012, 115, 999-1007.	0.9	10
98	Microstructure of nanocrystalline PbS powders and films. <i>Inorganic Materials</i> , 2012, 48, 21-27.	0.8	24
99	Aggregative stability of the CdS nanoparticles-H <sub>2</sub> O colloidal dispersion system in the presence of surfactants. <i>Doklady Chemistry</i> , 2012, 443, 86-90.	0.9	0
100	Fluorescent CdS nanoparticles for cell imaging. <i>Inorganic Materials</i> , 2011, 47, 223-226.	0.8	16
101	Preparation of nanocrystalline VO <sub>y</sub> by high-energy ball milling. <i>Inorganic Materials</i> , 2011, 47, 408-411.	0.8	9
102	Stability and recrystallization of PbS nanoparticles. <i>Inorganic Materials</i> , 2011, 47, 837-843.	0.8	17
103	Oxidation of nanocrystalline lead sulfide in air. <i>Russian Journal of Inorganic Chemistry</i> , 2011, 56, 1864-1869.	1.3	13
104	The structure and optical properties of nanocrystalline lead sulfide films. <i>Semiconductors</i> , 2010, 44, 1349-1356.	0.5	25
105	Correlation of sulfur atoms in nonmetal planes of lead sulfide films with the D0 <sub>3</sub> structure. <i>Physics of the Solid State</i> , 2010, 52, 2458-2466.	0.6	2
106	Formation of cadmium sulfide (CdS) nanofilm on a Cd(OH) <sub>2</sub> /SiO <sub>2</sub> precursor layer. <i>Journal of Structural Chemistry</i> , 2010, 51, 1170-1175.	1.0	5
107	Non-periodicity in nanoparticles with close-packed structures. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2010, 66, 479-483.	0.3	35
108	Identification of structural vacancies in carbides, oxides, and sulfides by Doppler broadening of the gamma-ray line. <i>JETP Letters</i> , 2010, 92, 146-150.	1.4	5

#	ARTICLE	IF	CITATIONS
109	Quasielastic neutron scattering study of hydrogen motion in NbC <sub>0.71</sub> H <sub>0.28</sub> . Journal of Physics Condensed Matter, 2009, 21, 175410.	1.8	4
110	Structural study of the initial growth of nanocrystalline CdS thin films in a chemical bath. Thin Solid Films, 2009, 517, 2586-2589.	1.8	35
111	Nonstoichiometric distribution of sulfur atoms in lead sulfide structure. Doklady Physical Chemistry, 2009, 428, 167-171.	0.9	13
112	Refinement of the V-O phase diagram in the range 25â€“50 at % oxygen. Inorganic Materials, 2009, 45, 47-54.	0.8	13
113	Effect of WC nanoparticle size on the sintering temperature, density, and microhardness of WC-8 wt % Co alloys. Inorganic Materials, 2009, 45, 380-385.	0.8	18
114	Lattice parameter, density, and defect system of VO <sub>y</sub> . Inorganic Materials, 2009, 45, 666-670.	0.8	6
115	Microstructure and microhardness of vanadium oxides in the range VO <sub>0.57</sub> -VO <sub>1.29</sub> . Inorganic Materials, 2009, 45, 905-909.	0.8	8
116	Neutron diffraction analysis of a defect vanadium monoxide close to the equiatomic vanadium monoxide. JETP Letters, 2009, 89, 194-199.	1.4	4
117	Thermal stability of lead sulfide nanocrystalline films. Glass Physics and Chemistry, 2009, 35, 60-66.	0.7	6
118	Crystal structure of nanostructured PbS films at temperatures of 293â€“423 K. Physics of the Solid State, 2009, 51, 2375-2383.	0.6	23
119	CRYSTAL STRUCTURE OF LEAD SULFIDE NANOPARTICLES IN THIN FILMS. , 2009, , .		0
120	Ionic equilibria in alkaline aqueous solutions of metal complex salts. Russian Journal of General Chemistry, 2008, 78, 551-556.	0.8	2
121	Simulation of pair and three-particle correlations in a binary solid solution with a hexagonal lattice. Physics of the Solid State, 2008, 50, 1131-1136.	0.6	0
122	Concentration phase transition near the stoichiometric composition of vanadium monoxide VO <sub>1.00</sub> . Bulletin of the Russian Academy of Sciences: Physics, 2008, 72, 1090-1093.	0.6	1
123	Transition of the CdS disordered structure to the wurtzite structure with an increase in the nanoparticle size. Bulletin of the Russian Academy of Sciences: Physics, 2008, 72, 1395-1398.	0.6	14
124	Cluster probabilities in ordered titanium monoxide TiO <sub>y</sub> as functions of the long-range order parameters. JETP Letters, 2008, 88, 172-177.	1.4	6
125	Vacancies on the Ti sublattice in titanium monoxideTiOystudied using positron annihilation techniques. Physical Review B, 2007, 75, .	3.2	58
126	Nanotechnologies. Properties and applications of nanostructured materials. Russian Chemical Reviews, 2007, 76, 435-461.	6.5	127



#	ARTICLE	IF	CITATIONS
127	A study of cadmium sulfide nanocrystalline films by grazing incidence X-ray diffraction. Russian Journal of Physical Chemistry A, 2007, 81, 768-772.	0.6	4
128	Atomic structure of cadmium sulfide nanoparticles. Physics of the Solid State, 2007, 49, 148-153.	0.6	31
129	Short-range order and pair correlations in a binary solid solution with a square lattice. Physics of the Solid State, 2007, 49, 1543-1547.	0.6	1
130	Ordering of structural vacancies in vanadium monoxide of substoichiometric composition. Bulletin of the Russian Academy of Sciences: Physics, 2007, 71, 677-680.	0.6	2
131	Modeling of short-range order in a defect square lattice. Bulletin of the Russian Academy of Sciences: Physics, 2007, 71, 1174-1178.	0.6	2
132	DISORDERING IN CADMIUM SULFIDE NANOPARTICLES. , 2007, , .		2
133	Towards particle size regulation of chemically deposited lead sulfide (PbS). Journal of Crystal Growth, 2005, 280, 300-308.	1.5	35
134	Formation of the incommensurate ordered phase in TaC <sub>y</sub> carbide. JETP Letters, 2005, 81, 326-330.	1.4	7
135	Atomic ordering as a new way of nanostructure creation in solids. Journal of Structural Chemistry, 2004, 45, S14-S22.	1.0	1
136	Diffraction analysis of nanocrystalline particle size of lead and cadmium sulfides prepared by chemical deposition from aqueous solutions. Journal of Structural Chemistry, 2004, 45, S154-S159.	1.0	13
137	Structure and Specific Heat of Disordered and Ordered Titanium Monoxide TiO <sub>y</sub> . Journal of Structural Chemistry, 2003, 44, 235-242.	1.0	4
138	Observation of structural vacancies. JETP Letters, 2003, 77, 25-29.	1.4	16
139	Observation of high-temperature thermal vacancies in Al <sub>70</sub> Pd <sub>21</sub> Mn <sub>9</sub> quasicrystals. Physical Review B, 2003, 68, .	3.2	23
140	Rempelet al.Reply:. Physical Review Letters, 2003, 91, .	7.8	1
141	Rempelet al.Reply:. Physical Review Letters, 2003, 91, .	7.8	5
142	Positrons as chemically sensitive probes in interfaces of multicomponent complex materials: Nanocrystalline Fe <sub>90</sub> Zr <sub>7</sub> B <sub>3</sub> . International Journal of Materials Research, 2003, 94, 1073-1078.	0.8	8
143	Atomic Ordering as a New Method of Producing a Nanostructure. , 2003, , 313-327.		4
144	Identification of Lattice Vacancies on the Two Sublattices of SiC. Physical Review Letters, 2002, 89, 185501.	7.8	72

#	ARTICLE	IF	CITATIONS
145	Vacancies selectively induced and specifically detected on the two sublattices of the intermetallic compound MoSi <sub>2</sub> . Physical Review B, 2002, 66, .	3.2	19
146	X-ray transitions for studying the electronic structure of 5d metals. Physical Review B, 2001, 64, .	3.2	11
147	Thermal vacancy formation and DO <sub>3</sub> ordering in nanocrystalline intermetallic (Fe <sub>3</sub> Si) <sub>95</sub> Nb <sub>5</sub> . Physical Review B, 2001, 63, .	3.2	15
148	Preparation of disordered and ordered highly nonstoichiometric carbides and evaluation of their homogeneity. Physics of the Solid State, 2000, 42, 1280-1286.	0.6	31
149	Atomic defects in hexagonal tungsten carbide studied by positron annihilation. Physical Review B, 2000, 61, 5945-5948.	3.2	32
150	Atomic Ordering and Phase Equilibria in Strongly Nonstoichiometric Carbides and Nitrides. , 1999, , 47-64.		22
151	Positron Lifetime in the Atomic Vacancies of Nonstoichiometric Titanium and Vanadium Carbides. Physica Status Solidi A, 1998, 169, R9-R10.	1.7	12
152	Atomic ordering and hardness of nonstoichiometric titanium carbide. International Journal of Refractory Metals and Hard Materials, 1997, 15, 61-64.	3.8	53
153	Phase Diagrams of Metal-Carbon and Metal-Nitrogen Systems and Ordering in Strongly Nonstoichiometric Carbides and Nitrides. Physica Status Solidi A, 1997, 163, 273-304.	1.7	71
154	Incommensurate ordered phase in non-stoichiometric tantalum carbide. Journal of Physics Condensed Matter, 1996, 8, 8277-8293.	1.8	34
155	Heat capacity of niobium and tantalum carbides NbC <sub>y</sub> and TaC <sub>y</sub> in disordered and ordered states below 300 K. Physica Status Solidi (B): Basic Research, 1996, 194, 467-482.	1.5	25
156	Magnetic susceptibility of palladium subjected to severe plastic deformation. Physica Status Solidi (B): Basic Research, 1996, 196, 251-260.	1.5	10
157	Irradiation-induced atomic defects in SiC studied by positron annihilation. Applied Physics A: Materials Science and Processing, 1995, 61, 51-53.	2.3	35
158	Irradiation-induced atomic defects in SiC studied by positron annihilation. Applied Physics A: Materials Science and Processing, 1995, 61, 51-53.	2.3	6
159	Superstructures of Non-Stoichiometric Interstitial Compounds and the Distribution Functions of Interstitial Atoms. Physica Status Solidi A, 1993, 135, 15-58.	1.7	87
160	Positron lifetime in non-stoichiometric carbides with a B1 (NaCl) structure. Journal of Physics Condensed Matter, 1993, 5, 261-266.	1.8	9
161	Atomic Defects in Transition Metal Carbides and SiC Studied by Positron Annihilation. Materials Research Society Symposia Proceedings, 1993, 327, 299.	0.1	6
162	Short-Range Order in Superstructures. Physica Status Solidi (B): Basic Research, 1990, 160, 389-402.	1.5	33

#	ARTICLE	IF	CITATIONS
163	Superconductivity in Disordered and Ordered Niobium Carbide. Physica Status Solidi (B): Basic Research, 1989, 151, 211-224.	1.5	17
164	Local Static and Dynamic Atomic Displacements in Disordered Niobium Carbide. Physica Status Solidi (B): Basic Research, 1989, 154, 453-459.	1.5	3
165	Magnetic susceptibility and atomic ordering in tantalum carbide. Physica Status Solidi A, 1988, 106, 459-466.	1.7	30
166	<sup>93</sup> Nb NMR study of an ordered and a disordered non-stoichiometric niobium carbide. Journal of Physics C: Solid State Physics, 1987, 20, 5655-5666.	1.5	19
167	Vacancy distribution in ordered Me <sub>6</sub> -C <sub>5</sub> -type carbides. Journal of Physics C: Solid State Physics, 1987, 20, 5011-5025.	1.5	36
168	Calculating the energy parameters for the CV and OPF methods. Physica Status Solidi (B): Basic Research, 1987, 140, 335-346.	1.5	25
169	Order-Disorder Phase Transition Channel in Niobium Carbide. Physica Status Solidi A, 1986, 93, 71-80.	1.7	61
170	Relation between Short-Range and Long-Range Order in Solid Solutions with Basal B.C.C. and F.C.C. Structures. Physica Status Solidi (B): Basic Research, 1985, 130, 413-420.	1.5	11
171	Order Parameter Functional Method in the Theory of Atomic Ordering. Physica Status Solidi (B): Basic Research, 1985, 131, 43-51.	1.5	32
172	A Study of the Atomic Ordering in the Niobium Carbide Using the Magnetic Susceptibility Method. Physica Status Solidi A, 1984, 84, 527-534.	1.7	26
173	Effect of atomic ordering on the heat-capacity of non-stoichiometric niobium carbide. Physica Status Solidi A, 1984, 86, K11-K14.	1.7	4