Magnus Thorsten Jensen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2655217/publications.pdf

Version: 2024-02-01

20 papers 672 citations

11 h-index 19 g-index

20 all docs 20 docs citations

times ranked

20

1500 citing authors

#	Article	IF	CITATIONS
1	Elevated resting heart rate, physical fitness and all-cause mortality: a 16-year follow-up in the Copenhagen Male Study. Heart, 2013, 99, 882-887.	2.9	206
2	Resting heart rate is a predictor of mortality in COPD. European Respiratory Journal, 2013, 42, 341-349.	6.7	100
3	Global Longitudinal Strain IsÂNotÂlmpairedÂin Type 1 Diabetes PatientsÂWithout Albuminuria. JACC: Cardiovascular Imaging, 2015, 8, 400-410.	5.3	86
4	Gender Differences in Pain and Secondary Hyperalgesia After Heat/Capsaicin Sensitization in Healthy Volunteers. Journal of Pain, 2006, 7, 211-217.	1.4	57
5	Cardiorespiratory fitness and death from cancer: a 42-year follow-up from the Copenhagen Male Study. British Journal of Sports Medicine, 2017, 51, 1364-1369.	6.7	46
6	Doppler Tissue Imaging Is an Independent Predictor ofÂOutcome in Patients with ST-Segment Elevation Myocardial Infarction Treated with Primary Percutaneous Coronary Intervention. Journal of the American Society of Echocardiography, 2014, 27, 258-267.	2.8	36
7	Heart rate at discharge and long-term prognosis following percutaneous coronary intervention in stable and acute coronary syndromes — results from the BASKET PROVE trial. International Journal of Cardiology, 2013, 168, 3802-3806.	1.7	26
8	Cholesterol remnants and triglycerides are associated with decreased myocardial function in patients with type 2 diabetes. Cardiovascular Diabetology, 2016, 15, 137.	6.8	25
9	Early myocardial impairment in type 1 diabetes patients without known heart disease assessed with tissue Doppler echocardiography: The Thousand & Early Diabetes and Vascular Disease Research, 2016, 13, 260-267.	2.0	13
10	Cardiorespiratory fitness, fatness and incident diabetes. Diabetes Research and Clinical Practice, 2017, 134, 113-120.	2.8	13
11	Statins are independently associated with increased HbA1c in type 1 diabetes – The Thousand & mp; 1 Study. Diabetes Research and Clinical Practice, 2016, 111, 51-57.	2.8	12
12	Main and interactive effects of physical activity, fitness and body mass in the prevention of cancer from the Copenhagen Male Study. Scientific Reports, 2018, 8, 11780.	3.3	10
13	Drug-eluting stents and bare metal stents in patients with NSTE-ACS: 2-year outcome from the randomised BASKET-PROVE trial. EuroIntervention, 2014, 10, 58-64.	3.2	10
14	Cardiac time intervals and the association with 2D-speckle-tracking, tissue Doppler and conventional echocardiography: the Thousand&1 Study. International Journal of Cardiovascular Imaging, 2016, 32, 789-798.	1.5	8
15	Self-reported dyspnea is associated with impaired global longitudinal strain in ambulatory type 1 diabetes patients with normal ejection fraction and without known heart disease – The Thousand & Study. Journal of Diabetes and Its Complications, 2016, 30, 928-934.	2.3	7
16	Left ventricular concentric geometry predicts incident diabetes mellitus independent of established risk factors in the general population: the Copenhagen City Heart Study. Cardiovascular Diabetology, 2019, 18, 37.	6.8	5
17	Resting Heart Rate Is Not Associated with Cognitive Function. Neuroepidemiology, 2018, 50, 160-167.	2.3	4
18	Relationship between peripheral neuropathy, diastolic function and adverse cardiovascular outcome in individuals with type 1 diabetes mellitus without known cardiovascular disease: Results from the Thousand & Etudy. Diabetes, Obesity and Metabolism, 2021, 23, 158-165.	4.4	4

#	Article	IF	CITATIONS
19	Echocardiographic predictors of longâ€term adverse cardiovascular outcomes in participants with and without diabetes mellitus: A followâ€up analysis of the Copenhagen City Heart Study. Diabetic Medicine, 2021, 38, e14627.	2.3	4
20	Reply. JACC: Cardiovascular Imaging, 2015, 8, 1346.	5.3	0