

Magnus Thorsten Jensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2655217/publications.pdf>

Version: 2024-02-01

20
papers

672
citations

840776

11
h-index

794594

19
g-index

20
all docs

20
docs citations

20
times ranked

1500
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Relationship between peripheral neuropathy, diastolic function and adverse cardiovascular outcome in individuals with type 1 diabetes mellitus without known cardiovascular disease: Results from the Thousand & 1 Study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 158-165. | 4.4 | 4 |
| 2 | Echocardiographic predictors of long-term adverse cardiovascular outcomes in participants with and without diabetes mellitus: A follow-up analysis of the Copenhagen City Heart Study. <i>Diabetic Medicine</i> , 2021, 38, e14627. | 2.3 | 4 |
| 3 | Left ventricular concentric geometry predicts incident diabetes mellitus independent of established risk factors in the general population: the Copenhagen City Heart Study. <i>Cardiovascular Diabetology</i> , 2019, 18, 37. | 6.8 | 5 |
| 4 | Resting Heart Rate Is Not Associated with Cognitive Function. <i>Neuroepidemiology</i> , 2018, 50, 160-167. | 2.3 | 4 |
| 5 | Main and interactive effects of physical activity, fitness and body mass in the prevention of cancer from the Copenhagen Male Study. <i>Scientific Reports</i> , 2018, 8, 11780. | 3.3 | 10 |
| 6 | Cardiorespiratory fitness and death from cancer: a 42-year follow-up from the Copenhagen Male Study. <i>British Journal of Sports Medicine</i> , 2017, 51, 1364-1369. | 6.7 | 46 |
| 7 | Cardiorespiratory fitness, fatness and incident diabetes. <i>Diabetes Research and Clinical Practice</i> , 2017, 134, 113-120. | 2.8 | 13 |
| 8 | Cholesterol remnants and triglycerides are associated with decreased myocardial function in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2016, 15, 137. | 6.8 | 25 |
| 9 | Early myocardial impairment in type 1 diabetes patients without known heart disease assessed with tissue Doppler echocardiography: The Thousand & 1 study. <i>Diabetes and Vascular Disease Research</i> , 2016, 13, 260-267. | 2.0 | 13 |
| 10 | Cardiac time intervals and the association with 2D-speckle-tracking, tissue Doppler and conventional echocardiography: the Thousand&1 Study. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 789-798. | 1.5 | 8 |
| 11 | Self-reported dyspnea is associated with impaired global longitudinal strain in ambulatory type 1 diabetes patients with normal ejection fraction and without known heart disease " The Thousand & 1 Study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 928-934. | 2.3 | 7 |
| 12 | Statins are independently associated with increased HbA1c in type 1 diabetes " The Thousand & 1 Study. <i>Diabetes Research and Clinical Practice</i> , 2016, 111, 51-57. | 2.8 | 12 |
| 13 | Reply. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 1346. | 5.3 | 0 |
| 14 | Global Longitudinal Strain Is Not Impaired in Type 1 Diabetes Patients Without Albuminuria. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 400-410. | 5.3 | 86 |
| 15 | Doppler Tissue Imaging Is an Independent Predictor of Outcome in Patients with ST-Segment Elevation Myocardial Infarction Treated with Primary Percutaneous Coronary Intervention. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 258-267. | 2.8 | 36 |
| 16 | Drug-eluting stents and bare metal stents in patients with NSTEMI-ACS: 2-year outcome from the randomised BASKET-PROVE trial. <i>EuroIntervention</i> , 2014, 10, 58-64. | 3.2 | 10 |
| 17 | Heart rate at discharge and long-term prognosis following percutaneous coronary intervention in stable and acute coronary syndromes " results from the BASKET PROVE trial. <i>International Journal of Cardiology</i> , 2013, 168, 3802-3806. | 1.7 | 26 |
| 18 | Resting heart rate is a predictor of mortality in COPD. <i>European Respiratory Journal</i> , 2013, 42, 341-349. | 6.7 | 100 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Elevated resting heart rate, physical fitness and all-cause mortality: a 16-year follow-up in the Copenhagen Male Study. <i>Heart</i> , 2013, 99, 882-887. | 2.9 | 206 |
| 20 | Gender Differences in Pain and Secondary Hyperalgesia After Heat/Capsaicin Sensitization in Healthy Volunteers. <i>Journal of Pain</i> , 2006, 7, 211-217. | 1.4 | 57 |