

Charles Guy Theillet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/265539/publications.pdf>

Version: 2024-02-01

93
papers

7,266
citations

66343

42
h-index

58581

82
g-index

101
all docs

101
docs citations

101
times ranked

9959
citing authors

#	ARTICLE	IF	CITATIONS
1	In high-grade ovarian carcinoma, platinum-sensitive tumor recurrence and acquired resistance derive from quiescent residual cancer cells that overexpress <i>CRYAB</i> , <i>CEACAM6</i> , and <i>SOX2</i> . <i>Journal of Pathology</i> , 2022, 257, 367-378.	4.5	11
2	Multiplexed-Based Assessment of DNA Damage Response to Chemotherapies Using Cell Imaging Cytometry. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5701.	4.1	0
3	Anti-tumoral activity of the Pan-HER (Sym013) antibody mixture in gemcitabine-resistant pancreatic cancer models. <i>MAbs</i> , 2021, 13, 1914883.	5.2	4
4	A predictable conserved DNA base composition signature defines human core DNA replication origins. <i>Nature Communications</i> , 2020, 11, 4826.	12.8	41
5	BRCA1 Promoter Hypermethylation is Associated with Good Prognosis and Chemosensitivity in Triple-Negative Breast Cancer. <i>Cancers</i> , 2020, 12, 828.	3.7	27
6	Immunotherapy of triple-negative breast cancer with cathepsin D-targeting antibodies. , 2019, 7, 29.		63
7	Distinct oncogenes drive different genome and epigenome alterations in human mammary epithelial cells. <i>International Journal of Cancer</i> , 2019, 145, 1299-1311.	5.1	6
8	An auristatin-based antibody-drug conjugate targeting HER3 enhances the radiation response in pancreatic cancer. <i>International Journal of Cancer</i> , 2019, 145, 1838-1851.	5.1	33
9	Targeting homologous repair deficiency in breast and ovarian cancers: Biological pathways, preclinical and clinical data. <i>Critical Reviews in Oncology/Hematology</i> , 2019, 133, 58-73.	4.4	30
10	Slug/Pcad pathway controls epithelial cell dynamics in mammary gland and breast carcinoma. <i>Oncogene</i> , 2018, 37, 578-588.	5.9	18
11	Therapeutic Activity of Anti-AXL Antibody against Triple-Negative Breast Cancer Patient-Derived Xenografts and Metastasis. <i>Clinical Cancer Research</i> , 2017, 23, 2806-2816.	7.0	82
12	A Complex Network of Tumor Microenvironment in Human High-Grade Serous Ovarian Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 7621-7632.	7.0	31
13	Circulating tumor cells: potential markers of minimal residual disease in ovarian cancer? a study of the OVCAD consortium. <i>Oncotarget</i> , 2017, 8, 106415-106428.	1.8	42
14	Checkpoint kinase 1 inhibition sensitises transformed cells to dihydroorotate dehydrogenase inhibition. <i>Oncotarget</i> , 2017, 8, 95206-95222.	1.8	14
15	TOM1L1 drives membrane delivery of MT1-MMP to promote ERBB2-induced breast cancer cell invasion. <i>Nature Communications</i> , 2016, 7, 10765.	12.8	37
16	Circulating DNA as a Strong Multimarker Prognostic Tool for Metastatic Colorectal Cancer Patient Management Care. <i>Clinical Cancer Research</i> , 2016, 22, 3067-3077.	7.0	144
17	Targeting triple-negative breast cancer and high-grade ovarian carcinoma: refining BRCAness beyond BRCA1/2 mutations?. <i>Future Oncology</i> , 2015, 11, 557-559.	2.4	15
18	Nuclear cathepsin D enhances TRPS1 transcriptional repressor function to regulate cell cycle progression and transformation in human breast cancer cells. <i>Oncotarget</i> , 2015, 6, 28084-28103.	1.8	32

#	ARTICLE	IF	CITATIONS
19	Ovarian carcinoma patient derived xenografts reproduce their tumor of origin and preserve an oligoclonal structure. <i>Oncotarget</i> , 2015, 6, 28327-28340.	1.8	24
20	Impact of chromosomal instability on colorectal cancer progression and outcome. <i>BMC Cancer</i> , 2014, 14, 121.	2.6	35
21	Sensitivity and resistance to treatment in the primary management of epithelial ovarian cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2014, 89, 207-216.	4.4	154
22	Breast tumor PDXs are genetically plastic and correspond to a subset of aggressive cancers prone to relapse. <i>Molecular Oncology</i> , 2014, 8, 431-443.	4.6	48
23	An array CGH based genomic instability index (G2I) is predictive of clinical outcome in breast cancer and reveals a subset of tumors without lymph node involvement but with poor prognosis. <i>BMC Medical Genomics</i> , 2012, 5, 54.	1.5	14
24	Estrogen and retinoic acid antagonistically regulate several microRNA genes to control aerobic glycolysis in breast cancer cells. <i>Molecular BioSystems</i> , 2012, 8, 3242.	2.9	40
25	A refined molecular taxonomy of breast cancer. <i>Oncogene</i> , 2012, 31, 1196-1206.	5.9	221
26	Prognostic Significance of TRIM24/TIF-1 \pm Gene Expression in Breast Cancer. <i>American Journal of Pathology</i> , 2011, 178, 1461-1469.	3.8	73
27	MIR@NT@N: a framework integrating transcription factors, microRNAs and their targets to identify sub-network motifs in a meta-regulation network model. <i>BMC Bioinformatics</i> , 2011, 12, 67.	2.6	64
28	Impact of genomic instability in colorectal cancers. <i>Cancer Genetics and Cytogenetics</i> , 2010, 203, 92.	1.0	0
29	miR-661 expression in SNAI1-induced epithelial to mesenchymal transition contributes to breast cancer cell invasion by targeting Nectin-1 and StarD10 messengers. <i>Oncogene</i> , 2010, 29, 4436-4448.	5.9	119
30	What do we learn from HER2-positive breast cancer genomic profiles?. <i>Breast Cancer Research</i> , 2010, 12, 107.	5.0	10
31	Topoisomerase I suppresses genomic instability by preventing interference between replication and transcription. <i>Nature Cell Biology</i> , 2009, 11, 1315-1324.	10.3	445
32	Lobular and ductal carcinomas of the breast have distinct genomic and expression profiles. <i>Oncogene</i> , 2008, 27, 5359-5372.	5.9	107
33	A Gene Expression Signature that Can Predict the Recurrence of Tamoxifen-Treated Primary Breast Cancer. <i>Clinical Cancer Research</i> , 2008, 14, 1744-1752.	7.0	164
34	A new molecular breast cancer subclass defined from a large scale real-time quantitative RT-PCR study. <i>BMC Cancer</i> , 2007, 7, 39.	2.6	17
35	Genetic profiling of chromosome 1 in breast cancer: mapping of regions of gains and losses and identification of candidate genes on 1q. <i>British Journal of Cancer</i> , 2006, 95, 1439-1447.	6.4	77
36	Chordin is underexpressed in ovarian tumors and reduces tumor cell motility. <i>FASEB Journal</i> , 2006, 20, 240-250.	0.5	30

#	ARTICLE	IF	CITATIONS
37	Coactivator-associated arginine methyltransferase 1 (CARM1) is a positive regulator of the Cyclin E1 gene. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 13351-13356.	7.1	161
38	Snail and Slug Play Distinct Roles during Breast Carcinoma Progression. Clinical Cancer Research, 2006, 12, 5395-5402.	7.0	230
39	The clinical value of somatic TP53 gene mutations in 1,794 patients with breast cancer.. Clinical Cancer Research, 2006, 12, 1157-1167.	7.0	495
40	Comprehensive Profiling of 8p11-12 Amplification in Breast Cancer. Molecular Cancer Research, 2005, 3, 655-667.	3.4	201
41	Amplification of the BRCA2 Pathway Gene EMSY in Sporadic Breast Cancer Is Related to Negative Outcome. Clinical Cancer Research, 2004, 10, 5785-5791.	7.0	62
42	Estrogen regulation in human breast cancer cells of new downstream gene targets involved in estrogen metabolism, cell proliferation and cell transformation. Journal of Molecular Endocrinology, 2004, 32, 397-414.	2.5	86
43	Genomic and Expression Profiling of Chromosome 17 in Breast Cancer Reveals Complex Patterns of Alterations and Novel Candidate Genes. Cancer Research, 2004, 64, 6453-6460.	0.9	83
44	Genetic variability in MCF-7 sublines: evidence of rapid genomic and RNA expression profile modifications. BMC Cancer, 2003, 3, 13.	2.6	77
45	A recurrent chromosome translocation breakpoint in breast and pancreatic cancer cell lines targets the neuregulin/ <i>NRG1</i> gene. Genes Chromosomes and Cancer, 2003, 37, 333-345.	2.8	56
46	EMSY Links the BRCA2 Pathway to Sporadic Breast and Ovarian Cancer. Cell, 2003, 115, 523-535.	28.9	389
47	Concordance of allelic imbalance profiles in synchronous and metachronous bilateral breast carcinomas. International Journal of Cancer, 2002, 100, 557-564.	5.1	64
48	MYEOV: A candidate gene for DNA amplification events occurring centromeric to CCND1 in breast cancer. International Journal of Cancer, 2002, 102, 608-614.	5.1	44
49	Reciprocal translocations in breast tumor cell lines: Cloning of a t(3;20) that targets the FHIT gene. Genes Chromosomes and Cancer, 2002, 35, 204-218.	2.8	30
50	Involvement of ATM missense variants and mutations in a series of unselected breast cancer cases. Genes Chromosomes and Cancer, 2002, 33, 141-149.	2.8	11
51	Stable amino-acid sequence of the Mannose-6-phosphate/insulin-like growth-factor-II receptor in ovarian carcinomas with loss of heterozygosity and in breast-cancer cell lines. International Journal of Cancer, 2000, 85, 466-473.	5.1	23
52	At least five regions of imbalance on 6q in breast tumors, combining losses and gains. , 2000, 27, 76-84.		49
53	Human E2F5 gene is oncogenic in primary rodent cells and is amplified in human breast tumors. Genes Chromosomes and Cancer, 2000, 28, 126-130.	2.8	44
54	CYP17 polymorphism in the groups of distinct breast cancer susceptibility: comparison of patients with the bilateral disease vs. monolateral breast cancer patients vs. middle-aged female controls vs. elderly tumor-free women. Cancer Letters, 2000, 156, 45-50.	7.2	28

#	ARTICLE	IF	CITATIONS
55	Evidence for microsatellite instability in bilateral breast carcinomas. <i>Cancer Letters</i> , 2000, 154, 9-17.	7.2	20
56	Loss of expression of the candidate tumor suppressor gene ZAC in breast cancer cell lines and primary tumors. <i>Oncogene</i> , 1999, 18, 3979-3988.	5.9	90
57	17q21-q25 aberrations in breast cancer: combined allelotyping and CGH analysis reveals 5 regions of allelic imbalance among which two correspond to DNA amplification. <i>Oncogene</i> , 1999, 18, 6262-6270.	5.9	55
58	Full speed ahead for tumor screening. <i>Nature Medicine</i> , 1998, 4, 767-768.	30.7	23
59	CCND1 and FGFR1 coamplification results in the colocalization of 11q13 and 8p12 sequences in breast tumor nuclei. , 1998, 22, 268-277.		48
60	Relaxed cell-cycle arrests and propagation of unrepaired chromosomal damage in cancer cell lines with wild-type p53. <i>Molecular Carcinogenesis</i> , 1998, 23, 1-12.	2.7	23
61	Two Human Genes Related to Murine Vanin-1 Are Located on the Long Arm of Human Chromosome 6. <i>Genomics</i> , 1998, 53, 203-213.	2.9	35
62	Detailed map of a region commonly amplified at 11q13-q14 in human breast carcinoma. <i>Cytogenetic and Genome Research</i> , 1997, 79, 125-131.	1.1	135
63	Structure and Chromosomal Assignment to 22q12 and 17qter of the ras-Related Rac2 and Rac3 Human Genes. <i>Genomics</i> , 1997, 44, 242-246.	2.9	23
64	Loss of heterozygosity in human breast carcinomas in the ataxia telangiectasia, Cowden disease and BRCA1 gene regions. <i>Oncogene</i> , 1997, 14, 339-347.	5.9	60
65	Cyclin gene amplification and overexpression in breast and ovarian cancers: Evidence for the selection of cyclin D1 in breast and cyclin E in ovarian tumors. , 1996, 69, 247-253.		158
66	ras, p53 and hpv status in benign and malignant prostate tumors. <i>International Journal of Cancer</i> , 1995, 64, 124-129.	5.1	51
67	CD44 expression patterns in breast and colon tumors: A pcr-based study of splice variants. <i>International Journal of Cancer</i> , 1995, 64, 347-354.	5.1	48
68	Predominant occurrence of somatic mutations of the NF2 gene in meningiomas and schwannomas. <i>Genes Chromosomes and Cancer</i> , 1995, 13, 211-216.	2.8	132
69	TP53 mutations and breast cancer prognosis: Particularly poor survival rates for cases with mutations in the zinc-binding domains. <i>Genes Chromosomes and Cancer</i> , 1995, 14, 71-75.	2.8	154
70	Human gp130 transducer chain gene (IL6ST) is localized to chromosome band 5q11 and possesses a pseudogene on chromosome band 17p11. <i>Cytogenetic and Genome Research</i> , 1995, 70, 64-67.	1.1	14
71	Patterns of dna amplification at band q13 of chromosome 11 in human breast cancer. <i>Genes Chromosomes and Cancer</i> , 1994, 9, 42-48.	2.8	85
72	Patterns of allele losses suggest the existence of five distinct regions of loh on chromosome 17 in breast cancer. <i>International Journal of Cancer</i> , 1994, 56, 193-199.	5.1	66

#	ARTICLE	IF	CITATIONS
73	Gradual Selection of a Cellular Clone Presenting a Mutation at Codon 179 of the p53 Gene during Establishment of the Immortalized Human Breast Epithelial Cell Line HMT-3522. <i>Experimental Cell Research</i> , 1994, 215, 380-385.	2.6	37
74	Molecular analysis of the IL-6 receptor in human multiple myeloma, an IL-6-related disease. <i>FEBS Letters</i> , 1994, 341, 156-161.	2.8	14
75	p53 immunohistochemical analysis in breast cancer with four monoclonal antibodies: comparison of staining and PCR-SSCP results. <i>British Journal of Cancer</i> , 1994, 69, 846-852.	6.4	96
76	FGFR1 and PLAT genes and DNA amplification at 8p 12 in breast and ovarian cancers. <i>Genes Chromosomes and Cancer</i> , 1993, 7, 219-226.	2.8	158
77	Mutation of the Tumor Suppressor Gene TP53 Is Not Detected in Psoriatic Skin. <i>Journal of Investigative Dermatology</i> , 1993, 101, 100-102.	0.7	17
78	Localization of 11q13 loci with respect to regional chromosomal breakpoints. <i>Genomics</i> , 1992, 12, 738-744.	2.9	24
79	DNA amplification at 11q13 in human cancer: from complexity to perplexity. <i>Mutation Research - Reviews in Genetic Toxicology</i> , 1992, 276, 317-328.	2.9	84
80	An attempt to define sets of cooperating genetic alterations in human breast cancer. <i>International Journal of Cancer</i> , 1992, 51, 542-547.	5.1	15
81	D11S146 and BCL1 are physically linked but can be discriminated by their amplification status in human breast cancer. <i>Genomics</i> , 1991, 10, 410-416.	2.9	16
82	Role of FGFs and FGF Receptors in Human Carcinogenesis. <i>Annals of the New York Academy of Sciences</i> , 1991, 638, 409-411.	3.8	12
83	Direct sequencing by thermal asymmetric PCR. <i>Nucleic Acids Research</i> , 1991, 19, 4783-4783.	14.5	47
84	Protocols for an improved detection of point mutations by SSCP. <i>Nucleic Acids Research</i> , 1991, 19, 4009-4009.	14.5	148
85	Cathepsin D assay in primary breast cancer and lymph nodes: Relationship with c-myc, c-erb-B-2 and int-2 oncogene amplification and node invasiveness. <i>European Journal of Cancer & Clinical Oncology</i> , 1990, 26, 437-441.	0.7	76
86	In situ detection of c-myc mRNA in adenocarcinomas, adenomas, and mucosa of human colon.. <i>Journal of Histochemistry and Cytochemistry</i> , 1989, 37, 293-298.	2.5	19
87	105 The 11q13 region in human tumors. <i>Cancer Genetics and Cytogenetics</i> , 1989, 38, 192.	1.0	1
88	Genetic variability of proto-oncogenes for breast cancer risk and prognosis. <i>Biochimie</i> , 1988, 70, 951-959.	2.6	17
89	Reduction to homozygosity of genes on chromosome 11 in human breast neoplasia. <i>Science</i> , 1987, 238, 185-188.	12.6	294
90	High Frequency of Rare Alleles of the Human c-Ha-ras-1 Proto-oncogene in Breast Cancer Patients2. <i>Journal of the National Cancer Institute</i> , 1986, 77, 697-701.	6.3	97

#	ARTICLE	IF	CITATIONS
91	Genetic alteration of the c-myc protooncogene (MYC) in human primary breast carcinomas.. Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 4834-4838.	7.1	374
92	Presence of an allelic EcoRI restriction fragment of the c-mos locus in leukocyte and tumor cell DNAs of breast cancer patients.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 7068-7070.	7.1	40
93	Influence of the excision shock on the protein metabolism of <i>Vicia faba</i> L. meristematic root cells. Planta, 1982, 155, 478-485.	3.2	45