

# Wei-Hua Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2657094/publications.pdf>

Version: 2024-02-01

197  
papers

9,922  
citations

25034

57  
h-index

48315

88  
g-index

198  
all docs

198  
docs citations

198  
times ranked

8542  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanoengineering of 2D MXene-Based Materials for Energy Storage Applications. <i>Small</i> , 2021, 17, e1902085.	10.0	398
2	Partial Ion-Exchange of Nickel-Sulfide-Derived Electrodes for High Performance Supercapacitors. <i>Chemistry of Materials</i> , 2014, 26, 3418-3426.	6.7	311
3	Recent Progress on the Alloy-Based Anode for Sodium-Ion Batteries and Potassium-Ion Batteries. <i>Small</i> , 2021, 17, e1903194.	10.0	284
4	Advances and Perspectives of Cathode Storage Chemistry in Aqueous Zinc-Ion Batteries. <i>ACS Nano</i> , 2021, 15, 9244-9272.	14.6	272
5	NASICON-type air-stable and all-climate cathode for sodium-ion batteries with low cost and high-power density. <i>Nature Communications</i> , 2019, 10, 1480.	12.8	260
6	High-Performance Flexible Freestanding Anode with Hierarchical 3D Carbon-Networks/Fe <sub>7</sub> S <sub>8</sub> /Graphene for Applicable Sodium-Ion Batteries. <i>Advanced Materials</i> , 2019, 31, e1806664.	21.0	233
7	Emerging Catalysts to Promote Kinetics of Lithium-Sulfur Batteries. <i>Advanced Energy Materials</i> , 2021, 11, 2002893.	19.5	228
8	High-safety separators for lithium-ion batteries and sodium-ion batteries: advances and perspective. <i>Energy Storage Materials</i> , 2021, 41, 522-545.	18.0	227
9	Double Metal Ions Synergistic Effect in Hierarchical Multiple Sulfide Microflowers for Enhanced Supercapacitor Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 4311-4319.	8.0	202
10	Catalytic Conversion of Polysulfides on Single Atom Zinc Implanted MXene toward High-Rate Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , 2020, 30, 2002471.	14.9	158
11	Synergistic effect induced ultrafine SnO <sub>2</sub> /graphene nanocomposite as an advanced lithium/sodium-ion batteries anode. <i>Journal of Materials Chemistry A</i> , 2017, 5, 10027-10038.	10.3	155
12	Oxygen Defects Engineering of VO <sub>2</sub> ·xH <sub>2</sub> O Nanosheets via In Situ Polypyrrole Polymerization for Efficient Aqueous Zinc Ion Storage. <i>Advanced Functional Materials</i> , 2021, 31, 2103070.	14.9	153
13	Selective Etching Quaternary MAX Phase toward Single Atom Copper Immobilized MXene (Ti <sub>3</sub> C <sub>2</sub> Cl <sub>x</sub> ) for Efficient CO <sub>2</sub> Electroreduction to Methanol. <i>ACS Nano</i> , 2021, 15, 4927-4936.	14.6	139
14	Ultra-High Initial Coulombic Efficiency Induced by Interface Engineering Enables Rapid, Stable Sodium Storage. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 11481-11486.	13.8	124
15	Pyrite FeS <sub>2</sub> microspheres anchoring on reduced graphene oxide aerogel as an enhanced electrode material for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 5332-5341.	10.3	123
16	Layered (NH <sub>4</sub> ) <sub>2</sub> V <sub>6</sub> O <sub>16</sub> ·1.5H <sub>2</sub> O nanobelts as a high-performance cathode for aqueous zinc-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 19130-19139.	10.3	121
17	Recent progress of emerging cathode materials for sodium ion batteries. <i>Materials Chemistry Frontiers</i> , 2021, 5, 3735-3764.	5.9	114
18	Hierarchical ternary Ni-Co-Se nanowires for high-performance supercapacitor device design. <i>Dalton Transactions</i> , 2016, 45, 19458-19465.	3.3	112

#	ARTICLE	IF	CITATIONS
19	Controlled synthesis of 3D hierarchical NiSe microspheres for high-performance supercapacitor design. RSC Advances, 2016, 6, 46523-46530.	3.6	111
20	Developments and Perspectives on Emerging High-Energy-Density Sodium-Metal Batteries. Chem, 2019, 5, 2547-2570.	11.7	110
21	$\text{Ni}(\text{OH})_2/\text{NiS}_{1.97}$ heterojunction composites with excellent ion and electron transport properties for advanced supercapacitors. Nanoscale, 2019, 11, 6243-6253.	5.6	106
22	A nest-like $\text{Ni@Ni}_{1.4}\text{Co}_{1.6}\text{S}_2$ electrode for flexible high-performance rolling supercapacitor device design. Journal of Materials Chemistry A, 2015, 3, 20973-20982.	10.3	105
23	Suppressing Voltage Fading of Li-Rich Oxide Cathode via Building a Well-Protected and Partially-Protonated Surface by Polyacrylic Acid Binder for Cycle-Stable Li-Ion Batteries. Advanced Energy Materials, 2020, 10, 1904264.	19.5	101
24	MXene-Based Mesoporous Nanosheets Toward Superior Lithium Ion Conductors. Advanced Energy Materials, 2020, 10, 1903534.	19.5	97
25	Integrating Bi@C Nanospheres in Porous Hard Carbon Frameworks for Ultrafast Sodium Storage. Advanced Materials, 2022, 34, e2202673.	21.0	93
26	Recent progress on iron- and manganese-based anodes for sodium-ion and potassium-ion batteries. Energy Storage Materials, 2019, 19, 163-178.	18.0	90
27	90% yield production of polymer nano-memristor for in-memory computing. Nature Communications, 2021, 12, 1984.	12.8	87
28	Interface engineering and heterometal doping Mo-NiS/Ni(OH) <sub>2</sub> for overall water splitting. Nano Research, 2021, 14, 3466-3473.	10.4	87
29	Carambola-like $\text{Ni@Ni}_{1.5}\text{Co}_{1.5}\text{S}_2$ for Use in High-Performance Supercapacitor Devices Design. ACS Sustainable Chemistry and Engineering, 2015, 3, 2777-2785.	6.7	86
30	Polypropylene/hydrophobic-silica-aerogel-composite separator induced enhanced safety and low polarization for lithium-ion batteries. Journal of Power Sources, 2018, 376, 177-183.	7.8	86
31	Facile and scalable synthesis of low-cost FeS@C as long-cycle anodes for sodium-ion batteries. Journal of Materials Chemistry A, 2019, 7, 19709-19718.	10.3	86
32	Construction of hierarchical three-dimensional interspersed flower-like nickel hydroxide for asymmetric supercapacitors. Nano Research, 2017, 10, 3726-3742.	10.4	85
33	Urchin-Like $\text{Ni}_{1/3}\text{Co}_{2/3}(\text{CO}_3)_{1/2}(\text{OH}) \cdot 0.11\text{H}_2\text{O}$ for Ultrahigh-Rate Electrochemical Supercapacitors: Structural Evolution from Solid to Hollow. ACS Applied Materials & Interfaces, 2017, 9, 40655-40670.	8.0	84
34	Electrospun Flexible Cellulose Acetate-Based Separators for Sodium-Ion Batteries with Ultralong Cycle Stability and Excellent Wettability: The Role of Interface Chemical Groups. ACS Applied Materials & Interfaces, 2018, 10, 23883-23890.	8.0	84
35	Enabling an intrinsically safe and high-energy-density 4.5 V-class Li-ion battery with nonflammable electrolyte. Informa-Materially, 2020, 2, 984-992.	17.3	81
36	Three-dimensional CuS hierarchical architectures as recyclable catalysts for dye decolorization. CrystEngComm, 2012, 14, 3965.	2.6	77

#	ARTICLE	IF	CITATIONS
37	Design of FeS <sub>2</sub> @rGO composite with enhanced rate and cyclic performances for sodium ion batteries. <i>Electrochimica Acta</i> , 2017, 230, 1-9.	5.2	77
38	Atomically dispersed Ni induced by ultrahigh N-doped carbon enables stable sodium storage. <i>Chem</i> , 2021, 7, 2684-2694.	11.7	77
39	3D hierarchically patterned tubular NiSe with nano-/microstructures for Li ion battery design. <i>Dalton Transactions</i> , 2012, 41, 12595.	3.3	76
40	Simple synthesis of sandwich-like SnSe <sub>2</sub> /rGO as high initial coulombic efficiency and high stability anode for sodium-ion batteries. <i>Journal of Energy Chemistry</i> , 2020, 46, 71-77.	12.9	75
41	Organic Cathode Materials for Sodium-ion Batteries: From Fundamental Research to Potential Commercial Application. <i>Advanced Functional Materials</i> , 2022, 32, 2107718.	14.9	75
42	Metal-Semiconductor Phase Twinned Hierarchical MoS <sub>2</sub> Nanowires with Expanded Interlayers for Sodium-ion Batteries with Ultralong Cycle Life. <i>Small</i> , 2020, 16, e1906607.	10.0	74
43	Mesoporous TiNb <sub>2</sub> O <sub>7</sub> microspheres as high performance anode materials for lithium-ion batteries with high-rate capability and long cycle-life. <i>Electrochimica Acta</i> , 2018, 259, 20-27.	5.2	72
44	Bio-inspired nano-engineering of an ultrahigh loading 3D hierarchical Ni@NiCo <sub>2</sub> S <sub>4</sub> /Ni <sub>3</sub> S <sub>2</sub> electrode for high energy density supercapacitors. <i>Nanoscale</i> , 2019, 11, 1728-1736.	5.6	72
45	Hierarchical porous hard carbon enables integral solid electrolyte interphase as robust anode for sodium-ion batteries. <i>Rare Metals</i> , 2020, 39, 1053-1062.	7.1	70
46	High-Entropy Carbonitride MAX Phases and Their Derivative MXenes. <i>Advanced Energy Materials</i> , 2022, 12, .	19.5	69
47	Tunable properties induced by ion exchange in multilayer intertwined CuS microflowers with hierarchal structures. <i>Nanoscale</i> , 2013, 5, 6589.	5.6	68
48	Conjugated Covalent Organic Frameworks as Platinum Nanoparticle Supports for Catalyzing the Oxygen Reduction Reaction. <i>Chemistry of Materials</i> , 2020, 32, 9747-9752.	6.7	68
49	Ethylene Carbonate-Free Propylene Carbonate-Based Electrolytes with Excellent Electrochemical Compatibility for Li-ion Batteries through Engineering Electrolyte Solvation Structure. <i>Advanced Energy Materials</i> , 2021, 11, 2003905.	19.5	68
50	A low-defect and Na-enriched Prussian blue lattice with ultralong cycle life for sodium-ion battery cathode. <i>Electrochimica Acta</i> , 2020, 332, 135533.	5.2	67
51	Sandwich Structures Constructed by ZnSe <sub>2</sub> /Ni <sub>3</sub> S <sub>2</sub> Located in Graphene for Efficient Sodium Storage. <i>Advanced Energy Materials</i> , 2020, 10, 2002298.	19.5	67
52	Polymorphism of 2D Imine Covalent Organic Frameworks. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 5363-5369.	13.8	67
53	N-Rich 2D Heptazine Covalent Organic Frameworks as Efficient Metal-Free Photocatalysts. <i>ACS Catalysis</i> , 2022, 12, 616-623.	11.2	65
54	2D Redox-Active Covalent Organic Frameworks for Supercapacitors: Design, Synthesis, and Challenges. <i>Small</i> , 2021, 17, e2005073.	10.0	64

#	ARTICLE	IF	CITATIONS
55	Novel safer phosphonate-based gel polymer electrolytes for sodium-ion batteries with excellent cycling performance. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6559-6564.	10.3	63
56	Hydrangea-like $\text{Ni}^{1/3}\text{Co}^{2/3}(\text{OH})_2$ Reinforced by Ethyl Carbamate $\text{C}_2\text{H}_5\text{N}_2\text{O}$ for All-Solid-State Supercapacitors with Outstanding Comprehensive Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 32269-32281.	8.0	63
57	Enhanced interfacial compatibility of $\text{FeS@N,S-C}$ anode with ester-based electrolyte enables stable sodium-ion full cells. <i>Journal of Energy Chemistry</i> , 2022, 68, 27-34.	12.9	63
58	3D porous nano/micro nickel sulfides with hierarchical structure: controlled synthesis, structure characterization and electrochemical properties. <i>Dalton Transactions</i> , 2013, 42, 5724.	3.3	60
59	Recent progress, mechanisms, and perspectives for crystal and interface chemistry applying to the Zn metal anodes in aqueous zinc-ion batteries. <i>SusMat</i> , 2022, 2, 114-141.	14.9	60
60	Electrolytes for Dual-Carbon Batteries. <i>ChemElectroChem</i> , 2019, 6, 2615-2629.	3.4	59
61	Superhydrophilic 2D Covalent Organic Frameworks as Broadband Absorbers for Efficient Solar Steam Generation. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	57
62	Synergism of surface group transfer and in-situ growth of silica-aerogel induced high-performance modified polyacrylonitrile separator for lithium/sodium-ion batteries. <i>Journal of Membrane Science</i> , 2019, 577, 137-144.	8.2	55
63	High loading $\text{FeS}_2$ nanoparticles anchored on biomass-derived carbon tube as low cost and long cycle anode for sodium-ion batteries. <i>Green Energy and Environment</i> , 2020, 5, 50-58.	8.7	55
64	Understanding Shuttling Effect in Sodium Ion Batteries for the Solution of Capacity Fading: $\text{FeS}_2$ as an Example. <i>Journal of Physical Chemistry C</i> , 2019, 123, 2775-2782.	3.1	54
65	Bimetal Synergistic Effect Induced High Reversibility of Conversion-Type $\text{Ni@NiCo}_2\text{S}_4$ as a Free-Standing Anode for Sodium Ion Batteries. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 1435-1442.	4.6	54
66	In Situ Formation of $\text{Co}_9\text{S}_8$ Nanoclusters in Sulfur-Doped Carbon Foam as a Sustainable and High-Rate Sodium-Ion Anode. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 19218-19226.	8.0	51
67	Organosulfonate Counteranions as a Trapped Coordination Polymer as a High-Output Triboelectric Nanogenerator Material for Self-Powered Anticorrosion. <i>Chemistry - A European Journal</i> , 2020, 26, 584-591.	3.3	51
68	The immunobiology of mucosal-associated invariant T cell (MAIT) function in primary biliary cholangitis: Regulation by cholic acid-induced Interleukin-7. <i>Journal of Autoimmunity</i> , 2018, 90, 64-75.	6.5	50
69	Microstructure-Dependent Charge/Discharge Behaviors of Hollow Carbon Spheres and its Implication for Sodium Storage Mechanism on Hard Carbon Anodes. <i>Small</i> , 2021, 17, e2102248.	10.0	50
70	Dual-Functional NbN Ultrafine Nanocrystals Enabling Kinetically Boosted Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	49
71	Facile synthesis of hierarchical $\text{Na}_2\text{Fe}(\text{SO}_4)_2@\text{rGO/C}$ as high-voltage cathode for energy density-enhanced sodium-ion batteries. <i>Journal of Energy Chemistry</i> , 2020, 50, 387-394.	12.9	47
72	From $\text{NaMnO}_2$ to crystal water containing Na-birnessite: enhanced cycling stability for sodium-ion batteries. <i>CrystEngComm</i> , 2016, 18, 3136-3141.	2.6	46

#	ARTICLE	IF	CITATIONS
73	Donor-acceptor 2D covalent organic frameworks for efficient heterogeneous photocatalytic $\text{I}^{\pm}$ -oxygenation. <i>Science China Chemistry</i> , 2021, 64, 827-833.	8.2	46
74	Cationic Covalent Organic Frameworks for Fabricating an Efficient Triboelectric Nanogenerator. , 2020, 2, 1691-1697.		42
75	Large-scale urchin-like micro/nano-structured NiS: controlled synthesis, cation exchange and lithium-ion battery applications. <i>RSC Advances</i> , 2013, 3, 17431.	3.6	41
76	Synergistic effect of $\text{Co}_3\text{O}_4@\text{C}@\text{MnO}_2$ nanowire heterostructures for high-performance asymmetry supercapacitor with long cycle life. <i>Electrochimica Acta</i> , 2018, 283, 1087-1094.	5.2	41
77	Cream roll-inspired advanced MnS/C composite for sodium-ion batteries: encapsulating MnS cream into hollow N,S-co-doped carbon rolls. <i>Nanoscale</i> , 2020, 12, 8493-8501.	5.6	41
78	Sequential partial ion exchange synthesis of composite $\text{Ni}_{1-x}\text{S}_x/\text{Co}_y\text{S}_{1-y}/\text{NiSe}$ nanoarrays with a lavender-like hierarchical morphology. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 727-735.	6.0	40
79	High-Safety Symmetric Sodium-Ion Batteries Based on Nonflammable Phosphate Electrolyte and Double $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 27833-27838.	8.0	40
80	Bromine-Functionalized Covalent Organic Frameworks for Efficient Triboelectric Nanogenerator. <i>Chemistry - A European Journal</i> , 2020, 26, 5784-5788.	3.3	40
81	$\text{Ni}_{12}\text{P}_5$ nanoparticles bound on graphene sheets for advanced lithium-sulfur batteries. <i>Nanoscale</i> , 2020, 12, 10760-10770.	5.6	40
82	A Hollow Tube-on-Tube Architecture of Carbon-Tube-Supported Nickel Cobalt Sulfide Nanotubes for Advanced Supercapacitors. <i>ChemNanoMat</i> , 2017, 3, 269-276.	2.8	39
83	One-Step Construction of $\text{MoS}_{0.74}\text{Se}_{1.26}/\text{N}$ -Doped Carbon Flower-like Hierarchical Microspheres with Enhanced Sodium Storage. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 44342-44351.	8.0	39
84	Hollow carbon nanofibers as high-performance anode materials for sodium-ion batteries. <i>Nanoscale</i> , 2019, 11, 21999-22005.	5.6	39
85	Highly Electrochemically Reversible Mesoporous $\text{Na}_2\text{FePO}_4/\text{C}$ as Cathode Material for High-Performance Sodium-Ion Batteries. <i>Small</i> , 2019, 15, e1903723.	10.0	38
86	$\text{Se}-\text{C}$ bond and reversible SEI in facile synthesized $\text{SnSe}_2$ /3D carbon induced stable anode for sodium-ion batteries. <i>Electrochimica Acta</i> , 2020, 337, 135783.	5.2	37
87	Achieving long-cycling sodium-ion full cells in ether-based electrolyte with vinylene carbonate additive. <i>Journal of Energy Chemistry</i> , 2021, 57, 650-655.	12.9	37
88	A Water Stable, Near-Zero-Strain $\text{O}_3$ -Layered Titanium-Based Anode for Long Cycle Sodium-Ion Battery. <i>Advanced Functional Materials</i> , 2020, 30, 1907023.	14.9	36
89	Metal-covalent organic frameworks for electrochemical energy storage applications. <i>EcoMat</i> , 2021, 3, e12133.	11.9	36
90	Facile and reversible digestion and regeneration of zirconium-based metal-organic frameworks. <i>Communications Chemistry</i> , 2020, 3, .	4.5	35

#	ARTICLE	IF	CITATIONS
91	Immobilizing VN ultrafine nanocrystals on N-doped carbon nanosheets enable multiple effects for high-rate lithium-sulfur batteries. Nano Research, 2022, 15, 1424-1432.	10.4	35
92	Advances in electrode/electrolyte interphase for sodium-ion batteries from half cells to full cells. Cell Reports Physical Science, 2022, 3, 100868.	5.6	35
93	2D Covalent Organic Frameworks Toward Efficient Photocatalytic Hydrogen Evolution. ChemSusChem, 2022, 15, .	6.8	35
94	Cation-exchange induced high power electrochemical properties of core-shell Ni(OH) <sub>2</sub> @CoOOH. Journal of Power Sources, 2011, 196, 488-494.	7.8	34
95	Hierarchical porous onion-shaped LiMn <sub>2</sub> O <sub>4</sub> as ultrahigh-rate cathode material for lithium ion batteries. Nano Research, 2018, 11, 4038-4048.	10.4	34
96	Construction of 3D architectures with Ni(HCO <sub>3</sub> ) <sub>2</sub> nanocubes wrapped by reduced graphene oxide for LIBs: ultrahigh capacity, ultrafast rate capability and ultralong cycle stability. Chemical Science, 2018, 9, 8682-8691.	7.4	34
97	Amorphous NaVOPO <sub>4</sub> as a High-Rate and Ultrastable Cathode Material for Sodium-Ion Batteries. CCS Chemistry, 2021, 3, 2428-2436.	7.8	34
98	TiO <sub>2</sub> -Based Heterostructures with Different Mechanism: A General Synergistic Effect toward High-Performance Sodium Storage. Small, 2020, 16, e2004054.	10.0	33
99	Controlled synthesis of spherical hierarchical LiNi <sub>1-x</sub> Co <sub>y</sub> Al <sub>y</sub> O <sub>2</sub> (0<x, y<0.2) via a novel cation exchange process as cathode materials for High-Performance Lithium Batteries. Electrochimica Acta, 2016, 190, 932-938.	5.2	32
100	In-situ embedding CoTe catalyst into 1D-2D nitrogen-doped carbon to didirectionally regulate lithium-sulfur batteries. Nano Research, 2022, 15, 8972-8982.	10.4	31
101	Large-scale stereoscopic structured heazlewoodite microrod arrays and scale-like microsheets for lithium-ion battery applications. RSC Advances, 2012, 2, 6817.	3.6	29
102	Ag <sup>+</sup> insertion into 3D hierarchical rose-like Cu <sub>1.8</sub> Se nanocrystals with tunable band gap and morphology genetic. Nanoscale, 2014, 6, 1124-1133.	5.6	28
103	Layer-by-Layer Stacked (NH <sub>4</sub> ) <sub>2</sub> V <sub>4</sub> O <sub>9</sub> ·0.5H <sub>2</sub> O Nanosheet Assemblies with Intercalation Pseudocapacitance for High Rate Aqueous Zinc Ion Storage. ACS Applied Energy Materials, 2020, 3, 5343-5352.	5.1	28
104	Tunable Electrochemical Properties Brought About by Partial Cation Exchange in Hydrotalcite-Like Ni <sup>2+</sup> /Co <sup>2+</sup> /Ni Hydroxide Nanosheets. Journal of Physical Chemistry C, 2008, 112, 17471-17477.	3.1	27
105	Synthesis, characterization and electrochemical performance of Li <sub>2</sub> FeSiO <sub>4</sub> /C for lithium-ion batteries. RSC Advances, 2013, 3, 408-412.	3.6	27
106	Stable cross-linked gel terpolymer electrolyte containing methyl phosphonate for sodium ion batteries. Journal of Membrane Science, 2019, 583, 163-170.	8.2	27
107	A novel helical chain zinc(II) coordination polymer derived from both ferrocenecarboxylato and bibenzimidazolyl ligands: synthesis, crystal structure and properties. Journal of Molecular Structure, 2004, 694, 179-183.	3.6	26
108	Zero-Strain Structure for Efficient Potassium Storage: Nitrogen-Enriched Carbon Dual-Confinement CoP Composite. Advanced Energy Materials, 2022, 12, 2103341.	19.5	26



#	ARTICLE	IF	CITATIONS
109	Facile assembly of partly graphene-enveloped sulfur composites in double-solvent for lithium-sulfur batteries. <i>Electrochimica Acta</i> , 2015, 178, 564-570.	5.2	25
110	One-pot synthesis and the electrochemical properties of nano-structured nickel selenide materials with hierarchical structure. <i>CrystEngComm</i> , 2013, 15, 2624.	2.6	24
111	Evidence of Rural and Suburban Sources of Urban Haze Formation in China: A Case Study From the Pearl River Delta Region. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 4712-4726.	3.3	24
112	Interface Engineering Based on Multinanoscale Heterojunctions between NiO Quantum Dots, N-Doped Amorphous Carbon and Ni for Advanced Supercapacitor. <i>ACS Applied Energy Materials</i> , 2021, 4, 3221-3230.	5.1	24
113	Rationally Designed Three-Layered $\text{TiO}_2$ @amorphous $\text{MoS}_3$ @Carbon Hierarchical Microspheres for Efficient Potassium Storage. <i>Small</i> , 2022, 18, e2107819.	10.0	24
114	Carbon coated ultrasmall anatase $\text{TiO}_2$ nanocrystal anchored on N,S-RGO as high-performance anode for sodium ion batteries. <i>Green Energy and Environment</i> , 2018, 3, 277-285.	8.7	23
115	Heterojunction $\text{Co}(\text{OH})_2/\text{Ni}(\text{OH})_2$ nanorods arrays on Ni foam with high utilization rate and excellent structure stability for high-performance supercapacitor. <i>Scientific Reports</i> , 2019, 9, 12727.	3.3	23
116	Enabling electrochemical compatibility of non-flammable phosphate electrolytes for lithium-ion batteries by tuning their molar ratios of salt to solvent. <i>Chemical Communications</i> , 2020, 56, 6559-6562.	4.1	23
117	PAANa-induced ductile SEI of bare micro-sized FeS enables high sodium-ion storage performance. <i>Science China Materials</i> , 2021, 64, 105-114.	6.3	23
118	$\text{SnS}/\text{SnS}_2/\text{rGO}$ heterostructure with fast kinetics enables compact sodium ion storage. <i>FlatChem</i> , 2021, 28, 100259.	5.6	23
119	A review of sodium chloride-based electrolytes and materials for electrochemical energy technology. <i>Journal of Materials Chemistry A</i> , 2022, 10, 2637-2671.	10.3	23
120	Beneficial metal ion insertion into dandelion-like MnS with enhanced catalytic performance and genetic morphology. <i>RSC Advances</i> , 2014, 4, 19257-19265.	3.6	22
121	High-rate-capability asymmetric supercapacitor device based on lily-like $\text{Co}_3\text{O}_4$ nanostructures assembled using nanowires. <i>RSC Advances</i> , 2017, 7, 3752-3759.	3.6	22
122	Novel flame retardant rigid spirocyclic biphosphate based copolymer gel electrolytes for sodium ion batteries with excellent high-temperature performance. <i>Journal of Materials Chemistry A</i> , 2020, 8, 22962-22968.	10.3	22
123	Bimetal CoNi Active Sites on Mesoporous Carbon Nanosheets to Kinetically Boost Lithium-Sulfur Batteries. <i>Small</i> , 2021, 17, e2100414.	10.0	22
124	Synthesis of carbon nanotubes-supported porous silicon microparticles in low-temperature molten salt for high-performance Li-ion battery anodes. <i>Nano Research</i> , 2022, 15, 6184-6191.	10.4	22
125	Advances of Carbon-Based Materials for Lithium Metal Anodes. <i>Frontiers in Chemistry</i> , 2020, 8, 595972.	3.6	21
126	Programmable Triboelectric Nanogenerators Dependent on the Secondary Building Units in Cadmium Coordination Polymers. <i>Inorganic Chemistry</i> , 2021, 60, 550-554.	4.0	21



#	ARTICLE	IF	CITATIONS
127	High-rate performance aqueous-based supercapacitors at 30 °C driven by novel 1D Ni(OH) <sub>2</sub> nanorods and a two-solute electrolyte. Journal of Materials Chemistry A, 2021, 9, 23860-23872.	10.3	21
128	Recent advances in seawater in salt electrolytes for aqueous rechargeable monovalent-ion (Li+, Na+,) Tj ETQq0 0.0.rgBT /Overlock 10	12.9	21
129	Aluminum Insertion-Induced Enhanced Performance of Li(Ni <sub>0.83</sub> Co <sub>0.10</sub> Mn <sub>0.07</sub> Al <sub>0.00</sub> )O <sub>2</sub> Microspheres for Lithium-Ion Batteries Design. ChemElectroChem, 2014, 1, 601-610.	3.4	19
130	Non-Noble Metal-Based Catalysts Applied to Hydrogen Evolution from Hydrolysis of Boron Hydrides. Small Structures, 2021, 2, 2000135.	12.0	19
131	Progress in Gel Polymer Electrolytes for Sodium-Ion Batteries. Energy and Environmental Materials, 2023, 6, .	12.8	19
132	Metallosalphen-Based 2D Covalent Organic Frameworks with an Unprecedented <i>b</i> Topology via K-Shaped Two-in-One Monomers. Chemistry of Materials, 2022, 34, 5888-5895.	6.7	18
133	Synthesis of Li <sub>2</sub> FeSiO <sub>4</sub> /C and its excellent performance in aqueous lithium-ion batteries. Journal of Materials Chemistry A, 2013, 1, 10912.	10.3	17
134	Controlled synthesis of concentration gradient LiNi <sub>0.84</sub> Co <sub>0.10</sub> Mn <sub>0.04</sub> Al <sub>0.02</sub> O <sub>2</sub> F <sub>0.10</sub> with improved electrochemical properties in Li-ion batteries. RSC Advances, 2016, 6, 58173-58181.	4.5	17
135	Synergistic Effect Initiating Ni <sub>1-x</sub> CoxMoO <sub>4</sub> ·xH <sub>2</sub> O as Electrodes for High-Energy-Density Asymmetric Supercapacitors. Electrochimica Acta, 2017, 228, 274-281.	5.2	17
136	Polymorphism of 2D Imine Covalent Organic Frameworks. Angewandte Chemie, 2021, 133, 5423-5429.	2.0	17
137	Ultra-High Initial Coulombic Efficiency Induced by Interface Engineering Enables Rapid, Stable Sodium Storage. Angewandte Chemie, 2021, 133, 11582-11587.	2.0	17
138	An N-doped three dimensional flexible carbon/sulfur cathode for lithium sulfur battery design. Dalton Transactions, 2016, 45, 3305-3309.	3.3	16
139	Development of high-utilization honeycomb-like Ni(OH) <sub>2</sub> for asymmetric supercapacitors with excellent capacitance. RSC Advances, 2018, 8, 37129-37135.	3.6	16
140	Construction of MnS/MnS hetero-phase junction for high-performance sodium-ion batteries. Chemical Engineering Journal, 2022, 435, 135149.	12.7	16
141	Improving the Li-S battery performance by applying a combined interface engineering approach on the Li <sub>2</sub> S cathode. Journal of Materials Chemistry A, 2019, 7, 27247-27255.	10.3	15
142	N-Doped graphitic ladder-structured carbon nanotubes as a superior sulfur host for lithium-sulfur batteries. Inorganic Chemistry Frontiers, 2020, 7, 3969-3979.	6.0	15
143	An advanced low-cost cathode composed of graphene-coated Na <sub>2.4</sub> Fe <sub>1.8</sub> (SO <sub>4</sub> ) <sub>3</sub> nanograins in a 3D graphene network for ultra-stable sodium storage. Journal of Energy Chemistry, 2021, 54, 564-570.	12.9	15
144	Effects of surface coating of Y(OH) <sub>3</sub> on the electrochemical performance of spherical Ni(OH) <sub>2</sub> . Journal of Power Sources, 2007, 171, 981-989.	7.8	14

#	ARTICLE	IF	CITATIONS
145	Large-scale synthesis and catalysis properties of micro-structured snowflake Cu <sub>2</sub> S from a single source Cu(II) coordination complex. <i>Materials Letters</i> , 2011, 65, 1785-1787.	2.6	14
146	The Immunobiology of Receptor Activator for Nuclear Factor Kappa B Ligand and Myeloid-Derived Suppressor Cell Activation in Immunoglobulin G4-Related Sclerosing Cholangitis. <i>Hepatology</i> , 2018, 68, 1922-1936.	7.3	14
147	A Membrane-Free and Energy-Efficient Three-Step Chlor-Alkali Electrolysis with Higher-Purity NaOH Production. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 45126-45132.	8.0	14
148	Highly [010]-oriented, gradient Co-doped LiMnPO <sub>4</sub> with enhanced cycling stability as cathode for Li-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2020, 24, 511-519.	2.5	14
149	3D Cu <sub>2</sub> xSe nano/micropeony architectures: Large-scale solvothermal synthesis, characterization, and catalytic properties. <i>Thin Solid Films</i> , 2013, 534, 22-27.	1.8	13
150	Numerical model to quantify biogenic volatile organic compound emissions: The Pearl River Delta region as a case study. <i>Journal of Environmental Sciences</i> , 2016, 46, 72-82.	6.1	13
151	Hierarchical Porous Molybdenum Carbide Based Nanomaterials for Electrocatalytic Hydrogen Production. <i>Frontiers in Chemistry</i> , 2020, 8, 426.	3.6	13
152	Pre-sodiation strategy for superior sodium storage batteries. <i>Chinese Journal of Chemical Engineering</i> , 2021, 39, 261-268.	3.5	13
153	Designed synthesis of porous NiMoO <sub>4</sub> /C composite nanorods for asymmetric supercapacitors. <i>CrystEngComm</i> , 2019, 21, 5492-5499.	2.6	12
154	Bi-component synergic effect in lily-like CdS/Cu <sub>7</sub> S <sub>4</sub> QDs for dye degradation. <i>RSC Advances</i> , 2019, 9, 2441-2450.	3.6	12
155	Recent advances of two-dimensional molybdenum disulfide based materials: Synthesis, modification and applications in energy conversion and storage. <i>Sustainable Materials and Technologies</i> , 2020, 24, e00161.	3.3	12
156	Dual-Functional MgO Nanocrystals Satisfying Both Polysulfides and Li Regulation toward Advanced Lithium-Sulfur Full Batteries. <i>Small</i> , 2021, 17, e2103744.	10.0	12
157	Understanding the Accelerated Sodium-Ion-Transport Mechanism of an Interfacial Modified Polyacrylonitrile Separator. <i>Journal of Physical Chemistry C</i> , 2022, 126, 8238-8247.	3.1	12
158	Composition control of electrodeposited nickel-cerium hydroxides by tuning the pH at the electrode/solution interface. <i>Journal of Electroanalytical Chemistry</i> , 2012, 670, 62-66.	3.8	11
159	Hetero-nuclear coordinated compounds for use in high-performance supercapacitor electrode material design. <i>Inorganic Chemistry Frontiers</i> , 2014, 1, 745-750.	6.0	11
160	Consecutive Reaction to Construct Hierarchical Nanocrystalline CuS Branch with Tunable Catalysis Properties. <i>Scientific Reports</i> , 2016, 6, 30604.	3.3	11
161	Electrospun nitrogen-doped carbon nanofibers for electrocatalysis. <i>Sustainable Materials and Technologies</i> , 2020, 26, e00221.	3.3	11
162	Ultrathin 2D FeCo <sub>1-x</sub> Se <sub>2</sub> nanosheets with enhanced sodium-ion storage performance induced by heteroatom doping effect. <i>Electrochimica Acta</i> , 2020, 353, 136563.	5.2	11

#	ARTICLE	IF	CITATIONS
163	Cotton Cloth-Induced Flexible Hierarchical Carbon Film for Sodium-Ion Batteries. ChemElectroChem, 2020, 7, 2136-2144.	3.4	11
164	Effects of Comonomers on the Performance of Stable Phosphonate-Based Gel Terpolymer Electrolytes for Sodium-Ion Batteries with Ultralong Cycling Stability. ACS Applied Materials & Interfaces, 2021, 13, 25024-25035.	8.0	11
165	An effective solid-electrolyte interphase for stable solid-state batteries. Chem, 2021, 7, 3195-3197.	11.7	11
166	Poly(ethylene oxide)-ethylene carbonate solid binary electrolyte with higher conductivity, lower operating temperature and fully impregnated separator for all solid-state lithium ion batteries. Composites Communications, 2022, 29, 101026.	6.3	10
167	Cobalt sandwich complex-based covalent organic frameworks for chemical fixation of CO <sub>2</sub> . Science China Materials, 2022, 65, 1377-1382.	6.3	10
168	Elastic porous carbon material supported sulfur cathodes for Li-S battery design. New Journal of Chemistry, 2016, 40, 93-96.	2.8	9
169	Recent advances on MXene based materials for energy storage applications. Materials Today Sustainability, 2022, 19, 100163.	4.1	9
170	Structural and catalytic properties of Cu <sub>2</sub> S microrods grown on a three-dimensional substrate. Crystal Research and Technology, 2012, 47, 87-90.	1.3	8
171	Simple synthesis of TiNb <sub>6</sub> O <sub>17</sub> /C composite toward high-rate lithium storage. Journal of Materials Science, 2019, 54, 14825-14833.	3.7	8
172	Advances of electrospun Mo-based nanocomposite fibers as anode materials for supercapacitors. Sustainable Materials and Technologies, 2021, 29, e00302.	3.3	8
173	Self-assembly of a Sandwich-like Cadmium Ferrocenyl Coordination Polymer and its Third-Order Nonlinear Optical Properties. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2010, 40, 725-728.	0.6	7
174	How to synthesize pure Li <sub>2</sub> xFeSi <sub>1-x</sub> P <sub>x</sub> O <sub>4</sub> /C (x =) Tj ETQq0 0 0 rgBT /Overlock 1 Transactions, 2015, 44, 14805-14812.	3.3	7
175	One-Step Transformation from Cu <sub>2</sub> S Nanocrystal to CuS Nanocrystal with Photocatalytic Properties. ChemistrySelect, 2019, 4, 7512-7522.	1.5	7
176	The polymerization capability of alkenyl phosphates and application as gel copolymer electrolytes for lithium ion batteries with high flame-retardancy. Reactive and Functional Polymers, 2020, 149, 104535.	4.1	7
177	Solvent Selective Polyacrylonitrile Fiber as a Recyclable Catalyst for the Knoevenagel-Michael Reaction in Water. Catalysis Letters, 0, , 1.	2.6	7
178	Fabrication of CuS@Ni <sub>3</sub> S <sub>4</sub> -polyacrylonitrile textile fabric with enhanced reusability for the treatment of dyes wastewater. ChemistrySelect, 2016, 1, 3618-3622.	1.5	6
179	Large-scale Uniform 3D composite Fe <sub>3</sub> O <sub>4</sub> @CF for High-performance Supercapacitors Design. ChemistrySelect, 2016, 1, 2909-2915.	1.5	5
180	<i>In situ</i> sulfuration synthesis of flexible PAN-CuS -flowering branch-heterostructures as recyclable catalysts for dye degradation. RSC Advances, 2018, 8, 40589-40594.	3.6	5

#	ARTICLE	IF	CITATIONS
181	Efficient and Facile Electrochemical Process for the Production of High-Quality Lithium Hexafluorophosphate Electrolyte. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 32771-32777.	8.0	5
182	Influence of Surface Polarity on Catalytic Properties of Aminopyridine Functionalized Polyacrylonitrile Fiber Catalyst. <i>Catalysis Letters</i> , 2021, 151, 2056-2064.	2.6	5
183	An organosulfide-based energetic liquid as the catholyte in high-energy density lithium metal batteries for large-scale grid energy storage. <i>Nano Research</i> , 2022, 15, 6138-6147.	10.4	5
184	Effects of Flexible Group Length of Phosphonate Monomers on the Performance of Gel Polymer Electrolytes for Sodium-Ion Batteries with Ultralong Cycling Life. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 7158-7168.	6.7	5
185	A Novel Two-Dimensional Cadmium Polymeric Aminonaphthalene Sulfonate and its Application in the Synthesis of CdS Materials. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008, 634, 373-376.	1.2	4
186	The design of CNTs@Ni <sub>1/3</sub> Co <sub>2/3</sub> (CO) <sub>3</sub> <sub>1/2</sub> (OH)·0.11H <sub>2</sub> O <i>in situ</i> compounded in the nanoscale for all-solid-state supercapacitors. <i>New Journal of Chemistry</i> , 2020, 44, 1185-1189.	2.8	4
187	Simple Preparation of Baroque Mn-Based Chalcogenide/Honeycomb-like Carbon Composites for Sodium-Ion Batteries from Renewable <i>Pleurotus Eryngii</i> . <i>Energy &amp; Fuels</i> , 2021, 35, 6265-6271.	5.1	4
188	Superhydrophilic 2D Covalent Organic Frameworks as Broadband Absorbers for Efficient Solar Steam Generation. <i>Angewandte Chemie</i> , 0, , .	2.0	4
189	Quantitative study of pH change during LaNi <sub>5-x</sub> Al <sub>x</sub> (x=0, 0.3) discharge process by SECM. <i>Electrochimica Acta</i> , 2007, 52, 4231-4238.	5.2	3
190	Response of Two-Dimensional Polymeric Cadmium Ferrocenyl Disulfonates to Heavy Metal Ions. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2010, 20, 847-855.	3.7	2
191	Use of Cadmium Inclusion Complex for the Preparation of Crystalline CdS Materials. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2008, 38, 673-676.	0.6	1
192	Component-controllable (Ni, Co)Se <sub>2</sub> (1-x)S <sub>2x</sub> (0 ≤ x ≤ 1) acanthospheres for high-performance binder-free supercapacitors. <i>Materials Letters</i> , 2017, 196, 304-307.	2.6	1
193	Synthesis and crystal structure of two zinc inclusion complexes. <i>Crystal Research and Technology</i> , 2008, 43, 882-887.	1.3	0
194	Construction of High-Nuclear Cu <sub>x</sub> S <sub>y</sub> Nanocrystalline Catalyst from High-Nuclear Copper Cluster. <i>ChemistrySelect</i> , 2019, 4, 3459-3464.	1.5	0
195	Editorial: Advanced Carbon Chemistry for Rechargeable Batteries. <i>Frontiers in Chemistry</i> , 2020, 8, 667.	3.6	0
196	Frontispiece: Organosulfonate Counteranions—A Trapped Coordination Polymer as a High-Output Triboelectric Nanogenerator Material for Self-Powered Anticorrosion. <i>Chemistry - A European Journal</i> , 2020, 26, .	3.3	0
197	Tetrahedron-shaped Cu four-core supramolecular as novel high-performance electrode material for lithium-ion batteries. <i>Chemical Communications</i> , 2022, , .	4.1	0