

Giulio Perugi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/265958/publications.pdf>

Version: 2024-02-01

282
papers

13,074
citations

17405

63
h-index

34900

98
g-index

292
all docs

292
docs citations

292
times ranked

8616
citing authors

#	ARTICLE	IF	CITATIONS
1	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.	4.0	579
2	Prevalence and Characteristics of Undiagnosed Bipolar Disorders in Patients With a Major Depressive Episode. <i>Archives of General Psychiatry</i> , 2011, 68, 791.	13.8	359
3	Agitated "unipolar" depression re-conceptualized as a depressive mixed state: implications for the antidepressant-suicide controversy. <i>Journal of Affective Disorders</i> , 2005, 85, 245-258.	2.0	290
4	The high prevalence of "Soft" bipolar (II) features in atypical depression. <i>Comprehensive Psychiatry</i> , 1998, 39, 63-71.	1.5	267
5	Proposed subtypes of bipolar II and related disorders: With hypomanic episodes (or cyclothymia) and with hyperthymic temperament. <i>Journal of Affective Disorders</i> , 1992, 26, 127-140.	2.0	256
6	Clinical subtypes of bipolar mixed states. <i>Journal of Affective Disorders</i> , 1997, 43, 169-180.	2.0	224
7	The role of cyclothymia in atypical depression: toward a data-based reconceptualization of the borderline"bipolar II connection. <i>Journal of Affective Disorders</i> , 2003, 73, 87-98.	2.0	197
8	The soft bipolar spectrum redefined: focus on the cyclothymic, anxious-sensitive, impulse-dyscontrol, and binge-eating connection in bipolar II and related conditions. <i>Psychiatric Clinics of North America</i> , 2002, 25, 713-737.	0.7	191
9	Polarity of the first episode, clinical characteristics, and course of manic depressive illness: A systematic retrospective investigation of 320 bipolar I patients. <i>Comprehensive Psychiatry</i> , 2000, 41, 13-18.	1.5	176
10	The clinical impact of bipolar and unipolar affective comorbidity on obsessive"compulsive disorder. <i>Journal of Affective Disorders</i> , 1997, 46, 15-23.	2.0	168
11	Antiepileptic drugs: indications other than epilepsy. <i>Epileptic Disorders</i> , 2004, 6, 57-75.	0.7	167
12	Bipolar Mixed States: An International Society for Bipolar Disorders Task Force Report of Symptom Structure, Course of Illness, and Diagnosis. <i>American Journal of Psychiatry</i> , 2013, 170, 31-42.	4.0	162
13	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, 5-50.	0.3	152
14	Clinical characterization of depressive mixed state in bipolar-I patients: Pisa-San Diego collaboration. <i>Journal of Affective Disorders</i> , 2001, 67, 105-114.	2.0	145
15	Reboxetine, a Selective Norepinephrine Reuptake Inhibitor, Is an Effective and Well-Tolerated Treatment for Panic Disorder. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 31-37.	1.1	145
16	Psychopathology, Temperament, and Past Course in Primary Major Depressions. <i>Psychopathology</i> , 1989, 22, 278-288.	1.1	138
17	Mixed Features in Patients With a Major Depressive Episode. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e351-e358.	1.1	136
18	Depressive comorbidity of panic, social phobic, and obsessive"compulsive disorders re-examined: is there a bipolar ii connection?. <i>Journal of Psychiatric Research</i> , 1999, 33, 53-61.	1.5	132

#	ARTICLE	IF	CITATIONS
19	Obsessive-compulsive bipolar comorbidity: focus on children and adolescents. <i>Journal of Affective Disorders</i> , 2004, 78, 175-183.	2.0	131
20	Substance use and quality of life over 12 months among buprenorphine maintenance-treated and methadone maintenance-treated heroin-addicted patients. <i>Journal of Substance Abuse Treatment</i> , 2007, 33, 91-98.	1.5	126
21	Gender-Related Differences in Body Dysmorphic Disorder (Dysmorphophobia). <i>Journal of Nervous and Mental Disease</i> , 1997, 185, 578-582.	0.5	126
22	Gender-Mediated Clinical Features of Depressive Illness the Importance of Temperamental Differences. <i>British Journal of Psychiatry</i> , 1990, 157, 835-841.	1.7	125
23	Adjunctive Dopamine Agonists in Treatment-Resistant Bipolar II Depression: an Open Case Series. <i>Pharmacopsychiatry</i> , 2001, 34, 137-141.	1.7	123
24	Electroconvulsive therapy in catatonic patients: Efficacy and predictors of response. <i>World Journal of Psychiatry</i> , 2015, 5, 182.	1.3	122
25	Cyclothymic OCD: a distinct form?. <i>Journal of Affective Disorders</i> , 2003, 75, 1-10.	2.0	115
26	Obsessive-Compulsiveâ€“Bipolar Comorbidity. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 1129-1134.	1.1	110
27	Attention-deficit hyperactivity disorder â€“ bipolar comorbidity in children and adolescents. <i>Bipolar Disorders</i> , 2006, 8, 373-381.	1.1	108
28	The Role of Electroconvulsive Therapy (ECT) in Bipolar Disorder: Effectiveness in 522 Patients with Bipolar Depression, Mixed-state, Mania and Catatonic Features. <i>Current Neuropharmacology</i> , 2017, 15, 359-371.	1.4	108
29	Long-Term use of Benzodiazepines: Tolerance, Dependence and Clinical Problems in Anxiety and Mood Disorders. <i>Pharmacopsychiatry</i> , 2007, 29, 127-134.	1.7	106
30	Affective comorbidity in panic disorder: Is there a bipolar connection?. <i>Journal of Affective Disorders</i> , 1993, 28, 155-163.	2.0	104
31	Toward a unitary perspective on the bipolar spectrum and substance abuse: Opiate addiction as a paradigm. <i>Journal of Affective Disorders</i> , 2006, 93, 1-12.	2.0	103
32	A Systematic, Updated Review on the Antidepressant Agomelatine Focusing on its Melatonergic Modulation. <i>Current Neuropharmacology</i> , 2010, 8, 287-304.	1.4	103
33	Valproate for the treatment of acute bipolar depression: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2010, 122, 1-9.	2.0	102
34	QTc Interval Prolongation in Patients on Long-Term Methadone Maintenance Therapy. <i>European Addiction Research</i> , 2005, 11, 44-49.	1.3	101
35	Response to ECT in bipolar I, bipolar II and unipolar depression. <i>Journal of Affective Disorders</i> , 2009, 118, 55-59.	2.0	100
36	The influence of affective temperaments and psychopathological traits on the definition of bipolar disorder subtypes: A study on Bipolar I Italian National sample. <i>Journal of Affective Disorders</i> , 2012, 136, e41-e49.	2.0	98

#	ARTICLE	IF	CITATIONS
37	Obsessive-compulsive disorder and body dysmorphic disorder: a comparison of clinical features. <i>European Psychiatry</i> , 2004, 19, 292-298.	0.1	97
38	Alcohol and Cocaine Use and Abuse Among Opioid Addicts Engaged in a Methadone Maintenance Treatment Program. <i>Journal of Addictive Diseases</i> , 2007, 26, 61-70.	0.8	97
39	Are atypical depression, borderline personality disorder and bipolar II disorder overlapping manifestations of a common cyclothymic diathesis?. <i>World Psychiatry</i> , 2011, 10, 45-51.	4.8	97
40	Fluvoxamine in the treatment of body dysmorphic disorder (dysmorphophobia). <i>International Clinical Psychopharmacology</i> , 1996, 11, 247-254.	0.9	94
41	Validating affective temperaments in their subaffective and socially positive attributes: psychometric, clinical and familial data from a French national study. <i>Journal of Affective Disorders</i> , 2005, 85, 29-36.	2.0	93
42	Suicide attempts in major depressive episode: evidence from the BRIDGE-Mix study. <i>Bipolar Disorders</i> , 2015, 17, 795-803.	1.1	91
43	Prevalence of Psychiatric Disorders in Thyroid Diseased Patients. <i>Neuropsychobiology</i> , 1998, 38, 222-225.	0.9	90
44	Psychopathology, Temperament, and Past Course in Primary Major Depressions. <i>Psychopathology</i> , 1989, 22, 268-277.	1.1	88
45	Anxiety Disorders in Children and Adolescents with Bipolar Disorder: A Neglected Comorbidity. <i>Canadian Journal of Psychiatry</i> , 2001, 46, 797-802.	0.9	86
46	Relationship of suicide rates to economic variables in Europe: 2000-2011. <i>British Journal of Psychiatry</i> , 2014, 205, 486-496.	1.7	86
47	The relationship of Kraepelian affective temperaments (as measured by TEMPS-I) to the tridimensional personality questionnaire (TPQ). <i>Journal of Affective Disorders</i> , 2005, 85, 17-27.	2.0	82
48	Depression Before and After Age 65. <i>British Journal of Psychiatry</i> , 1989, 155, 330-336.	1.7	81
49	Affective temperaments and hopelessness as predictors of health and social functioning in mood disorder patients: A prospective follow-up study. <i>Journal of Affective Disorders</i> , 2013, 150, 216-222.	2.0	81
50	Long-term lithium treatment in bipolar disorder: effects on glomerular filtration rate and other metabolic parameters. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 27.	0.8	81
51	ANXIOUS-BIPOLAR COMORBIDITY. <i>Psychiatric Clinics of North America</i> , 1999, 22, 565-583.	0.7	80
52	Cyclothymic-depressive-anxious temperament pattern is related to suicide risk in 346 patients with major mood disorders. <i>Journal of Affective Disorders</i> , 2012, 136, 405-411.	2.0	79
53	Derealization and panic attacks: A clinical evaluation on 150 patients with Panic Disorder/agoraphobia. <i>Comprehensive Psychiatry</i> , 1989, 30, 5-12.	1.5	78
54	Temperaments mediate suicide risk and psychopathology among patients with bipolar disorders. <i>Comprehensive Psychiatry</i> , 2012, 53, 280-285.	1.5	78

#	ARTICLE	IF	CITATIONS
55	Clinical features, developmental course, and psychiatric comorbidity of adult autism spectrum disorders. <i>CNS Spectrums</i> , 2014, 19, 157-164.	0.7	78
56	Impairment of work and leisure in depressed outpatients. <i>Journal of Affective Disorders</i> , 1986, 10, 79-84.	2.0	77
57	Diagnostic criteria for bipolarity based on an international sample of 5,635 patients with DSM-IV major depressive episodes. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 3-11.	1.8	74
58	General medical conditions in 347 bipolar disorder patients: Clinical correlates of metabolic and autoimmune-allergic diseases. <i>Journal of Affective Disorders</i> , 2015, 170, 95-103.	2.0	74
59	Episodic course in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1998, 248, 240-244.	1.8	71
60	A Naturalistic Exploratory Study of the Impact of Demographic, Phenotypic and Comorbid Features in Pediatric Obsessive-Compulsive Disorder. <i>Psychopathology</i> , 2010, 43, 69-78.	1.1	70
61	Clomipramine for panic disorder: I. the first 10 weeks of a long-term comparison with imipramine. <i>Journal of Affective Disorders</i> , 1988, 14, 123-127.	2.0	69
62	Identifying features of bipolarity in patients with first-episode postpartum depression: Findings from the international BRIDGE study. <i>Journal of Affective Disorders</i> , 2012, 136, 710-715.	2.0	69
63	Evidence-based definitions of bipolar-I and bipolar-II disorders among 5,635 patients with major depressive episodes in the Bridge Study: validity and comorbidity. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 663-673.	1.8	66
64	Bipolar disorder in adults with Asperger's Syndrome: A systematic review. <i>Journal of Affective Disorders</i> , 2014, 168, 151-160.	2.0	66
65	The temporal relationship between anxiety disorders and (hypo)mania: a retrospective examination of 63 panic, social phobic and obsessive-compulsive patients with comorbid bipolar disorder. <i>Journal of Affective Disorders</i> , 2001, 67, 199-206.	2.0	62
66	The contrasting influence of depressive and hyperthymic temperaments on psychometrically derived manic subtypes. <i>Psychiatry Research</i> , 2001, 101, 249-258.	1.7	61
67	Prevalence, phenomenology and comorbidity of body dysmorphic disorder (dysmorphophobia) in a clinical population. <i>International Journal of Psychiatry in Clinical Practice</i> , 1997, 1, 77-82.	1.2	59
68	Affective temperaments in heroin addiction. <i>Journal of Affective Disorders</i> , 2009, 117, 186-192.	2.0	57
69	Bulimia nervosa in atypical depression: The mediating role of cyclothymic temperament. <i>Journal of Affective Disorders</i> , 2006, 92, 91-97.	2.0	54
70	Thyroid autoimmunity in bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2017, 221, 97-106.	2.0	54
71	Affective temperament traits measured by TEMPS-I and emotional-behavioral problems in clinically-well children, adolescents, and young adults. <i>Journal of Affective Disorders</i> , 2005, 85, 169-180.	2.0	53
72	Catatonia in 26 patients with bipolar disorder: clinical features and response to electroconvulsive therapy. <i>Bipolar Disorders</i> , 2015, 17, 892-901.	1.1	51

#	ARTICLE	IF	CITATIONS
73	Psychosensorial and related phenomena in panic disorder and in temporal lobe epilepsy. <i>Comprehensive Psychiatry</i> , 1996, 37, 125-133.	1.5	50
74	Alcohol abuse in social phobic patients: is there a bipolar connection?. <i>Journal of Affective Disorders</i> , 2002, 68, 33-39.	2.0	50
75	Chronic mania. <i>British Journal of Psychiatry</i> , 1998, 173, 514-518.	1.7	49
76	Lifetime co-morbidity with different subtypes of eating disorders in 148 females with bipolar disorders. <i>Journal of Affective Disorders</i> , 2010, 121, 147-151.	2.0	48
77	Dopamine agonists and delusional jealousy in Parkinson's disease: A cross-sectional prevalence study. <i>Movement Disorders</i> , 2012, 27, 1679-1682.	2.2	48
78	Relationship of suicide rates with climate and economic variables in Europe during 2000â€“2012. <i>Annals of General Psychiatry</i> , 2016, 15, 19.	1.2	48
79	Treatment of Bipolar Disorder in a Lifetime Perspective: Is Lithium Still the Best Choice?. <i>Clinical Drug Investigation</i> , 2017, 37, 713-727.	1.1	48
80	Bipolar II and anxious reactive â€œcomorbidityâ€œ: Toward better phenotypic characterization suitable for genotyping. <i>Journal of Affective Disorders</i> , 2006, 96, 239-247.	2.0	47
81	Antidepressant-induced hypomania/mania in patients with major depression: Evidence from the BRIDGE-II-MIX study. <i>Journal of Affective Disorders</i> , 2017, 219, 187-192.	2.0	47
82	Affective temperaments are associated with specific clusters of symptoms and psychopathology: A cross-sectional study on bipolar disorder inpatients in acute manic, mixed, or depressive relapse. <i>Journal of Affective Disorders</i> , 2013, 151, 540-550.	2.0	46
83	The importance of measures of affective temperaments in genetic studies of mood disorders. <i>Journal of Psychiatric Research</i> , 1992, 26, 257-268.	1.5	45
84	Clinical Experience Using Adjunctive Gabapentin in Treatment-Resistant Bipolar Mixed States. <i>Pharmacopsychiatry</i> , 1999, 32, 136-141.	1.7	45
85	Insomnia symptoms predict emotional dysregulation, impulsivity and suicidality in depressive bipolar II patients with mixed features. <i>Comprehensive Psychiatry</i> , 2019, 89, 46-51.	1.5	45
86	Developmental Differences According to Age at Onset in Juvenile Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2006, 16, 679-685.	0.7	44
87	Long-Term Outcomes of Treatment-Resistant Heroin Addicts with and without DSM-IV Axis I Psychiatric Comorbidity (Dual Diagnosis). <i>European Addiction Research</i> , 2008, 14, 134-142.	1.3	44
88	Attention Deficit/Hyperactivity Disorder symptoms in Italian bipolar adult patients: A preliminary report. <i>Journal of Affective Disorders</i> , 2013, 149, 430-434.	2.0	44
89	Effectiveness of Adjunctive Gabapentin in Resistant Bipolar Disorder: Is It Due to Anxious-Alcohol Abuse Comorbidity?. <i>Journal of Clinical Psychopharmacology</i> , 2002, 22, 584-591.	0.7	43
90	The Clinical Phenotypes of Juvenile Bipolar Disorder: Toward a Validation of the Episodic-Chronic-Distinction. <i>Biological Psychiatry</i> , 2006, 59, 603-610.	0.7	43

#	ARTICLE	IF	CITATIONS
91	Diagnosis and Treatment of Cyclothymia: The "Primacy" of Temperament. <i>Current Neuropharmacology</i> , 2017, 15, 372-379.	1.4	43
92	Temperament in adolescents with anxiety and depressive disorders and in their families. <i>Child Psychiatry and Human Development</i> , 2003, 33, 245-259.	1.1	42
93	Pharmacotherapy in Paediatric Obsessive-Compulsive Disorder. <i>CNS Drugs</i> , 2009, 23, 241-252.	2.7	42
94	Different measures of impulsivity in patients with anxiety disorders: A case control study. <i>Psychiatry Research</i> , 2012, 197, 231-236.	1.7	42
95	Lifetime mood symptoms and adult separation anxiety in patients with complicated grief and/or post-traumatic stress disorder: A preliminary report. <i>Psychiatry Research</i> , 2012, 198, 436-440.	1.7	42
96	Cyclothymia reloaded: A reappraisal of the most misconceived affective disorder. <i>Journal of Affective Disorders</i> , 2015, 183, 119-133.	2.0	42
97	Maternal "foetal attachment independently predicts the quality of maternal "infant bonding and post-partum psychopathology. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 3153-3159.	0.7	42
98	Cognitive tolerability following successful long term treatment of major depression and anxiety disorders with SSRI antidepressants. <i>Journal of Affective Disorders</i> , 2015, 173, 211-215.	2.0	41
99	Patterns of response to antidepressants in major depressive disorder: Drug resistance or worsening of depression are associated with a bipolar diathesis. <i>European Neuropsychopharmacology</i> , 2019, 29, 825-834.	0.3	41
100	Externalizing disorders in consecutively referred children and adolescents with bipolar disorder. <i>Comprehensive Psychiatry</i> , 2003, 44, 184-189.	1.5	40
101	The Mood-Stabilizing Effects of Electroconvulsive Therapy. <i>Journal of ECT</i> , 2014, 30, 275-282.	0.3	40
102	A Proposed New Approach to the Clinical Subclassification of Depressive Illness. <i>Pharmacopsychiatry</i> , 1988, 21, 19-23.	1.7	39
103	Cocaine abuse and the bipolar spectrum in 1090 heroin addicts: Clinical observations and a proposed pathophysiologic model. <i>Journal of Affective Disorders</i> , 2008, 106, 55-61.	2.0	39
104	Subtyping patients with heroin addiction at treatment entry: factor derived from the Self-Report Symptom Inventory (SCL-90). <i>Annals of General Psychiatry</i> , 2010, 9, 15.	1.2	39
105	Treatment adherence towards prescribed medications in bipolar-II acute depressed patients: Relationship with cyclothymic temperament and "therapeutic sensation seeking" in response towards subjective intolerance to pain. <i>Journal of Affective Disorders</i> , 2013, 151, 596-604.	2.0	39
106	Comparative Response to Electroconvulsive Therapy in Medication-Resistant Bipolar I Patients With Depression and Mixed State. <i>Journal of ECT</i> , 2010, 26, 82-86.	0.3	38
107	Spirituality and Religiosity in the Aftermath of a Natural Catastrophe in Italy. <i>Journal of Religion and Health</i> , 2013, 52, 1029-1037.	0.8	38
108	A Prospective Naturalistic Study of 326 Panic-Agoraphobic Patients Treated with Antidepressants. <i>Pharmacopsychiatry</i> , 2000, 33, 121-131.	1.7	37

#	ARTICLE	IF	CITATIONS
109	Paroxetine in Child and Adolescent Outpatients with Panic Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2001, 11, 151-157.	0.7	37
110	Bipolar II and unipolar comorbidity in 153 outpatients with social phobia. <i>Comprehensive Psychiatry</i> , 2001, 42, 375-381.	1.5	36
111	Increase in IL-6 levels among major depressive disorder patients after a 6-week treatment with duloxetine 60 mg/day: a preliminary observation. <i>Neuropsychiatric Disease and Treatment</i> , 2011, 7, 51.	1.0	36
112	Psychiatrists' perceptions of potential reasons for non- and partial adherence to medication: Results of a survey in bipolar disorder from eight European countries. <i>Journal of Affective Disorders</i> , 2012, 143, 125-130.	2.0	36
113	Is comorbid borderline personality disorder in patients with major depressive episode and bipolarity a developmental subtype? Findings from the international BRIDGE study. <i>Journal of Affective Disorders</i> , 2013, 144, 72-78.	2.0	36
114	Psychiatric Aspects of Obesity: A Narrative Review of Pathophysiology and Psychopathology. <i>Journal of Clinical Medicine</i> , 2020, 9, 2344.	1.0	35
115	Obsessive-compulsive-bipolar comorbidity: a systematic exploration of clinical features and treatment outcome. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 1129-34.	1.1	35
116	Abnormal temperament in patients with morbid obesity seeking surgical treatment. <i>Journal of Affective Disorders</i> , 2009, 118, 155-160.	2.0	34
117	Pharmacological response in juvenile bipolar disorder subtypes: A naturalistic retrospective examination. <i>Psychiatry Research</i> , 2010, 177, 192-198.	1.7	34
118	Episode length and mixed features as predictors of ECT nonresponse in patients with medication-resistant major depression. <i>Brain Stimulation</i> , 2012, 5, 18-24.	0.7	34
119	The bipolar-borderline personality disorders connection in major depressive patients. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 376-383.	2.2	34
120	Obesity in patients with major depression is related to bipolarity and mixed features: evidence from the BRIDGE-IL-Mix study. <i>Bipolar Disorders</i> , 2017, 19, 458-464.	1.1	34
121	Real-world evidence from a European cohort study of patients with treatment resistant depression: Treatment patterns and clinical outcomes. <i>Journal of Affective Disorders</i> , 2021, 290, 334-344.	2.0	34
122	Primary and secondary social phobia: Psychopathologic and familial differentiations. <i>Comprehensive Psychiatry</i> , 1990, 31, 245-252.	1.5	33
123	Diagnostic and Symptomatological Features in Chronic Psychotic Patients According to Cannabis Use Status. <i>Journal of Psychoactive Drugs</i> , 2004, 36, 235-241.	1.0	33
124	Putative clinical subtypes of social phobia: a factor-analytical study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 280-8.	2.2	33
125	Differential changes in areas of social adjustment from depressive episodes through recovery. <i>Journal of Affective Disorders</i> , 1988, 15, 39-43.	2.0	32
126	Delineating a putative phobic-anxious temperament in 126 panic-agoraphobic patients: toward a rapprochement of European and US views. <i>Journal of Affective Disorders</i> , 1998, 47, 11-23.	2.0	32

#	ARTICLE	IF	CITATIONS
127	Dual Diagnosis and Chronology of Illness in Treatment-Seeking Italian Patients Dependent on Heroin. <i>Journal of Addictive Diseases</i> , 2011, 30, 123-135.	0.8	32
128	Does obesity predict bipolarity in major depressive patients?. <i>Journal of Affective Disorders</i> , 2014, 155, 118-122.	2.0	32
129	Use of Stimulants in Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2017, 19, 7.	2.1	32
130	Clinical Implications of DSM-IV Subtyping of Bipolar Disorders in Referred Children and Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007, 46, 1299-1306.	0.3	31
131	Impulsivity in anxiety disorder patients: Is it related to comorbid cyclothymia?. <i>Journal of Affective Disorders</i> , 2011, 133, 600-606.	2.0	31
132	Clinical subtypes of severe bipolar mixed states. <i>Journal of Affective Disorders</i> , 2013, 151, 1076-1082.	2.0	31
133	Aggressiveness in depression: a neglected symptom possibly associated with bipolarity and mixed features. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 362-372.	2.2	31
134	Electroconvulsive therapy and age: Age-related clinical features and effectiveness in treatment resistant major depressive episode. <i>Journal of Affective Disorders</i> , 2018, 227, 627-632.	2.0	31
135	Relationships between panic disorder and separation anxiety with school phobia. <i>Comprehensive Psychiatry</i> , 1988, 29, 98-107.	1.5	30
136	Comparison between Heroin and Heroin-Cocaine Polyabusers: A Psychopathological Study. <i>Annals of the New York Academy of Sciences</i> , 2006, 1074, 438-445.	1.8	30
137	Clinical and research implications of panic-bipolar comorbidity in children and adolescents. <i>Psychiatry Research</i> , 2007, 153, 47-54.	1.7	30
138	Transcultural validity of the Hypomania Checklist (HCL-32) in patients with major depressive episodes. <i>Bipolar Disorders</i> , 2013, 15, 701-712.	1.1	30
139	Are bipolar disorders underdiagnosed in patients with depressive episodes? Results of the multicenter BRIDGE screening study in Germany. <i>Journal of Affective Disorders</i> , 2012, 142, 45-52.	2.0	29
140	Validation of the brief TEMPS-M temperament questionnaire in a clinical Italian sample of bipolar and cyclothymic patients. <i>Journal of Affective Disorders</i> , 2020, 260, 458-462.	2.0	29
141	Bipolar Co-morbidity in Pediatric Obsessive-Compulsive Disorder: Clinical and Treatment Implications. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2007, 17, 475-486.	0.7	28
142	Is unipolar mania a distinct subtype?. <i>Comprehensive Psychiatry</i> , 2007, 48, 213-217.	1.5	28
143	The impact of premenstrual dysphoric disorder among 92 bipolar patients. <i>European Psychiatry</i> , 2010, 25, 450-454.	0.1	28
144	Is recurrence in major depressive disorder related to bipolarity and mixed features? Results from the BRIDGE-II-Mix study. <i>Journal of Affective Disorders</i> , 2018, 229, 164-170.	2.0	28

#	ARTICLE	IF	CITATIONS
145	Chronobiological dis-rhythmicity is related to emotion dysregulation and suicidality in depressive bipolar II disorder with mixed features. <i>Psychiatry Research</i> , 2019, 271, 272-278.	1.7	28
146	High-affinity 3H-imipramine binding sites: A possible state-dependent marker for major depression. <i>Psychiatry Research</i> , 1988, 23, 229-237.	1.7	27
147	The nature of depression presenting concomitantly with panic disorder. <i>Comprehensive Psychiatry</i> , 1989, 30, 473-482.	1.5	27
148	Impact of patient selection and study characteristics on signal detection in placebo-controlled trials with antidepressants. <i>Journal of Psychiatric Research</i> , 2014, 51, 21-29.	1.5	27
149	Relationships between mixed features and borderline personality disorder in 2811 patients with major depressive episode. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 133-143.	2.2	27
150	The role of overlapping excitatory symptoms in major depression: are they relevant for the diagnosis of mixed state?. <i>Journal of Psychiatric Research</i> , 2019, 115, 151-157.	1.5	27
151	Electroconvulsive Therapy in 197 Patients With a Severe, Drug-Resistant Bipolar Mixed State. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 1168-1173.	1.1	27
152	Is mood-incongruent manic psychosis a distinct subtype?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001, 251, 12-17.	1.8	26
153	Electroretinographic assessment in major depressed patients receiving duloxetine: Might differences between responders and non-responders indicate a differential biological background?. <i>Journal of Affective Disorders</i> , 2011, 135, 154-159.	2.0	26
154	The use of stimulants and atomoxetine in adults with comorbid ADHD and bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2015, 16, 2193-2204.	0.9	26
155	Mixed Features in Depression. <i>Psychiatric Clinics of North America</i> , 2020, 43, 59-68.	0.7	26
156	Unexplained Somatic Symptoms during Major Depression: Prevalence and Clinical Impact in a National Sample of Italian Psychiatric Outpatients. <i>Psychopathology</i> , 2011, 44, 116-124.	1.1	25
157	Cyclothymic temperament rather than polarity is associated with hopelessness and suicidality in hospitalized patients with mood disorders. <i>Journal of Affective Disorders</i> , 2015, 170, 161-165.	2.0	25
158	Insomnia, sleep loss, and circadian sleep disturbances in mood disorders: a pathway toward neurodegeneration and neuroprogression? A theoretical review. <i>CNS Spectrums</i> , 2022, 27, 298-308.	0.7	25
159	Relationship between affective temperaments and aggression in euthymic patients with bipolar mood disorder and major depressive disorder. <i>Journal of Affective Disorders</i> , 2015, 174, 13-18.	2.0	24
160	The implications of hypersomnia in the context of major depression: Results from a large, international, observational study. <i>European Neuropsychopharmacology</i> , 2019, 29, 471-481.	0.3	24
161	Pharmacotherapeutic strategies for the treatment of attention-deficit hyperactivity (ADHD) disorder with comorbid substance-use disorder (SUD). <i>Expert Opinion on Pharmacotherapy</i> , 2019, 20, 343-355.	0.9	24
162	Developmental Pathways for Different Subtypes of Early-Onset Bipolarity in Youths. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 1335-1341.	1.1	24

#	ARTICLE	IF	CITATIONS
163	A case of social phobia with avoidant personality disorder treated with MAOI. <i>Comprehensive Psychiatry</i> , 1986, 27, 255-258.	1.5	23
164	Phenomenological subtypes of severe bipolar mixed states: a factor analytic study. <i>Comprehensive Psychiatry</i> , 2014, 55, 799-806.	1.5	23
165	Further Evidence of a Specific Psychopathology of Addiction. Differentiation from Other Psychiatric Psychopathological Dimensions (Such as Obesity). <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 943.	1.2	23
166	Development of bipolar disorder in patients with attention-deficit/hyperactivity disorder: A systematic review and meta-analysis of prospective studies. <i>Journal of Affective Disorders</i> , 2021, 293, 186-196.	2.0	23
167	Is the Bipolar Spectrum the Psychopathological Substrate of Suicidality in Heroin Addicts?. <i>Psychopathology</i> , 2007, 40, 269-277.	1.1	22
168	Adjunctive valproate in panic disorder patients with comorbid bipolar disorder or otherwise resistant to standard antidepressants: a 3-year "open" follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 553-560.	1.8	22
169	Avoidant personality in social phobia and panic-agoraphobic disorder: a comparison. <i>Journal of Affective Disorders</i> , 1999, 54, 277-282.	2.0	21
170	Diagnosis and Treatment of Agoraphobia with Panic Disorder. <i>CNS Drugs</i> , 2007, 21, 741-764.	2.7	21
171	Mood Stabilizers in the Treatment of Substance Use Disorders. <i>CNS Spectrums</i> , 2010, 15, 95-109.	0.7	21
172	Reactivity, Intensity, Polarity and Stability questionnaire (RIPoSt-40) assessing emotional dysregulation: Development, reliability and validity. <i>Journal of Affective Disorders</i> , 2019, 257, 187-194.	2.0	21
173	Hypochondriasis and illness phobia in panic-agoraphobic patients. <i>Comprehensive Psychiatry</i> , 1997, 38, 124-131.	1.5	20
174	Open-Label Evaluation of Venlafaxine Sustained Release in Outpatients with Generalized Anxiety Disorder with Comorbid Major Depression or Dysthymia: Effectiveness, Tolerability and Predictors of Response. <i>Neuropsychobiology</i> , 2002, 46, 145-149.	0.9	20
175	Spontaneous treatment discontinuation in panic disorder patients treated with antidepressants. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 130-137.	2.2	20
176	Correlations Between Awareness of Illness (Insight) and History of Addiction in Heroin-Addicted Patients. <i>Frontiers in Psychiatry</i> , 2012, 3, 61.	1.3	20
177	The Significance of Mixed States in Depression and Mania. <i>Current Psychiatry Reports</i> , 2014, 16, 486.	2.1	20
178	Opposed effects of hyperthymic and cyclothymic temperament in substance use disorder (heroin- or Tj ETQq0 0 0 rgBT /Overlock 10 Tf	2.0	20
179	Real-world evidence from a European cohort study of patients with treatment resistant depression: Baseline patient characteristics. <i>Journal of Affective Disorders</i> , 2021, 283, 115-122.	2.0	20
180	Long-Term Naturalistic Follow-Up of Patients With Bipolar Depression and Mixed State Treated With Electroconvulsive Therapy. <i>Journal of ECT</i> , 2013, 29, 179-188.	0.3	19

#	ARTICLE	IF	CITATIONS
181	Obsessive-compulsive Disorder with Comorbid Bipolar Disorders: Clinical Features and Treatment Implications. <i>Current Medicinal Chemistry</i> , 2019, 25, 5722-5730.	1.2	19
182	Panic Disorder: Review of the Empirical and Rational Basis of Pharmacological Treatment. <i>Pharmacopsychiatry</i> , 1988, 21, 157-165.	1.7	18
183	Chronic recurrent stress due to panic disorder does not precipitate Graves's disease. <i>Journal of Endocrinological Investigation</i> , 1998, 21, 758-764.	1.8	18
184	Use of Street Methadone in Italian Heroin Addicts Presenting for Opioid Agonist Treatment. <i>Journal of Addictive Diseases</i> , 2009, 28, 382-388.	0.8	18
185	Aripiprazole in Acute Mania and Long-Term Treatment of Bipolar Disorder. <i>Clinical Drug Investigation</i> , 2010, 30, 827-841.	1.1	18
186	Discriminant and convergent validity of TEMPS-A[P] correlation with MMPI and the emotional-affective state following a stressful situation. <i>Journal of Affective Disorders</i> , 2011, 129, 27-33.	2.0	18
187	Discriminative Hypomania Checklist-32 Factors in Unipolar and Bipolar Major Depressive Patients. <i>Psychopathology</i> , 2012, 45, 390-398.	1.1	18
188	Combination of aripiprazole with mood stabilizers for the treatment of bipolar disorder: from acute mania to long-term maintenance. <i>Expert Opinion on Pharmacotherapy</i> , 2012, 13, 2027-2036.	0.9	18
189	Symptom networks in acute depression across bipolar and major depressive disorders: A network analysis on a large, international, observational study. <i>European Neuropsychopharmacology</i> , 2020, 35, 49-60.	0.3	18
190	Single episode of major depressive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993, 242, 373-380.	1.8	17
191	Are "social drugs" (tobacco, coffee and chocolate) related to the bipolar spectrum?. <i>Journal of Affective Disorders</i> , 2011, 133, 227-233.	2.0	17
192	Could the underestimation of bipolarity obstruct the search for novel antidepressant drugs?. <i>Expert Opinion on Pharmacotherapy</i> , 2011, 12, 2817-2831.	0.9	17
193	A case of deep venous thrombosis following protracted catatonic immobility recovered with electroconvulsive therapy: the relevance for an early intervention. <i>General Hospital Psychiatry</i> , 2012, 34, 209.e5-209.e7.	1.2	17
194	Adult separation anxiety differentiates patients with complicated grief and/or major depression and is related to lifetime mood spectrum symptoms. <i>Comprehensive Psychiatry</i> , 2015, 58, 45-49.	1.5	17
195	Remarkable Reduction of Cocaine Use in Dual Disorder (Adult Attention Deficit Hyperactive) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Environmental Research and Public Health, 2019, 16, 3911.	1.2	17
196	Personalized and precision medicine as informants for treatment management of bipolar disorder. <i>International Clinical Psychopharmacology</i> , 2019, 34, 189-205.	0.9	17
197	The impact of affective temperaments on clinical and functional outcome of Bipolar I patients that initiated or changed pharmacological treatment for mania. <i>Psychiatry Research</i> , 2018, 261, 473-480.	1.7	16
198	Current and emerging pharmacotherapy for the treatment of adult attention deficit hyperactivity disorder (ADHD). <i>Expert Opinion on Pharmacotherapy</i> , 2019, 20, 1457-1470.	0.9	16

#	ARTICLE	IF	CITATIONS
199	Comorbidity in Panic Disorder. <i>Psychiatric Annals</i> , 1990, 20, 517-521.	0.1	16
200	The clinical-familial correlates and naturalistic outcome of panic-disorder-agoraphobia with and without lifetime bipolar II comorbidity. <i>Annals of General Psychiatry</i> , 2008, 7, 23.	1.2	15
201	Pediatric Social Anxiety Disorder: Predictors of Response to Pharmacological Treatment. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2012, 22, 410-414.	0.7	15
202	Impulsivity in patients with panic disorder-agoraphobia: The role of cyclothymia. <i>Comprehensive Psychiatry</i> , 2013, 54, 1090-1097.	1.5	15
203	Predictors of Remission in 208 Drug-Resistant Depressive Patients Treated With Electroconvulsive Therapy. <i>Journal of ECT</i> , 2014, 30, 292-297.	0.3	15
204	Mood disorders comorbidity in obese bariatric patients: the role of the emotional dysregulation. <i>Journal of Affective Disorders</i> , 2021, 279, 46-52.	2.0	15
205	Prevalence of mood, panic and eating disorders in obese patients referred to bariatric surgery: patterns of comorbidity and relationship with body mass index. <i>Eating and Weight Disorders</i> , 2022, 27, 1021-1027.	1.2	15
206	Treatment of social phobia with fluoxetine. <i>Anxiety</i> , 1994, 1, 282-286.	0.5	14
207	Diagnosis, assessment and management of delusional jealousy in Parkinson's disease with and without dementia. <i>Neurological Sciences</i> , 2013, 34, 1537-1541.	0.9	14
208	The relationship between attention deficit hyperactivity disorder, bipolarity and mixed features in major depressive patients: Evidence from the BRIDGE-II-Mix Study. <i>Journal of Affective Disorders</i> , 2019, 246, 346-354.	2.0	14
209	Possible new ways in the pharmacological treatment of bipolar disorder and comorbid alcoholism. <i>Neuropsychiatric Disease and Treatment</i> , 2010, 6, 37.	1.0	13
210	Anti-AMPA-Receptor Encephalitis Presenting as a Rapid-Cycling Bipolar Disorder in a Young Woman with Turner Syndrome. <i>Case Reports in Psychiatry</i> , 2015, 2015, 1-5.	0.2	13
211	The long-term outcome of patients with heroin use disorder/dual disorder (chronic psychosis) after admission to enhanced methadone maintenance. <i>Annals of General Psychiatry</i> , 2018, 17, 14.	1.2	13
212	Factors associated with single versus multiple suicide attempts in depressive disorders. <i>Journal of Affective Disorders</i> , 2020, 277, 306-312.	2.0	13
213	Adult attention-deficit hyperactivity disorder and clinical correlates of delayed sleep phase disorder. <i>Psychiatry Research</i> , 2020, 291, 113162.	1.7	13
214	Addiction and the Bipolar Spectrum. <i>Addictive Disorders and Their Treatment</i> , 2004, 3, 156-164.	0.5	12
215	Cost-Effectiveness of Asenapine in the Treatment of Patients with Bipolar I Disorder with Mixed Episodes in an Italian Context. <i>Advances in Therapy</i> , 2014, 31, 873-890.	1.3	12
216	The Role of Electroconvulsive Therapy in the Treatment of Severe Bipolar Mixed State. <i>Psychiatric Clinics of North America</i> , 2020, 43, 187-197.	0.7	12

#	ARTICLE	IF	CITATIONS
217	Exploring the Role of Caffeine Use in Adult-ADHD Symptom Severity of US Army Soldiers. <i>Journal of Clinical Medicine</i> , 2020, 9, 3788.	1.0	12
218	Sultans of Swing. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	12
219	Relationships between recurrence and polarity in major depressive disorders: Pooled analysis of the BRIDGE and BRIDGE-II-MIX cohorts. <i>Journal of Affective Disorders</i> , 2019, 256, 250-258.	2.0	11
220	“Do depressive and manic symptoms differentially impact on functioning in acute depression? Results from a large, cross-sectional study”. <i>Journal of Affective Disorders</i> , 2020, 261, 30-39.	2.0	11
221	Substance Use Disorder in Adult-Attention Deficit Hyperactive Disorder Patients: Patterns of Use and Related Clinical Features. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3509.	1.2	11
222	Prevalence and diagnostic distribution of medically unexplained painful somatic symptoms across 571 major depressed outpatients. <i>Neuropsychiatric Disease and Treatment</i> , 2011, 7, 217.	1.0	10
223	Towards a psychopathology specific to Substance Use Disorder: Should emotional responses to life events be included?. <i>Comprehensive Psychiatry</i> , 2018, 80, 132-139.	1.5	10
224	Psychopathology of addiction: Can the SCL90-based five-dimensional structure differentiate Heroin Use Disorder from a non-substance-related addictive disorder such as Gambling Disorder?. <i>Annals of General Psychiatry</i> , 2018, 17, 3.	1.2	10
225	Temperamental traits of women applying for a type of job that has been characterized historically by male identity. <i>Journal of Affective Disorders</i> , 2011, 130, 275-279.	2.0	9
226	Deconstructing major depressive episodes across unipolar and bipolar depression by severity and duration: a cross-diagnostic cluster analysis on a large, international, observational study. <i>Translational Psychiatry</i> , 2020, 10, 241.	2.4	9
227	Treatment adherence and tolerability of immediate- and prolonged-release lithium formulations in a sample of bipolar patients: a prospective naturalistic study. <i>International Clinical Psychopharmacology</i> , 2021, 36, 230-237.	0.9	9
228	The importance of separation anxiety in the differentiation of panic disorder from agoraphobia. <i>Psychiatric Developments</i> , 1986, 4, 227-36.	0.2	9
229	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022, 60, 91-99.	0.3	9
230	Imipramine Binding in Platelets of Patients with Panic Disorder. <i>Pharmacopsychiatry</i> , 1988, 21, 47-49.	1.7	8
231	Social Adjustment in Panic-Agoraphobic Patients Reconsidered. <i>British Journal of Psychiatry</i> , 1994, 164, 88-93.	1.7	8
232	Putative clinical subtypes of social phobia:a factoranalytical study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 280-288.	2.2	8
233	Should cyclothymia be considered as a specific and distinct bipolar disorder?. <i>Neuropsychiatry</i> , 2012, 2, 407-414.	0.4	8
234	Naturalistic follow-up in bipolar patients after successful electroconvulsive therapy. <i>Journal of Affective Disorders</i> , 2020, 271, 152-159.	2.0	8

#	ARTICLE	IF	CITATIONS
235	Does Cannabis, Cocaine and Alcohol Use Impact Differently on Adult Attention Deficit/Hyperactivity Disorder Clinical Picture?. <i>Journal of Clinical Medicine</i> , 2021, 10, 1481.	1.0	8
236	Comparison of Emotional Dysregulation Features in Cyclothymia and Adult ADHD. <i>Medicina (Lithuania)</i> , 2021, 57, 489.	0.8	8
237	Prevalence and Clinical Correlates of Comorbid Anxiety and Panic Disorders in Patients with Parkinson's Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 2302.	1.0	8
238	The role of different patterns of psychomotor symptoms in major depressive episode: Pooled analysis of the BRIDGE and BRIDGE-MIX cohorts. <i>Bipolar Disorders</i> , 2019, 21, 785-793.	1.1	7
239	ICD-1 mixed episode: Nothing new despite the evidence. <i>Bipolar Disorders</i> , 2019, 21, 376-377.	1.1	7
240	Characterization of rapid cycling bipolar patients presenting with major depressive episode within the BRIDGE-MIX study. <i>Bipolar Disorders</i> , 2021, 23, 391-399.	1.1	7
241	The use of agomelatine in OCD: effects on the motivational aspects and dysregulated circadian rhythms. <i>Expert Opinion on Investigational Drugs</i> , 2015, 24, 705-713.	1.9	6
242	Outcome and predictors of remission in bipolar-I patients experiencing manic episode and treated with oral antipsychotics and/or mood stabilizers. <i>International Clinical Psychopharmacology</i> , 2018, 33, 131-139.	0.9	6
243	Association of treatment facets, severity of manic symptoms, psychomotor disturbances and psychotic features with response to electroconvulsive therapy in bipolar depression. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 194-202.	1.3	6
244	Symptomatological Variants and Related Clinical Features in Adult Attention Deficit Hyperactive Disorder. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 922.	1.2	6
245	Bipolar Spectrum disorders in Parkinson's disease: a systematic evaluation. <i>CNS Spectrums</i> , 2022, 27, 355-361.	0.7	6
246	Bipolar Disorder and Manic-Like Symptoms in Alzheimer's, Vascular and Frontotemporal Dementia: A Systematic Review. <i>Current Neuropharmacology</i> , 2023, 21, 2516-2542.	1.4	6
247	Affective temperaments and emotional traits are associated with a positive screening for premenstrual dysphoric disorder. <i>Comprehensive Psychiatry</i> , 2016, 71, 33-38.	1.5	5
248	Clinical features and predictors of non-response in severe catatonic patients treated with electroconvulsive therapy. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021, 25, 299-306.	1.2	5
249	BINDING OF IMIPRAMINE TO PLATELET MEMBRANES IS REDUCED IN PANIC ATTACKS. <i>Fundamental and Clinical Pharmacology</i> , 1988, 2, 69-75.	1.0	4
250	Concurrent Abuse of Cannabis Is Associated with a Shorter Duration of Hospitalization in Treatment-Resistant Psychotic Bipolar Inpatients Treated with Clozapine. <i>Addictive Disorders and Their Treatment</i> , 2006, 5, 1-7.	0.5	4
251	Relationships Among Delayed Sleep Phase Disorder, Emotional Dysregulation, and Affective Temperaments in Adults With Attention Deficit Hyperactivity Disorder and Cyclothymia. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 857-862.	0.5	4
252	There are no patients without comorbidity. <i>European Neuropsychopharmacology</i> , 2021, 50, 104-106.	0.3	4

#	ARTICLE	IF	CITATIONS
253	Predictors of Depressive Switch in Patients With Bipolar I Disorder Who Initiated or Changed Pharmacologic Treatment for Mania or Mixed-Mania. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	1.1	4
254	Î±-synuclein as an emerging pathophysiological biomarker of Alzheimerâ€™s disease. <i>Expert Review of Molecular Diagnostics</i> , 2022, 22, 411-425.	1.5	4
255	Neurological Deficits After Lithium Intoxication in a Bipolar Woman With Catatonia Treated With ECT. <i>Journal of Clinical Psychopharmacology</i> , 2018, 38, 405-407.	0.7	3
256	Clinical Features and Outcomes of 124 Italian Patients With Treatment Resistant Depression: A Real-World, Prospective Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 769693.	1.3	3
257	Mild Behavioral Impairment: presentation of the diagnostic criteria and the Italian version of the MBI-Checklist. <i>Rivista Di Psichiatria</i> , 2019, 54, 59-66.	0.6	3
258	A ³ H-Flunitrazepam Binding Inhibitor is Present in Psychiatric Patientsâ€™ Sera. <i>Neuropsychobiology</i> , 1987, 18, 74-76.	0.9	2
259	Late-Onset Mania in a Patient with Movement Disorder and Basal Ganglia Calcifications: A Challenge for Diagnosis and Treatment. <i>Case Reports in Psychiatry</i> , 2016, 2016, 1-5.	0.2	2
260	Commentary letter on â€œRevitalizing monoamine oxidase inhibitors: a call for actionâ€• <i>CNS Spectrums</i> , 2020, 25, 458-459.	0.7	2
261	Influence of Substance Use Disorder on Treatment Retention of Adult-Attention-Deficit/Hyperactive Disorder Patients. A 5-Year Follow-Up Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 1984.	1.0	2
262	High exposure to pharmacological treatments is associated with limited efficacy of electroconvulsive therapy in bipolar depression. <i>Psychiatry Research</i> , 2021, 304, 114169.	1.7	2
263	Prevalence and psychiatric comorbidities of night-eating behavior in obese bariatric patients: preliminary evidence for a connection between night-eating and bipolar spectrum disorders. <i>Eating and Weight Disorders</i> , 2022, 27, 1695-1704.	1.2	2
264	Adult-Attention Deficit Hyperactive Disorder Symptoms Seem Not to Influence the Outcome of an Enhanced Agonist Opioid Treatment: A 30-Year Follow-Up. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10997.	1.2	2
265	Psychotic and nonpsychotic mood disorders in autoimmune encephalitis: diagnostic issues and research implications. <i>Neuroimmunology and Neuroinflammation</i> , 2015, 2, 228.	1.4	2
266	Survey on centres and procedures for the diagnosis and treatment of adult ADHD in public services in Italy. <i>Rivista Di Psichiatria</i> , 2020, 55, 355-365.	0.6	2
267	Commentary on chronic mood instability: Bipolar, borderline or both?. <i>Bipolar Disorders</i> , 2019, 21, 460-461.	1.1	1
268	P.612 Symptom network structure differences in acute depression between bipolar disorder and major depressive disorder: A network analysis.. <i>European Neuropsychopharmacology</i> , 2019, 29, S419-S420.	0.3	1
269	Diagnostic and Clinical Management Approaches to Bipolar Depression, Bipolar II and Their Comorbidities. , 2006, , 193-234.		0
270	Adult separation anxiety in patients with complicated grief: relationship with post traumatic stress versus mood spectrum symptomatology. <i>European Psychiatry</i> , 2011, 26, 142-142.	0.1	0

#	ARTICLE	IF	CITATIONS
271	Mood spectrum symptoms and adult separation anxiety in patients with post-traumatic stress disorder and/or Complicated Grief. <i>European Psychiatry</i> , 2011, 26, 1064-1064.	0.1	0
272	ICP abstracts. <i>International Clinical Psychopharmacology</i> , 2012, 28, e1.	0.9	0
273	Burden of metabolic diseases in patients with bipolar disorder. <i>International Clinical Psychopharmacology</i> , 2012, 28, e61-e62.	0.9	0
274	Bipolar disorder and disreactive disorders. <i>International Clinical Psychopharmacology</i> , 2012, 28, e34.	0.9	0
275	Clinical features of borderline personality disorder. <i>International Clinical Psychopharmacology</i> , 2012, 28, e58.	0.9	0
276	Pediatric Generalized Anxiety Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 577-579.	0.7	0
277	P.048 Alterations of emotional regulation in patients with attention deficit hyperactivity disorder and cyclothymia: differential characteristics and clinical implications. <i>European Neuropsychopharmacology</i> , 2020, 40, S32-S33.	0.3	0
278	P.049 Relationships among delayed sleep phase disorder, emotional dysregulation and affective temperaments in adults with attention deficit hyperactivity disorder and cyclothymia. <i>European Neuropsychopharmacology</i> , 2020, 40, S33-S34.	0.3	0
279	P.343 Comparison between immediate-release lithium carbonate and prolonged-release lithium sulphate: preliminary results. <i>European Neuropsychopharmacology</i> , 2020, 40, S198-S199.	0.3	0
280	Transitions: Hagop Souren Akiskal. <i>Journal of Affective Disorders</i> , 2021, 284, 201-202.	2.0	0
281	P.0630 Treatment complications with antidepressant pharmacotherapy in patients with attention-deficit/hyperactivity disorder and/or cyclothymia: a retrospective study. <i>European Neuropsychopharmacology</i> , 2021, 53, S463-S464.	0.3	0
282	Adult Attention-Deficit Hyperactivity Disorder/Substance Use Disorder Dual Disorder Patients: A Dual Disorder Unit Point of View. <i>Current Topics in Behavioral Neurosciences</i> , 2022, , .	0.8	0