

# Giulio Perugi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/265958/publications.pdf>

Version: 2024-02-01

282  
papers

13,074  
citations

17405

63  
h-index

34900

98  
g-index

292  
all docs

292  
docs citations

292  
times ranked

8616  
citing authors

#	ARTICLE	IF	CITATIONS
1	Bipolar Disorder and Manic-Like Symptoms in Alzheimer's, Vascular and Frontotemporal Dementia: A Systematic Review. <i>Current Neuropharmacology</i> , 2023, 21, 2516-2542.	1.4	6
2	Prevalence of mood, panic and eating disorders in obese patients referred to bariatric surgery: patterns of comorbidity and relationship with body mass index. <i>Eating and Weight Disorders</i> , 2022, 27, 1021-1027.	1.2	15
3	Insomnia, sleep loss, and circadian sleep disturbances in mood disorders: a pathway toward neurodegeneration and neuroprogression? A theoretical review. <i>CNS Spectrums</i> , 2022, 27, 298-308.	0.7	25
4	Bipolar Spectrum disorders in Parkinson's disease: a systematic evaluation. <i>CNS Spectrums</i> , 2022, 27, 355-361.	0.7	6
5	Prevalence and psychiatric comorbidities of night-eating behavior in obese bariatric patients: preliminary evidence for a connection between night-eating and bipolar spectrum disorders. <i>Eating and Weight Disorders</i> , 2022, 27, 1695-1704.	1.2	2
6	Î±-synuclein as an emerging pathophysiological biomarker of Alzheimer's disease. <i>Expert Review of Molecular Diagnostics</i> , 2022, 22, 411-425.	1.5	4
7	Adult Attention-Deficit Hyperactivity Disorder/Substance Use Disorder Dual Disorder Patients: A Dual Disorder Unit Point of View. <i>Current Topics in Behavioral Neurosciences</i> , 2022, , .	0.8	0
8	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022, 60, 91-99.	0.3	9
9	Characterization of rapid cycling bipolar patients presenting with major depressive episode within the BRIDGE-MIX study. <i>Bipolar Disorders</i> , 2021, 23, 391-399.	1.1	7
10	Association of treatment facets, severity of manic symptoms, psychomotor disturbances and psychotic features with response to electroconvulsive therapy in bipolar depression. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 194-202.	1.3	6
11	Mood disorders comorbidity in obese bariatric patients: the role of the emotional dysregulation. <i>Journal of Affective Disorders</i> , 2021, 279, 46-52.	2.0	15
12	Real-world evidence from a European cohort study of patients with treatment resistant depression: Baseline patient characteristics. <i>Journal of Affective Disorders</i> , 2021, 283, 115-122.	2.0	20
13	Transitions: Hagop Souren Akiskal. <i>Journal of Affective Disorders</i> , 2021, 284, 201-202.	2.0	0
14	Does Cannabis, Cocaine and Alcohol Use Impact Differently on Adult Attention Deficit/Hyperactivity Disorder Clinical Picture?. <i>Journal of Clinical Medicine</i> , 2021, 10, 1481.	1.0	8
15	Comparison of Emotional Dysregulation Features in Cyclothymia and Adult ADHD. <i>Medicina (Lithuania)</i> , 2021, 57, 489.	0.8	8
16	Influence of Substance Use Disorder on Treatment Retention of Adult-Attention-Deficit/Hyperactive Disorder Patients. A 5-Year Follow-Up Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 1984.	1.0	2
17	Prevalence and Clinical Correlates of Comorbid Anxiety and Panic Disorders in Patients with Parkinson's Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 2302.	1.0	8
18	Real-world evidence from a European cohort study of patients with treatment resistant depression: Treatment patterns and clinical outcomes. <i>Journal of Affective Disorders</i> , 2021, 290, 334-344.	2.0	34

#	ARTICLE	IF	CITATIONS
19	Treatment adherence and tolerability of immediate- and prolonged-release lithium formulations in a sample of bipolar patients: a prospective naturalistic study. <i>International Clinical Psychopharmacology</i> , 2021, 36, 230-237.	0.9	9
20	Clinical features and predictors of non-response in severe catatonic patients treated with electroconvulsive therapy. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021, 25, 299-306.	1.2	5
21	There are no patients without comorbidity. <i>European Neuropsychopharmacology</i> , 2021, 50, 104-106.	0.3	4
22	High exposure to pharmacological treatments is associated with limited efficacy of electroconvulsive therapy in bipolar depression. <i>Psychiatry Research</i> , 2021, 304, 114169.	1.7	2
23	Development of bipolar disorder in patients with attention-deficit/hyperactivity disorder: A systematic review and meta-analysis of prospective studies. <i>Journal of Affective Disorders</i> , 2021, 293, 186-196.	2.0	23
24	Symptomatological Variants and Related Clinical Features in Adult Attention Deficit Hyperactive Disorder. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 922.	1.2	6
25	Adult-Attention Deficit Hyperactive Disorder Symptoms Seem Not to Influence the Outcome of an Enhanced Agonist Opioid Treatment: A 30-Year Follow-Up. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10997.	1.2	2
26	Clinical Features and Outcomes of 124 Italian Patients With Treatment Resistant Depression: A Real-World, Prospective Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 769693.	1.3	3
27	P.0630 Treatment complications with antidepressant pharmacotherapy in patients with attention-deficit/hyperactivity disorder and/or cyclothymia: a retrospective study. <i>European Neuropsychopharmacology</i> , 2021, 53, S463-S464.	0.3	0
28	Validation of the brief TEMPS-M temperament questionnaire in a clinical Italian sample of bipolar and cyclothymic patients. <i>Journal of Affective Disorders</i> , 2020, 260, 458-462.	2.0	29
29	Do depressive and manic symptoms differentially impact on functioning in acute depression? Results from a large, cross-sectional study. <i>Journal of Affective Disorders</i> , 2020, 261, 30-39.	2.0	11
30	Commentary letter on Revitalizing monoamine oxidase inhibitors: a call for action. <i>CNS Spectrums</i> , 2020, 25, 458-459.	0.7	2
31	Mixed Features in Depression. <i>Psychiatric Clinics of North America</i> , 2020, 43, 59-68.	0.7	26
32	The Role of Electroconvulsive Therapy in the Treatment of Severe Bipolar Mixed State. <i>Psychiatric Clinics of North America</i> , 2020, 43, 187-197.	0.7	12
33	Deconstructing major depressive episodes across unipolar and bipolar depression by severity and duration: a cross-diagnostic cluster analysis on a large, international, observational study. <i>Translational Psychiatry</i> , 2020, 10, 241.	2.4	9
34	P.048 Alterations of emotional regulation in patients with attention deficit hyperactivity disorder and cyclothymia: differential characteristics and clinical implications. <i>European Neuropsychopharmacology</i> , 2020, 40, S32-S33.	0.3	0
35	P.049 Relationships among delayed sleep phase disorder, emotional dysregulation and affective temperaments in adults with attention deficit hyperactivity disorder and cyclothymia. <i>European Neuropsychopharmacology</i> , 2020, 40, S33-S34.	0.3	0
36	P.343 Comparison between immediate-release lithium carbonate and prolonged-release lithium sulphate: preliminary results. <i>European Neuropsychopharmacology</i> , 2020, 40, S198-S199.	0.3	0

#	ARTICLE	IF	CITATIONS
37	Psychiatric Aspects of Obesity: A Narrative Review of Pathophysiology and Psychopathology. Journal of Clinical Medicine, 2020, 9, 2344.	1.0	35
38	Relationships Among Delayed Sleep Phase Disorder, Emotional Dysregulation, and Affective Temperaments in Adults With Attention Deficit Hyperactivity Disorder and Cyclothymia. Journal of Nervous and Mental Disease, 2020, 208, 857-862.	0.5	4
39	Factors associated with single versus multiple suicide attempts in depressive disorders. Journal of Affective Disorders, 2020, 277, 306-312.	2.0	13
40	Exploring the Role of Caffeine Use in Adult-ADHD Symptom Severity of US Army Soldiers. Journal of Clinical Medicine, 2020, 9, 3788.	1.0	12
41	Substance Use Disorder in Adult-Attention Deficit Hyperactive Disorder Patients: Patterns of Use and Related Clinical Features. International Journal of Environmental Research and Public Health, 2020, 17, 3509.	1.2	11
42	Symptom networks in acute depression across bipolar and major depressive disorders: A network analysis on a large, international, observational study. European Neuropsychopharmacology, 2020, 35, 49-60.	0.3	18
43	Adult attention-deficit hyperactivity disorder and clinical correlates of delayed sleep phase disorder. Psychiatry Research, 2020, 291, 113162.	1.7	13
44	Naturalistic follow-up in bipolar patients after successful electroconvulsive therapy. Journal of Affective Disorders, 2020, 271, 152-159.	2.0	8
45	Predictors of Depressive Switch in Patients With Bipolar I Disorder Who Initiated or Changed Pharmacologic Treatment for Mania or Mixed-Mania. Journal of Clinical Psychiatry, 2020, 81, .	1.1	4
46	Survey on centres and procedures for the diagnosis and treatment of adult ADHD in public services in Italy. Rivista Di Psichiatria, 2020, 55, 355-365.	0.6	2
47	The role of different patterns of psychomotor symptoms in major depressive episode: Pooled analysis of the BRIDGE and BRIDGE-II-MIX cohorts. Bipolar Disorders, 2019, 21, 785-793.	1.1	7
48	Reactivity, Intensity, Polarity and Stability questionnaire (RIPoSt-40) assessing emotional dysregulation: Development, reliability and validity. Journal of Affective Disorders, 2019, 257, 187-194.	2.0	21
49	Remarkable Reduction of Cocaine Use in Dual Disorder (Adult Attention Deficit Hyperactive) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T Environmental Research and Public Health, 2019, 16, 3911.	1.2	17
50	Current and emerging pharmacotherapy for the treatment of adult attention deficit hyperactivity disorder (ADHD). Expert Opinion on Pharmacotherapy, 2019, 20, 1457-1470.	0.9	16
51	Patterns of response to antidepressants in major depressive disorder: Drug resistance or worsening of depression are associated with a bipolar diathesis. European Neuropsychopharmacology, 2019, 29, 825-834.	0.3	41
52	Relationships between recurrence and polarity in major depressive disorders: Pooled analysis of the BRIDGE and BRIDGE-II-MIX cohorts. Journal of Affective Disorders, 2019, 256, 250-258.	2.0	11
53	The role of overlapping excitatory symptoms in major depression: are they relevant for the diagnosis of mixed state?. Journal of Psychiatric Research, 2019, 115, 151-157.	1.5	27
54	ICD-11 mixed episode: Nothing new despite the evidence. Bipolar Disorders, 2019, 21, 376-377.	1.1	7

#	ARTICLE	IF	CITATIONS
55	Commentary on chronic mood instability: Bipolar, borderline or both?. <i>Bipolar Disorders</i> , 2019, 21, 460-461.	1.1	1
56	The implications of hypersomnia in the context of major depression: Results from a large, international, observational study. <i>European Neuropsychopharmacology</i> , 2019, 29, 471-481.	0.3	24
57	Personalized and precision medicine as informants for treatment management of bipolar disorder. <i>International Clinical Psychopharmacology</i> , 2019, 34, 189-205.	0.9	17
58	P.612 Symptom network structure differences in acute depression between bipolar disorder and major depressive disorder: A network analysis.. <i>European Neuropsychopharmacology</i> , 2019, 29, S419-S420.	0.3	1
59	The relationship between attention deficit hyperactivity disorder, bipolarity and mixed features in major depressive patients: Evidence from the BRIDGE-II-Mix Study. <i>Journal of Affective Disorders</i> , 2019, 246, 346-354.	2.0	14
60	Insomnia symptoms predict emotional dysregulation, impulsivity and suicidality in depressive bipolar II patients with mixed features. <i>Comprehensive Psychiatry</i> , 2019, 89, 46-51.	1.5	45
61	Pharmacotherapeutic strategies for the treatment of attention-deficit hyperactivity (ADHD) disorder with comorbid substance-use disorder (SUD). <i>Expert Opinion on Pharmacotherapy</i> , 2019, 20, 343-355.	0.9	24
62	Chronobiological dis-rhythmicity is related to emotion dysregulation and suicidality in depressive bipolar II disorder with mixed features. <i>Psychiatry Research</i> , 2019, 271, 272-278.	1.7	28
63	Obsessive-compulsive Disorder with Comorbid Bipolar Disorders: Clinical Features and Treatment Implications. <i>Current Medicinal Chemistry</i> , 2019, 25, 5722-5730.	1.2	19
64	Sultans of Swing. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	12
65	Mild Behavioral Impairment: presentation of the diagnostic criteria and the Italian version of the MBI-Checklist. <i>Rivista Di Psichiatria</i> , 2019, 54, 59-66.	0.6	3
66	The impact of affective temperaments on clinical and functional outcome of Bipolar I patients that initiated or changed pharmacological treatment for mania. <i>Psychiatry Research</i> , 2018, 261, 473-480.	1.7	16
67	Is recurrence in major depressive disorder related to bipolarity and mixed features? Results from the BRIDGE-II-Mix study. <i>Journal of Affective Disorders</i> , 2018, 229, 164-170.	2.0	28
68	Outcome and predictors of remission in bipolar-I patients experiencing manic episode and treated with oral antipsychotics and/or mood stabilizers. <i>International Clinical Psychopharmacology</i> , 2018, 33, 131-139.	0.9	6
69	Towards a psychopathology specific to Substance Use Disorder: Should emotional responses to life events be included?. <i>Comprehensive Psychiatry</i> , 2018, 80, 132-139.	1.5	10
70	Electroconvulsive therapy and age: Age-related clinical features and effectiveness in treatment resistant major depressive episode. <i>Journal of Affective Disorders</i> , 2018, 227, 627-632.	2.0	31
71	Maternalâ€œfoetal attachment independently predicts the quality of maternalâ€œinfant bonding and post-partum psychopathology. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 3153-3159.	0.7	42
72	Neurological Deficits After Lithium Intoxication in a Bipolar Woman With Catatonia Treated With ECT. <i>Journal of Clinical Psychopharmacology</i> , 2018, 38, 405-407.	0.7	3

#	ARTICLE	IF	CITATIONS
73	Psychopathology of addiction: Can the SCL90-based five-dimensional structure differentiate Heroin Use Disorder from a non-substance-related addictive disorder such as Gambling Disorder?. <i>Annals of General Psychiatry</i> , 2018, 17, 3.	1.2	10
74	The long-term outcome of patients with heroin use disorder/dual disorder (chronic psychosis) after admission to enhanced methadone maintenance. <i>Annals of General Psychiatry</i> , 2018, 17, 14.	1.2	13
75	Use of Stimulants in Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2017, 19, 7.	2.1	32
76	Opposed effects of hyperthymic and cyclothymic temperament in substance use disorder (heroin- or Tj ETQq0 0 0 rgBT /Overlock 10 Tf	2.0	20
77	Treatment of Bipolar Disorder in a Lifetime Perspective: Is Lithium Still the Best Choice?. <i>Clinical Drug Investigation</i> , 2017, 37, 713-727.	1.1	48
78	Thyroid autoimmunity in bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2017, 221, 97-106.	2.0	54
79	Antidepressant-induced hypomania/mania in patients with major depression: Evidence from the BRIDGE-II-MIX study. <i>Journal of Affective Disorders</i> , 2017, 219, 187-192.	2.0	47
80	Obesity in patients with major depression is related to bipolarity and mixed features: evidence from the BRIDGE-Mix study. <i>Bipolar Disorders</i> , 2017, 19, 458-464.	1.1	34
81	Aggressiveness in depression: a neglected symptom possibly associated with bipolarity and mixed features. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 362-372.	2.2	31
82	Further Evidence of a Specific Psychopathology of Addiction. Differentiation from Other Psychiatric Psychopathological Dimensions (Such as Obesity). <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 943.	1.2	23
83	Long-term lithium treatment in bipolar disorder: effects on glomerular filtration rate and other metabolic parameters. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 27.	0.8	81
84	The Role of Electroconvulsive Therapy (ECT) in Bipolar Disorder: Effectiveness in 522 Patients with Bipolar Depression, Mixed-state, Mania and Catatonic Features. <i>Current Neuropharmacology</i> , 2017, 15, 359-371.	1.4	108
85	Diagnosis and Treatment of Cyclothymia: The Primacy of Temperament. <i>Current Neuropharmacology</i> , 2017, 15, 372-379.	1.4	43
86	Late-Onset Mania in a Patient with Movement Disorder and Basal Ganglia Calcifications: A Challenge for Diagnosis and Treatment. <i>Case Reports in Psychiatry</i> , 2016, 2016, 1-5.	0.2	2
87	Relationships between mixed features and borderline personality disorder in 2811 patients with major depressive episode. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 133-143.	2.2	27
88	Affective temperaments and emotional traits are associated with a positive screening for premenstrual dysphoric disorder. <i>Comprehensive Psychiatry</i> , 2016, 71, 33-38.	1.5	5
89	Relationship of suicide rates with climate and economic variables in Europe during 2000-2012. <i>Annals of General Psychiatry</i> , 2016, 15, 19.	1.2	48
90	Catatonia in 26 patients with bipolar disorder: clinical features and response to electroconvulsive therapy. <i>Bipolar Disorders</i> , 2015, 17, 892-901.	1.1	51

#	ARTICLE	IF	CITATIONS
91	Suicide attempts in major depressive episode: evidence from the <scp>BRIDGE</scp>â€<scp>ll</scp>â€™Mix study. <i>Bipolar Disorders</i> , 2015, 17, 795-803.	1.1	91
92	Electroconvulsive therapy in catatonic patients: Efficacy and predictors of response. <i>World Journal of Psychiatry</i> , 2015, 5, 182.	1.3	122
93	Anti-AMPA-Receptor Encephalitis Presenting as a Rapid-Cycling Bipolar Disorder in a Young Woman with Turner Syndrome. <i>Case Reports in Psychiatry</i> , 2015, 2015, 1-5.	0.2	13
94	Cyclothymia reloaded: A reappraisal of the most misconceived affective disorder. <i>Journal of Affective Disorders</i> , 2015, 183, 119-133.	2.0	42
95	The use of agomelatine in OCD: effects on the motivational aspects and dysregulated circadian rhythms. <i>Expert Opinion on Investigational Drugs</i> , 2015, 24, 705-713.	1.9	6
96	Adult separation anxiety differentiates patients with complicated grief and/or major depression and is related to lifetime mood spectrum symptoms. <i>Comprehensive Psychiatry</i> , 2015, 58, 45-49.	1.5	17
97	The use of stimulants and atomoxetine in adults with comorbid ADHD and bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2015, 16, 2193-2204.	0.9	26
98	Cognitive tolerability following successful long term treatment of major depression and anxiety disorders with SSRI antidepressants. <i>Journal of Affective Disorders</i> , 2015, 173, 211-215.	2.0	41
99	Relationship between affective temperaments and aggression in euthymic patients with bipolar mood disorder and major depressive disorder. <i>Journal of Affective Disorders</i> , 2015, 174, 13-18.	2.0	24
100	Cyclothymic temperament rather than polarity is associated with hopelessness and suicidality in hospitalized patients with mood disorders. <i>Journal of Affective Disorders</i> , 2015, 170, 161-165.	2.0	25
101	General medical conditions in 347 bipolar disorder patients: Clinical correlates of metabolic and autoimmune-allergic diseases. <i>Journal of Affective Disorders</i> , 2015, 170, 95-103.	2.0	74
102	Mixed Features in Patients With a Major Depressive Episode. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e351-e358.	1.1	136
103	Electroconvulsive Therapy in 197 Patients With a Severe, Drug-Resistant Bipolar Mixed State. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 1168-1173.	1.1	27
104	Psychotic and nonpsychotic mood disorders in autoimmune encephalitis: diagnostic issues and research implications. <i>Neuroimmunology and Neuroinflammation</i> , 2015, 2, 228.	1.4	2
105	Clinical features, developmental course, and psychiatric comorbidity of adult autism spectrum disorders. <i>CNS Spectrums</i> , 2014, 19, 157-164.	0.7	78
106	Predictors of Remission in 208 Drug-Resistant Depressive Patients Treated With Electroconvulsive Therapy. <i>Journal of ECT</i> , 2014, 30, 292-297.	0.3	15
107	The Mood-Stabilizing Effects of Electroconvulsive Therapy. <i>Journal of ECT</i> , 2014, 30, 275-282.	0.3	40
108	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, 5-50.	0.3	152

#	ARTICLE	IF	CITATIONS
109	The Significance of Mixed States in Depression and Mania. <i>Current Psychiatry Reports</i> , 2014, 16, 486.	2.1	20
110	Relationship of suicide rates to economic variables in Europe: 2000â€“2011. <i>British Journal of Psychiatry</i> , 2014, 205, 486-496.	1.7	86
111	Bipolar disorder in adults with Asperger's Syndrome: A systematic review. <i>Journal of Affective Disorders</i> , 2014, 168, 151-160.	2.0	66
112	Cost-Effectiveness of Aripiprazole in the Treatment of Patients with Bipolar I Disorder with Mixed Episodes in an Italian Context. <i>Advances in Therapy</i> , 2014, 31, 873-890.	1.3	12
113	Impact of patient selection and study characteristics on signal detection in placebo-controlled trials with antidepressants. <i>Journal of Psychiatric Research</i> , 2014, 51, 21-29.	1.5	27
114	Does obesity predict bipolarity in major depressive patients?. <i>Journal of Affective Disorders</i> , 2014, 155, 118-122.	2.0	32
115	Phenomenological subtypes of severe bipolar mixed states: a factor analytic study. <i>Comprehensive Psychiatry</i> , 2014, 55, 799-806.	1.5	23
116	Spirituality and Religiosity in the Aftermath of a Natural Catastrophe in Italy. <i>Journal of Religion and Health</i> , 2013, 52, 1029-1037.	0.8	38
117	Transcultural validity of the Hypomania Checklist-32 (HCL-32) in patients with major depressive episodes. <i>Bipolar Disorders</i> , 2013, 15, 701-712.	1.1	30
118	Evidence-based definitions of bipolar-I and bipolar-II disorders among 5,635 patients with major depressive episodes in the Bridge Study: validity and comorbidity. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 663-673.	1.8	66
119	Treatment adherence towards prescribed medications in bipolar-II acute depressed patients: Relationship with cyclothymic temperament and therapeutic sensation seeking in response towards subjective intolerance to pain. <i>Journal of Affective Disorders</i> , 2013, 151, 596-604.	2.0	39
120	Diagnosis, assessment and management of delusional jealousy in Parkinson's disease with and without dementia. <i>Neurological Sciences</i> , 2013, 34, 1537-1541.	0.9	14
121	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.	4.0	579
122	Is comorbid borderline personality disorder in patients with major depressive episode and bipolarity a developmental subtype? Findings from the international BRIDGE study. <i>Journal of Affective Disorders</i> , 2013, 144, 72-78.	2.0	36
123	Impulsivity in patients with panic disorder-agoraphobia: The role of cyclothymia. <i>Comprehensive Psychiatry</i> , 2013, 54, 1090-1097.	1.5	15
124	Attention Deficit/Hyperactivity Disorder symptoms in Italian bipolar adult patients: A preliminary report. <i>Journal of Affective Disorders</i> , 2013, 149, 430-434.	2.0	44
125	Bipolar Mixed States: An International Society for Bipolar Disorders Task Force Report of Symptom Structure, Course of Illness, and Diagnosis. <i>American Journal of Psychiatry</i> , 2013, 170, 31-42.	4.0	162
126	Affective temperaments are associated with specific clusters of symptoms and psychopathology: A cross-sectional study on bipolar disorder inpatients in acute manic, mixed, or depressive relapse. <i>Journal of Affective Disorders</i> , 2013, 151, 540-550.	2.0	46



#	ARTICLE	IF	CITATIONS
127	Affective temperaments and hopelessness as predictors of health and social functioning in mood disorder patients: A prospective follow-up study. <i>Journal of Affective Disorders</i> , 2013, 150, 216-222.	2.0	81
128	Clinical subtypes of severe bipolar mixed states. <i>Journal of Affective Disorders</i> , 2013, 151, 1076-1082.	2.0	31
129	The bipolar-borderline personality disorders connection in major depressive patients. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 376-383.	2.2	34
130	Long-Term Naturalistic Follow-Up of Patients With Bipolar Depression and Mixed State Treated With Electroconvulsive Therapy. <i>Journal of ECT</i> , 2013, 29, 179-188.	0.3	19
131	Pediatric Generalized Anxiety Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 577-579.	0.7	0
132	Should cyclothymia be considered as a specific and distinct bipolar disorder?. <i>Neuropsychiatry</i> , 2012, 2, 407-414.	0.4	8
133	Pediatric Social Anxiety Disorder: Predictors of Response to Pharmacological Treatment. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2012, 22, 410-414.	0.7	15
134	Discriminative Hypomania Checklist-32 Factors in Unipolar and Bipolar Major Depressive Patients. <i>Psychopathology</i> , 2012, 45, 390-398.	1.1	18
135	ICP abstracts. <i>International Clinical Psychopharmacology</i> , 2012, 28, e1.	0.9	0
136	Burden of metabolic diseases in patients with bipolar disorder. <i>International Clinical Psychopharmacology</i> , 2012, 28, e61-e62.	0.9	0
137	Bipolar disorder and disreactive disorders. <i>International Clinical Psychopharmacology</i> , 2012, 28, e34.	0.9	0
138	Clinical features of borderline personality disorder. <i>International Clinical Psychopharmacology</i> , 2012, 28, e58.	0.9	0
139	Dopamine agonists and delusional jealousy in Parkinson's disease: A cross-sectional prevalence study. <i>Movement Disorders</i> , 2012, 27, 1679-1682.	2.2	48
140	Different measures of impulsivity in patients with anxiety disorders: A case control study. <i>Psychiatry Research</i> , 2012, 197, 231-236.	1.7	42
141	Lifetime mood symptoms and adult separation anxiety in patients with complicated grief and/or post-traumatic stress disorder: A preliminary report. <i>Psychiatry Research</i> , 2012, 198, 436-440.	1.7	42
142	Psychiatrists' perceptions of potential reasons for non- and partial adherence to medication: Results of a survey in bipolar disorder from eight European countries. <i>Journal of Affective Disorders</i> , 2012, 143, 125-130.	2.0	36
143	Combination of aripiprazole with mood stabilizers for the treatment of bipolar disorder: from acute mania to long-term maintenance. <i>Expert Opinion on Pharmacotherapy</i> , 2012, 13, 2027-2036.	0.9	18
144	Temperaments mediate suicide risk and psychopathology among patients with bipolar disorders. <i>Comprehensive Psychiatry</i> , 2012, 53, 280-285.	1.5	78

#	ARTICLE	IF	CITATIONS
145	Are bipolar disorders underdiagnosed in patients with depressive episodes? Results of the multicenter BRIDGE screening study in Germany. <i>Journal of Affective Disorders</i> , 2012, 142, 45-52.	2.0	29
146	Correlations Between Awareness of Illness (Insight) and History of Addiction in Heroin-Addicted Patients. <i>Frontiers in Psychiatry</i> , 2012, 3, 61.	1.3	20
147	A case of deep venous thrombosis following protracted catatonic immobility recovered with electroconvulsive therapy: the relevance for an early intervention. <i>General Hospital Psychiatry</i> , 2012, 34, 209.e5-209.e7.	1.2	17
148	The influence of affective temperaments and psychopathological traits on the definition of bipolar disorder subtypes: A study on Bipolar I Italian National sample. <i>Journal of Affective Disorders</i> , 2012, 136, e41-e49.	2.0	98
149	Identifying features of bipolarity in patients with first-episode postpartum depression: Findings from the international BRIDGE study. <i>Journal of Affective Disorders</i> , 2012, 136, 710-715.	2.0	69
150	Cyclothymicâ€“depressiveâ€“anxious temperament pattern is related to suicide risk in 346 patients with major mood disorders. <i>Journal of Affective Disorders</i> , 2012, 136, 405-411.	2.0	79
151	Episode length and mixed features as predictors of ECT nonresponse in patients with medication-resistant major depression. <i>Brain Stimulation</i> , 2012, 5, 18-24.	0.7	34
152	Diagnostic criteria for bipolarity based on an international sample of 5,635 patients with DSM-IV major depressive episodes. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 3-11.	1.8	74
153	Developmental Pathways for Different Subtypes of Early-Onset Bipolarity in Youths. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 1335-1341.	1.1	24
154	Adult separation anxiety in patients with complicated grief: relationship with post traumatic stress versus mood spectrum symptomatology. <i>European Psychiatry</i> , 2011, 26, 142-142.	0.1	0
155	Unexplained Somatic Symptoms during Major Depression: Prevalence and Clinical Impact in a National Sample of Italian Psychiatric Outpatients. <i>Psychopathology</i> , 2011, 44, 116-124.	1.1	25
156	Mood spectrum symptoms and adult separation anxiety in patients with post-traumatic stress disorder and/or Complicated Grief. <i>European Psychiatry</i> , 2011, 26, 1064-1064.	0.1	0
157	Prevalence and diagnostic distribution of medically unexplained painful somatic symptoms across 571 major depressed outpatients. <i>Neuropsychiatric Disease and Treatment</i> , 2011, 7, 217.	1.0	10
158	Increase in IL-6 levels among major depressive disorder patients after a 6-week treatment with duloxetine 60 mg/day: a preliminary observation. <i>Neuropsychiatric Disease and Treatment</i> , 2011, 7, 51.	1.0	36
159	Discriminant and convergent validity of TEMPS-A[P] correlation with MMPI and the emotional-affective state following a stressful situation. <i>Journal of Affective Disorders</i> , 2011, 129, 27-33.	2.0	18
160	Temperamental traits of women applying for a type of job that has been characterized historically by male identity. <i>Journal of Affective Disorders</i> , 2011, 130, 275-279.	2.0	9
161	Are â€œsocial drugsâ€ (tobacco, coffee and chocolate) related to the bipolar spectrum?. <i>Journal of Affective Disorders</i> , 2011, 133, 227-233.	2.0	17
162	Impulsivity in anxiety disorder patients: Is it related to comorbid cyclothymia?. <i>Journal of Affective Disorders</i> , 2011, 133, 600-606.	2.0	31

#	ARTICLE	IF	CITATIONS
163	Electroretinographic assessment in major depressed patients receiving duloxetine: Might differences between responders and non-responders indicate a differential biological background?. <i>Journal of Affective Disorders</i> , 2011, 135, 154-159.	2.0	26
164	Are atypical depression, borderline personality disorder and bipolar II disorder overlapping manifestations of a common cyclothymic diathesis?. <i>World Psychiatry</i> , 2011, 10, 45-51.	4.8	97
165	Prevalence and Characteristics of Undiagnosed Bipolar Disorders in Patients With a Major Depressive Episode. <i>Archives of General Psychiatry</i> , 2011, 68, 791.	13.8	359
166	Dual Diagnosis and Chronology of Illness in Treatment-Seeking Italian Patients Dependent on Heroin. <i>Journal of Addictive Diseases</i> , 2011, 30, 123-135.	0.8	32
167	Could the underestimation of bipolarity obstruct the search for novel antidepressant drugs?. <i>Expert Opinion on Pharmacotherapy</i> , 2011, 12, 2817-2831.	0.9	17
168	Mood Stabilizers in the Treatment of Substance Use Disorders. <i>CNS Spectrums</i> , 2010, 15, 95-109.	0.7	21
169	A Systematic, Updated Review on the Antidepressant Agomelatine Focusing on its Melatonergic Modulation. <i>Current Neuropharmacology</i> , 2010, 8, 287-304.	1.4	103
170	Adjunctive valproate in panic disorder patients with comorbid bipolar disorder or otherwise resistant to standard antidepressants: a 3-year "open" follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 553-560.	1.8	22
171	Lifetime co-morbidity with different subtypes of eating disorders in 148 females with bipolar disorders. <i>Journal of Affective Disorders</i> , 2010, 121, 147-151.	2.0	48
172	Valproate for the treatment of acute bipolar depression: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2010, 122, 1-9.	2.0	102
173	Subtyping patients with heroin addiction at treatment entry: factor derived from the Self-Report Symptom Inventory (SCL-90). <i>Annals of General Psychiatry</i> , 2010, 9, 15.	1.2	39
174	Possible new ways in the pharmacological treatment of bipolar disorder and comorbid alcoholism. <i>Neuropsychiatric Disease and Treatment</i> , 2010, 6, 37.	1.0	13
175	Comparative Response to Electroconvulsive Therapy in Medication-Resistant Bipolar I Patients With Depression and Mixed State. <i>Journal of ECT</i> , 2010, 26, 82-86.	0.3	38
176	A Naturalistic Exploratory Study of the Impact of Demographic, Phenotypic and Comorbid Features in Pediatric Obsessive-Compulsive Disorder. <i>Psychopathology</i> , 2010, 43, 69-78.	1.1	70
177	Aripiprazole in Acute Mania and Long-Term Treatment of Bipolar Disorder. <i>Clinical Drug Investigation</i> , 2010, 30, 827-841.	1.1	18
178	Pharmacological response in juvenile bipolar disorder subtypes: A naturalistic retrospective examination. <i>Psychiatry Research</i> , 2010, 177, 192-198.	1.7	34
179	The impact of premenstrual dysphoric disorder among 92 bipolar patients. <i>European Psychiatry</i> , 2010, 25, 450-454.	0.1	28
180	Use of Street Methadone in Italian Heroin Addicts Presenting for Opioid Agonist Treatment. <i>Journal of Addictive Diseases</i> , 2009, 28, 382-388.	0.8	18

#	ARTICLE	IF	CITATIONS
181	Affective temperaments in heroin addiction. <i>Journal of Affective Disorders</i> , 2009, 117, 186-192.	2.0	57
182	Response to ECT in bipolar I, bipolar II and unipolar depression. <i>Journal of Affective Disorders</i> , 2009, 118, 55-59.	2.0	100
183	Abnormal temperament in patients with morbid obesity seeking surgical treatment. <i>Journal of Affective Disorders</i> , 2009, 118, 155-160.	2.0	34
184	Pharmacotherapy in Paediatric Obsessive-Compulsive Disorder. <i>CNS Drugs</i> , 2009, 23, 241-252.	2.7	42
185	The clinical-familial correlates and naturalistic outcome of panic-disorder-agoraphobia with and without lifetime bipolar II comorbidity. <i>Annals of General Psychiatry</i> , 2008, 7, 23.	1.2	15
186	Cocaine abuse and the bipolar spectrum in 1090 heroin addicts: Clinical observations and a proposed pathophysiologic model. <i>Journal of Affective Disorders</i> , 2008, 106, 55-61.	2.0	39
187	Long-Term Outcomes of Treatment-Resistant Heroin Addicts with and without DSM-IV Axis 1 Psychiatric Comorbidity (Dual Diagnosis). <i>European Addiction Research</i> , 2008, 14, 134-142.	1.3	44
188	Bipolar Co-morbidity in Pediatric Obsessive-Compulsive Disorder: Clinical and Treatment Implications. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2007, 17, 475-486.	0.7	28
189	Is the Bipolar Spectrum the Psychopathological Substrate of Suicidality in Heroin Addicts?. <i>Psychopathology</i> , 2007, 40, 269-277.	1.1	22
190	Long-Term use of Benzodiazepines: Tolerance, Dependence and Clinical Problems in Anxiety and Mood Disorders. <i>Pharmacopsychiatry</i> , 2007, 29, 127-134.	1.7	106
191	Alcohol and Cocaine Use and Abuse Among Opioid Addicts Engaged in a Methadone Maintenance Treatment Program. <i>Journal of Addictive Diseases</i> , 2007, 26, 61-70.	0.8	97
192	Clinical and research implications of panic-bipolar comorbidity in children and adolescents. <i>Psychiatry Research</i> , 2007, 153, 47-54.	1.7	30
193	Is unipolar mania a distinct subtype?. <i>Comprehensive Psychiatry</i> , 2007, 48, 213-217.	1.5	28
194	Substance use and quality of life over 12 months among buprenorphine maintenance-treated and methadone maintenance-treated heroin-addicted patients. <i>Journal of Substance Abuse Treatment</i> , 2007, 33, 91-98.	1.5	126
195	Diagnosis and Treatment of Agoraphobia with Panic Disorder. <i>CNS Drugs</i> , 2007, 21, 741-764.	2.7	21
196	Clinical Implications of DSM-IV Subtyping of Bipolar Disorders in Referred Children and Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007, 46, 1299-1306.	0.3	31
197	Developmental Differences According to Age at Onset in Juvenile Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2006, 16, 679-685.	0.7	44
198	The Clinical Phenotypes of Juvenile Bipolar Disorder: Toward a Validation of the Episodic-Chronic-Distinction. <i>Biological Psychiatry</i> , 2006, 59, 603-610.	0.7	43

#	ARTICLE	IF	CITATIONS
199	Diagnostic and Clinical Management Approaches to Bipolar Depression, Bipolar II and Their Comorbidities. , 2006, , 193-234.		0
200	Concurrent Abuse of Cannabis Is Associated with a Shorter Duration of Hospitalization in Treatment-Resistant Psychotic Bipolar Inpatients Treated with Clozapine. Addictive Disorders and Their Treatment, 2006, 5, 1-7.	0.5	4
201	Attention-deficit hyperactivity disorder " bipolar comorbidity in children and adolescents. Bipolar Disorders, 2006, 8, 373-381.	1.1	108
202	Comparison between Heroin and Heroin-Cocaine Polyabusers: A Psychopathological Study. Annals of the New York Academy of Sciences, 2006, 1074, 438-445.	1.8	30
203	Bulimia nervosa in atypical depression: The mediating role of cyclothymic temperament. Journal of Affective Disorders, 2006, 92, 91-97.	2.0	54
204	Toward a unitary perspective on the bipolar spectrum and substance abuse: Opiate addiction as a paradigm. Journal of Affective Disorders, 2006, 93, 1-12.	2.0	103
205	Bipolar II and anxious reactive "comorbidity" Toward better phenotypic characterization suitable for genotyping. Journal of Affective Disorders, 2006, 96, 239-247.	2.0	47
206	Validating affective temperaments in their subaffective and socially positive attributes: psychometric, clinical and familial data from a French national study. Journal of Affective Disorders, 2005, 85, 29-36.	2.0	93
207	Agitated "unipolar" depression re-conceptualized as a depressive mixed state: implications for the antidepressant-suicide controversy. Journal of Affective Disorders, 2005, 85, 245-258.	2.0	290
208	The relationship of Kraepelian affective temperaments (as measured by TEMPS-I) to the tridimensional personality questionnaire (TPQ). Journal of Affective Disorders, 2005, 85, 17-27.	2.0	82
209	Affective temperament traits measured by TEMPS-I and emotional-behavioral problems in clinically-well children, adolescents, and young adults. Journal of Affective Disorders, 2005, 85, 169-180.	2.0	53
210	QTc Interval Prolongation in Patients on Long-Term Methadone Maintenance Therapy. European Addiction Research, 2005, 11, 44-49.	1.3	101
211	Spontaneous treatment discontinuation in panic disorder patients treated with antidepressants. Acta Psychiatrica Scandinavica, 2004, 110, 130-137.	2.2	20
212	Obsessive-compulsive bipolar comorbidity: focus on children and adolescents. Journal of Affective Disorders, 2004, 78, 175-183.	2.0	131
213	Diagnostic and Symptomatological Features in Chronic Psychotic Patients According to Cannabis Use Status. Journal of Psychoactive Drugs, 2004, 36, 235-241.	1.0	33
214	Obsessive" compulsive disorder and body dysmorphic disorder: a comparison of clinical features. European Psychiatry, 2004, 19, 292-298.	0.1	97
215	Addiction and the Bipolar Spectrum. Addictive Disorders and Their Treatment, 2004, 3, 156-164.	0.5	12
216	Antiepileptic drugs: indications other than epilepsy. Epileptic Disorders, 2004, 6, 57-75.	0.7	167

#	ARTICLE	IF	CITATIONS
217	Temperament in adolescents with anxiety and depressive disorders and in their families. <i>Child Psychiatry and Human Development</i> , 2003, 33, 245-259.	1.1	42
218	The role of cyclothymia in atypical depression: toward a data-based reconceptualization of the borderlineâ€“bipolar II connection. <i>Journal of Affective Disorders</i> , 2003, 73, 87-98.	2.0	197
219	Cyclothymic OCD: a distinct form?. <i>Journal of Affective Disorders</i> , 2003, 75, 1-10.	2.0	115
220	Externalizing disorders in consecutively referred children and adolescents with bipolar disorder. <i>Comprehensive Psychiatry</i> , 2003, 44, 184-189.	1.5	40
221	Open-Label Evaluation of Venlafaxine Sustained Release in Outpatients with Generalized Anxiety Disorder with Comorbid Major Depression or Dysthymia: Effectiveness, Tolerability and Predictors of Response. <i>Neuropsychobiology</i> , 2002, 46, 145-149.	0.9	20
222	Effectiveness of Adjunctive Gabapentin in Resistant Bipolar Disorder: Is It Due to Anxious-Alcohol Abuse Comorbidity?. <i>Journal of Clinical Psychopharmacology</i> , 2002, 22, 584-591.	0.7	43
223	The soft bipolar spectrum redefined: focus on the cyclothymic, anxious-sensitive, impulse-dyscontrol, and binge-eating connection in bipolar II and related conditions. <i>Psychiatric Clinics of North America</i> , 2002, 25, 713-737.	0.7	191
224	Alcohol abuse in social phobic patients: is there a bipolar connection?. <i>Journal of Affective Disorders</i> , 2002, 68, 33-39.	2.0	50
225	Reboxetine, a Selective Norepinephrine Reuptake Inhibitor, Is an Effective and Well-Tolerated Treatment for Panic Disorder. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 31-37.	1.1	145
226	Obsessive-Compulsiveâ€“Bipolar Comorbidity. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 1129-1134.	1.1	110
227	Obsessive-compulsive-bipolar comorbidity: a systematic exploration of clinical features and treatment outcome. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 1129-34.	1.1	35
228	Bipolar II and unipolar comorbidity in 153 outpatients with social phobia. <i>Comprehensive Psychiatry</i> , 2001, 42, 375-381.	1.5	36
229	The contrasting influence of depressive and hyperthymic temperaments on psychometrically derived manic subtypes. <i>Psychiatry Research</i> , 2001, 101, 249-258.	1.7	61
230	Anxiety Disorders in Children and Adolescents with Bipolar Disorder: A Neglected Comorbidity. <i>Canadian Journal of Psychiatry</i> , 2001, 46, 797-802.	0.9	86
231	Is mood-incongruent manic psychosis a distinct subtype?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001, 251, 12-17.	1.8	26
232	The temporal relationship between anxiety disorders and (hypo)mania: a retrospective examination of 63 panic, social phobic and obsessiveâ€“compulsive patients with comorbid bipolar disorder. <i>Journal of Affective Disorders</i> , 2001, 67, 199-206.	2.0	62
233	Clinical characterization of depressive mixed state in bipolar-I patients: Pisa-San Diego collaboration. <i>Journal of Affective Disorders</i> , 2001, 67, 105-114.	2.0	145
234	Adjunctive Dopamine Agonists in Treatment-Resistant Bipolar II Depression: an Open Case Series. <i>Pharmacopsychiatry</i> , 2001, 34, 137-141.	1.7	123

#	ARTICLE	IF	CITATIONS
235	Paroxetine in Child and Adolescent Outpatients with Panic Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2001, 11, 151-157.	0.7	37
236	Putative clinical subtypes of social phobia: a factor-analytical study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 280-288.	2.2	8
237	Putative clinical subtypes of social phobia: a factor-analytical study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 280-8.	2.2	33
238	A Prospective Naturalistic Study of 326 Panic-Agoraphobic Patients Treated with Antidepressants. <i>Pharmacopsychiatry</i> , 2000, 33, 121-131.	1.7	37
239	Polarity of the first episode, clinical characteristics, and course of manic depressive illness: A systematic retrospective investigation of 320 bipolar I patients. <i>Comprehensive Psychiatry</i> , 2000, 41, 13-18.	1.5	176
240	Clinical Experience Using Adjunctive Gabapentin in Treatment-Resistant Bipolar Mixed States. <i>Pharmacopsychiatry</i> , 1999, 32, 136-141.	1.7	45
241	Avoidant personality in social phobia and panic-agoraphobic disorder: a comparison. <i>Journal of Affective Disorders</i> , 1999, 54, 277-282.	2.0	21
242	Depressive comorbidity of panic, social phobic, and obsessive-compulsive disorders re-examined: is there a bipolar ii connection?. <i>Journal of Psychiatric Research</i> , 1999, 33, 53-61.	1.5	132
243	ANXIOUS-BIPOLAR COMORBIDITY. <i>Psychiatric Clinics of North America</i> , 1999, 22, 565-583.	0.7	80
244	Delineating a putative phobic-anxious temperament in 126 panic-agoraphobic patients: toward a rapprochement of European and US views. <i>Journal of Affective Disorders</i> , 1998, 47, 11-23.	2.0	32
245	Episodic course in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1998, 248, 240-244.	1.8	71
246	The high prevalence of "Soft" bipolar (II) features in atypical depression. <i>Comprehensive Psychiatry</i> , 1998, 39, 63-71.	1.5	267
247	Chronic recurrent stress due to panic disorder does not precipitate Graves' disease. <i>Journal of Endocrinological Investigation</i> , 1998, 21, 758-764.	1.8	18
248	Chronic mania. <i>British Journal of Psychiatry</i> , 1998, 173, 514-518.	1.7	49
249	Prevalence of Psychiatric Disorders in Thyroid Diseased Patients. <i>Neuropsychobiology</i> , 1998, 38, 222-225.	0.9	90
250	Prevalence, phenomenology and comorbidity of body dysmorphic disorder (dysmorphophobia) in a clinical population. <i>International Journal of Psychiatry in Clinical Practice</i> , 1997, 1, 77-82.	1.2	59
251	Hypochondriasis and illness phobia in panic-agoraphobic patients. <i>Comprehensive Psychiatry</i> , 1997, 38, 124-131.	1.5	20
252	The clinical impact of bipolar and unipolar affective comorbidity on obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 1997, 46, 15-23.	2.0	168

#	ARTICLE	IF	CITATIONS
253	Clinical subtypes of bipolar mixed states:. Journal of Affective Disorders, 1997, 43, 169-180.	2.0	224
254	Gender-Related Differences in Body Dysmorphic Disorder (Dysmorphophobia). Journal of Nervous and Mental Disease, 1997, 185, 578-582.	0.5	126
255	Psychosensorial and related phenomena in panic disorder and in temporal lobe epilepsy. Comprehensive Psychiatry, 1996, 37, 125-133.	1.5	50
256	Fluvoxamine in the treatment of body dysmorphic disorder (dysmorphophobia). International Clinical Psychopharmacology, 1996, 11, 247-254.	0.9	94
257	Social Adjustment in Panic-Agoraphobic Patients Reconsidered. British Journal of Psychiatry, 1994, 164, 88-93.	1.7	8
258	Treatment of social phobia with fluoxetine. Anxiety, 1994, 1, 282-286.	0.5	14
259	Single episode of major depressive disorder. European Archives of Psychiatry and Clinical Neuroscience, 1993, 242, 373-380.	1.8	17
260	Affective comorbidity in panic disorder: Is there a bipolar connection?. Journal of Affective Disorders, 1993, 28, 155-163.	2.0	104
261	Proposed subtypes of bipolar II and related disorders: With hypomanic episodes (or cyclothymia) and with hyperthymic temperament. Journal of Affective Disorders, 1992, 26, 127-140.	2.0	256
262	The importance of measures of affective temperaments in genetic studies of mood disorders. Journal of Psychiatric Research, 1992, 26, 257-268.	1.5	45
263	Gender-Mediated Clinical Features of Depressive Illness the Importance of Temperamental Differences. British Journal of Psychiatry, 1990, 157, 835-841.	1.7	125
264	Primary and secondary social phobia: Psychopathologic and familial differentiations. Comprehensive Psychiatry, 1990, 31, 245-252.	1.5	33
265	Comorbidity in Panic Disorder. Psychiatric Annals, 1990, 20, 517-521.	0.1	16
266	Depression Before and After Age 65. British Journal of Psychiatry, 1989, 155, 330-336.	1.7	81
267	Psychopathology, Temperament, and Past Course in Primary Major Depressions. Psychopathology, 1989, 22, 278-288.	1.1	138
268	Psychopathology, Temperament, and Past Course in Primary Major Depressions. Psychopathology, 1989, 22, 268-277.	1.1	88
269	The nature of depression presenting concomitantly with panic disorder. Comprehensive Psychiatry, 1989, 30, 473-482.	1.5	27
270	Derealization and panic attacks: A clinical evaluation on 150 patients with Panic Disorder/agoraphobia. Comprehensive Psychiatry, 1989, 30, 5-12.	1.5	78



#	ARTICLE	IF	CITATIONS
271	BINDING OF IMIPRAMINE TO PLATELET MEMBRANES IS REDUCED IN PANIC ATTACKS. <i>Fundamental and Clinical Pharmacology</i> , 1988, 2, 69-75.	1.0	4
272	High-affinity 3H-imipramine binding sites: A possible state-dependent marker for major depression. <i>Psychiatry Research</i> , 1988, 23, 229-237.	1.7	27
273	Relationships between panic disorder and separation anxiety with school phobia. <i>Comprehensive Psychiatry</i> , 1988, 29, 98-107.	1.5	30
274	Differential changes in areas of social adjustment from depressive episodes through recovery. <i>Journal of Affective Disorders</i> , 1988, 15, 39-43.	2.0	32
275	Clomipramine for panic disorder: I. the first 10 weeks of a long-term comparison with imipramine. <i>Journal of Affective Disorders</i> , 1988, 14, 123-127.	2.0	69
276	Imipramine Binding in Platelets of Patients with Panic Disorder. <i>Pharmacopsychiatry</i> , 1988, 21, 47-49.	1.7	8
277	A Proposed New Approach to the Clinical Subclassification of Depressive Illness. <i>Pharmacopsychiatry</i> , 1988, 21, 19-23.	1.7	39
278	Panic Disorder: Review of the Empirical and Rational Basis of Pharmacological Treatment. <i>Pharmacopsychiatry</i> , 1988, 21, 157-165.	1.7	18
279	A <sup>3</sup> H-Flunitrazepam Binding Inhibitor is Present in Psychiatric Patients'™ Sera. <i>Neuropsychobiology</i> , 1987, 18, 74-76.	0.9	2
280	A case of social phobia with avoidant personality disorder treated with MAOI. <i>Comprehensive Psychiatry</i> , 1986, 27, 255-258.	1.5	23
281	Impairment of work and leisure in depressed outpatients. <i>Journal of Affective Disorders</i> , 1986, 10, 79-84.	2.0	77
282	The importance of separation anxiety in the differentiation of panic disorder from agoraphobia. <i>Psychiatric Developments</i> , 1986, 4, 227-36.	0.2	9