

Akira Hiraishi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/266035/publications.pdf>

Version: 2024-02-01

166
papers

8,303
citations

38742

50
h-index

53230

85
g-index

184
all docs

184
docs citations

184
times ranked

5912
citing authors

#	ARTICLE	IF	CITATIONS
1	Distribution of Phototrophic Purple Nonsulfur Bacteria in Massive Blooms in Coastal and Wastewater Ditch Environments. <i>Microorganisms</i> , 2020, 8, 150.	3.6	10
2	Proposal of <i>Rhodoplanes tepidamans</i> sp. nov. to accommodate the thermotolerant phototrophic bacterium previously referred to as ' <i>Rhodoplanes (Rhodopseudomonas) cryptolactis</i> '. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1540-1545.	1.7	10
3	<i>Rhodopseudomonas telluris</i> sp. nov., a phototrophic alphaproteobacterium isolated from paddy soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3369-3374.	1.7	12
4	Characterization of thermotolerant phototrophic bacteria, <i>Rhodoplanes tepidicaeni</i> sp. nov. and <i>Rhodoplanes azumiensis</i> sp. nov., isolated from a geothermal spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5038-5045.	1.7	14
5	Graphene oxide-dependent growth and self-aggregation into a hydrogel complex of exoelectrogenic bacteria. <i>Scientific Reports</i> , 2016, 6, 21867.	3.3	67
6	Effects of 3,5-dichlorophenol on excess biomass reduction and bacterial community dynamics in activated sludge as revealed by a polyphasic approach. <i>Journal of Bioscience and Bioengineering</i> , 2016, 122, 467-474.	2.2	11
7	Cultural, Transcriptomic, and Proteomic Analyses of Water-Stressed Cells of Actinobacterial Strains Isolated from Compost: Ecological Implications in the Fed-Batch Composting Process. <i>Microbes and Environments</i> , 2016, 31, 127-136.	1.6	3
8	Enhancement of Electricity Production by Graphene Oxide in Soil Microbial Fuel Cells and Plant Microbial Fuel Cells. <i>Frontiers in Bioengineering and Biotechnology</i> , 2015, 3, 42.	4.1	64
9	Interspecies interactions are an integral determinant of microbial community dynamics. <i>Frontiers in Microbiology</i> , 2015, 6, 1148.	3.5	13
10	<i>Acidiphilium iwatense</i> sp. nov., isolated from an acid mine drainage treatment plant, and emendation of the genus <i>Acidiphilium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 42-48.	1.7	21
11	<i>Raoultella electrica</i> sp. nov., isolated from anodic biofilms of a glucose-fed microbial fuel cell. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1384-1388.	1.7	44
12	Bacteria of the Candidate Phylum TM7 are Prevalent in Acidophilic Nitrifying Sequencing-Batch Reactors. <i>Microbes and Environments</i> , 2014, 29, 353-362.	1.6	32
13	Photocatalytic Activity of AgBr as an Environmental Catalyst. <i>Topics in Catalysis</i> , 2013, 56, 618-622.	2.8	4
14	Community structure and population dynamics of ammonia oxidizers in composting processes of ammonia-rich livestock waste. <i>Systematic and Applied Microbiology</i> , 2013, 36, 359-367.	2.8	27
15	Real-time optical monitoring of microbial growth using optimal combination of light-emitting diodes. <i>Optical Engineering</i> , 2012, 51, 123201.	1.0	2
16	Isolation and Functional Gene Analyses of Aromatic-Hydrocarbon-Degrading Bacteria from a Polychlorinated-Dioxin-Dechlorinating Process. <i>Microbes and Environments</i> , 2012, 27, 127-135.	1.6	27
17	Characterization of <i>Rhizobium naphthalenivorans</i> sp. nov. with special emphasis on aromatic compound degradation and multilocus sequence analysis of housekeeping genes. <i>Journal of General and Applied Microbiology</i> , 2012, 58, 211-224.	0.7	34
18	Carotenoids in <i>Rhodoplanes</i> Species: Variation of Compositions and Substrate Specificity of Predicted Carotenogenesis Enzymes. <i>Current Microbiology</i> , 2012, 65, 150-155.	2.2	14

#	ARTICLE	IF	CITATIONS
19	Nitrate Removal Efficiency and Bacterial Community Dynamics in Denitrification Processes Using Poly (<sc>g</sc>L<sc>g</sc>-lactic acid) as the Solid Substrate. <i>Microbes and Environments</i> , 2011, 26, 212-219.	1.6	39
20	<i>Acidipila rosea</i> gen. nov., sp. nov., an acidophilic chemoorganotrophic bacterium belonging to the phylum Acidobacteria. <i>FEMS Microbiology Letters</i> , 2011, 317, 138-142.	1.8	54
21	Ecophysiology of Uncultured Filamentous Anaerobes Belonging to the Phylum KSB3 That Cause Bulking in Methanogenic Granular Sludge. <i>Applied and Environmental Microbiology</i> , 2011, 77, 2081-2087.	3.1	18
22	Removal of polychlorinated dioxins by semi-aerobic fed-batch composting with biostimulation of "Dehalococcoides". <i>Journal of Bioscience and Bioengineering</i> , 2010, 109, 249-256.	2.2	28
23	A Great Leap forward in Microbial Ecology. <i>Microbes and Environments</i> , 2010, 25, 230-240.	1.6	48
24	Removal of Hydrophobic Organic Contaminants from Aqueous Solutions by Sorption onto Biodegradable Polyesters. <i>Journal of Water Resource and Protection</i> , 2010, 02, 214-221.	0.8	15
25	Intragenetic relationships of members of the genus <i>Rhodopseudomonas</i> . <i>Journal of General and Applied Microbiology</i> , 2009, 55, 469-478.	0.7	20
26	<i>Rhodovastum atsumiense</i> gen. nov., sp. nov., a phototrophic alphaproteobacterium isolated from paddy soil. <i>Journal of General and Applied Microbiology</i> , 2009, 55, 43-50.	0.7	28
27	<i>Rhodoplanes serenus</i> sp. nov., a purple non-sulfur bacterium isolated from pond water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 531-535.	1.7	34
28	Combined Use of Cyanoditolyl Tetrazolium Staining and Flow Cytometry for Detection of Metabolically Active Bacteria in a Fed-batch Composting Process. <i>Microbes and Environments</i> , 2009, 24, 57-63.	1.6	10
29	Phylogenetic and Transcriptional Analyses of a Tetrachloroethene-Dechlorinating "Dehalococcoides" Enrichment Culture TUT2264 and Its Reductive-Dehalogenase Genes. <i>Microbes and Environments</i> , 2009, 24, 330-337.	1.6	28
30	In situ detection and identification of microorganisms at single-colony resolution by spectral imaging. <i>Optical Review</i> , 2008, 15, 285-291.	2.0	5
31	Biodiversity of Dehalorespiring Bacteria with Special Emphasis on Polychlorinated Biphenyl/Dioxin Dechlorinators. <i>Microbes and Environments</i> , 2008, 23, 1-12.	1.6	100
32	Isolation and Characterization of Phototrophic Purple Nonsulfur Bacteria from Chloroflexus and Cyanobacterial Mats in Hot Springs. <i>Microbes and Environments</i> , 2007, 22, 405-411.	1.6	27
33	Activity and Community Composition of Denitrifying Bacteria in Poly(3-hydroxybutyrate-co-3-hydroxyvalerate)-Using Solid-phase Denitrification Processes. <i>Microbes and Environments</i> , 2007, 22, 20-31.	1.6	48
34	Population Dynamics and Acetate Utilization Kinetics of Two Different Species of Phototrophic Purple Nonsulfur Bacteria in a Continuous Co-culture System. <i>Microbes and Environments</i> , 2007, 22, 82-87.	1.6	8
35	Water Availability Is a Critical Determinant of a Population Shift from Proteobacteria to Actinobacteria during Start-Up Operation of Mesophilic Fed-Batch Composting. <i>Microbes and Environments</i> , 2007, 22, 279-289.	1.6	23
36	<i>Novosphingobium naphthalenivorans</i> sp. nov., a naphthalene-degrading bacterium isolated from polychlorinated-dioxin-contaminated environments. <i>Journal of General and Applied Microbiology</i> , 2007, 53, 221-228.	0.7	82

#	ARTICLE	IF	CITATIONS
37	Reductive dechlorination of chloroethenes by <i>Dehalococcoides</i> -containing cultures enriched from a polychlorinated-dioxin-contaminated microcosm. ISME Journal, 2007, 1, 471-479.	9.8	26
38	Characterization of thermotolerant purple nonsulfur bacteria isolated from hot-spring Chloroflexus mats and the reclassification of <i>Rhodospseudomonas cryptolactis</i> Stadtward-Demchick et al.1990 as <i>Rhodoplanes cryptolactis</i> nom. rev., comb. nov.. Journal of General and Applied Microbiology, 2007, 53, 357-361.	0.7	18
39	Characterization of Extracellular RNAs Produced by the Marine Photosynthetic Bacterium <i>Rhodovulum sulfidophilum</i> . Journal of Biochemistry, 2006, 139, 805-811.	1.7	32
40	<i>Sphingosinicella microcystinivorans</i> gen. nov., sp. nov., a microcystin-degrading bacterium. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 85-89.	1.7	197
41	Enrichment and Phylogenetic Analysis of Moderately Thermophilic Myxobacteria from Hot Springs in Japan. Microbes and Environments, 2006, 21, 189-199.	1.6	22
42	A Modified Cyanoditolyl Tetrazolium Reduction Method for Differential Detection of Metabolically Active Gram-positive and Gram-negative Bacteria. Microbes and Environments, 2006, 21, 272-277.	1.6	10
43	Characterization of Phototrophic Purple Nonsulfur Bacteria Forming Colored Microbial Mats in a Swine Wastewater Ditch. Applied and Environmental Microbiology, 2006, 72, 6225-6233.	3.1	68
44	Microbiology of Fed-batch Composting. Microbes and Environments, 2005, 20, 1-13.	1.6	14
45	Distribution and Capacity for Utilization of Lower Fatty Acids of Phototrophic Purple Nonsulfur Bacteria in Wastewater Environments. Microbes and Environments, 2005, 20, 135-143.	1.6	24
46	Characterization of the Microbial Community and Culturable Denitrifying Bacteria in a Solid-phase Denitrification Process Using Poly(ϵ -caprolactone) as the Carbon and Energy Source. Microbes and Environments, 2005, 20, 25-33.	1.6	37
47	Estimation of "Dehalococcoides" Populations in Lake Sediment Contaminated with Low Levels of Polychlorinated Dioxins. Microbes and Environments, 2005, 20, 216-226.	1.6	13
48	Biotransformation of Polychlorinated Dioxins and Microbial Community Dynamics in Sediment Microcosms at Different Contamination Levels. Microbes and Environments, 2005, 20, 227-242.	1.6	25
49	<i>Nocardioides aromaticivorans</i> sp. nov., a dibenzofuran-degrading bacterium isolated from dioxin-polluted environments. Systematic and Applied Microbiology, 2005, 28, 165-174.	2.8	69
50	Phylogenetic Characterization of a Polychlorinated-Dioxin- Dechlorinating Microbial Community by Use of Microcosm Studies. Applied and Environmental Microbiology, 2005, 71, 4325-4334.	3.1	125
51	Unique Kinetic Properties of Phenol-Degrading <i>Variovorax</i> Strains Responsible for Efficient Trichloroethylene Degradation in a Chemostat Enrichment Culture. Applied and Environmental Microbiology, 2005, 71, 904-911.	3.1	74
52	Anaerobic Degradation of Aromatic Compounds by <i>Magnetospirillum</i> Strains: Isolation and Degradation Genes. Bioscience, Biotechnology and Biochemistry, 2005, 69, 1483-1491.	1.3	83
53	<i>Chryseobacterium shigense</i> sp. nov., a yellow-pigmented, aerobic bacterium isolated from a lactic acid beverage. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1903-1906.	1.7	65
54	Aerobic and Anaerobic Toluene Degradation by a Newly Isolated Denitrifying Bacterium, <i>Thauera</i> sp. Strain DNT-1. Applied and Environmental Microbiology, 2004, 70, 1385-1392.	3.1	207

#	ARTICLE	IF	CITATIONS
55	Phylogenetic Distribution of Unusual Triheme to Tetraheme Cytochrome Subunit in the Reaction Center Complex of Purple Photosynthetic Bacteria. <i>Photosynthesis Research</i> , 2004, 79, 83-91.	2.9	38
56	Microbial population dynamics during fed-batch operation of commercially available garbage composters. <i>Applied Microbiology and Biotechnology</i> , 2004, 65, 488-495.	3.6	34
57	Rare Bacterium of New Genus Isolated with Prolonged Enrichment Culture. <i>Bioscience, Biotechnology and Biochemistry</i> , 2004, 68, 28-35.	1.3	3
58	Distribution of Dibenzofuran-Degrading Bacteria in Soils Polluted with Different Levels of Polychlorinated Dioxins. <i>Microbes and Environments</i> , 2004, 19, 172-177.	1.6	32
59	An Improved Redox Dye-Staining Method Using 5-Cyano-2,3-Ditoyl Tetrazolium Chloride for Detection of Metabolically Active Bacteria in Activated Sludge. <i>Microbes and Environments</i> , 2004, 19, 61-70.	1.6	26
60	Activity and Phylogenetic Composition of Proteolytic Bacteria in Mesophilic Fed-batch Garbage Composters. <i>Microbes and Environments</i> , 2004, 19, 292-300.	1.6	25
61	Functional and structural analyses of trichloroethylene-degrading bacterial communities under different phenol-feeding conditions: laboratory experiments. <i>Applied Microbiology and Biotechnology</i> , 2003, 60, 594-600.	3.6	16
62	Dynamics of microcystin-degrading bacteria in mucilage of <i>Microcystis</i> . <i>Microbial Ecology</i> , 2003, 46, 279-288.	2.8	108
63	Application of polyhydroxyalkanoates for denitrification in water and wastewater treatment. <i>Applied Microbiology and Biotechnology</i> , 2003, 61, 103-109.	3.6	152
64	<i>Enhygromyxa salina</i> gen. nov., sp. nov., a Slightly Halophilic Myxobacterium Isolated from the Coastal Areas of Japan. <i>Systematic and Applied Microbiology</i> , 2003, 26, 189-196.	2.8	82
65	Complex II from phototrophic purple bacterium <i>Rhodospirillum rubrum</i> displays rhodiquinol-fumarate reductase activity. <i>FEBS Journal</i> , 2003, 270, 1863-1874.	0.2	22
66	Microbial community dynamics during start-up operation of flowerpot-using fed-batch reactors for composting of household biowaste. <i>Environmental Microbiology</i> , 2003, 5, 765-776.	3.8	41
67	<i>Plesiocystis pacifica</i> gen. nov., sp. nov., a marine myxobacterium that contains dihydrogenated menaquinone, isolated from the Pacific coasts of Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 189-195.	1.7	98
68	Significance of Lipoquinones as Quantitative Biomarkers of Bacterial Populations in the Environment. <i>Microbes and Environments</i> , 2003, 18, 89-93.	1.6	23
69	High Culturability of Bacteria in Commercially Available Personal Composters for Fed-batch Treatment of Household Biowaste. <i>Microbes and Environments</i> , 2003, 18, 94-99.	1.6	21
70	Biodiversity of Dioxin-Degrading Microorganisms and Potential Utilization in Bioremediation.. <i>Microbes and Environments</i> , 2003, 18, 105-125.	1.6	55
71	<i>Pseudoalteromonas sagamiensis</i> sp. nov., a marine bacterium that produces protease inhibitors. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1807-1811.	1.7	26
72	Members of the Family Comamonadaceae as Primary Poly(3-Hydroxybutyrate-co-3-Hydroxyvalerate)-Degrading Denitrifiers in Activated Sludge as Revealed by a Polyphasic Approach. <i>Applied and Environmental Microbiology</i> , 2002, 68, 3206-3214.	3.1	205

#	ARTICLE	IF	CITATIONS
73	Effects of Chemical Uncouplers on Microbial Biomass Production, Metabolic Activity, and Community Structure in an Activated Sludge System.. <i>Microbes and Environments</i> , 2002, 17, 197-204.	1.6	9
74	Enhanced Growth of <i>Acidocella facilis</i> and Related Acidophilic Bacteria at High Concentrations of Aluminum.. <i>Microbes and Environments</i> , 2002, 17, 98-104.	1.6	17
75	<i>Diaphorobacter nitroreducens</i> gen. nov., sp. nov., a poly(3-hydroxybutyrate)-degrading denitrifying bacterium isolated from activated sludge.. <i>Journal of General and Applied Microbiology</i> , 2002, 48, 299-308.	0.7	87
76	Characterization of <i>Porphyrobacter sanguineus</i> sp. nov., an aerobic bacteriochlorophyll-containing bacterium capable of degrading biphenyl and dibenzofuran. <i>Archives of Microbiology</i> , 2002, 178, 45-52.	2.2	86
77	Polyphasic approaches to the identification of predominant polyphosphate-accumulating organisms in a laboratory-scale anaerobic/aerobic activated sludge system.. <i>Journal of General and Applied Microbiology</i> , 2002, 48, 43-54.	0.7	23
78	Aerobic anoxygenic photosynthetic bacteria with zinc-bacteriochlorophyll.. <i>Journal of General and Applied Microbiology</i> , 2001, 47, 161-180.	0.7	61
79	Degradation of the cyanobacterial hepatotoxin microcystin by a new bacterium isolated from a hypertrophic lake. <i>Environmental Toxicology</i> , 2001, 16, 337-343.	4.0	237
80	Isolation and characterization of a new poly(3-hydroxybutyrate)-degrading, denitrifying bacterium from activated sludge. <i>FEMS Microbiology Letters</i> , 2001, 205, 253-257.	1.8	32
81	Altered Quinone Biosynthesis in the Long-lived <i>clk-1</i> Mutants of <i>Caenorhabditis elegans</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 7713-7716.	3.4	189
82	Isolation and characterization of a new poly(3-hydroxybutyrate)-degrading, denitrifying bacterium from activated sludge. <i>FEMS Microbiology Letters</i> , 2001, 205, 253-257.	1.8	5
83	Terminal restriction pattern analysis of 16S rRNA genes for the characterization of bacterial communities of activated sludge. <i>Journal of Bioscience and Bioengineering</i> , 2000, 90, 148-156.	2.2	75
84	Ultrastructure of the Acidophilic Aerobic Photosynthetic Bacterium <i>Acidiphilium rubrum</i> . <i>Current Microbiology</i> , 2000, 40, 398-401.	2.2	17
85	Seasonal microbial community dynamics in a flowerpot-using personal composting system for disposal of household biowaste.. <i>Journal of General and Applied Microbiology</i> , 2000, 46, 133-146.	0.7	28
86	A phylogenetic and chemotaxonomic view of microbial diversity and natural community structure. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , 2000, 27, 3243-3247.	0.1	1
87	Isolation and Characterization of a New Denitrifying <i>Spirillum</i> Capable of Anaerobic Degradation of Phenol. <i>Applied and Environmental Microbiology</i> , 2000, 66, 1286-1291.	3.1	61
88	Terminal Restriction Pattern Analysis of 16S rRNA Genes for the Characterization of Bacterial Communities of Activated Sludge.. <i>Journal of Bioscience and Bioengineering</i> , 2000, 90, 148-156.	2.2	8
89	A re-evaluation of the taxonomy of <i>Paracoccus denitrificans</i> and a proposal for the combination <i>Paracoccus pantotrophus</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 645-651.	1.7	149
90	Title is missing!. <i>Photosynthesis Research</i> , 1999, 59, 255-256.	2.9	5

#	ARTICLE	IF	CITATIONS
91	Isoprenoid quinones as biomarkers of microbial populations in the environment. <i>Journal of Bioscience and Bioengineering</i> , 1999, 88, 449-460.	2.2	125
92	Bacterial diversity, ecology, and evolution. Toward a problem of how to recognize bacterial species in situ.. <i>Microbes and Environments</i> , 1999, 14, 41-45.	1.6	0
93	Distibution of viable but non-culturable bacteria in wastewater treatment systems.. <i>Microbes and Environments</i> , 1999, 14, 91-99.	1.6	5
94	Changes in Quinone Profiles of Hot Spring Microbial Mats with a Thermal Gradient. <i>Applied and Environmental Microbiology</i> , 1999, 65, 198-205.	3.1	51
95	Quinone profiles in lake sediments. Implications for microbial diversity and community structures.. <i>Journal of General and Applied Microbiology</i> , 1999, 45, 221-227.	0.7	12
96	A new structural type of methionaquinones isolated from hot spring sulfur-turf bacterial mats.. <i>Journal of General and Applied Microbiology</i> , 1999, 45, 39-41.	0.7	4
97	Introduction to microbes in hydrothermal environments. <i>Microbes and Environments</i> , 1998, 13, 235-236.	1.6	0
98	A New Approach to Numerical Analyses of Microbial Quinone Profiles in the Environment.. <i>Microbes and Environments</i> , 1998, 13, 67-76.	1.6	43
99	Isolation and phylogenetic analysis of aerobic copiotrophic ultramicrobacteria from urban soil.. <i>Journal of General and Applied Microbiology</i> , 1998, 44, 75-84.	0.7	71
100	Quinone Profiling of Bacterial Communities in Natural and Synthetic Sewage Activated Sludge for Enhanced Phosphate Removal. <i>Applied and Environmental Microbiology</i> , 1998, 64, 992-998.	3.1	146
101	Phylogenetic Evidence for the Existence of Novel Thermophilic Bacteria in Hot Spring Sulfur-Turf Microbial Mats in Japan. <i>Applied and Environmental Microbiology</i> , 1998, 64, 1680-1687.	3.1	110
102	Nucleotide Sequences of Genes Coding for Photosynthetic Reaction Centers and Light-Harvesting Proteins of <i>Acidiphilium rubrum</i> and Related Aerobic Acidophilic Bacteria. <i>Plant and Cell Physiology</i> , 1997, 38, 1249-1258.	3.1	38
103	Restriction Pattern Analysis by High-performance Liquid Chromatography of PCR-amplified 16S rDNA Fragments from Scum-forming Bacteria in Activated Sludge.. <i>Microbes and Environments</i> , 1997, 12, 57-68.	1.6	5
104	Phylogenetic characterization of a new thermoacidophilic bacterium isolated from hot springs in Japan.. <i>Journal of General and Applied Microbiology</i> , 1997, 43, 295-304.	0.7	28
105	Horizontal transfer of genes coding for the photosynthetic reaction centers of purple bacteria. <i>Journal of Molecular Evolution</i> , 1997, 45, 131-136.	1.8	142
106	Evaluation of Microbial Population Structures of Synthetic-Wastewater Activated Sludge and Plant-Scale Sewage Sludge on the Basis of Respiratory Quinone Profiles.. <i>Japanese Journal of Water Treatment Biology</i> , 1997, 33, 137-149.	0.1	6
107	Identification of Predominant Methanogens in Anaerobic Wastewater Treatment Sludge on the Basis of 16S rDNA Restriction Pattern Analysis.. <i>Japanese Journal of Water Treatment Biology</i> , 1997, 33, 151-160.	0.1	0
108	Comparative lipoquinone analysis of influent sewage and activated sludge by high-performance liquid chromatography and photodiode array detection.. <i>Journal of General and Applied Microbiology</i> , 1996, 42, 457-469.	0.7	696

#	ARTICLE	IF	CITATIONS
109	Discovery of Natural Photosynthesis using Zn-Containing Bacteriochlorophyll in an Aerobic Bacterium <i>Acidiphilium rubrum</i> . <i>Plant and Cell Physiology</i> , 1996, 37, 889-893.	3.1	186
110	Molecular genetic analyses of <i>Rhodobacter azotoformans</i> sp. nov. and related species of phototrophic bacteria. <i>Systematic and Applied Microbiology</i> , 1996, 19, 168-177.	2.8	52
111	Transfer of <i>Acidiphilium facilis</i> and <i>Acidiphilium aminolytica</i> to the Genus <i>Acidocella</i> gen. nov., and Emendation of the Genus <i>Acidiphilium</i> . <i>Systematic and Applied Microbiology</i> , 1995, 18, 85-91.	2.8	103
112	Phylogenetic position of the menaquinone-containing acidophilic chemo-organotroph <i>Acidobacterium capsulatum</i> . <i>FEMS Microbiology Letters</i> , 1995, 132, 91-94.	1.8	40
113	Characterization of new denitrifying <i>Rhodobacter</i> strains isolated from photosynthetic sludge for wastewater treatment. <i>Journal of Bioscience and Bioengineering</i> , 1995, 79, 39-44.	0.9	31
114	Polymerase chain reaction amplification and restriction fragment length polymorphism analysis of 16S rRNA genes from methanogens. <i>Journal of Bioscience and Bioengineering</i> , 1995, 79, 523-529.	0.9	114
115	<i>Brachymonas denitrificans</i> gen. nov., sp. nov., an aerobic chemoorganotrophic bacterium which contains ridoquinones, and evolutionary relationships of ridoquinone producers to bacterial species with various quinone classes.. <i>Journal of General and Applied Microbiology</i> , 1995, 41, 99-117.	0.7	58
116	Isolation of <i>Chloroflexus aurantiacus</i> and related thermophilic phototrophic bacteria from Japanese hot springs using an improved isolation procedure.. <i>Journal of General and Applied Microbiology</i> , 1995, 41, 119-130.	0.7	59
117	<i>Paracoccus thiocyanatus</i> sp. nov., a new species of thiocyanate-utilizing facultative chemolithotroph, and transfer of <i>Thiobacillus versutus</i> to the genus <i>Paracoccus</i> as <i>Paracoccus versutus</i> comb. nov. with emendation of the genus. <i>Microbiology (United Kingdom)</i> , 1995, 141, 1469-1477.	1.8	159
118	Phylogenetic Analysis of Photosynthetic Reaction Centers of Purple Bacteria and Green Filamentous Bacteria. , 1995, , 975-978.		8
119	<i>Acidiphilium multivorum</i> sp. nov., an acidophilic chemoorganotrophic bacterium from pyritic acid mine drainage.. <i>Journal of General and Applied Microbiology</i> , 1994, 40, 143-159.	0.7	76
120	Phylogenetic affiliations of <i>Rhodoferrax fermentans</i> and related species of phototrophic bacteria as determined by automated 16S rDNA sequencing. <i>Current Microbiology</i> , 1994, 28, 25-29.	2.2	30
121	Automated sequencing of PCR-amplified 16S rDNA on "HydroLink"™ gels. <i>Journal of Microbiological Methods</i> , 1994, 19, 145-154.	1.6	89
122	Respiratory Chain of the Lung Fluke <i>Paragonimus westermani</i> - Facultative Anaerobic Mitochondria. <i>Archives of Biochemistry and Biophysics</i> , 1994, 312, 142-150.	3.0	25
123	Use of Polymerase Chain Reaction-amplified 16S rRNA Gene Sequences to Identify Pink-pigmented Bacteria Found in a Potable Water Treatment System.. <i>Bulletin of Japanese Society of Microbial Ecology</i> , 1994, 9, 55-65.	0.1	7
124	Distribution of bacteriochlorophylla in species of the genus <i>Acidiphilium</i> . <i>Current Microbiology</i> , 1993, 27, 277-279.	2.2	40
125	Developmental changes in the respiratory chain of <i>Ascaris</i> mitochondria. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1993, 1141, 65-74.	1.0	66
126	Use of Levulinic Acid by <i>Rhodospseudomonas</i> sp. No. 7 for Phototrophic Growth and Enhanced Hydrogen Evolution. <i>Bioscience, Biotechnology and Biochemistry</i> , 1993, 57, 720-723.	1.3	13

#	ARTICLE	IF	CITATIONS
127	Rapid profiling of bacterial quinones by two-dimensional thin-layer chromatography. Letters in Applied Microbiology, 1992, 14, 170-173.	2.2	19
128	Direct automated sequencing of 16S rDNA amplified by polymerase chain reaction from bacterial cultures without DNA purification. Letters in Applied Microbiology, 1992, 15, 210-213.	2.2	362
129	Isoprenoid quinones and fatty acids of Zoogloea. Antonie Van Leeuwenhoek, 1992, 61, 231-236.	1.7	25
130	Numerical analysis of lipoquinone patterns in monitoring bacterial community dynamics in wastewater treatment systems.. Journal of General and Applied Microbiology, 1991, 37, 57-70.	0.7	71
131	Polyphosphate accumulation by Rhodobacter sphaeroides grown under different environmental conditions with special emphasis on the effect of external phosphate concentrations.. Bulletin of Japanese Society of Microbial Ecology, 1991, 6, 25-32.	0.1	20
132	Simultaneous formation of menaquinones and demethylmenaquinones by Micrococcus varians IAM 12146 depending on cell growth media. Current Microbiology, 1991, 22, 53-58.	2.2	3
133	Rhodoferrax fermentans gen. nov., sp. nov., a phototrophic purple nonsulfur bacterium previously referred to as the ?Rhodocyclus gelatinosus-like? group. Archives of Microbiology, 1991, 155, 330.	2.2	116
134	Identification of the diazotrophic bacteria previously referred to as Protomonas-like bacteria, and their capacity for nitrogen fixation.. Journal of General and Applied Microbiology, 1991, 37, 331-340.	0.7	2
135	Light-dependent porphyrin production by suspended and immobilized cells of Rhodobacter sphaeroides. Journal of Bioscience and Bioengineering, 1990, 69, 26-32.	0.9	17
136	Capacity for polyphosphate accumulation of predominant bacteria in activated sludge showing enhanced phosphate removal. Journal of Bioscience and Bioengineering, 1990, 69, 368-371.	0.9	36
137	Exogenous pyrophosphate and polyphosphates used as energy sources for anaerobic removal of organic matter by activated sludge. Journal of Bioscience and Bioengineering, 1989, 68, 360-364.	0.9	3
138	Effects of Organic Nutrient Strength on the Purple Nonsulfur Bacterial Content and Metabolic Activity of Photosynthetic Sludge for Wastewater Treatment. Journal of Bioscience and Bioengineering, 1989, 68, 269-276.	0.9	29
139	Influence of external orthophosphate concentrations on some kinetic properties of activated sludge in an anaerobic-aerobic system. Journal of Bioscience and Bioengineering, 1989, 67, 274-279.	0.9	5
140	Occurrence of menaquinone as the sole isoprenoid quinone in the photosynthetic bacterium Heliobacterium chlorum. Archives of Microbiology, 1989, 151, 378-379.	2.2	37
141	Isolation of rholoquinone-containing chemoorganotrophic bacteria from activated sludge. FEMS Microbiology Letters, 1989, 58, 55-58.	1.8	7
142	Effects of the growth medium composition on menaquinone homolog formation in Micrococcus luteus.. Journal of General and Applied Microbiology, 1989, 35, 311-318.	0.7	23
143	High-performance liquid chromatographic analysis of demethylmenaquinone and menaquinone mixtures from bacteria. Journal of Applied Bacteriology, 1988, 64, 103-105.	1.1	11
144	Fumarate reduction systems in members of the family Rhodospirillaceae with different quinone types. Archives of Microbiology, 1988, 150, 56-60.	2.2	37

#	ARTICLE	IF	CITATIONS
145	Bicarbonate-stimulated dark fermentative growth of a phototrophic purple nonsulfur bacterium. FEMS Microbiology Letters, 1988, 56, 199-202.	1.8	9
146	Respiratory quinone profiles as tools for identifying different bacterial populations in activated sludge.. Journal of General and Applied Microbiology, 1988, 34, 39-56.	0.7	104
147	Coliform species found in coastal seawater in Tokyo Bay. Japanese Journal of Water Treatment Biology, 1987, 23, 1-6.	0.1	0
148	Vertical distribution in and isolation of bacteria from Lake Vanda: an Antarctic lake. Hydrobiologia, 1986, 135, 15-21.	2.0	13
149	Changes in the polyphosphate content of photosynthetically grown Rhodobacter sphaeroides due to nutrient limitation.. Agricultural and Biological Chemistry, 1985, 49, 3343-3345.	0.3	5
150	Occurrence of Rahnella aquatilis, Psychrotrophic Coliforms, in Mountain Soils. Shokuhin Eiseigaku Zasshi Journal of the Food Hygienic Society of Japan, 1985, 26, 573-578_1.	0.2	3
151	Changes in the Polyphosphate Content of Photosynthetically Grown Rhodobacter sphaeroides Due to Nutrient Limitation. Agricultural and Biological Chemistry, 1985, 49, 3343-3345.	0.3	3
152	Distribution of rholoquinone in Rhodospirillaceae and its taxonomic implications.. Journal of General and Applied Microbiology, 1984, 30, 435-448.	0.7	118
153	Distribution of phototrophic purple nonsulfur bacteria in activated sludge systems and other aquatic environments.. Nippon Suisan Gakkaishi, 1984, 50, 1929-1937.	0.1	89
154	Relationships of total coliform, fecal coliform, and organic pollution levels in the Tamagawa River.. Nippon Suisan Gakkaishi, 1984, 50, 991-997.	0.1	24
155	Isoprenoid quinone composition in the classification of Rhodospirillaceae.. Journal of General and Applied Microbiology, 1984, 30, 197-210.	0.7	113
156	Purple Nonsulfur Bacteria and Other Microorganisms in Photosynthetic Sludge Reactors for the Purification of Soybean Curd Wastewater. Japanese Journal of Water Treatment Biology, 1983, 19, 1-8.	0.1	2
157	Species composition and growth-temperature characteristics of coliforms in relation to their sources.. Journal of General and Applied Microbiology, 1982, 28, 139-154.	0.7	12
158	Studies on Microorganisms in Activated Sludge of Fishery Waste Water-II Bacterial flora in waste activated sludge of brayed fish flesh-production. Japanese Journal of Water Treatment Biology, 1978, 14, 33-38.	0.1	0
159	Rhodoplanes Hiraishi and Ueda 1994b, 671VP. , 0, , 545-549.		11
160	Rhodobium Hiraishi, Urata and Satoh 1995d, 230VP. , 0, , 571-574.		4
161	Acidiphilium Harrison 1981, 331 VP emend. Kishimoto, Kosako, Wakao, Tano and Hiraishi 1995b, 90. , 0, , 54-62.		7
162	Rhodoferrax Hiraishi, Hoshino, and Satoh 1992a, 192VP (Effective publication: Hiraishi, Hoshino, and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf		

#	ARTICLE	IF	CITATIONS
163	Porphyrobacter Fuerst, Hawkins, Holms, Sly, Moore and Stackebrandt 1993, 132VP. , 0, , 275-279.		8
164	Acidocella Kishimoto, Kosako, Wakao, Tano, and Hiraishi 1996, 362VP (Effective publication: Kishimoto,) Tj ETQq0 0 0 rgBT /Qverlock 10		
165	Brachymonas Hiraishi, Shin and Sugiyama 1995b, 879VP (Effective publication: Hiraishi, Shin and) Tj ETQq1 1 0.784314 rgBT /Overloc		
166	Roseateles Suyama, Shigematsu, Takaichi, Nodasaka, Fujikawa, Hosoya, Tokiwa, Kanagawa and Hanada 1999, 455VP. , 0, , 746-748.		0