

# Xavier Martini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2660969/publications.pdf>

Version: 2024-02-01

62  
papers

1,104  
citations

394421

19  
h-index

454955

30  
g-index

62  
all docs

62  
docs citations

62  
times ranked

953  
citing authors

#	ARTICLE	IF	CITATIONS
1	Repellent semiochemical solutions to mitigate the impacts of global climate change on arthropod pests. , 2022, , 279-322.		3
2	Repelling whitefly ( <i>Bemisia tabaci</i> ) using limonene-scented kaolin: A novel pest management strategy. <i>Crop Protection</i> , 2022, 154, 105905.	2.1	6
3	Wind Speed and Direction Drive Assisted Dispersal of Asian Citrus Psyllid. <i>Environmental Entomology</i> , 2022, 51, 305-312.	1.4	8
4	Plant Functional Genomics in A Few Days: Laser-Assisted Delivery of Double-Stranded RNA to Higher Plants. <i>Plants</i> , 2021, 10, 93.	3.5	7
5	Insect Management for Onions, Leek, and Garlic. <i>Edis</i> , 2021, 2021, 2.	0.1	0
6	High Temperatures Decrease the Flight Capacity of <i>Diaphorina citri</i> Kuwayama (Hemiptera: Liviidae). <i>Insects</i> , 2021, 12, 394.	2.2	15
7	Cold acclimation increases Asian citrus psyllid <i>Diaphorina citri</i> (Hemiptera: Liviidae) survival during exposure to freezing temperatures. <i>Insect Science</i> , 2021, , .	3.0	4
8	In Vitro Effects of Leaf Extracts from <i>Brassica rapa</i> on the Growth of Two Entomopathogenic Fungi. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 779.	3.5	2
9	Insect Management for Sweet Potatoes. <i>Edis</i> , 2021, 2021, .	0.1	0
10	Population Fluctuations of <i>Diaphorina citri</i> and Its Natural Enemies in Response to Various Management Practices in Florida. <i>Florida Entomologist</i> , 2021, 104, .	0.5	2
11	Verbenone reduces landing of the redbay ambrosia beetle, vector of the laurel wilt pathogen, on live standing redbay trees. <i>Agricultural and Forest Entomology</i> , 2020, 22, 83-91.	1.3	13
12	Use of Semiochemicals for the Management of the Redbay Ambrosia Beetle. <i>Insects</i> , 2020, 11, 796.	2.2	8
13	Progress Toward an Attract-and-Kill Device for Asian Citrus Psyllid (Hemiptera: Liviidae) Using Volatile Signatures of Citrus Infected With Huanglongbing as the Attractant. <i>Journal of Insect Science</i> , 2020, 20, .	1.5	8
14	Foraging behavior responses of <i>Orius insidiosus</i> to thrips cues. <i>Entomologia Experimentalis Et Applicata</i> , 2020, 168, 716-722.	1.4	6
15	Evaluation of semiochemical based push-pull strategy for population suppression of ambrosia beetle vectors of laurel wilt disease in avocado. <i>Scientific Reports</i> , 2020, 10, 2670.	3.3	23
16	The Influence of Visual and Olfactory Cues in Host Selection for <i>Bemisia tabaci</i> Biotype B in the Presence or Absence of Tomato Yellow Leaf Curl Virus. <i>Insects</i> , 2020, 11, 115.	2.2	22
17	Distribution, Phenology, and Overwintering Survival of Asian Citrus Psyllid (Hemiptera: Liviidae), in Urban and Grove Habitats in North Florida. <i>Journal of Economic Entomology</i> , 2020, 113, 1080-1087.	1.8	8
18	Phenology, Distribution, and Diversity of Dung Beetles (Coleoptera: Scarabaeidae) in North Floridaâ€™s Pastures and Forests. <i>Environmental Entomology</i> , 2019, 48, 847-855.	1.4	9

#	ARTICLE	IF	CITATIONS
19	Response of <i>Diaphorina citri</i> (Hemiptera: Liviidae) to volatiles characteristic of preferred citrus hosts. <i>Arthropod-Plant Interactions</i> , 2019, 13, 367-374.	1.1	11
20	Ladybird beetle trails reduce host acceptance by <i>Diaphorina citri</i> Kuwayama (Hemiptera: Liviidae). <i>Biological Control</i> , 2018, 121, 30-35.	3.0	6
21	Temporal Decline in Pathogen-Mediated Release of Methyl Salicylate Associated With Decreasing Vector Preference for Infected Over Uninfected Plants. <i>Frontiers in Ecology and Evolution</i> , 2018, 6, .	2.2	15
22	Effects of Wind, Temperature, and Barometric Pressure on Asian Citrus Psyllid (Hemiptera: Liviidae) flight behavior. <i>Journal of Economic Entomology</i> , 2018, 111, 2570-2577.	1.8	17
23	Crapemyrtle Bark Scale <i>Acanthococcus</i> (=Eriococcus) <i>lagerstroemiae</i> (Kuwana) (Insecta: Hemiptera: Tj ETQq1 1 0.784314 rgBT /Ove	0.1	3
24	Patterns of habitat use by the Asian citrus psyllid, <i>Diaphorina citri</i> , as influenced by abiotic and biotic growing conditions. <i>Agricultural and Forest Entomology</i> , 2017, 19, 171-180.	1.3	6
25	Flight Capacities and Diurnal Flight Patterns of the Ambrosia Beetles, <i>Xyleborus glabratus</i> and <i>Monarthrum mali</i> (Coleoptera: Curculionidae). <i>Environmental Entomology</i> , 2017, 46, 729-734.	1.4	13
26	The Fungus <i>Raffaelea lauricola</i> Modifies Behavior of Its Symbiont and Vector, the Redbay Ambrosia Beetle ( <i>Xyleborus Glabratus</i> ), by Altering Host Plant Volatile Production. <i>Journal of Chemical Ecology</i> , 2017, 43, 519-531.	1.8	30
27	Innate immune system capabilities of the Asian citrus psyllid, <i>Diaphorina citri</i> . <i>Journal of Invertebrate Pathology</i> , 2017, 148, 94-101.	3.2	26
28	Drought stress affects response of phytopathogen vectors and their parasitoids to infection and damage-induced plant volatile cues. <i>Ecological Entomology</i> , 2017, 42, 721-730.	2.2	26
29	Influence of Abiotic Factors on Flight Initiation by Asian Citrus Psyllid (Hemiptera: Liviidae). <i>Environmental Entomology</i> , 2017, 46, 369-375.	1.4	20
30	Male Psyllids Differentially Learn in the Context of Copulation. <i>Insects</i> , 2017, 8, 16.	2.2	21
31	Repellent Activity of Botanical Oils against Asian Citrus Psyllid, <i>Diaphorina citri</i> (Hemiptera: Liviidae). <i>Insects</i> , 2016, 7, 35.	2.2	13
32	Disruption of Vector Host Preference with Plant Volatiles May Reduce Spread of Insect-Transmitted Plant Pathogens. <i>Journal of Chemical Ecology</i> , 2016, 42, 357-367.	1.8	29
33	Factors Affecting the Overwintering Abundance of the Asian Citrus Psyllid (Hemiptera: Liviidae) in Florida Citrus (Sapindales: Rutaceae) Orchards. <i>Florida Entomologist</i> , 2016, 99, 178-186.	0.5	21
34	The Influence of Learning on Host Plant Preference in a Significant Phytopathogen Vector, <i>Diaphorina citri</i> . <i>PLoS ONE</i> , 2016, 11, e0149815.	2.5	29
35	Environmental factors and infection with <i>Candidatus Liberibacter asiaticus</i> influence long-range dispersal of the Asian citrus psyllid. , 2016, , .		0
36	Infection of an Insect Vector with a Bacterial Plant Pathogen Increases Its Propensity for Dispersal. <i>PLoS ONE</i> , 2015, 10, e0129373.	2.5	81

#	ARTICLE	IF	CITATIONS
37	Absence of windbreaks and replanting citrus in solid sets increase density of Asian citrus psyllid populations. <i>Agriculture, Ecosystems and Environment</i> , 2015, 212, 168-174.	5.3	27
38	The Search Behavior of Omnivorous Thrips Larvae is Influenced by Spider Mite Cues. <i>Journal of Insect Behavior</i> , 2015, 28, 593-603.	0.7	8
39	Attraction of Redbay Ambrosia Beetle, <i>Xyleborus Glabratus</i> , To Leaf Volatiles of its Host Plants in North America. <i>Journal of Chemical Ecology</i> , 2015, 41, 613-621.	1.8	30
40	Seasonal Movement Patterns and Long-Range Dispersal of Asian Citrus Psyllid in Florida Citrus. <i>Journal of Economic Entomology</i> , 2015, 108, 3-10.	1.8	111
41	Plant pathogen-induced volatiles attract parasitoids to increase parasitism of an insect vector. <i>Frontiers in Ecology and Evolution</i> , 2014, 2, .	2.2	59
42	Synthetic blends of volatile, phytopathogen-induced odorants can be used to manipulate vector behavior. <i>Frontiers in Ecology and Evolution</i> , 2014, 2, .	2.2	35
43	Abdominal Color of the Asian Citrus Psyllid (Hemiptera: Liviidae) is Associated with Flight Capabilities. <i>Annals of the Entomological Society of America</i> , 2014, 107, 842-847.	2.5	62
44	Volatiles from the symbiotic fungus <i>Raffaelea lauricola</i> are synergistic with Manuka lures for increased capture of the Redbay ambrosia beetle <i>Xyleborus glabratus</i> . <i>Agricultural and Forest Entomology</i> , 2014, 16, 87-94.	1.3	47
45	Plant volatiles and density-dependent conspecific female odors are used by Asian citrus psyllid to evaluate host suitability on a spatial scale. <i>Arthropod-Plant Interactions</i> , 2014, 8, 453-460.	1.1	47
46	Eucalyptol is an Attractant of the Redbay Ambrosia Beetle, <i>Xyleborus Glabratus</i> . <i>Journal of Chemical Ecology</i> , 2014, 40, 355-362.	1.8	24
47	Occurrence of <i>Diaphorina citri</i> (Hemiptera: Liviidae) in an Unexpected Ecosystem: The Lake Kissimmee State Park Forest, Florida. <i>Florida Entomologist</i> , 2013, 96, 658-660.	0.5	29
48	Positive association between thrips and spider mites in seedling cotton. <i>Agricultural and Forest Entomology</i> , 2013, 15, 197-203.	1.3	6
49	Abiotic Factors Affecting Canola Establishment and Insect Pest Dynamics. <i>International Journal of Agronomy</i> , 2012, 2012, 1-9.	1.2	1
50	Sampling and interpretation of psyllid nymph counts in potatoes. <i>Entomologia Experimentalis Et Applicata</i> , 2012, 143, 103-110.	1.4	15
51	Quantitative impact assessment of spray coverage and pest behavior on contact pesticide performance. <i>Pest Management Science</i> , 2012, 68, 1471-1477.	3.4	33
52	A Decision-Support Tool to Predict Spray Deposition of Insecticides in Commercial Potato Fields and Its Implications for Their Performance. <i>Journal of Economic Entomology</i> , 2011, 104, 1138-1145.	1.8	11
53	Evolution of cannibalism and female's response to oviposition-detering pheromone in aphidophagous predators. <i>Journal of Animal Ecology</i> , 2009, 78, 964-972.	2.8	17
54	The Immediate Source of the Oviposition-Detering Pheromone Produced by Larvae of <i>Adalia bipunctata</i> (L.) (Coleoptera, Coccinellidae). <i>Journal of Insect Behavior</i> , 2006, 19, 231-240.	0.7	31

#	ARTICLE	IF	CITATIONS
55	2021â€“2022 Florida Citrus Production Guide: Plant Bugs, Chewing Insect Pests, Caribbean Fruit Fly, and Thrips. Edis, 0, , .	0.1	0
56	Chapter 7. Cucurbit Production. Edis, 0, , .	0.1	0
57	2021â€“2022 Florida Citrus Production Guide: Rust Mites, Spider Mites, and Other Phytophagous Mites. Edis, 0, , .	0.1	0
58	Chapter 12. Onion, Leek, and Chive Production in Florida. Edis, 0, , .	0.1	0
59	2020â€“2021 Florida Citrus Production Guide: Rust Mites, Spider Mites, and other Phytophagous Mites. Edis, 0, , .	0.1	0
60	2020â€“2021 Florida Citrus Production Guide: Soft-Bodied Insects Attacking Foliage and Fruit. Edis, 0, , .	0.1	0
61	2020â€“2021 Florida Citrus Production Guide: Plant Bugs, Chewing Insect Pests, Caribbean Fruit Fly, and Thrips. Edis, 0, , .	0.1	0
62	Repellency of volatiles from Martinique island guava varieties against Asian citrus psyllids. Arthropod-Plant Interactions, 0, , .	1.1	0