

# Ulrika Pettersson-Kymmer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2661754/publications.pdf>

Version: 2024-02-01

21  
papers

2,454  
citations

623734

14  
h-index

713466

21  
g-index

22  
all docs

22  
docs citations

22  
times ranked

5457  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide meta-analysis of monoclonal gammopathy of undetermined significance (MGUS) identifies risk loci impacting IRF-6. <i>Blood Cancer Journal</i> , 2022, 12, 60.	6.2	2
2	The influence of adult hip shape genetic variants on adolescent hip shape: Findings from a population-based DXA study. <i>Bone</i> , 2021, 143, 115792.	2.9	5
3	Eight novel loci implicate shared genetic etiology in multiple myeloma, AL amyloidosis, and monoclonal gammopathy of unknown significance. <i>Leukemia</i> , 2020, 34, 1187-1191.	7.2	13
4	BMD-Related Genetic Risk Scores Predict Site-Specific Fractures as Well as Trabecular and Cortical Bone Microstructure. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e1344-e1357.	3.6	16
5	Genome-wide association study of monoclonal gammopathy of unknown significance (MGUS): comparison with multiple myeloma. <i>Leukemia</i> , 2019, 33, 1817-1821.	7.2	14
6	Identification of Novel Loci Associated With Hip Shape: A Meta-Analysis of Genomewide Association Studies. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 241-251.	2.8	47
7	HLA and KIR Associations of Cervical Neoplasia. <i>Journal of Infectious Diseases</i> , 2018, 218, 2006-2015.	4.0	22
8	Burden of hip fracture using disability-adjusted life-years: a pooled analysis of prospective cohorts in the CHANCES consortium. <i>Lancet Public Health</i> , The, 2017, 2, e239-e246.	10.0	169
9	Defining the genetic susceptibility to cervical neoplasia—A genome-wide association study. <i>PLoS Genetics</i> , 2017, 13, e1006866.	3.5	105
10	Fruit and Vegetable Intake and Hip Fracture Incidence in Older Men and Women: The CHANCES Project. <i>Journal of Bone and Mineral Research</i> , 2016, 31, 1743-1752.	2.8	49
11	Burden of Cancer in a Large Consortium of Prospective Cohorts in Europe. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw127.	6.3	22
12	Pre-diagnostic vitamin D concentrations and cancer risks in older individuals: an analysis of cohorts participating in the CHANCES consortium. <i>European Journal of Epidemiology</i> , 2016, 31, 311-323.	5.7	42
13	Germline genetics of cancer of unknown primary (CUP) and its specific subtypes. <i>Oncotarget</i> , 2016, 7, 22140-22149.	1.8	12
14	Adequate vitamin D levels in a Swedish population living above latitude 63°N: The 2009 Northern Sweden MONICA study. <i>International Journal of Circumpolar Health</i> , 2015, 74, 27963.	1.2	34
15	Whole-genome sequencing identifies EN1 as a determinant of bone density and fracture. <i>Nature</i> , 2015, 526, 112-117.	27.8	483
16	A genome-wide copy number association study of osteoporotic fractures points to the 6p25.1 locus. <i>Journal of Medical Genetics</i> , 2014, 51, 122-131.	3.2	36
17	Hip Fracture Risk and Cadmium in Erythrocytes: A Nested Case-Control Study with Prospectively Collected Samples. <i>Calcified Tissue International</i> , 2014, 94, 183-190.	3.1	16
18	Meta-analysis of genome-wide studies identifies <i>MEF2C</i> SNPs associated with bone mineral density at forearm. <i>Journal of Medical Genetics</i> , 2013, 50, 473-478.	3.2	22

#	ARTICLE	IF	CITATIONS
19	WNT16 Influences Bone Mineral Density, Cortical Bone Thickness, Bone Strength, and Osteoporotic Fracture Risk. PLoS Genetics, 2012, 8, e1002745.	3.5	240
20	Genome-wide meta-analysis identifies 56 bone mineral density loci and reveals 14 loci associated with risk of fracture. Nature Genetics, 2012, 44, 491-501.	21.4	1,100
21	Genome-wide association study meta-analysis identifies the SOAT1/AXDND1 locus to be associated with hip and forearm fracture risk. Bone Abstracts, 0, , .	0.0	1