

Raymond Salvador

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/266425/publications.pdf>

Version: 2024-02-01

84
papers

8,763
citations

126907

33
h-index

66911

78
g-index

87
all docs

87
docs citations

87
times ranked

11375
citing authors

#	ARTICLE	IF	CITATIONS
1	Brain correlates of impaired goal management in bipolar mania. <i>Psychological Medicine</i> , 2023, 53, 1021-1029.	4.5	0
2	In vivo hippocampal subfield volumes in bipolar disorder—A mega-analysis from The Enhancing Neuro Imaging Genetics through Meta-Analysis Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2022, 43, 385-398.	3.6	41
3	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2022, 43, 414-430.	3.6	14
4	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2022, 43, 56-82.	3.6	67
5	Neural correlates of disturbance in the sense of agency in schizophrenia: An fMRI study using the enfacement ™ paradigm. <i>Schizophrenia Research</i> , 2022, 243, 395-401.	2.0	10
6	A meta-analysis of deep brain structural shape and asymmetry abnormalities in 2,833 individuals with schizophrenia compared with 3,929 healthy volunteers via the ENIGMA Consortium . <i>Human Brain Mapping</i> , 2022, 43, 352-372.	3.6	39
7	A Functional Connectivity Study to Investigate the Role of the Right Anterior Insula in Modulating Emotional Dysfunction in Borderline Personality Disorder. <i>Psychosomatic Medicine</i> , 2022, 84, 64-73.	2.0	6
8	Combining fMRI and DISC1 gene haplotypes to understand working memory-related brain activity in schizophrenia. <i>Scientific Reports</i> , 2022, 12, 7351.	3.3	0
9	New insights of the role of the KCNH2 gene in schizophrenia: An fMRI case-control study. <i>European Neuropsychopharmacology</i> , 2022, 60, 38-47.	0.7	0
10	The role of educational attainment and brain morphology in major depressive disorder: Findings from the ENIGMA major depressive disorder consortium.. , 2022, 131, 664-673.		2
11	NRN1 Gene as a Potential Marker of Early-Onset Schizophrenia: Evidence from Genetic and Neuroimaging Approaches. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7456.	4.1	2
12	Negative schizophrenic symptoms as prefrontal cortex dysfunction: Examination using a task measuring goal neglect. <i>NeuroImage: Clinical</i> , 2022, 35, 103119.	2.7	5
13	A functional neuroimaging association study on the interplay between two schizophrenia genome-wide associated genes (CACNA1C and ZNF804A). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1229-1239.	3.2	3
14	Autobiographical memory and default mode network function in schizophrenia: an fMRI study. <i>Psychological Medicine</i> , 2021, 51, 121-128.	4.5	7
15	Structural brain abnormalities in borderline personality disorder correlate with clinical severity and predict psychotherapy response. <i>Brain Imaging and Behavior</i> , 2021, 15, 2502-2512.	2.1	9
16	Comparison of non-parametric T2 relaxometry methods for myelin water quantification. <i>Medical Image Analysis</i> , 2021, 69, 101959.	11.6	16
17	Auditory hallucinations activate language and verbal short-term memory, but not auditory, brain regions. <i>Scientific Reports</i> , 2021, 11, 18890.	3.3	7
18	Interindividual variability of functional connectome in schizophrenia. <i>Schizophrenia Research</i> , 2021, 235, 65-73.	2.0	8

#	ARTICLE	IF	CITATIONS
19	Age- and gender-related differences in brain tissue microstructure revealed by multi-component T2 relaxometry. <i>Neurobiology of Aging</i> , 2021, 106, 68-79.	3.1	15
20	Activation and deactivation patterns in schizophrenia during performance of an fMRI adapted version of the stroop task. <i>Journal of Psychiatric Research</i> , 2021, 144, 1-7.	3.1	3
21	Altered brain responses to specific negative emotions in schizophrenia. <i>NeuroImage: Clinical</i> , 2021, 32, 102894.	2.7	4
22	Evidence for default mode network dysfunction in borderline personality disorder. <i>Psychological Medicine</i> , 2020, 50, 1746-1754.	4.5	13
23	Structural abnormality in schizophrenia versus bipolar disorder: A whole brain cortical thickness, surface area, volume and gyrification analyses. <i>NeuroImage: Clinical</i> , 2020, 25, 102131.	2.7	38
24	Brain imaging correlates of self- and other-reflection in schizophrenia. <i>NeuroImage: Clinical</i> , 2020, 25, 102134.	2.7	17
25	Multivariate Brain Functional Connectivity Through Regularized Estimators. <i>Frontiers in Neuroscience</i> , 2020, 14, 569540.	2.8	5
26	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020, 218, 116956.	4.2	135
27	Effects of mindfulness training on the default mode network in borderline personality disorder. <i>Clinical Psychology and Psychotherapy</i> , 2019, 26, 562-571.	2.7	18
28	Longitudinal brain functional changes between mania and euthymia in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 449-457.	1.9	24
29	Multimodal Integration of Brain Images for MRI-Based Diagnosis in Schizophrenia. <i>Frontiers in Neuroscience</i> , 2019, 13, 1203.	2.8	26
30	Functional Imaging Changes in the Medial Prefrontal Cortex in Adult ADHD. <i>Journal of Attention Disorders</i> , 2018, 22, 679-693.	2.6	21
31	Deficits in nominal reference identify thought disordered speech in a narrative production task. <i>PLoS ONE</i> , 2018, 13, e0201545.	2.5	19
32	Cognitive impairment associated with cocaine use: The role of co-existent alcohol abuse/dependence. <i>Drug and Alcohol Dependence</i> , 2018, 189, 70-75.	3.2	9
33	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	1.3	627
34	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5154-E5163.	7.1	299
35	Sensitivity and specificity of hypoactivations and failure of de-activation in schizophrenia. <i>Schizophrenia Research</i> , 2018, 201, 224-230.	2.0	6
36	Non redundant functional brain connectivity in schizophrenia. <i>Brain Imaging and Behavior</i> , 2017, 11, 552-564.	2.1	16

#	ARTICLE	IF	CITATIONS
37	Differential failure to deactivate the default mode network in unipolar and bipolar depression. <i>Bipolar Disorders</i> , 2017, 19, 386-395.	1.9	40
38	Patterns of activation and de-activation associated with cue-guided spatial navigation: A whole-brain, voxel-based study. <i>Neuroscience</i> , 2017, 358, 70-78.	2.3	1
39	Evaluation of machine learning algorithms and structural features for optimal MRI-based diagnostic prediction in psychosis. <i>PLoS ONE</i> , 2017, 12, e0175683.	2.5	79
40	Converging Medial Frontal Resting State and Diffusion-Based Abnormalities in Borderline Personality Disorder. <i>Biological Psychiatry</i> , 2016, 79, 107-116.	1.3	57
41	Brain abnormalities in adults with Attention Deficit Hyperactivity Disorder revealed by voxel-based morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2016, 254, 41-47.	1.8	35
42	Structural and functional brain changes in delusional disorder. <i>British Journal of Psychiatry</i> , 2016, 208, 153-159.	2.8	25
43	Examining hippocampal function in schizophrenia using a virtual reality spatial navigation task. <i>Schizophrenia Research</i> , 2016, 172, 86-93.	2.0	17
44	Structural and Functional Brain Correlates of Cognitive Impairment in Euthymic Patients with Bipolar Disorder. <i>PLoS ONE</i> , 2016, 11, e0158867.	2.5	35
45	Brain functional changes across the different phases of bipolar disorder. <i>British Journal of Psychiatry</i> , 2015, 206, 136-144.	2.8	59
46	Midline Brain Abnormalities Across Psychotic and Mood Disorders. <i>Schizophrenia Bulletin</i> , 2015, 42, sbv097.	4.3	25
47	Spherical Deconvolution of Multichannel Diffusion MRI Data with Non-Gaussian Noise Models and Spatial Regularization. <i>PLoS ONE</i> , 2015, 10, e0138910.	2.5	27
48	Common and specific brain responses to scenic emotional stimuli. <i>Brain Structure and Function</i> , 2014, 219, 1463-1472.	2.3	27
49	Cognitive-behavioural therapy for the symptoms of schizophrenia: systematic review and meta-analysis with examination of potential bias. <i>British Journal of Psychiatry</i> , 2014, 204, 20-29.	2.8	417
50	Structural Abnormalities in Bipolar Euthymia: A Multicontrast Molecular Diffusion Imaging Study. <i>Biological Psychiatry</i> , 2014, 76, 239-248.	1.3	61
51	Validity of modulation and optimal settings for advanced voxel-based morphometry. <i>NeuroImage</i> , 2014, 86, 81-90.	4.2	96
52	Statistical analysis of brain tissue images in the wavelet domain: Wavelet-based morphometry. <i>NeuroImage</i> , 2013, 72, 214-226.	4.2	16
53	Bipolar depressed patients show both failure to activate and failure to de-activate during performance of a working memory task. <i>Journal of Affective Disorders</i> , 2013, 148, 170-178.	4.1	77
54	Structural brain changes associated with tardive dyskinesia in schizophrenia. <i>British Journal of Psychiatry</i> , 2013, 203, 51-57.	2.8	36

#	ARTICLE	IF	CITATIONS
55	Failure of de-activation in the medial frontal cortex in mania: evidence for default mode network dysfunction in the disorder. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 616-626.	2.6	53
56	Effect of the Interleukin-1 β Gene on Dorsolateral Prefrontal Cortex Function in Schizophrenia: A Genetic Neuroimaging Study. <i>Biological Psychiatry</i> , 2012, 72, 758-765.	1.3	28
57	Procedural Learning in Schizophrenia: Reconciling the Discrepant Findings. <i>Biological Psychiatry</i> , 2011, 69, 49-54.	1.3	22
58	Validation of the Word Accentuation Test (TAP) as a means of estimating premorbid IQ in Spanish speakers. <i>Schizophrenia Research</i> , 2011, 128, 175-176.	2.0	120
59	Neural correlates of cognitive impairment in schizophrenia. <i>British Journal of Psychiatry</i> , 2011, 199, 202-210.	2.8	40
60	Overall brain connectivity maps show cortical-subcortical abnormalities in schizophrenia. <i>Human Brain Mapping</i> , 2010, 31, 2003-2014.	3.6	122
61	Medial prefrontal cortex pathology in schizophrenia as revealed by convergent findings from multimodal imaging. <i>Molecular Psychiatry</i> , 2010, 15, 823-830.	7.9	160
62	Conditional Mutual Information Maps as Descriptors of Net Connectivity Levels in the Brain. <i>Frontiers in Neuroinformatics</i> , 2010, 4, 115.	2.5	35
63	Are There Valid Subtypes of Schizophrenia? A Grade of Membership Analysis. <i>Psychopathology</i> , 2010, 43, 53-62.	1.5	14
64	CamBAfx: Workflow design, implementation and application for neuroimaging. <i>Frontiers in Neuroinformatics</i> , 2009, 3, 27.	2.5	3
65	Early Metabolic Characteristics of Lesion and Nonlesion Tissue after Head Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 965-975.	4.3	29
66	A simple view of the brain through a frequency-specific functional connectivity measure. <i>NeuroImage</i> , 2008, 39, 279-289.	4.2	208
67	Failure to deactivate in the prefrontal cortex in schizophrenia: dysfunction of the default mode network?. <i>Psychological Medicine</i> , 2008, 38, 1185-1193.	4.5	287
68	Frequency based mutual information measures between clusters of brain regions in functional magnetic resonance imaging. <i>NeuroImage</i> , 2007, 35, 83-88.	4.2	82
69	A Resilient, Low-Frequency, Small-World Human Brain Functional Network with Highly Connected Association Cortical Hubs. <i>Journal of Neuroscience</i> , 2006, 26, 63-72.	3.6	2,211
70	Age and cholinergic effects on hemodynamics and functional coherence of human hippocampus. <i>Neurobiology of Aging</i> , 2006, 27, 1395-1404.	3.1	104
71	Permutation testing of orthogonal factorial effects in a language-processing experiment using fMRI. <i>Human Brain Mapping</i> , 2006, 27, 425-433.	3.6	31
72	Physiological thresholds for irreversible tissue damage in contusional regions following traumatic brain injury. <i>Brain</i> , 2005, 128, 1931-1942.	7.6	168

#	ARTICLE	IF	CITATIONS
73	Formal characterization and extension of the linearized diffusion tensor model. Human Brain Mapping, 2005, 24, 144-155.	3.6	148
74	Undirected graphs of frequency-dependent functional connectivity in whole brain networks. Philosophical Transactions of the Royal Society B: Biological Sciences, 2005, 360, 937-946.	4.0	407
75	Neurophysiological Architecture of Functional Magnetic Resonance Images of Human Brain. Cerebral Cortex, 2005, 15, 1332-1342.	2.9	1,202
76	Functional disconnectivity of the medial temporal lobe in Asperger's syndrome. Biological Psychiatry, 2005, 57, 991-998.	1.3	191
77	Relationship between Flow-Metabolism Uncoupling and Evolving Axonal Injury after Experimental Traumatic Brain Injury. Journal of Cerebral Blood Flow and Metabolism, 2004, 24, 1025-1036.	4.3	56
78	Direct comparison of cerebrovascular effects of norepinephrine and dopamine in head-injured patients. Critical Care Medicine, 2004, 32, 1049-1054.	0.9	154
79	Responses of Posttraumatic Pericontusional Cerebral Blood Flow and Blood Volume to an Increase in Cerebral Perfusion Pressure. Journal of Cerebral Blood Flow and Metabolism, 2003, 23, 1371-1377.	4.3	71
80	Wavelets and statistical analysis of functional magnetic resonance images of the human brain. Statistical Methods in Medical Research, 2003, 12, 375-399.	1.5	119
81	An assessment of the spatial variability of basal area in a terrain covered by Mediterranean woodlands. Agriculture, Ecosystems and Environment, 2000, 81, 17-28.	5.3	2
82	A Parametric Model for Estimating Relations Between Unprecisely Located Field Measurements and Remotely Sensed Data. Remote Sensing of Environment, 1999, 67, 99-107.	11.0	2
83	On the applicability of Landsat TM images to Mediterranean forest inventories. Forest Ecology and Management, 1998, 104, 193-208.	3.2	30
84	Neural correlates of referential/persecutory delusions in schizophrenia: examination using fMRI and a virtual reality underground travel paradigm. Psychological Medicine, 0, , 1-8.	4.5	0