Sophia Djebali

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2666358/publications.pdf Version: 2024-02-01

	567281	677142
1,814	15	22
citations	h-index	g-index
24	24	3971
docs citations	times ranked	citing authors
	citations 24	1,81415citationsh-index2424

#	Article	IF	CITATIONS
1	Calcium channel ITPR2 and mitochondria–ER contacts promote cellular senescence and aging. Nature Communications, 2021, 12, 720.	12.8	75
2	PLA2R1 promotes DNA damage and inhibits spontaneous tumor formation during aging. Cell Death and Disease, 2021, 12, 190.	6.3	10
3	Polyclonal expansion of TCR Vβ 21.3 ⁺ CD4 ⁺ and CD8 ⁺ T cells is a hallmark of multisystem inflammatory syndrome in children. Science Immunology, 2021, 6, .	11.9	105
4	OVX836 Heptameric Nucleoprotein Vaccine Generates Lung Tissue-Resident Memory CD8+ T-Cells for Cross-Protection Against Influenza. Frontiers in Immunology, 2021, 12, 678483.	4.8	14
5	Immunogenicity and efficacy of           heterologous ChAdOx1–BNT162b2 vaccinat 701-706.	ion. Natur 27.8	e, <u>202</u> 1, 60(180
6	OVX836 a recombinant nucleoprotein vaccine inducing cellular responses and protective efficacy against multiple influenza A subtypes. Npj Vaccines, 2019, 4, 4.	6.0	25
7	Antigen-Induced but Not Innate Memory CD8 T Cells Express NKG2D and Are Recruited to the Lung Parenchyma upon Viral Infection. Journal of Immunology, 2018, 200, 3635-3646.	0.8	22
8	MAVS deficiency induces gut dysbiotic microbiota conferring a proallergic phenotype. Proceedings of the United States of America, 2018, 115, 10404-10409.	7.1	14
9	Targeting the phospholipase A2 receptor ameliorates premature aging phenotypes. Aging Cell, 2018, 17, e12835.	6.7	31
10	Identification of Nascent Memory CD8 T Cells and Modeling of Their Ontogeny. Cell Systems, 2017, 4, 306-317.e4.	6.2	36
11	IFN-γ extends the immune functions of Guanylate Binding Proteins to inflammasome-independent antibacterial activities during Francisella novicida infection. PLoS Pathogens, 2017, 13, e1006630.	4.7	41
12	Poly-functional and long-lasting anticancer immune response elicited by a safe attenuated Pseudomonas aeruginosa vector for antigens delivery. Molecular Therapy - Oncolytics, 2016, 3, 16033.	4.4	12
13	Immune signatures of protective spleen memory CD8 T cells. Scientific Reports, 2016, 6, 37651.	3.3	15
14	TGF-β inhibits the activation and functions of NK cells by repressing the mTOR pathway. Science Signaling, 2016, 9, ra19.	3.6	453
15	Predicting pathogen-specific CD8 T cell immune responses from a modeling approach. Journal of Theoretical Biology, 2015, 374, 66-82.	1.7	13
16	A comparative phenotypic and genomic analysis of C57BL/6J and C57BL/6N mouse strains. Genome Biology, 2013, 14, R82.	9.6	403
17	ASC Controls IFN-γ Levels in an IL-18–Dependent Manner in Caspase-1–Deficient Mice Infected with Francisella novicida. Journal of Immunology, 2013, 191, 3847-3857.	0.8	31
18	Negative Regulation of NKG2D Expression by IL-4 in Memory CD8 T Cells. Journal of Immunology, 2012, 189, 3480-3489.	0.8	27

SOPHIA DJEBALI

#	Article	IF	CITATIONS
19	T inflammatory memory CD8 T cells participate to antiviral response and generate secondary memory cells with an advantage in XCL1 production. Immunologic Research, 2012, 52, 284-293.	2.9	21
20	EuroPhenome: a repository for high-throughput mouse phenotyping data. Nucleic Acids Research, 2010, 38, D577-D585.	14.5	75
21	Characterization of a CD44/CD122int Memory CD8 T Cell Subset Generated under Sterile Inflammatory Conditions. Journal of Immunology, 2009, 182, 3846-3854.	0.8	29
22	Langerhans cell histiocytosis reveals a new IL-17A–dependent pathway of dendritic cell fusion. Nature Medicine, 2008, 14, 81-87.	30.7	180