## Mazda Jenab

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2669103/publications.pdf

Version: 2024-02-01

319 papers

27,373 citations

4960 84 h-index 147 g-index

332 all docs 332 docs citations

times ranked

332

33396 citing authors

#	Article	IF	CITATIONS
1	General and Abdominal Adiposity and Risk of Death in Europe. New England Journal of Medicine, 2008, 359, 2105-2120.	27.0	1,746
2	Alcohol consumption and site-specific cancer risk: a comprehensive dose–response meta-analysis. British Journal of Cancer, 2015, 112, 580-593.	6.4	880
3	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. Journal of the National Cancer Institute, 2005, 97, 906-916.	6.3	716
4	Genome-wide association study identifies variants in the ABO locus associated with susceptibility to pancreatic cancer. Nature Genetics, 2009, 41, 986-990.	21.4	597
5	A genome-wide association study identifies pancreatic cancer susceptibility loci on chromosomes 13q22.1, 1q32.1 and 5p15.33. Nature Genetics, 2010, 42, 224-228.	21.4	539
6	Detectable clonal mosaicism and its relationship to aging and cancer. Nature Genetics, 2012, 44, 651-658.	21.4	519
7	Alcohol drinking and colorectal cancer risk: an overall and dose–response meta-analysis of published studies. Annals of Oncology, 2011, 22, 1958-1972.	1.2	487
8	Fusobacterium nucleatum associates with stages of colorectal neoplasia development, colorectal cancer and disease outcome. European Journal of Clinical Microbiology and Infectious Diseases, 2014, 33, 1381-1390.	2.9	397
9	Biomarkers in nutritional epidemiology: applications, needs and new horizons. Human Genetics, 2009, 125, 507-525.	3.8	377
10	Fruit and Vegetable Intake and Overall Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2010, 102, 529-537.	6.3	357
11	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations:a nested case-control study. BMJ: British Medical Journal, 2010, 340, b5500-b5500.	2.3	342
12	Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. Gut, 2013, 62, 1764-1770.	12.1	330
13	Light alcohol drinking and cancer: a meta-analysis. Annals of Oncology, 2013, 24, 301-308.	1.2	304
14	Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. Nature Genetics, 2014, 46, 994-1000.	21.4	294
15	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC–EURGAST). International Journal of Cancer, 2006, 118, 2559-2566.	5.1	292
16	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. American Journal of Clinical Nutrition, 2012, 96, 150-163.	4.7	285
17	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). American Journal of Clinical Nutrition, 2015, 101, 613-621.	4.7	284
18	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 1441-1452.	4.7	251

#	Article	IF	Citations
19	Mediterranean dietary pattern and cancer risk in the EPIC cohort. British Journal of Cancer, 2011, 104, 1493-1499.	6.4	248
20	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2007, 121, 2065-2072.	5.1	229
21	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. European Heart Journal, 2011, 32, 1235-1243.	2.2	225
22	Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. BMJ: British Medical Journal, 2011, 342, d1584-d1584.	2.3	218
23	Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2012, 7, e39361.	2.5	218
24	Circulating Vitamin D and Colorectal Cancer Risk: An International Pooling Project of 17 Cohorts. Journal of the National Cancer Institute, 2019, 111, 158-169.	6.3	199
25	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. American Journal of Clinical Nutrition, 2010, 91, 381-390.	4.7	198
26	Hepatocellular Carcinoma Risk Factors and Disease Burden in a European Cohort: A Nested Case-Control Study. Journal of the National Cancer Institute, 2011, 103, 1686-1695.	6.3	197
27	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 255-263.	3.6	191
28	Serum levels of IGFâ€, IGFBPâ€3 and colorectal cancer risk: results from the EPIC cohort, plus a metaâ€analysis of prospective studies. International Journal of Cancer, 2010, 126, 1702-1715.	5.1	190
29	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition.  American Journal of Clinical Nutrition, 2009, 89, 331-346.	4.7	188
30	Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. Gut, 2011, 60, 1094-1102.	12.1	187
31	The influence of flaxseed and lignans on colon carcinogenesis and $\hat{l}^2$ -glucuronidase activity. Carcinogenesis, 1996, 17, 1343-1348.	2.8	185
32	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. BMC Medicine, 2014, 12, 168.	5.5	178
33	Tree Nuts and Peanuts as Components of a Healthy Diet. Journal of Nutrition, 2008, 138, 1736S-1740S.	2.9	177
34	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. Hepatology, 2014, 60, 858-871.	7.3	175
35	Alcohol drinking and pancreatic cancer risk: a metaâ€analysis of the doseâ€risk relation. International Journal of Cancer, 2010, 126, 1474-1486.	5.1	168
36	Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2007, 121, 368-376.	5.1	166

#	Article	lF	CITATIONS
37	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. BMC Medicine, 2021, 19, 1.	5.5	164
38	Contribution of highly industrially processed foods to the nutrient intakes and patterns of middle-aged populations in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2009, 63, S206-S225.	2.9	163
39	Endogenous versus exogenous exposure to N -nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. Carcinogenesis, 2006, 27, 1497-1501.	2.8	162
40	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. International Journal of Cancer, 2015, 136, 1149-1161.	5.1	161
41	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. International Journal of Cancer, 2013, 132, 645-657.	5.1	158
42	Lifestyle and dietary environmental factors in colorectal cancer susceptibility. Molecular Aspects of Medicine, 2019, 69, 2-9.	6.4	157
43	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. Cancer Causes and Control, 2007, 18, 399-413.	1.8	148
44	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. BMC Medicine, 2020, 18, 5.	5.5	148
45	Serum B Vitamin Levels and Risk of Lung Cancer. JAMA - Journal of the American Medical Association, 2010, 303, 2377.	7.4	147
46	Alcohol drinking and esophageal squamous cell carcinoma with focus on lightâ€drinkers and neverâ€smokers: A systematic review and metaâ€analysis. International Journal of Cancer, 2011, 129, 2473-2484.	5.1	140
47	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2008, 88, 1304-12.	4.7	139
48	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis. Neurology, 2013, 80, 829-838.	1.1	138
49	Mediterranean diet and colorectal cancer risk: results from a European cohort. European Journal of Epidemiology, 2013, 28, 317-328.	5.7	136
50	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2008, 88, 1353-1363.	4.7	132
51	Adiposity and gastrointestinal cancers: epidemiology, mechanisms and future directions. Nature Reviews Gastroenterology and Hepatology, 2018, 15, 659-670.	17.8	132
52	Family history of cancer and risk of pancreatic cancer: A pooled analysis from the Pancreatic Cancer Cohort Consortium (PanScan). International Journal of Cancer, 2010, 127, 1421-1428.	5.1	128
53	Prediagnostic 25-Hydroxyvitamin D, <i>VDR</i> and <i>CASR</i> Polymorphisms, and Survival in Patients with Colorectal Cancer in Western European Populations. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 582-593.	2.5	126
54	Metabolic Syndrome and Risks of Colon and Rectal Cancer: The European Prospective Investigation into Cancer and Nutrition Study. Cancer Prevention Research, 2011, 4, 1873-1883.	1.5	125

#	Article	IF	Citations
55	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). Carcinogenesis, 2006, 27, 2250-2257.	2.8	123
56	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. Cancer Causes and Control, 2006, 17, 957-969.	1.8	118
57	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 126, 2394-2403.	5.1	118
58	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. American Journal of Clinical Nutrition, 2015, 102, 905-913.	4.7	118
59	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. Cancer Causes and Control, 2012, 23, 69-88.	1.8	116
60	Plasma carotenoids, retinol, and tocopherols and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition study. American Journal of Clinical Nutrition, 2007, 86, 672-681.	4.7	114
61	CagA+Helicobacter pyloriinfection and gastric cancer risk in the EPIC-EURGAST study. International Journal of Cancer, 2007, 120, 859-867.	5.1	114
62	Fruit and vegetable intake and the risk of gastric adenocarcinoma: A reanalysis of the european prospective investigation into cancer and nutrition (EPICâ€EURGAST) study after a longer followâ€up. International Journal of Cancer, 2012, 131, 2910-2919.	5.1	114
63	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. Annals of Oncology, 2013, 24, 2449-2455.	1.2	114
64	Meeting-in-the-middle using metabolic profiling $\hat{a} \in \text{``a strategy for the identification of intermediate biomarkers in cohort studies. Biomarkers, 2011, 16, 83-88.}$	1.9	113
65	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. American Journal of Clinical Nutrition, 2011, 93, 826-835.	4.7	112
66	Plasma and dietary carotenoid, retinol and tocopherol levels and the risk of gastric adenocarcinomas in the European prospective investigation into cancer and nutrition. British Journal of Cancer, 2006, 95, 406-415.	6.4	111
67	Quantification of the smoking-associated cancer risk with rate advancement periods: meta-analysis of individual participant data from cohorts of the CHANCES consortium. BMC Medicine, 2016, 14, 62.	5.5	110
68	Region-Specific Nutrient Intake Patterns Exhibit a Geographical Gradient within and between European Countries. Journal of Nutrition, 2010, 140, 1280-1286.	2.9	108
69	Dietary fat intake in the European Prospective Investigation into Cancer and Nutrition: results from the 24-h dietary recalls. European Journal of Clinical Nutrition, 2009, 63, S61-S80.	2.9	107
70	Circulating C-Reactive Protein Concentrations and Risks of Colon and Rectal Cancer: A Nested Case-Control Study Within the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 407-418.	3.4	107
71	Anthropometry, Physical Activity, and the Risk of Pancreatic Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 879-885.	2.5	106
72	Cytokine gene polymorphisms and the risk of adenocarcinoma of the stomach in the European prospective investigation into cancer and nutrition (EPIC-EURGAST). Annals of Oncology, 2008, 19, 1894-1902.	1.2	105

#	Article	IF	CITATIONS
73	Body Size and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 3252-3261.	2.5	104
74	Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2008, 87, 1405-1413.	4.7	104
75	Pathway analysis of genome-wide association study data highlights pancreatic development genes as susceptibility factors for pancreatic cancer. Carcinogenesis, 2012, 33, 1384-1390.	2.8	102
76	Helicobacter pylori infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. Annals of Oncology, 2012, 23, 1320-1324.	1.2	102
77	Characterization of Large Structural Genetic Mosaicism in Human Autosomes. American Journal of Human Genetics, 2015, 96, 487-497.	6.2	101
78	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: AÂMultinational Cohort Study. Clinical Gastroenterology and Hepatology, 2019, 17, 1323-1331.e6.	4.4	99
79	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. Annals of Oncology, 2013, 24, 543-553.	1.2	98
80	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. Carcinogenesis, 2017, 38, 699-707.	2.8	94
81	Variation in intakes of calcium, phosphorus, magnesium, iron and potassium in 10 countries in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2009, 63, S101-S121.	2.9	93
82	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. BMC Medicine, 2015, 13, 242.	5.5	93
83	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: A nested case-control study. Hepatology, 2014, 60, 1222-1230.	7.3	91
84	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. American Journal of Clinical Nutrition, 2011, 94, 1266-1275.	4.7	90
85	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633.	2.9	90
86	Comparison of general obesity and measures of body fat distribution in older adults in relation to cancer risk: meta-analysis of individual participant data of seven prospective cohorts in Europe. British Journal of Cancer, 2017, 116, 1486-1497.	6.4	89
87	Serum Insulin-like Growth Factor (IGF)-I and IGF-Binding Protein-3 Concentrations and Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1121-1127.	2.5	88
88	Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. Oncotarget, 2016, 7, 66328-66343.	1.8	88
89	Serum Vitamin D and Risk of Prostate Cancer in a Case-Control Analysis Nested Within the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Epidemiology, 2009, 169, 1223-1232.	3.4	87
90	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Diabetologia, 2011, 54, 3037-3046.	6.3	85

#	Article	IF	CITATIONS
91	Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2013, 8, e72715.	2.5	85
92	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). International Journal of Epidemiology, 2007, 36, 66-76.	1.9	81
93	Alcohol drinking and laryngeal cancer: Overall and dose–risk relation – A systematic review and meta-analysis. Oral Oncology, 2010, 46, 802-810.	1.5	81
94	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2007, 121, 1331-1338.	5.1	80
95	Variations in Plasma Phytoestrogen Concentrations in European Adults. Journal of Nutrition, 2007, 137, 1294-1300.	2.9	78
96	Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Haematologica, 2008, 93, 1666-1677.	3.5	78
97	A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. International Journal of Obesity, 2009, 33, 497-506.	3.4	77
98	Plasma phyto-oestrogens and prostate cancer in the European Prospective Investigation into Cancer and Nutrition. British Journal of Cancer, 2009, 100, 1817-1823.	6.4	77
99	Polymorphisms in fatty acid metabolism-related genes are associated with colorectal cancer risk. Carcinogenesis, 2010, 31, 466-472.	2.8	77
100	Biomarkers of Oxidative Stress and Risk of Developing Colorectal Cancer: A Cohort-nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2012, 175, 653-663.	3.4	77
101	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. International Journal of Cancer, 2016, 138, 348-360.	5.1	77
102	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. British Journal of Nutrition, 2006, 96, S12-S23.	2.3	76
103	Dietary fiber intake and risk of hormonal receptor–defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. American Journal of Clinical Nutrition, 2013, 97, 344-353.	4.7	76
104	A Nested Case–Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS Medicine, 2016, 13, e1001988.	8.4	76
105	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a <scp>E</scp> uropean population: Multicentre, prospective cohort study. International Journal of Cancer, 2015, 136, 1899-1908.	5.1	75
106	Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2006, 118, 3133-3139.	5.1	73
107	Vitamin D Receptor and Calcium Sensing Receptor Polymorphisms and the Risk of Colorectal Cancer in European Populations. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2485-2491.	2.5	73
108	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2012, 131, E544-54.	5.1	73

#	Article	IF	Citations
109	Phytic acid in wheat bran affects colon morphology, cell differentiation and apoptosis. Carcinogenesis, 2000, 21, 1547-1552.	2.8	72
110	Plasma Folate, Related Genetic Variants, and Colorectal Cancer Risk in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1328-1340.	2.5	72
111	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. Carcinogenesis, 2012, 33, 1211-1218.	2.8	72
112	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). Annals of Oncology, 2013, 24, 2166-2173.	1.2	72
113	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 104, 406-414.	4.7	70
114	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 124, 1926-1934.	5.1	69
115	Association of <i>CRP</i> genetic variants with blood concentrations of Câ€reactive protein and colorectal cancer risk. International Journal of Cancer, 2015, 136, 1181-1192.	5.1	69
116	Prediagnostic Plasma Bile Acid Levels and Colon Cancer Risk: A Prospective Study. Journal of the National Cancer Institute, 2020, 112, 516-524.	6.3	69
117	The influence of phytic acid in wheat bran on early biomarkers of colon carcinogenesis. Carcinogenesis, 1998, 19, 1087-1092.	2.8	68
118	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. International Journal of Epidemiology, 2008, 37, 1316-1325.	1.9	68
119	Randomâ€effects metaâ€regression models for studying nonlinear dose–response relationship, with an application to alcohol and esophageal squamous cell carcinoma. Statistics in Medicine, 2010, 29, 2679-2687.	1.6	68
120	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 3108-3115.	2.5	67
121	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2012, 96, 345-355.	4.7	67
122	Plasma Alkylresorcinols, Biomarkers of Whole-Grain Wheat and Rye Intake, and Incidence of Colorectal Cancer. Journal of the National Cancer Institute, 2014, 106, djt352.	6.3	67
123	Adherence to the WCRF/AICR Dietary Recommendations for Cancer Prevention and Risk of Cancer in Elderly from Europe and the United States: A Meta-Analysis within the CHANCES Project. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 136-144.	2.5	67
124	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. BMC Medicine, 2015, 13, 107.	5.5	66
125	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. Cancer Research, 2012, 72, 5328-5337.	0.9	65
126	Meat and fish consumption and risk of pancreatic cancer: Results from the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2013, 132, 617-624.	5.1	65

#	Article	IF	CITATIONS
127	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2013, 133, 2429-2443.	5.1	65
128	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2015, 102, 1498-1508.	4.7	63
129	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. PLoS Medicine, 2018, 15, e1002651.	8.4	63
130	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. International Journal of Cancer, 2006, $119$ , $2389-2397$ .	5.1	62
131	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC–EURGAST). Cancer Letters, 2011, 311, 85-95.	7.2	62
132	The Association of Gastric Cancer Risk with Plasma Folate, Cobalamin, and Methylenetetrahydrofolate Reductase Polymorphisms in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2416-2424.	2.5	60
133	Dietary intakes of retinol, $\hat{l}^2$ -carotene, vitamin D and vitamin E in the European Prospective Investigation into Cancer and Nutrition cohort. European Journal of Clinical Nutrition, 2009, 63, S150-S178.	2.9	60
134	Prostate stemâ€cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: Results from the EPICâ€EURGAST study. International Journal of Cancer, 2012, 130, 2417-2427.	5.1	60
135	Smoking, Alcohol, and Biliary Tract Cancer Risk: A Pooling Project of 26 Prospective Studies. Journal of the National Cancer Institute, 2019, 111, 1263-1278.	6.3	60
136	Plasma Vitamins B2, B6, and B12, and Related Genetic Variants as Predictors of Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2549-2561.	2.5	59
137	Genome-wide association study of survival in patients with pancreatic adenocarcinoma. Gut, 2014, 63, 152-160.	12.1	59
138	Inflammation marker and risk of pancreatic cancer: a nested case–control study within the EPIC cohort. British Journal of Cancer, 2012, 106, 1866-1874.	6.4	58
139	Dairy products and risk of hepatocellular carcinoma: The European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2014, 135, 1662-1672.	5.1	58
140	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. European Journal of Nutrition, 2018, 57, 2399-2408.	3.9	58
141	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. Journal of Hepatology, 2019, 70, 885-892.	3.7	58
142	Fruit and Vegetable Consumption and Risk of Epithelial Ovarian Cancer: The European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2531-2535.	2.5	57
143	Polymorphisms in Metabolic Genes Related to Tobacco Smoke and the Risk of Gastric Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2427-2434.	2.5	57
144	Reliability of biomarkers of iron status, blood lipids, oxidative stress, vitamin D, C-reactive protein and fructosamine in two Dutch cohorts. Biomarkers, 2006, 11, 370-382.	1.9	57

#	Article	IF	Citations
145	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. Cancer Causes and Control, 2010, 21, 657-669.	1.8	57
146	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). European Journal of Epidemiology, 2014, 29, 261-275.	5.7	56
147	Impact of prediagnostic smoking and smoking cessation on colorectal cancer prognosis: a meta-analysis of individual patient data from cohorts within the CHANCES consortium. Annals of Oncology, 2018, 29, 472-483.	1.2	56
148	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Carcinogenesis, 2012, 33, 361-367.	2.8	55
149	Adult weight change and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. European Journal of Cancer, 2013, 49, 3526-3536.	2.8	55
150	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2014, 135, 2930-2939.	5.1	55
151	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. BMJ, The, 2020, 370, m3173.	6.0	54
152	The Role of Gut Barrier Dysfunction and Microbiome Dysbiosis in Colorectal Cancer Development. Frontiers in Oncology, 2021, 11, 626349.	2.8	54
153	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. American Journal of Epidemiology, 2007, 166, 912-923.	3.4	53
154	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. British Journal of Cancer, 2017, 116, 688-696.	6.4	53
155	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. Journal of Proteome Research, 2017, 16, 3137-3146.	3.7	53
156	The Consortium on Health and Ageing: Network of Cohorts in Europe and the United States (CHANCES) project—design, population and data harmonization of a large-scale, international study. European Journal of Epidemiology, 2014, 29, 929-936.	5.7	52
157	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. British Journal of Cancer, 2012, 106, 1004-1010.	6.4	51
158	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2017, 140, 1836-1844.	5.1	50
159	Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPICâ€EURGAST study. International Journal of Cancer, 2007, 121, 1618-1623.	5.1	49
160	Circulating Concentrations of Folate and Vitamin B12 in Relation to Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition Study. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 279-285.	2.5	49
161	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. European Journal of Epidemiology, 2016, 31, 255-266.	5.7	49
162	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. BMC Medicine, 2017, 15, 72.	5 <b>.</b> 5	49

#	Article	IF	Citations
163	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). Cancer Causes and Control, 2009, 20, 785-794.	1.8	48
164	Alcohol consumption and lung cancer risk in never smokers: a meta-analysis. Annals of Oncology, 2011, 22, 2631-2639.	1.2	48
165	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. European Journal of Nutrition, 2016, 55, 7-20.	3.9	48
166	Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. International Journal of Cancer, 2007, 121, 2741-2747.	5.1	46
167	Lifetime and baseline alcohol intake and risk of cancer of the upper aeroâ€digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Cancer, 2009, 125, 406-412.	5.1	46
168	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. European Journal of Cancer, 2011, 47, 1808-1816.	2.8	45
169	Red Meat, Dietary Nitrosamines, and Heme Iron and Risk of Bladder Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 555-559.	2.5	45
170	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: AÂmeta-analysis and Mendelian randomisation analysis. PLoS Medicine, 2020, 17, e1003394.	8.4	45
171	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. International Journal of Cancer, 2021, 148, 609-625.	5.1	45
172	Genetic architectures of proximal and distal colorectal cancer are partly distinct. Gut, 2021, 70, 1325-1334.	12.1	44
173	A food pattern that is predictive of flavonol intake and risk of pancreatic cancer. American Journal of Clinical Nutrition, 2008, 88, 1653-1662.	4.7	43
174	Methylation patterns in sentinel genes in peripheral blood cells of heavy smokers: Influence of cruciferous vegetables in an intervention study. Epigenetics, 2011, 6, 1114-1119.	2.7	43
175	The association of circulating adiponectin levels with pancreatic cancer risk: A study within the prospective EPIC cohort. International Journal of Cancer, 2012, 130, 2428-2437.	5.1	43
176	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 125, 2643-2651.	5.1	42
177	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. International Journal of Cancer, 2014, 135, 1949-1960.	5.1	42
178	Pre-diagnostic vitamin D concentrations and cancer risks in older individuals: an analysis of cohorts participating in the CHANCES consortium. European Journal of Epidemiology, 2016, 31, 311-323.	5.7	42
179	Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. European Journal of Epidemiology, 2020, 35, 975-986.	5.7	42
180	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). American Journal of Clinical Nutrition, 2011, 94, 1304-1313.	4.7	41

#	Article	IF	CITATIONS
181	Axonal guidance signaling pathway interacting with smoking in modifying the risk of pancreatic cancer: a gene- and pathway-based interaction analysis of GWAS data. Carcinogenesis, 2014, 35, 1039-1045.	2.8	41
182	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2014, 134, 612-621.	5.1	41
183	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. Cancer Prevention Research, 2016, 9, 758-765.	1.5	41
184	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. European Journal of Epidemiology, 2018, 33, 1063-1075.	5.7	41
185	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. International Journal of Cancer, 2012, 130, 622-630.	5.1	40
186	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. Genes and Nutrition, 2013, 8, 549-560.	2.5	40
187	Investigating sources of variability in metabolomic data in the EPIC study: the Principal Component Partial R-square (PC-PR2) method. Metabolomics, 2014, 10, 1074-1083.	3.0	40
188	Fruit and vegetable consumption in relation to hepatocellular carcinoma in a multi-centre, European cohort study. British Journal of Cancer, 2015, 112, 1273-1282.	6.4	40
189	Overweight duration in older adults and cancer risk: a study of cohorts in Europe and the United States. European Journal of Epidemiology, 2016, 31, 893-904.	5 <b>.</b> 7	40
190	Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). Carcinogenesis, 2008, 29, 1360-1366.	2.8	39
191	Vitamins B2 and B6 and Genetic Polymorphisms Related to One-Carbon Metabolism as Risk Factors for Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 28-38.	2.5	39
192	The Associations of Advanced Glycation End Products and Its Soluble Receptor with Pancreatic Cancer Risk: A Case–Control Study within the Prospective EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 619-628.	2.5	39
193	Association of nut and seed intake with colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 1595-603.	2.5	39
194	Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 1384-1393.	3.4	38
195	Dietary fat, fat subtypes and hepatocellular carcinoma in a large <scp>E</scp> uropean cohort. International Journal of Cancer, 2015, 137, 2715-2728.	5.1	38
196	Prospective association of liver function biomarkers with development of hepatobiliary cancers. Cancer Epidemiology, 2016, 40, 179-187.	1.9	38
197	Alcohol Consumption and the Risk for Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 1282-1287.	2.5	37
198	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2012, 130, 2654-2663.	5.1	37

#	Article	IF	CITATIONS
199	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the <scp>E</scp> uropean <scp>P</scp> rospective <scp>I</scp> nvestigation into <scp>C</scp> ancer and <scp>N</scp> utrition: A nested case–control study. International Journal of Cancer, 2015, 136, E665-76.	5.1	37
200	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2009, 20, 811-821.	1.8	35
201	Second-hand Smoke, Cotinine Levels, and Risk of Circulatory Mortality in a Large Cohort Study of Never-Smokers. Epidemiology, 2010, 21, 207-214.	2.7	35
202	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2013, 98, 827-838.	4.7	35
203	Coffee and tea consumption, genotype-based <i>CYP1A2</i> li>and <i>NAT2</i> li>activity and colorectal cancer risk-Results from the EPIC cohort study. International Journal of Cancer, 2014, 135, 401-412.	5.1	35
204	Ecological-Level Associations Between Highly Processed Food Intakes and Plasma Phospholipid Elaidic Acid Concentrations: Results From a Cross-Sectional Study Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). Nutrition and Cancer, 2011, 63, 1235-1250.	2.0	34
205	Alcohol dehydrogenase and aldehyde dehydrogenase gene polymorphisms, alcohol intake and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2012, 66, 1303-1308.	2.9	34
206	Prediagnostic Intake of Dairy Products and Dietary Calcium and Colorectal Cancer Survival—Results from the EPIC Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1813-1823.	2.5	34
207	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. International Journal of Cancer, 2009, 124, 245-249.	5.1	33
208	Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2012, 96, 1354-1361.	4.7	33
209	Prediagnostic plasma testosterone, sex hormoneâ€binding globulin, IGFâ€l and hepatocellular carcinoma: Etiological factors or risk markers?. International Journal of Cancer, 2014, 134, 164-173.	5.1	33
210	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. American Journal of Clinical Nutrition, 2014, 99, 139-147.	4.7	33
211	Body Size Indicators and Risk of Gallbladder Cancer: Pooled Analysis of Individual-Level Data from 19 Prospective Cohort Studies. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 597-606.	2.5	33
212	A prospective evaluation of plasma polyphenol levels and colon cancer risk. International Journal of Cancer, 2018, 143, 1620-1631.	5.1	33
213	Dietary intake of advanced glycation end products (AGEs) and changes in body weight in European adults. European Journal of Nutrition, 2020, 59, 2893-2904.	3.9	33
214	Variations in Lycopene Blood Levels and Tomato Consumption across European Countries Based on the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Journal of Nutrition, 2005, 135, 2032S-2036S.	2.9	32
215	Genes–Environment Interactions in Obesity- and Diabetes-Associated Pancreatic Cancer: A GWAS Data Analysis. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 98-106.	2.5	32
216	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. Nutrients, 2018, 10, 654.	4.1	32

#	Article	IF	Citations
217	Gallstones, Body Mass Index, Câ€Reactive Protein, and Gallbladder Cancer: Mendelian Randomization Analysis of Chilean and European Genotype Data. Hepatology, 2021, 73, 1783-1796.	7.3	32
218	Phytic acid in wheat bran affects colon morphology, cell differentiation and apoptosis. Carcinogenesis, 2000, 21, 1547-1552.	2.8	31
219	Dietary sources and sociodemographic and economic factors affecting vitamin D and calcium intakes in Flemish preschoolers. European Journal of Clinical Nutrition, 2011, 65, 1039-1047.	2.9	31
220	Anthropometric Risk Factors for Cancers of the Biliary Tract in the Biliary Tract Cancers Pooling Project. Cancer Research, 2019, 79, 3973-3982.	0.9	31
221	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. Gut, 2019, 68, 672-683.	12.1	31
222	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 869-875.	2.5	30
223	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1855-1863.	2.5	30
224	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. British Journal of Nutrition, 2016, 116, 316-325.	2.3	30
225	Sialomucin production in aberrant crypt foci relates to degree of dysplasia and rate of cell proliferation. Cancer Letters, 2001, 165, 19-25.	7.2	29
226	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. Carcinogenesis, 2013, 34, 1244-1250.	2.8	29
227	Blood Metal Levels and Amyotrophic Lateral Sclerosis Risk: A Prospective Cohort. Annals of Neurology, 2021, 89, 125-133.	5.3	29
228	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and <i>trans</i> fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. International Journal of Cancer, 2021, 149, 865-882.	5.1	29
229	Ethanol Intake and Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Epidemiology, 2006, 164, 1103-1114.	3.4	28
230	Body iron status and gastric cancer risk in the <scp>EURGAST</scp> study. International Journal of Cancer, 2015, 137, 2904-2914.	5.1	28
231	A statistical framework to model the meeting-in-the-middle principle using metabolomic data: application to hepatocellular carcinoma in the EPIC study. Mutagenesis, 2015, 30, gev045.	2.6	28
232	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 291-301.	2.5	28
233	Circulating bilirubin levels and risk of colorectal cancer: serological and Mendelian randomization analyses. BMC Medicine, 2020, 18, 229.	5.5	28
234	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). European Journal of Cancer, 2008, 44, 774-780.	2.8	27

#	Article	IF	CITATIONS
235	A Metabolomic Study of Biomarkers of Habitual Coffee Intake in Four European Countries. Molecular Nutrition and Food Research, 2019, 63, e1900659.	3.3	27
236	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 2971-2979.	5.1	26
237	Prediagnostic Circulating Parathyroid Hormone Concentration and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 767-778.	2.5	26
238	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. British Journal of Cancer, 2016, 115, 1430-1440.	6.4	26
239	Metabolic signature of healthy lifestyle and its relation with risk of hepatocellular carcinoma in a large European cohort. American Journal of Clinical Nutrition, 2018, 108, 117-126.	4.7	26
240	Flaxseed and Lignans Increase Cecal $\hat{l}^2$ -Glucuronidase Activity in Rats. Nutrition and Cancer, 1999, 33, 154-158.	2.0	25
241	No Association of Consumption of Animal Foods with Risk of Ovarian Cancer. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 852-855.	2.5	25
242	Dietary intake of iron, hemeâ€iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2012, 131, E1134-47.	5.1	25
243	Prospective evaluation of antibody response to <i>Streptococcus gallolyticus</i> and risk of colorectal cancer. International Journal of Cancer, 2018, 143, 245-252.	5.1	25
244	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 1293-1303.	3.6	25
245	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2010, 91, 1769-1776.	4.7	24
246	Variation in the Vitamin D Receptor Gene is not Associated with Risk of Colorectal Cancer in the Czech Republic. Journal of Gastrointestinal Cancer, 2011, 42, 149-154.	1.3	24
247	Metabolic signatures of greater body size and their associations with risk of colorectal and endometrial cancers in the European Prospective Investigation into Cancer and Nutrition. BMC Medicine, 2021, 19, 101.	5.5	24
248	<i>Helicobacter pylori</i> infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested caseâ€control study. International Journal of Cancer, 2017, 140, 1727-1735.	5.1	23
249	Are Metabolic Signatures Mediating the Relationship between Lifestyle Factors and Hepatocellular Carcinoma Risk? Results from a Nested Case–Control Study in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 531-540.	2.5	23
250	Bacterial Translocation and Risk of Liver Cancer in a Finnish Cohort. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 807-813.	2.5	23
251	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. Clinical Gastroenterology and Hepatology, 2022, 20, e1061-e1082.	4.4	23
252	A bivariate measurement error model for nitrogen and potassium intakes to evaluate the performance of regression calibration in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2009, 63, S179-S187.	2.9	22

#	Article	IF	Citations
253	Burden of Cancer in a Large Consortium of Prospective Cohorts in Europe. Journal of the National Cancer Institute, 2016, 108, djw127.	6.3	22
254	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. Nutrients, 2019, 11, 935.	4.1	22
255	Menstrual and reproductive factors in women, genetic variation in <i>CYP17A1</i> , and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2013, 132, 2164-2175.	5.1	20
256	Plasma fetuin-A concentration, genetic variation in the <i> AHSG &lt; /i &gt; gene and risk of colorectal cancer. International Journal of Cancer, 2015, 137, 911-920.</i>	5.1	20
257	Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. Journal of the National Cancer Institute, 2021, 113, 1542-1550.	6.3	20
258	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. International Journal of Epidemiology, 2017, 46, 1823-1835.	1.9	19
259	Vitamin D-Related Genes, Blood Vitamin D Levels and Colorectal Cancer Risk in Western European Populations. Nutrients, 2019, 11, 1954.	4.1	19
260	Association of Pre-diagnostic Antibody Responses to Escherichia coli and Bacteroides fragilis Toxin Proteins with Colorectal Cancer in a European Cohort. Gut Microbes, 2021, 13, 1-14.	9.8	19
261	Phytic acid in wheat bran affects colon morphology, cell differentiation and apoptosis. Carcinogenesis, 2000, 21, 1547-52.	2.8	19
262	Alcohol drinking and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. Annals of Epidemiology, 2013, 23, 93-98.	1.9	18
263	Prediagnostic alterations in circulating bile acid profiles in the development of hepatocellular carcinoma. International Journal of Cancer, 2022, 150, 1255-1268.	5.1	18
264	A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. Journal of the National Cancer Institute, 2015, 107, .	6.3	17
265	Genetic variation in the ADIPOQ gene, adiponectin concentrations and risk of colorectal cancer: a Mendelian Randomization analysis using data from three large cohort studies. European Journal of Epidemiology, 2017, 32, 419-430.	5.7	17
266	Metabolic Mediators of the Association Between Adult Weight Gain and Colorectal Cancer: Data From the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. American Journal of Epidemiology, 2017, 185, 751-764.	3.4	17
267	Antibody Responses to <i>Fusobacterium nucleatum</i> Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1552-1555.	2.5	17
268	Gallstones and incident colorectal cancer in a large panâ€European cohort study. International Journal of Cancer, 2019, 145, 1510-1516.	5.1	17
269	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2020, 123, 198-208.	2.3	17
270	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2020, 147, 1027-1039.	5.1	17

#	Article	IF	Citations
271	Long-term Cryoconservation and Stability of Vitamin C in Serum Samples of the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1837-1840.	2.5	16
272	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. International Journal of Cancer, 2018, 142, 1189-1201.	5.1	16
273	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. Environmental Research, 2019, 169, 417-433.	7.5	16
274	Tree Nut and Peanut Consumption in Relation to Chronic and Metabolic Diseases Including Allergy1,2,. Journal of Nutrition, 2008, 138, 1757S-1762S.	2.9	15
275	Nitrosamines and Heme Iron and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 547-551.	2.5	15
276	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. European Journal of Epidemiology, 2013, 28, 677-688.	5.7	15
277	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. Diabetes Care, 2018, 41, 277-285.	8.6	15
278	A New Pipeline for the Normalization and Pooling of Metabolomics Data. Metabolites, 2021, 11, 631.	2.9	15
279	Prevalent diabetes and risk of total, colorectal, prostate and breast cancers in an ageing population: meta-analysis of individual participant data from cohorts of the CHANCES consortium. British Journal of Cancer, 2021, 124, 1882-1890.	6.4	13
280	Genetic Variability of the mTOR Pathway and Prostate Cancer Risk in the European Prospective Investigation on Cancer (EPIC). PLoS ONE, 2011, 6, e16914.	2.5	12
281	Association of Circulating Vitamin D With Colorectal Cancer Depends on Vitamin D–Binding Protein Isoforms: A Pooled, Nested, Case-Control Study. JNCI Cancer Spectrum, 2020, 4, pkz083.	2.9	12
282	Dietary intake of advanced glycation endproducts and risk of hepatobiliary cancers: A multinational cohort study. International Journal of Cancer, 2021, 149, 854-864.	5.1	12
283	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Nutrients, 2021, 13, 3132.	4.1	12
284	Associations between reproductive factors and biliary tract cancers in women from the Biliary Tract Cancers Pooling Project. Journal of Hepatology, 2020, 73, 863-872.	3.7	12
285	Metabolic Syndrome and Risk of Gastrointestinal Cancers: An Investigation Using Large-scale Molecular Data. Clinical Gastroenterology and Hepatology, 2022, 20, e1338-e1352.	4.4	12
286	Antibody Responses to <i>Helicobacter pylori</i> and Risk of Developing Colorectal Cancer in a European Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1475-1481.	2.5	11
287	Association of prediagnostic vitamin D status with mortality among colorectal cancer patients differs by common, inherited vitamin Dâ€binding protein isoforms. International Journal of Cancer, 2020, 147, 2725-2734.	5.1	11
288	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. International Journal of Cancer, 2012, 131, 997-1002.	5.1	10

#	Article	IF	CITATIONS
289	New cancer cases attributable to diet among adults aged 30–84 years in France in 2015. British Journal of Nutrition, 2018, 120, 1171-1180.	2.3	10
290	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 874-885.	2.5	10
291	Comparison of fecal sample collection methods for microbial analysis embedded within colorectal cancer screening programs. Cancer Epidemiology Biomarkers and Prevention, 2021, , cebp.0188.2021.	2.5	10
292	ABCB1/4 gallbladder cancer risk variants identified in India also show strong effects in Chileans. Cancer Epidemiology, 2020, 65, 101643.	1.9	9
293	Toenail selenium, plasma selenoprotein P and risk of advanced prostate cancer: A nested caseâ€control study. International Journal of Cancer, 2021, 148, 876-883.	5.1	9
294	Soft Drink and Juice Consumption and Renal Cell Carcinoma Incidence and Mortality in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1270-1274.	2.5	9
295	Hepcidin levels and gastric cancer risk in the EPICâ€EurGast study. International Journal of Cancer, 2017, 141, 945-951.	5.1	8
296	Prediagnostic Blood Selenium Status and Mortality among Patients with Colorectal Cancer in Western European Populations. Biomedicines, 2021, 9, 1521.	3.2	8
297	Genetic variability of the forkhead box O3 and prostate cancer risk in the European Prospective Investigation on Cancer. Oncology Reports, 2011, 26, 979-86.	2.6	7
298	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Caseâ€"Control Study Nested within a European Prospective Cohort. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 182-192.	2.5	7
299	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. Carcinogenesis, 2021, 42, 705-713.	2.8	7
300	Dietary Intake of Advanced Glycation End Products (AGEs) and Mortality among Individuals with Colorectal Cancer. Nutrients, 2021, 13, 4435.	4.1	7
301	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1089-1092.	2.5	6
302	Arsenic and gallbladder cancer risk: Mendelian randomization analysis of European prospective data. International Journal of Cancer, 2020, 146, 2648-2650.	5.1	6
303	Glycemic index and glycemic load: application in observational studies and association with hepatocellular carcinoma risk. Meaningful or error prone?. Annals of Oncology, 2010, 21, 437-439.	1.2	5
304	Polymorphisms in genes related to one-carbon metabolism are not related to pancreatic cancer in PanScan and PanC4. Cancer Causes and Control, 2013, 24, 595-602.	1.8	4
305	Impediments in foreign collaboration and conducting a high throughput molecular epidemiology research in India, an assessment from a feasibility study. SpringerPlus, 2015, 4, 287.	1.2	3
306	The Combined Effect of Cancer and Cardiometabolic Conditions on the Mortality Burden in Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 366-372.	3.6	3

#	Article	IF	CITATIONS
307	Purified and endogenous phytic acid in wheat bran affects early biomarkers of colon cancer risk. larc (international Agency for Research on Cancer) Scientific Publications, 2002, 156, 387-9.	0.4	3
308	Pre-diagnostic C-reactive protein concentrations, CRP genetic variation and mortality among individuals with colorectal cancer in Western European populations. BMC Cancer, 2022, 22, .	2.6	3
309	Role of Phytic Acid in Cancer and Other Diseases. , 2001, , .		2
310	Reply to W Liang and CW Binns. American Journal of Clinical Nutrition, 2009, 90, 1112-1114.	4.7	1
311	Alkylresorcinols (biomarkers of whole grain intake), cereal fibre intake and metabolic profile - results from a European study. Proceedings of the Nutrition Society, 2020, 79, .	1.0	1
312	Prospective associations between the nutritional quality of foods consumed (graded by the FSAm-NPS) Tj ETQq(	0 0 o gBT	Oyerlock 10
313	Phytic Acid and Cancer., 2001,, 531-549.		1
314	Association of selenium status and selenoprotein genetic variations with cancer risk., 2019, , 165-166.		1
315	Reply to CK Chow. American Journal of Clinical Nutrition, 2010, 91, 239.	4.7	О
316	PO-063 Pre-diagnostic unconjugated bilirubin levels and colorectal cancer risk in the european prospective investigation into cancer and nutrition (EPIC). ESMO Open, 2018, 3, A251.	4.5	0
317	The Influence of Wheat Fiber and Bran on Mineral Nutriture. , 2001, , 221-251.		О
318	Abstract 1581: Gut barrier function-related genes and colorectal cancer risk in Western European populations. , 2019, , .		0
319	Abstract 626: Association of circulating vitamin D concentrations with colorectal cancer risk differs depending on inherited genotypes in combination with dietary lifestyle factors. , 2019, , .		0