

Mohammed Sanhoob

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2669713/publications.pdf>

Version: 2024-02-01

74
papers

2,129
citations

218677

26
h-index

254184

43
g-index

74
all docs

74
docs citations

74
times ranked

2147
citing authors

#	ARTICLE	IF	CITATIONS
1	Catalyst development for tar reduction in biomass gasification: Recent progress and the way forward. Journal of Environmental Management, 2022, 305, 114274.	7.8	27
2	Waste materials from palm oil plant as exploratory catalysts for FAME biodiesel production. Applied Nanoscience (Switzerland), 2022, 12, 3703-3719.	3.1	7
3	Geopolymer catalysts derived from palm oil mill ash for biodiesel production from Calophyllum inophyllum oil. Applied Nanoscience (Switzerland), 2022, 12, 3735-3745.	3.1	2
4	Catalytic Cracking of n-Dodecane to Chemicals: Effect of Variable-Morphological ZSM-5 Zeolites Synthesized Using Various Silica Sources. ACS Omega, 2022, 7, 10317-10329.	3.5	11
5	A Review on the Conversion of Synthetic Gas to LPG over Hybrid Nanostructure Zeolites Catalysts. ChemistrySelect, 2022, 7, .	1.5	8
6	Effect of zeolite structure and addition of steam on naphtha catalytic cracking to improve olefin production. Fuel, 2022, 321, 124089.	6.4	17
7	Acidity modifications of nanozeolite-Y for enhanced selectivity to olefins from the steam catalytic cracking of dodecane. RSC Advances, 2022, 12, 18274-18281.	3.6	5
8	ZSM-5 Catalysts for MTO: Effect and Optimization of the Tetrapropylammonium Hydroxide Concentration on Synthesis and Performance. ACS Omega, 2022, 7, 21654-21663.	3.5	13
9	Highlighting the Greener Shift in Transportation Energy and Fuels Based on Novel Catalytic Materials. Energy & Fuels, 2021, 35, 25-44.	5.1	10
10	Nano BEA zeolite catalysts for the selective catalytic cracking of n-dodecane to light olefins. RSC Advances, 2021, 11, 7904-7912.	3.6	10
11	Conversion of Methanol to Olefins over Modified OSDA-Free CHA Zeolite Catalyst. Industrial & Engineering Chemistry Research, 2021, 60, 12189-12199.	3.7	7
12	Naphtha catalytic cracking to olefins over zirconia-titania catalyst. Reaction Chemistry and Engineering, 2021, 7, 123-132.	3.7	8
13	Steam cracking of green diesel (C12) to BTX and olefins over silane-treated hierarchical BEA. Fuel, 2020, 263, 116624.	6.4	16
14	Effect of Temperature and Concentration of Zeolite Catalysts from Geothermal Solid Waste in Biodiesel Production from Used Cooking Oil by Esterification-Transesterification Process. Processes, 2020, 8, 1629.	2.8	13
15	Effects of metal support interaction on dry reforming of methane over Ni/CeAl ₂ O ₃ catalysts. Canadian Journal of Chemical Engineering, 2020, 98, 2425-2434.	1.7	12
16	Development of New Kinetic Models for Methanol to Hydrocarbons over a Ca-ZSM-5 Catalyst. Energy & Fuels, 2020, 34, 6245-6260.	5.1	7
17	Biogasoline Production from Palm Oil: Optimization of Catalytic Cracking Parameters. Arabian Journal for Science and Engineering, 2020, 45, 7257-7266.	3.0	12
18	Opportunities for less-explored zeolitic materials in the syngas-to-olefins pathway over nanoarchitected catalysts: a mini review. Catalysis Science and Technology, 2020, 10, 1582-1596.	4.1	35

#	ARTICLE	IF	CITATIONS
19	Magnetic iron oxide/clay nanocomposites for adsorption and catalytic oxidation in water treatment applications. <i>Open Chemistry</i> , 2020, 18, 1148-1166.	1.9	47
20	OSDA-free chabazite (CHA) zeolite synthesized in the presence of fluoride for selective methanol-to-olefins. <i>Microporous and Mesoporous Materials</i> , 2019, 274, 277-285.	4.4	31
21	Process design and techno-economic analysis of ethyl levulinate production from carbon dioxide and 1,4-butanediol as an alternative biofuel and fuel additive. <i>International Journal of Energy Research</i> , 2019, 43, 5932-5945.	4.5	5
22	Glycerol to Solketal for Fuel Additive: Recent Progress in Heterogeneous Catalysts. <i>Energies</i> , 2019, 12, 2872.	3.1	50
23	Experimental Investigation of Aluminosilicate Nanoparticles for Enhanced Recovery of Waxy Crude Oil. <i>Energy & Fuels</i> , 2019, 33, 6076-6082.	5.1	20
24	Production of Sustainable Diesel via Decarboxylation of Palm Stearin Basic Soaps. <i>Energy & Fuels</i> , 2019, 33, 11648-11654.	5.1	6
25	Improved Municipal Solid Waste Gasification Efficiency Using a Modified Downdraft Gasifier with Variations of Air Input and Preheated Air Temperature. <i>Energy & Fuels</i> , 2019, 33, 11049-11056.	5.1	15
26	Stable Boron-Modified ZSM-22 Zeolite Catalyst for Selective Production of Propylene from Methanol. <i>Energy & Fuels</i> , 2019, 33, 12679-12684.	5.1	7
27	The role of acidity, side pocket, and steam on maximizing propylene yield from light naphtha cracking over one-dimensional zeolites: Case studies of EU-1 and disordered ZSM-48. <i>Fuel</i> , 2019, 258, 116034.	6.4	19
28	Peculiarities of Glycerol Conversion to Chemicals Over Zeolite-Based Catalysts. <i>Frontiers in Chemistry</i> , 2019, 7, 233.	3.6	26
29	Synthesis of phosphate-modified zeolite as a modifier in carbon paste electrode for nitrite electrochemical detection. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 3283-3293.	2.2	4
30	Microwave-Assisted Hydrothermal Synthesis of CHA Zeolite for Methanol-to-Olefins Reaction. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 60-68.	3.7	19
31	An exciting opportunity for zeolite adsorbent design in separation of C4 olefins through adsorptive separation. <i>Separation and Purification Technology</i> , 2019, 221, 126-151.	7.9	26
32	Fabrication zone of OSDA-free and seed-free mordenite crystals. <i>Powder Technology</i> , 2019, 342, 992-997.	4.2	9
33	Zirconia-Based Nanocatalysts in Heavy Oil Upgrading: A Mini Review. <i>Energy & Fuels</i> , 2018, 32, 2840-2854.	5.1	29
34	Isomerization of <i>n</i> -Butane over Cost-Effective Mordenite Catalysts Fabricated via Recrystallization of Natural Zeolites. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 1894-1902.	3.7	28
35	Selective catalytic cracking of <i>n</i> -hexane to olefins over SSZ-54 fabricated by facile and novel dual templating method. <i>Fuel</i> , 2018, 227, 48-58.	6.4	8
36	Hydrothermally stable acid-modified ZSM-22 zeolite for selective propylene production via steam-assisted catalytic cracking of <i>n</i> -hexane. <i>Microporous and Mesoporous Materials</i> , 2018, 260, 30-39.	4.4	22

#	ARTICLE	IF	CITATIONS
37	Dimethyl ether-to-olefins over aluminum rich ZSM-5: The role of Ca and La as modifiers. <i>Fuel</i> , 2018, 211, 18-26.	6.4	40
38	Lanthanum, cerium, and boron incorporated ZSM-12 zeolites for catalytic cracking of n -hexane. <i>Journal of Analytical and Applied Pyrolysis</i> , 2018, 129, 231-240.	5.5	20
39	Stable Production of Gasoline-Ranged Hydrocarbons from Dimethyl Ether over Iron-Modified ZSM-22 Zeolite. <i>Energy & Fuels</i> , 2018, 32, 11796-11801.	5.1	12
40	Fluidizable Fe-Co/Ce-ZrO ₂ Catalysts for Steam Reforming of Toluene as a Tar Surrogate in Biomass Gasification. <i>Energy & Fuels</i> , 2018, 32, 12833-12842.	5.1	24
41	Steam catalytic cracking of heavy naphtha (C12) to high octane naphtha over B-MFI zeolite. <i>Applied Catalysis B: Environmental</i> , 2017, 210, 432-443.	20.2	31
42	Mechanochemical Route and Recrystallization Strategy To Fabricate Mordenite Nanoparticles from Natural Zeolites. <i>Crystal Growth and Design</i> , 2017, 17, 3313-3320.	3.0	31
43	Stability Assessment of Regenerated Hierarchical ZSM-48 Zeolite Designed by Post-Synthesis Treatment for Catalytic Cracking of Light Naphtha. <i>Energy & Fuels</i> , 2017, 31, 14097-14103.	5.1	27
44	Iron- and Cobalt-Doped Ceria-Zirconia Nanocomposites for Catalytic Cracking of Naphtha with Regenerative Capability. <i>Energy & Fuels</i> , 2017, 31, 12612-12623.	5.1	16
45	Viscosity Reduction of Heavy Oil Using Nanocatalyst in Aquathermolysis Reaction. <i>KONA Powder and Particle Journal</i> , 2016, 33, 3-16.	1.7	34
46	Development of surface modified mordenite catalysts and their stability in hot liquid water. <i>Advanced Powder Technology</i> , 2016, 27, 1404-1410.	4.1	6
47	Ring opening of hydrocarbons for diesel and aromatics production: Design of heterogeneous catalytic systems. <i>Fuel</i> , 2016, 181, 618-629.	6.4	44
48	Conversion of methanol to olefins over Al-rich ZSM-5 modified with alkaline earth metal oxides. <i>Catalysis Science and Technology</i> , 2016, 6, 7852-7859.	4.1	39
49	Steam Catalytic Cracking of n-Hexane over Modified MTW Zeolites Impregnated by Extra-Framework Elements. <i>Energy & Fuels</i> , 2016, 30, 9679-9685.	5.1	9
50	Microwave-assisted hydrothermal synthesis of mordenite zeolite: Optimization of synthesis parameters. <i>Microporous and Mesoporous Materials</i> , 2016, 232, 211-217.	4.4	30
51	Fabrication of desilicated MTW zeolite and its application in catalytic cracking of n-heptane. <i>Advanced Powder Technology</i> , 2016, 27, 372-378.	4.1	11
52	Synthesis of silicalite-1 using fluoride media under microwave irradiation. <i>Microporous and Mesoporous Materials</i> , 2016, 233, 140-147.	4.4	10
53	Robust surface-modified Beta zeolite for selective production of lighter fuels by steam-assisted catalytic cracking from heavy oil. <i>Fuel</i> , 2016, 168, 61-67.	6.4	29
54	Microwave-assisted solvothermal synthesis of ZSM-22 zeolite with controllable crystal lengths. <i>Particuology</i> , 2016, 24, 138-141.	3.6	11

#	ARTICLE	IF	CITATIONS
55	Lanthanum-impregnated zeolite modified carbon paste electrode for determination of Cadmium (II). <i>Microporous and Mesoporous Materials</i> , 2016, 225, 164-173.	4.4	14
56	Development of mesoporous ZSM-12 zeolite and its application in alkylation of 2-methylnaphthalene. <i>Research on Chemical Intermediates</i> , 2016, 42, 6437-6448.	2.7	20
57	Dimethyl ether to olefins over dealuminated mordenite (MOR) zeolites derived from natural minerals. <i>Journal of Natural Gas Science and Engineering</i> , 2016, 28, 566-571.	4.4	46
58	Waste to liquid fuels: potency, progress and challenges. <i>International Journal of Energy Research</i> , 2015, 39, 1451-1478.	4.5	34
59	Hydrous pyrolysis of heavy oil using solid acid minerals for viscosity reduction. <i>Journal of Analytical and Applied Pyrolysis</i> , 2015, 114, 1-10.	5.5	42
60	A review on coke management during dry reforming of methane. <i>International Journal of Energy Research</i> , 2015, 39, 1196-1216.	4.5	279
61	Maximizing Diesel Production through Oligomerization: A Landmark Opportunity for Zeolite Research. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 781-789.	3.7	64
62	The role of alcohols and diols as co-solvents in fabrication of TON zeolite. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 29, 112-119.	5.8	16
63	Aquathermolysis of heavy oil: A review and perspective on catalyst development. <i>Fuel</i> , 2015, 157, 219-231.	6.4	181
64	Development of hierarchical EU-1 zeolite by sequential alkaline and acid treatments for selective dimethyl ether to propylene (DTP). <i>Applied Catalysis A: General</i> , 2015, 497, 127-134.	4.3	37
65	Catalytic upgrading of vegetable oils into jet fuels range hydrocarbons using heterogeneous catalysts: A review. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 29, 12-23.	5.8	104
66	Recent Developments on Silicoaluminates and Silicoaluminophosphates in the Methanol-to-Propylene Reaction: A Mini Review. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 4891-4905.	3.7	74
67	Hydroisomerization of sustainable feedstock in biomass-to-fuel conversion: a critical review. <i>International Journal of Energy Research</i> , 2015, 39, 741-759.	4.5	29
68	Role of crystal growth modifiers in the synthesis of ZSM-12 zeolite. <i>Advanced Powder Technology</i> , 2015, 26, 188-192.	4.1	10
69	Controlling naphtha cracking using nanosized TON zeolite synthesized in the presence of polyoxyethylene surfactant. <i>Journal of Analytical and Applied Pyrolysis</i> , 2014, 110, 338-345.	5.5	18
70	Selective catalytic cracking of n-hexane to propylene over hierarchical MTT zeolite. <i>Fuel</i> , 2014, 135, 105-111.	6.4	55
71	Synthesis of ZSM-12 (MTW) with different Al-source: Towards understanding the effects of crystallization parameters. <i>Microporous and Mesoporous Materials</i> , 2014, 194, 31-37.	4.4	27
72	Controlled and rapid growth of MTT zeolite crystals with low-aspect-ratio in a microwave reactor. <i>Chemical Engineering Journal</i> , 2013, 226, 367-376.	12.7	40

#	ARTICLE	IF	CITATIONS
73	Microwave-assisted hydrothermal synthesis of zeolite Beta coatings on ALD-modified borosilicate glass for application in microstructured reactors. Chemical Engineering Journal, 2008, 135, S117-S120.	12.7	24
74	Performance of NiMo-Al ₂ O ₃ catalyst in biokerosene production via hydrocracking of dirty palm oil. International Journal of Ambient Energy, 0, , 1-11.	2.5	0