

Changgui Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2669779/publications.pdf>

Version: 2024-02-01

136
papers

2,115
citations

257450

24
h-index

315739

38
g-index

136
all docs

136
docs citations

136
times ranked

1360
citing authors

#	ARTICLE	IF	CITATIONS
1	Annealing-induced network evolution and optical property of chalcogenide thinfilm within germanium-sulfur binary system. <i>Journal of Non-Crystalline Solids</i> , 2022, 575, 121187.	3.1	0
2	Intense and broadband mid-infrared emission by nano-crystallization of rare-earth doped oxyfluoride glass-ceramic. <i>Journal of Alloys and Compounds</i> , 2022, 900, 163413.	5.5	11
3	Broadband NIR-emitting Te cluster-doped glass for smart light source towards night-vision and NIR spectroscopy applications. <i>Photonics Research</i> , 2022, 10, 1187.	7.0	13
4	Study on third-order optical nonlinear properties of transparent chalcogenide glass ceramics within Ge-S binary system. <i>Ceramics International</i> , 2022, 48, 11209-11214.	4.8	3
5	Glass formation and optical properties of Sn modified GeS ₂ -Ga ₂ S ₃ -CsCl chalcogenide glasses. <i>Infrared Physics and Technology</i> , 2022, 122, 104086.	2.9	3
6	Study on correlation between network structure and third-order optical nonlinearity of chalcogenide glasses within a Ge-Sb-S ternary system. <i>Journal of Non-Crystalline Solids</i> , 2022, 588, 121628.	3.1	5
7	Exceptionally high sodium ion conductivity and enhanced air stability in Na ₃ SbS ₄ via germanium doping. <i>Journal of Alloys and Compounds</i> , 2022, 913, 165229.	5.5	7
8	Effect of biphasic-phase on the mid-infrared emission properties of Pr ³⁺ doped GeSe ₂ -Ga ₂ Se ₃ chalcogenide glass ceramics. <i>Journal of Luminescence</i> , 2022, 249, 119049.	3.1	0
9	Infrared GRIN GeS ₂ -Sb ₂ S ₃ -CsCl chalcogenide glass-ceramics. <i>Journal of the American Ceramic Society</i> , 2022, 105, 6007-6012.	3.8	5
10	Third-order optical nonlinearity of CsPb(Br/I) ₃ metal halide perovskites nano-crystals embedded chalcogenide glass. <i>Optics Express</i> , 2022, 30, 28647.	3.4	2
11	Structural phase evolved Ni ²⁺ -doped fluoride nanocrystals in KF ₂ ZnF ₂ -SiO ₂ glass-ceramics. <i>Journal of the American Ceramic Society</i> , 2021, 104, 824-832.	3.8	4
12	Investigation of the acousto-optical properties of Ge-As-Te (Se) chalcogenide glasses at 10.6 μm wavelength. <i>Journal of the American Ceramic Society</i> , 2021, 104, 3224-3234.	3.8	8
13	Controllable crystallization of cesium halides in GeS ₂ -Sb ₂ S ₃ based chalcogenide glasses. <i>Ceramics International</i> , 2021, 47, 11474-11480.	4.8	3
14	Nanocrystallization and optical properties of CsPbBr ₃ -I perovskites in chalcogenide glasses. <i>Journal of the European Ceramic Society</i> , 2021, 41, 4584-4589.	5.7	7
15	Spectral fitting method for obtaining the refractive index and thickness of chalcogenide films. <i>Optics Express</i> , 2021, 29, 29329.	3.4	4
16	Tunable broadband near-infrared luminescence in glass realized by defect-engineering. <i>Optics Express</i> , 2021, 29, 32149.	3.4	4
17	Formation and physical and structural properties of Sb ₂ S ₃ -PbI ₂ chalcogenide glasses. <i>Journal of Non-Crystalline Solids</i> , 2021, 570, 120993.	3.1	4
18	Optical properties of Ge-Sb-Se thin films induced by femtosecond laser. <i>Optics Communications</i> , 2021, 496, 127123.	2.1	9

#	ARTICLE	IF	CITATIONS
19	Chalcogenide glass ceramics: A high-performing innovative infrared acousto-optic material. Journal of the European Ceramic Society, 2021, 41, 7215-7221.	5.7	7
20	Translation Matching Method for Obtaining the Refractive Index of Chalcogenide Films Based on the Transmission Spectra. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-7.	4.7	2
21	Glass formation and physical properties of Sb_2S_3 -Cu chalcogenide system*. Chinese Physics B, 2021, 30, 016302.	1.4	1
22	Tunable broadband upconversion luminescence from $\text{Yb}^{3+}/\text{Mn}^{2+}$ co-doped dual-phase glass ceramics. Ceramics International, 2020, 46, 5271-5277.	4.8	11
23	Unveiling crystallization mechanism for controlling nanocrystalline structure in glasses. Journal of the European Ceramic Society, 2020, 40, 2173-2178.	5.7	12
24	Prussian blue analog $\text{Co}_3[\text{Co}(\text{CN})_6]_2$ as a cathode material for lithium-sulfur batteries. Applied Physics Letters, 2020, 117, .	3.3	4
25	Structure promoted electrochemical behavior and chemical stability of AgI-doped solid electrolyte in sulfide glass system. Journal of the American Ceramic Society, 2020, 103, 6348-6355.	3.8	3
26	Improvement of third-order nonlinear properties in GeS_2 - Sb_2S_3 - CsCl chalcogenide glass ceramics embedded with CsCl nano-crystals. Ceramics International, 2020, 46, 27990-27995.	4.8	5
27	Nanocrystallization of lead-free $\text{Cs}_3\text{Sb}_2\text{Br}_9$ perovskites in chalcogenide glass. Journal of the American Ceramic Society, 2020, 103, 6106-6111.	3.8	8
28	Enhanced third-order optical nonlinearity and photon luminescence of Sn^{2+} in gold nanoparticles embedded chalcogenide glasses. Journal of Materials Science, 2020, 55, 15882-15893.	3.7	4
29	Nanocrystallization of CsPbI_3 perovskite nanocrystals in GeS_2 - Sb_2S_3 based chalcogenide glass. Journal of the European Ceramic Society, 2020, 40, 4148-4152.	5.7	18
30	Glassy Flux Protocol to Confine Lead-Free CsSnX_3 Nanocrystals into Transparent Solid Medium. Journal of Physical Chemistry Letters, 2020, 11, 6084-6089.	4.6	10
31	A modified chalcogenide flux method for confining metal halide nanocrystals into transparent glassy matrix. Journal of the European Ceramic Society, 2020, 40, 6037-6042.	5.7	6
32	Conductivity and structural properties of fast Ag-ion-conducting GaGeSbS -AgI glassy electrolytes. Ceramics International, 2020, 46, 24882-24886.	4.8	4
33	Controlled nano-crystallization of IR frequency-doubling Cd_4GeS_6 crystal in chalcogenide glass. Journal of the American Ceramic Society, 2020, 103, 4057-4062.	3.8	2
34	Luminescent ion-doped transparent glass ceramics for mid-infrared light sources [invited]. Optics Express, 2020, 28, 21522.	3.4	63
35	Trapped excited electrons in Ni^{2+} -doped perovskite KZnF_3 nanocrystals in $\text{KF} \cdot \text{ZnF}_2 \cdot \text{SiO}_2$ glass ceramics. Optics Letters, 2020, 45, 4984.	3.3	3
36	Trapped excited electrons in Ni^{2+} -doped perovskite KZnF_3 nanocrystals in $\text{KF} \cdot \text{ZnF}_2 \cdot \text{SiO}_2$ glass ceramics: publisher's note. Optics Letters, 2020, 45, 5376.	3.3	0

#	ARTICLE	IF	CITATIONS
37	Microhardness and optical property of chalcogenide glasses and glass-ceramics of the Sn-Sb-Se ternary system. <i>Journal of the American Ceramic Society</i> , 2019, 102, 2066-2074.	3.8	5
38	Effect of heat treatment on Ag-rich chalcogenide glasses with enhanced ionic conductivity. <i>Journal of the American Ceramic Society</i> , 2019, 102, 1309-1315.	3.8	3
39	Study on the factors affecting the refractive index change of chalcogenide films induced by femtosecond laser. <i>Optics and Laser Technology</i> , 2019, 120, 105708.	4.6	11
40	Spontaneous crystallization of PbCl ₂ nanocrystals in GeS ₂ -Sb ₂ S ₃ based chalcogenide glasses. <i>Journal of Non-Crystalline Solids</i> , 2019, 521, 119543.	3.1	8
41	Relationship between composition, crystallization, and phase separation behavior of GeS ₂ -Sb ₂ S ₃ -CsCl chalcogenide glasses. <i>Infrared Physics and Technology</i> , 2019, 102, 102978.	2.9	10
42	Correlating structure with third-order optical nonlinearity of chalcogenide glasses within a germanium-sulfur binary system. <i>Journal of Non-Crystalline Solids</i> , 2019, 522, 119562.	3.1	14
43	Phase Separation and Nanocrystallization in KF-ZnF ₂ -SiO ₂ Glasses: Lessons from Solid-State NMR. <i>Journal of Physical Chemistry B</i> , 2019, 123, 1688-1695.	2.6	9
44	Performance modification of third-order optical nonlinearity of chalcogenide glasses by nanocrystallization. <i>Ceramics International</i> , 2019, 45, 18767-18771.	4.8	16
45	Structure and ionic conductivity of new Ga ₂ S ₃ -Sb ₂ S ₃ -NaI chalcogenide glass system. <i>Physica B: Condensed Matter</i> , 2019, 570, 53-57.	2.7	4
46	Fabrication and microstructure of perovskite CsPbCl ₃ nanocrystallized chalcogenide glass-ceramics. <i>Journal of the American Ceramic Society</i> , 2019, 102, 5045-5049.	3.8	3
47	Correlation between thermo-mechanical properties and network structure in Ge _x S _{100-x} chalcogenide glasses. <i>Journal of Non-Crystalline Solids: X</i> , 2019, 1, 100015.	1.2	8
48	Local field effect influenced third-order optical nonlinearity of whole visible transparent chalcogenide glass ceramics. <i>Ceramics International</i> , 2019, 45, 10840-10844.	4.8	7
49	Femtosecond Laser Writing Waveguide in KZnF ₃ :Ni ²⁺ . , 2019, , .		0
50	Fabrication and bending strength analysis of low-loss Ge ₁₅ As ₂₅ Se ₄₀ Te ₂₀ chalcogenide glass fiber: a potential mid-infrared laser transmission medium. <i>Optical Materials Express</i> , 2019, 9, 2859.	3.0	10
51	Structural characterization and compositional dependence of the optical properties of Ge-Ga-La-S chalcogenide glass system. <i>Optical Materials</i> , 2018, 78, 295-301.	3.6	6
52	Formation, Microstructure, and Conductivity of a Novel Ga ₂ S ₃ -Sb ₂ S ₃ -AgI Chalcogenide System. <i>Scientific Reports</i> , 2018, 8, 1699.	3.3	11
53	Competitive crystallization of Î ² -Zn ₂ SiO ₄ and ZnO in an aluminosilicate glass. <i>Ceramics International</i> , 2018, 44, 7209-7213.	4.8	12
54	Fast Ag-Ion-Conducting Ge ₂ -Sb ₂ S ₃ -AgI Glassy Electrolytes with Exceptionally Low Activation Energy. <i>Journal of Physical Chemistry C</i> , 2018, 122, 1486-1491.	3.1	28

#	ARTICLE	IF	CITATIONS
55	Physical and structural properties of Ge-rich chalcogenide glass sandwiched by GeS crystalline layers. <i>Ceramics International</i> , 2018, 44, 13827-13831.	4.8	5
56	Compositional dependence of physical and structural properties in $(\text{Ge}_{1-x}\text{Ga}_x)\text{S}_2$ chalcogenide glasses. <i>Journal of Non-Crystalline Solids</i> , 2018, 489, 45-49.	3.1	13
57	Compositional dependence of the optical properties of novel $\text{Ga}_{x-1}\text{Sb}_x\text{S}_{2-x}\text{Pb}_2$ ($x=0.2, 0.4, 0.6, 0.8$) infrared chalcogenide glasses. <i>Journal of the American Ceramic Society</i> , 2018, 101, 749-755.	3.8	12
58	Chalcogenide glass-ceramics: Functional design and crystallization mechanism. <i>Progress in Materials Science</i> , 2018, 93, 1-44.	32.8	123
59	$\text{Ni}^{2+}:\text{KZnF}_3$ Glass-Ceramics Waveguide Beam Splitters Inscribed by Femtosecond Laser. , 2018, , .		0
60	Effect of gallium environment on infrared emission in Er^{3+} -doped gallium-antimony-sulfur glasses. <i>Scientific Reports</i> , 2017, 7, 41168.	3.3	13
61	Surface Passivation of CdSe Quantum Dots in All Inorganic Amorphous Solid by Forming $\text{Cd}_{1-x}\text{Zn}_x\text{Se}$ Shell. <i>Scientific Reports</i> , 2017, 7, 42359.	3.3	38
62	Free-volume defects investigation of GeS_2 - Ga_2S_3 - CsI chalcogenide glasses by positron annihilation spectroscopy. <i>Infrared Physics and Technology</i> , 2017, 83, 238-242.	2.9	5
63	Effect of gallium addition on physical and structural properties of Ge-S chalcogenide glasses. <i>Ceramics International</i> , 2017, 43, 12205-12208.	4.8	6
64	Effect of iodine (I_2) on structural, thermal and optical properties of Ge-Sb-S chalcogenide host glasses and ones doped with Dy. <i>Journal of Non-Crystalline Solids</i> , 2017, 464, 81-88.	3.1	14
65	Preparation and properties of Ge-Ga-La-S-AgI chalcogenide glass. <i>Ceramics International</i> , 2017, 43, 4508-4512.	4.8	13
66	Surface crystallization behavior and physical properties of $(\text{GeTe}_{0.4}\text{S}_{0.85}\text{AgI}_{0.15})_{1-x}$ chalcogenide glass. <i>Infrared Physics and Technology</i> , 2017, 86, 135-138.	2.9	4
67	Structures of $\text{Ge}_{15}\text{Sb}_x\text{Se}_{85-x}$ chalcogenide glasses affect their Raman gain performance. <i>Applied Physics B: Lasers and Optics</i> , 2017, 123, 1.	2.2	5
68	Optimization of draw processing parameters for As_2Se_3 glass fiber. <i>Optical Fiber Technology</i> , 2017, 38, 46-50.	2.7	7
69	High Verdet constants and diamagnetic responses of GeS_2 - In_2S_3 - PbI_2 chalcogenide glasses for integrated optics applications. <i>Optics Express</i> , 2017, 25, 20410.	3.4	28
70	Improvement of Swanepoel method for deriving the thickness and the optical properties of chalcogenide thin films. <i>Optics Express</i> , 2017, 25, 440.	3.4	48
71	Extension of the Swanepoel method for obtaining the refractive index of chalcogenide thin films accurately at an arbitrary wavenumber. <i>Optics Express</i> , 2017, 25, 31273.	3.4	12
72	GeS_2 - In_2S_3 - CsI Chalcogenide Glasses Doped with Rare Earth Ions for Near- and Mid-IR Luminescence. <i>Scientific Reports</i> , 2016, 6, 37577.	3.3	9

#	ARTICLE	IF	CITATIONS
73	Preparation and Structure of New Oxyfluoride Glass-Ceramics Containing BaLiF_3 Nanocrystal. <i>Journal of the American Ceramic Society</i> , 2016, 99, 2878-2881.	3.8	4
74	Lilac ceramic pigments based on $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Zn}_{2-x}\text{Ni}_x\text{Si}_2\text{O}_7$ solid solutions. <i>Ceramics International</i> , 2016, 42, 13035-13040.	4.8	6
75	Oxyfluoride Glass-Ceramics for Transition Metal Ion Based Photonics: Broadband Near-IR Luminescence of Nickel Ion Dopant and Nanocrystallization Mechanism. <i>Journal of Physical Chemistry C</i> , 2016, 120, 4556-4563.	3.1	44
76	Glass Formation and Ionic Conduction Behavior in $\text{GeSe}_2\text{-Ga}_2\text{Se}_3\text{-NaI}$ Chalcogenide System. <i>Journal of the American Ceramic Society</i> , 2015, 98, 3770-3774.	3.8	7
77	Broadband near-IR emission from cubic perovskite $\text{KZnF}_3\text{:Ni}^{2+}$ nanocrystals embedded glass-ceramics. <i>Optics Letters</i> , 2015, 40, 5263.	3.3	42
78	Nanocrystallization in Oxyfluoride Glasses Controlled by Amorphous Phase Separation. <i>Nano Letters</i> , 2015, 15, 6764-6769.	9.1	110
79	Physiochemical properties and crystallization behavior of $\text{GeS}_2\text{-In}_2\text{S}_3$ chalcogenide glasses. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2015, 64, 054208.	0.5	1
80	Phase Separation in Nonstoichiometry Ge-Sb-S Chalcogenide Glasses. <i>Journal of the American Ceramic Society</i> , 2014, 97, 793-797.	3.8	12
81	The Effect of PbS on Crystallization Behavior of $\text{Ge}_2\text{-Ga}_2\text{S}_3$ -Based Chalcogenide Glasses. <i>Journal of the American Ceramic Society</i> , 2014, 97, 3469-3474.	3.8	9
82	Glass formation and physical properties of chalcogenide glasses in Ge-S-Pb system. <i>Infrared Physics and Technology</i> , 2014, 63, 184-188.	2.9	5
83	Quantum cutting in $\text{Pr}^{3+}\text{-Yb}^{3+}$ codoped chalcogenide glasses for high-efficiency c-Si solar cells. <i>Optics Letters</i> , 2014, 39, 2225.	3.3	22
84	Formation and properties of chalcogenide glasses based on $\text{GeS}_2\text{-Sb}_2\text{S}_3\text{-AgI}$ system. <i>Materials Letters</i> , 2014, 132, 203-205.	2.6	18
85	Optical properties and crystallization behavior of $45\text{GeS}_2\text{-}30\text{Ga}_2\text{S}_3\text{-}25\text{Sb}_2\text{S}_3$ chalcogenide glass. <i>Journal of Non-Crystalline Solids</i> , 2014, 383, 112-115.	3.1	6
86	Modeling and simulation of mid-IR amplifying characteristics of Tm^{3+} -doped chalcogenide Photonic Crystal Fibers. <i>Infrared Physics and Technology</i> , 2014, 63, 178-183.	2.9	0
87	Laser-induced phase transformation in chalcogenide glasses investigated by micro-Raman spectrometer. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2014, 29, 9-12.	1.0	4
88	Design and performance of mid-IR dispersion in photonic crystal fiber prepared from a flattened chalcogenide glass. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2014, 63, 014210.	0.5	3
89	Controlled crystallization of $\text{In}_2\text{-In}_2\text{S}_3$ in $65\text{GeS}_2\text{-}25\text{In}_2\text{S}_3\text{-}10\text{CsCl}$ chalcogenide glass. <i>Applied Physics A: Materials Science and Processing</i> , 2013, 112, 939-946.	2.3	7
90	Theoretical studies on mid-infrared amplification in Ho^{3+} -doped chalcogenide glass fibers. <i>Physica B: Condensed Matter</i> , 2013, 416, 64-68.	2.7	18

#	ARTICLE	IF	CITATIONS
91	Correlation Between Crystallization Behavior and Network Structure in GeS_2 - Ga_2S_3 Chalcogenide Glasses. Journal of the American Ceramic Society, 2013, 96, 1779-1782.	3.8	320
92	Competitive Phase Separation to Controllable Crystallization in GeS_2 - In_2S_3 Chalcogenide Glass. Journal of the American Ceramic Society, 2013, 96, 125-129.	4.8	153
93	Enhanced Upconversion Luminescence in Er^{3+} -Doped GeS_2 - Ga_2S_3 Chalcogenide Glass. Ceramics. Journal of the American Ceramic Society, 2013, 96, 816-819.	3.1	143
94	Rib and strip chalcogenide waveguides based on GeSbSe radio-frequency sputtered films. Materials Letters, 2013, 98, 42-46.	2.6	14
95	Performance improvement of transparent germanium-gallium-sulfur glass ceramic by gold doping for third-order optical nonlinearities. Optics Express, 2013, 21, 24847.	3.4	20
96	Optical loss and residual stress measurement of infrared chalcogenide glasses and analysis on its influencing factors. , 2013, , .		1
97	Nanocrystal-enhanced near-IR emission in the bismuth-doped chalcogenide glasses. Chinese Optics Letters, 2013, 11, 041601-41604.	2.9	13
98	Thermal-induced optical changes in the amorphous $\text{Ge}_{20}\text{Sb}_{15}\text{Se}_{65}$ film. Wuli Xuebao/Acta Physica Sinica, 2013, 62, 096801.	0.5	2
99	Crystallization behavior and kinetics mechanism of 20GeS_2 - $\text{80Sb}_2\text{S}_3$ chalcogenide glass. Wuli Xuebao/Acta Physica Sinica, 2013, 62, 184211.	0.5	0
100	Mechanism of the enhancement of mid-infrared emission from GeS_2 - Ga_2S_3 chalcogenide glass-ceramics doped with Tm^{3+} . Applied Physics Letters, 2012, 100, .	3.3	49
101	Structural evolution of $\text{Ge}_2\text{Sb}_2\text{Te}_5$ films under the 488nm laser irradiation. Materials Letters, 2012, 88, 148-151.	2.6	19
102	Network Structure in GeS_2 - Sb_2S_3 Chalcogenide Glasses: Raman Spectroscopy and Phase Transformation Study. Journal of Physical Chemistry C, 2012, 116, 5862-5867.	3.1	63
103	Mechanical Properties and Crystallization Behavior of GeS_2 - Sb_2S_3 Chalcogenide Glass. Journal of the American Ceramic Society, 2012, 95, 1320-1325.	3.8	111
104	Glass formation and third-order optical nonlinear characteristics of bismuthate glasses within Bi_2O_3 - GeO_2 - TiO_2 pseudo-ternary system. Materials Chemistry and Physics, 2012, 135, 73-79.	4.0	22
105	Silver Nanoparticles Enhanced Upconversion Luminescence in $\text{Er}^{3+}/\text{Yb}^{3+}$ Codoped Bismuth-Germanate Glasses. Journal of Physical Chemistry C, 2011, 115, 25040-25045.	3.1	86
106	Redshifted surface plasma resonance-induced enhancement of third-order optical nonlinearities in silver nanoclusters embedded in $\text{Bi}_{20}\text{B}_{20}\text{TiO}_{20}$ pseudo-ternary glasses. Journal of the Optical Society of America B: Optical Physics, 2011, 28, 1283.	2.1	16
107	Structure and optical properties of amorphous Ge_x films prepared by PLD. Journal of Non-Crystalline Solids, 2011, 357, 2358-2361.	3.1	20
108	Enhanced mid-IR luminescence of Tm^{3+} ions in Ga_2S_3 nanocrystals embedded chalcogenide glass ceramics. Journal of Non-Crystalline Solids, 2011, 357, 2302-2305.	3.1	23

#	ARTICLE	IF	CITATIONS
109	Class formation and properties of novel GeS ₂ -Sb ₂ S ₃ -In ₂ S ₃ chalcogenide glasses. Optical Materials, 2011, 33, 1775-1780.	3.6	19
110	Surface-plasmon enhanced ultrafast third-order optical nonlinearities in ellipsoidal gold nanoparticles embedded bismuthate glasses. Chemical Physics Letters, 2011, 514, 79-82.	2.6	39
111	External influence on third-order optical nonlinearity of transparent chalcogenide glass-ceramics. Applied Physics A: Materials Science and Processing, 2011, 104, 615-620.	2.3	27
112	Evidence of network demixing in GeS ₂ -Ga ₂ S ₃ chalcogenide glasses: A phase transformation study. Journal of Solid State Chemistry, 2011, 184, 584-588.	2.9	51
113	Homogeneity and internal defects detect of infrared Se-based chalcogenide glass. Proceedings of SPIE, 2011, , .	0.8	1
114	Similar behaviors of sulfide and selenide-based chalcogenide glasses to form glass ceramics. , 2010, , .		10
115	Second-order optical nonlinearity and ionic conductivity of nanocrystalline GeS ₂ -Ga ₂ S ₃ -LiI glass-ceramics with improved thermo-mechanical properties. Physical Chemistry Chemical Physics, 2010, 12, 3780.	2.8	29
116	Crystallization behavior of 80GeS ₂ -20Ga ₂ S ₃ chalcogenide glass. Applied Physics A: Materials Science and Processing, 2009, 97, 713-720.	2.3	59
117	Second harmonic generation in surface crystallized 30GeS ₂ -35Ga ₂ S ₃ -35AgCl chalcohalide glasses. Optical Materials, 2009, 31, 1434-1438.	3.6	7
118	On the optical properties of amorphous Ge ₂ -Ga ₂ -Se ₂ -KBr films prepared by pulsed laser deposition. Applied Surface Science, 2009, 255, 5952-5956.	6.1	4
119	Defect configurations in Ge ₂ -S chalcogenide glasses studied by Raman scattering and positron annihilation technique. Journal of Non-Crystalline Solids, 2009, 355, 438-440.	3.1	30
120	Second-harmonic generation in IR-transparent \hat{I}^2 -GeS ₂ crystallized glasses. Optics Letters, 2009, 34, 437.	3.3	32
121	Structural Investigations of Glass Ceramics in the Ga ₂ S ₃ -GeS ₂ -CsCl System. Journal of Physical Chemistry B, 2009, 113, 14574-14580.	2.6	55
122	Second-harmonic generation in the thermal/electrical poling (100-x)GeS ₂ -x(0.5Ga ₂ S ₃ -0.5CdS) chalcogenide glasses. Journal of Physics and Chemistry of Solids, 2008, 69, 97-100.	4.0	12
123	Sb ₂ S ₃ enhanced ultrafast third-order optical nonlinearities of Ge ₂ -S chalcogenide glasses at 820nm. Optical Materials, 2008, 31, 193-195.	3.6	10
124	Permanent second-harmonic generation in AgGaGeS ₄ bulk-crystallized chalcogenide glasses. Chemical Physics Letters, 2008, 460, 125-128.	2.6	28
125	Preparation of polarizing glasses of large size based on the directional alignment of crystal nucleus. Materials Letters, 2008, 62, 4100-4102.	2.6	5
126	New chalcohalide glasses from the GeS ₂ -In ₂ S ₃ -CsCl system. Journal of Non-Crystalline Solids, 2008, 354, 1303-1307.	3.1	11

#	ARTICLE	IF	CITATIONS
127	Optical second-order nonlinearity of the infrared transmitting $82\text{GeS}_2\text{-}18\text{CdGa}_2\text{S}_4$ nanocrystallized chalcogenide glass. <i>Applied Physics Letters</i> , 2007, 91, 011904.	3.3	20
128	Study on the third and second-order nonlinear optical properties of $\text{GeS}_2\text{-Ga}_2\text{S}_3\text{-AgCl}$ chalcogenide glasses. <i>Optics Express</i> , 2007, 15, 2398.	3.4	42
129	Study on the structure dependent ultrafast third-order optical nonlinearity of $\text{GeS}_2\text{-In}_2\text{S}_3$ chalcogenide glasses. <i>Optics Communications</i> , 2007, 270, 373-378.	2.1	39
130	Second harmonic generation in transparent microcrystalline $\text{GeS}_2\text{-CdGa}_2\text{S}_4$ -containing chalcogenide glass ceramics. <i>Optics Communications</i> , 2007, 274, 466-470.	2.1	12
131	Mechanism of electron beam poled SHG in $0.95\text{GeS}_2\text{-}0.05\text{In}_2\text{S}_3$ chalcogenide glasses. <i>Journal of Physics and Chemistry of Solids</i> , 2007, 68, 158-161.	4.0	16
132	Study of thermal and optical properties of $\text{GeS}_2\text{-Ga}_2\text{S}_3\text{-Ag}_2\text{S}$ chalcogenide glasses. <i>Materials Research Bulletin</i> , 2007, 42, 1804-1810.	5.2	16
133	Formation, thermal, optical and physical properties of $\text{GeS}_2\text{-Ga}_2\text{S}_3\text{-AgCl}$ novel chalcogenide glasses. <i>Journal of Materials Science</i> , 2007, 42, 9632-9637.	3.7	14
134	Second-order nonlinear optical properties of Ge-Ga-Ag-S glass irradiated by electron beam. <i>Transactions of Nonferrous Metals Society of China</i> , 2006, 16, s170-s173.	4.2	9
135	Ultrafast nonresonant third-order optical nonlinearity of the $0.64\text{GeS}_2\text{-}0.16\text{Ga}_2\text{S}_3\text{-}0.2\text{CsCl}$ chalcogenide glass. <i>Journal of Materials Science</i> , 2006, 41, 6481-6484.	3.7	7
136	Non-Oxide Optical Materials: Introduction to the Special Issue. <i>Optical Materials Express</i> , 0, , .	3.0	0