
Manju Swaroop

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2670527/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A novel gene containing a trinucleotide repeat that is expanded and unstable on Huntington's disease chromosomes. Cell, 1993, 72, 971-983.	28.9	7,960
2	cDNA cloning of the type 1 neurofibromatosis gene: Complete sequence of the NF1 gene product. Genomics, 1991, 11, 931-940.	2.9	384
3	Widespread expression of the human and rat Huntington's disease gene in brain and nonneural tissues. Nature Genetics, 1993, 5, 259-265.	21.4	382
4	Transcriptional Activation of the Human Glutathione Peroxidase Promoter by p53. Journal of Biological Chemistry, 1999, 274, 12061-12066.	3.4	218
5	Heparan sulfate assists SARS-CoV-2 in cell entry and can be targeted by approved drugs in vitro. Cell Discovery, 2020, 6, 80.	6.7	172
6	SAC, a Novel Zinc RING Finger Protein That Protects Cells from Apoptosis Induced by Redox Agents. Molecular and Cellular Biology, 1999, 19, 3145-3155.	2.3	142
7	Human cystathionine β-synthase cDNA: sequence, alternative splicing and expression in cultured cells. Human Molecular Genetics, 1993, 2, 1633-1638.	2.9	116
8	δ-Tocopherol Reduces Lipid Accumulation in Niemann-Pick Type C1 and Wolman Cholesterol Storage Disorders. Journal of Biological Chemistry, 2012, 287, 39349-39360.	3.4	107
9	Magnetic bead capture of expressed sequences encoded within large genomic segments. Nature, 1993, 361, 751-753.	27.8	97
10	Mutagenesis of a Potential Immunoglobulin-binding Protein-binding Site Enhances Secretion of Coagulation Factor VIII. Journal of Biological Chemistry, 1997, 272, 24121-24124.	3.4	94
11	Depletion of Manganese within the Secretory Pathway Inhibits O-Linked Glycosylation in Mammalian Cells. Biochemistry, 1994, 33, 9813-9819.	2.5	90
12	SAG/ROC/Rbx/Hrt, a Zinc RING Finger Gene Family: Molecular Cloning, Biochemical Properties, and Biological Functions. Antioxidants and Redox Signaling, 2001, 3, 635-650.	5.4	89
13	The general mitochondrial matrix processing protease from rat liver: structural characterization of the catalytic subunit Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 7978-7982.	7.1	83
14	An alternatively-spliced mRNA in the carboxy terminus of the neurofibromatosis type 1 (NF1) gene is expressed in muscle. Human Molecular Genetics, 1993, 2, 989-992.	2.9	74
15	Niemann–Pick Disease Type C: Induced Pluripotent Stem Cell–Derived Neuronal Cells for Modeling Neural Disease and Evaluating Drug Efficacy. Journal of Biomolecular Screening, 2014, 19, 1164-1173.	2.6	73
16	High-Throughput Screening to Identify Compounds That Increase Fragile X Mental Retardation Protein Expression in Neural Stem Cells Differentiated From Fragile X Syndrome Patient-Derived Induced Pluripotent Stem Cells. Stem Cells Translational Medicine, 2015, 4, 800-808.	3.3	70
17	Yeast homolog of human SAG/ROC2/Rbx2/Hrt2 is essential for cell growth, but not for germination: chip profiling implicates its role in cell cycle regulation. Oncogene, 2000, 19, 2855-2866.	5.9	62
18	Sequence analysis of the complete cDNA and encoded polypeptide for the Glued gene of Drosophila melanogaster Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 6501-6505.	7.1	60

MANJU SWAROOP

#	Article	IF	CITATIONS
19	A Phenotypic Compound Screening Assay for Lysosomal Storage Diseases. Journal of Biomolecular Screening, 2014, 19, 168-175.	2.6	51
20	Expression, purification, and biochemical characterization of sag, a ring finger redox-sensitive protein. Free Radical Biology and Medicine, 1999, 27, 193-202.	2.9	50
21	Promotion of S-phase entry and cell growth under serum starvation by SAG/ROC2/Rbx2/Hrt2, an E3 ubiquitin ligase component: Association with inhibition of p27 accumulation. Molecular Carcinogenesis, 2001, 30, 37-46.	2.7	36
22	Treatment Paradigms for Retinal and Macular Diseases Using 3-D Retina Cultures Derived From Human Reporter Pluripotent Stem Cell Lines. , 2016, 57, ORSFI1.		35
23	Global Genechip Profiling to Identify Genes Responsive to p53-Induced Growth Arrest and Apoptosis in Human Lung Carcinoma Cells. Cancer Biology and Therapy, 2003, 2, 406-415.	3.4	33
24	Sequence analysis, expression and chromosomal localization of a gene, isolated from a subtracted human retina cDNA library, that encodes an insulin-like growth factor binding protein (IGFBP2). Experimental Eye Research, 1991, 52, 549-561.	2.6	30
25	Novel Cell-Based Hepatitis C Virus Infection Assay for Quantitative High-Throughput Screening of Anti-Hepatitis C Virus Compounds. Antimicrobial Agents and Chemotherapy, 2014, 58, 995-1004.	3.2	30
26	SAG/ROC2/Rbx2/Hrt2, a Component of SCF E3 Ubiquitin Ligase: Genomic Structure, a Splicing Variant, and Two Family Pseudogenes. DNA and Cell Biology, 2001, 20, 425-434.	1.9	28
27	Patient iPSC-derived neural stem cells exhibit phenotypes in concordance with the clinical severity of mucopolysaccharidosis I. Human Molecular Genetics, 2018, 27, 3612-3626.	2.9	23
28	Evaluation of Cholesterol Reduction Activity of Methyl-β-cyclodextrin Using Differentiated Human Neurons and Astrocytes. Journal of Biomolecular Screening, 2012, 17, 1243-1251.	2.6	20
29	Analytical Characterization of Methyl-β-Cyclodextrin for Pharmacological Activity to Reduce Lysosomal Cholesterol Accumulation in Niemann-Pick Disease Type C1 Cells. Assay and Drug Development Technologies, 2017, 15, 154-166.	1.2	17
30	A High-Throughput, Multi-Cell Phenotype Assay for the Identification of Novel Inhibitors of Chemotaxis/Migration. Scientific Reports, 2016, 6, 22273.	3.3	15
31	Pharmacological clearance of misfolded rhodopsin for the treatment of <i>RHO</i> â€associated retinitis pigmentosa. FASEB Journal, 2020, 34, 10146-10167.	0.5	10
32	Identification of novel anti-hepatitis C virus agents by a quantitative high throughput screen in a cell-based infection assay. Antiviral Research, 2015, 124, 20-29.	4.1	9
33	Smoothened antagonists for hair inhibition. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 4932-4935.	2.2	8
34	iPS-derived neural stem cells for disease modeling and evaluation of therapeutics for mucopolysaccharidosis type II. Experimental Cell Research, 2022, 412, 113007.	2.6	5
35	Disease modeling for Mucopolysaccharidosis type IIIB using patient derived induced pluripotent stem cells. Experimental Cell Research, 2021, 407, 112785.	2.6	3
36	Î-Tocopherol reduces lipid accumulation in Niemann-Pick type C1 and Wolman cholesterol storage disorders Journal of Biological Chemistry, 2013, 288, 296.	3.4	0