

Arturo San Feliciano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2671451/publications.pdf>

Version: 2024-02-01

256
papers

5,381
citations

101543

36
h-index

168389

53
g-index

277
all docs

277
docs citations

277
times ranked

5543
citing authors

#	ARTICLE	IF	CITATIONS
1	Antitumor Properties of Podophyllotoxin and Related Compounds. <i>Current Pharmaceutical Design</i> , 2000, 6, 1811-1839.	1.9	253
2	Abietane Acids: Sources, Biological Activities, and Therapeutic Uses. <i>Planta Medica</i> , 1993, 59, 485-490.	1.3	109
3	A Short Review on Cardiotonic Steroids and Their Aminoguanidine Analogues. <i>Molecules</i> , 2000, 5, 51-81.	3.8	106
4	Regioselective Synthesis of 1-Alkyl- or 1-Aryl-1H-indazoles via Copper-Catalyzed Cyclizations of 2-Haloarylcarboxylic Compounds. <i>Organic Letters</i> , 2007, 9, 525-528.	4.6	102
5	Synthesis and Antimitotic and Tubulin Interaction Profiles of Novel Pinacol Derivatives of Podophyllotoxins. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 6724-6737.	6.4	77
6	Immunosuppressive Cyclolignans. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 2865-2868.	6.4	70
7	4-Phenylcoumarins as HIV transcription inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 4447-4450.	2.2	69
8	Terpenoids from leaves of <i>Juniperus thurifera</i> . <i>Phytochemistry</i> , 1988, 27, 2241-2248.	2.9	67
9	3-Phenylcoumarins as Inhibitors of HIV-1 Replication. <i>Molecules</i> , 2012, 17, 9245-9257.	3.8	67
10	Cytotoxic and Antimicrobial Benzophenones from the Leaves of <i>Tovomita longifolia</i> #. <i>Journal of Natural Products</i> , 2006, 69, 410-413.	3.0	62
11	Asteriscanolide. A sesquiterpene lactone with a new natural skeleton.. <i>Tetrahedron Letters</i> , 1985, 26, 2369-2372.	1.4	61
12	Sesquiterpenoids and phenolics of <i>Pulicaria paludosa</i> . <i>Phytochemistry</i> , 1989, 28, 2717-2721.	2.9	60
13	Analgesic and antiinflammatory properties of <i>Proustia pyrifolia</i> . <i>Journal of Ethnopharmacology</i> , 2005, 99, 119-124.	4.1	60
14	Vasorelaxant activity of phthalazinones and related compounds. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 2786-2790.	2.2	60
15	Mesulol, a natural occurring 4-phenylcoumarin, inhibits HIV-1 replication by targeting the NF- κ B pathway. <i>Antiviral Research</i> , 2005, 66, 137-145.	4.1	57
16	Synthesis and Biological Evaluation of New Selective Cytotoxic Cyclolignans Derived from Podophyllotoxin. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 1214-1222.	6.4	54
17	New natural diterpene acids from <i>Juniperus communis</i> . <i>Phytochemistry</i> , 1980, 19, 1153-1156.	2.9	53
18	Antineoplastic and Antiviral Activities of Some Cyclolignans. <i>Planta Medica</i> , 1993, 59, 246-249.	1.3	53

#	ARTICLE	IF	CITATIONS
19	Antineoplastic and Antiviral Activities of Podophyllotoxin Related Lignans. <i>Archiv Der Pharmazie</i> , 1994, 327, 175-179.	4.1	53
20	Synthesis and biological evaluation of novel ferrocene- <i>n</i> -naphthoquinones as antiplasmodial agents. <i>European Journal of Medicinal Chemistry</i> , 2013, 70, 548-557.	5.5	53
21	The distribution of lignanoids in the order coniferae. <i>Phytochemistry</i> , 1996, 41, 995-1011.	2.9	51
22	Synthesis and pharmacological activity of diarylindole derivatives. Cytotoxic agents based on combretastatins. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999, 9, 2303-2308.	2.2	49
23	Anti-HIV activity of stilbene-related heterocyclic compounds. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 4075-4079.	2.2	47
24	Lignans from <i>Juniperus sabina</i> . <i>Phytochemistry</i> , 1990, 29, 1335-1338.	2.9	45
25	Aquatolide. A new type of humulane-related sesquiterpene lactone. <i>Tetrahedron Letters</i> , 1989, 30, 2851-2854.	1.4	44
26	Leishmanicidal activity of some aliphatic diamines and amino-Alcohols. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002, 12, 659-662.	2.2	43
27	Synthesis and cytotoxicity of podophyllotoxin analogues modified in the A ring. <i>European Journal of Medicinal Chemistry</i> , 2003, 38, 65-74.	5.5	43
28	Lignans from <i>Juniperus thurifera</i> . <i>Phytochemistry</i> , 1989, 28, 2863-2866.	2.9	42
29	Acidic and phenolic lignans from <i>Juniperus sabina</i> . <i>Phytochemistry</i> , 1991, 30, 3483-3485.	2.9	42
30	Synthesis and antineoplastic activity of combretastatin analogues: Heterocombretastatins. <i>European Journal of Medicinal Chemistry</i> , 1998, 33, 71-77.	5.5	42
31	Chemical Constituents of the Bark of <i>Dipteryx alata</i> Vogel, an Active Species against <i>Bothrops jararacussu</i> Venom. <i>Molecules</i> , 2010, 15, 8193-8204.	3.8	42
32	In vivo immunosuppressive activity of some cyclolignans. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997, 7, 2781-2786.	2.2	41
33	Preparation and cytotoxicity of podophyllotoxin derivatives lacking the lactone ring. <i>Tetrahedron</i> , 1997, 53, 15743-15760.	1.9	41
34	Cytotoxic 4-Phenylcoumarins from the Leaves of <i>Marila pluricostata</i> . <i>Journal of Natural Products</i> , 2005, 68, 369-373.	3.0	40
35	Acetylated lignans from <i>Juniperus sabina</i> . <i>Phytochemistry</i> , 1989, 28, 659-660.	2.9	39
36	A new approach to the synthesis of podophyllotoxin based on epimerization reactions. <i>Tetrahedron Letters</i> , 1996, 37, 2663-2666.	1.4	37

#	ARTICLE	IF	CITATIONS
37	Bioactive humulene derivatives from <i>Asteriscus vogelii</i> . <i>Phytochemistry</i> , 2001, 56, 167-171.	2.9	37
38	Synthesis, cytotoxicity and antiviral activity of podophyllotoxin analogues modified in the E-ring. <i>European Journal of Medicinal Chemistry</i> , 2003, 38, 899-911.	5.5	37
39	Synthesis and cytotoxicity of new heterocyclic terpenyl-naphthoquinones. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 2816-2827.	3.0	36
40	Flavonoids: From Structure to Health Issues. <i>Molecules</i> , 2017, 22, 477.	3.8	36
41	Asteriscunolides A, B, C and D, the first humulanolides; Two pairs of conformationally stable stereoisomers. <i>Tetrahedron</i> , 1984, 40, 873-878.	1.9	35
42	Synthesis and evaluation of pyrazolignans. A new class of cytotoxic agents. <i>Bioorganic and Medicinal Chemistry</i> , 1995, 3, 1203-1210.	3.0	35
43	Terpenoids from <i>Juniperus sabina</i> . <i>Phytochemistry</i> , 1983, 22, 300-301.	2.9	34
44	A diterpene alcohol from <i>Halimium viscosum</i> . <i>Phytochemistry</i> , 1989, 28, 183-187.	2.9	34
45	New cytotoxic furoquinones obtained from terpenyl-1,4-naphthoquinones and 1,4-anthracenediones. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 7231-7240.	3.0	34
46	Synthesis and Biological Evaluation of New Podophyllic Aldehyde Derivatives with Cytotoxic and Apoptosis-Inducing Activities. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 983-993.	6.4	34
47	New Selective Cytotoxic Diterpenylquinones and Diterpenylhydroquinones. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 1257-1267.	6.4	33
48	Macrocarpal-like Compounds from <i>Eugenia umbelliflora</i> Fruits and Their Antibacterial Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 8151-8155.	5.2	33
49	Bioactive Prenyl- and Terpenyl-Quinones/Hydroquinones of Marine Origin. <i>Marine Drugs</i> , 2018, 16, 292.	4.6	33
50	Further antineoplastic terpenylquinones and terpenylhydroquinones. <i>Bioorganic and Medicinal Chemistry</i> , 1998, 6, 31-41.	3.0	32
51	Heterolignanoides. Furo- and thieno-analogues of podophyllotoxin and thuriferic acid. <i>Tetrahedron</i> , 2001, 57, 3963-3977.	1.9	32
52	Anti-Trypanosoma activity of some natural stilbenoids and synthetic related heterocyclic compounds. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 2755-2757.	2.2	31
53	Synthesis, cytotoxicity and antiplasmodial activity of novel ent-kaurane derivatives. <i>European Journal of Medicinal Chemistry</i> , 2013, 62, 168-176.	5.5	31
54	Neo-clerodane diterpenoids from <i>Croton schiedeanus</i> . <i>Phytochemistry</i> , 2003, 62, 551-555.	2.9	30

#	ARTICLE	IF	CITATIONS
55	Synthesis and antifungal activity of terpenyl-1,4-naphthoquinone and 1,4-anthracenedione derivatives. <i>European Journal of Medicinal Chemistry</i> , 2013, 67, 19-27.	5.5	30
56	An isocoumarin and other phenolic components of <i>Ononis natrix</i> . <i>Phytochemistry</i> , 1983, 22, 2031-2033.	2.9	29
57	Antipyretic, hypothermic and antiinflammatory activities and metabolites from <i>Solanum ligustrinum</i> Lood., 1998, 12, 118-122.		29
58	The imidazo[2,1-a]isoindole system. A new skeletal basis for antiplasmodial compounds. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 2769-2772.	2.2	29
59	Asteriscunolide A: Humulanolide from. <i>Tetrahedron Letters</i> , 1982, 23, 3097-3100.	1.4	28
60	Cytotoxic cyclolignans related to podophyllotoxin. <i>Il Farmaco</i> , 2001, 56, 297-304.	0.9	28
61	Saccharinic acid lactone from <i>Astragalus Lusitanicus</i> lam. ($\hat{\alpha}$)-2-c-methyl-d-erythrono-1,4-lactone. <i>Tetrahedron Letters</i> , 1980, 21, 1359-1360.	1.4	26
62	Bioactive isoxazoline and oxime derivatives from 7-ketolignans. <i>Tetrahedron</i> , 1997, 53, 6555-6564.	1.9	26
63	Leishmanicidal activity of some stilbenoids and related heterocyclic compounds. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 2123-2126.	2.2	26
64	Synthesis and cytotoxicity of new aminoterpenylquinones. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 631-644.	3.0	26
65	Leishmanicidal and trypanocidal activities of 2-aminocyclohexanol and 1,2-cyclohexanediamine derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 184-187.	2.2	26
66	Antileishmanial activity and tubulin polymerization inhibition of podophyllotoxin derivatives on <i>Leishmania infantum</i> . <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2017, 7, 272-285.	3.4	26
67	Anti-Herpetic, Anti-Dengue and Antineoplastic Activities of Simple and Heterocycle-Fused Derivatives of Terpenyl-1,4-Naphthoquinone and 1,4-Anthraquinone. <i>Molecules</i> , 2019, 24, 1279.	3.8	26
68	Leishmanicidal activity of combretastatin analogues and heteroanalogues. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999, 9, 2711-2714.	2.2	25
69	Anxiolytic effects of benzalphthalides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 3483-3486.	2.2	25
70	3,4-dihydroisocoumarins from <i>Ononis natrix</i> . <i>Phytochemistry</i> , 1990, 29, 945-948.	2.9	24
71	Selective cytotoxic cyclolignans. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995, 5, 2465-2468.	2.2	24
72	Synthesis and enzyme inhibitory activities of a series of lipidic diamine and aminoalcohol derivatives on cytosolic and secretory phospholipases A 2. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2000, 10, 285-288.	2.2	24

#	ARTICLE	IF	CITATIONS
73	Synthesis and antineoplastic activity of cyclolignan aldehydes. <i>European Journal of Medicinal Chemistry</i> , 2000, 35, 691-698.	5.5	24
74	The stereochemistry of asteriscunolides. <i>Tetrahedron</i> , 1985, 41, 5711-5717.	1.9	23
75	Two diterpenoids from leaves of <i>Juniperus sabina</i> . <i>Phytochemistry</i> , 1991, 30, 695-697.	2.9	23
76	Diterpene acids from <i>Juniperus communis</i> subsp. <i>Hemisphaerica</i> . <i>Phytochemistry</i> , 1991, 30, 3134-3136.	2.9	23
77	Lignans from polar extracts of <i>Juniperus thurifera</i> . <i>Phytochemistry</i> , 1992, 31, 267-270.	2.9	23
78	Structure- and Species-Dependent Insecticidal Effects of neo-Clerodane Diterpenes. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 3677-3681.	5.2	23
79	Cytotoxic antineoplastic activity of hydroquinone derivatives. <i>European Journal of Medicinal Chemistry</i> , 2002, 37, 177-182.	5.5	23
80	Anti-inflammatory activity of leaf extract and fractions of <i>Bursera simaruba</i> (L.) Sarg (Burseraceae). <i>Journal of Ethnopharmacology</i> , 2004, 92, 129-133.	4.1	23
81	Synthesis and cytotoxic evaluation of C-9 oxidized podophyllotoxin derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 1670-1678.	3.0	23
82	Thuriferic acid. A novel lignan type from <i>Juniperus thurifera</i> L. <i>Tetrahedron</i> , 1988, 44, 7255-7260.	1.9	22
83	New 1,4-anthracenedione derivatives with fused heterocyclic rings: synthesis and biological evaluation. <i>RSC Advances</i> , 2015, 5, 1244-1261.	3.6	22
84	Antileishmanial activity of terpenylquinones on <i>Leishmania infantum</i> and their effects on <i>Leishmania</i> topoisomerase IB. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2019, 11, 70-79.	3.4	22
85	Eudesmane glycosides from <i>Carthamus lanatus</i> . <i>Phytochemistry</i> , 1990, 29, 3207-3211.	2.9	21
86	Structure Elucidation of Germacrane Alcohols from <i>Juniperus communis</i> subsp. <i>Hemisphaerica</i> . <i>Journal of Natural Products</i> , 1995, 58, 1059-1064.	3.0	21
87	Synthesis and bioactivity of new antineoplastic terpenylquinones. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996, 6, 1859-1864.	2.2	21
88	Inotropic Activity of Hydroindene Amidinohydrazones. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 127-136.	6.4	21
89	Synthesis and cytotoxicity of hydrophobic esters of podophyllotoxins. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 1283-1286.	2.2	21
90	Analgesic and anti-inflammatory activity of podophyllotoxin derivatives. <i>Pharmaceutical Biology</i> , 2013, 51, 566-572.	2.9	21

#	ARTICLE	IF	CITATIONS
91	Fulvene lactones from <i>Tanacetum annuum</i> . <i>Phytochemistry</i> , 1987, 26, 1531-1533.	2.9	20
92	Synthesis and pharmacological activities of some pyrido[2,1-b]oxazines. <i>European Journal of Medicinal Chemistry</i> , 1992, 27, 527-535.	5.5	20
93	Neo-clerodane diterpenoids from roots of <i>Linaria saxatilis</i> var. <i>Glutinosa</i> . <i>Phytochemistry</i> , 1993, 33, 631-633.	2.9	20
94	New antineoplastic prenylhydroquinones. Synthesis and evaluation. <i>Bioorganic and Medicinal Chemistry</i> , 2000, 8, 1027-1032.	3.0	20
95	Long-Chain Aminoalcohol and Diamine Derivatives Induce Apoptosis through a Caspase-3 Dependent Pathway. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002, 12, 2621-2626.	2.2	20
96	Guatemalan plants extracts as virucides against HIV-1 infection. <i>Phytomedicine</i> , 2008, 15, 520-524.	5.3	20
97	Pyrazolo[3,4,5-de]phthalazine. Syntheses of a practically unknown heterocyclic system. <i>Tetrahedron</i> , 2009, 65, 1574-1580.	1.9	20
98	Antihypertensive Effect of some Oxazolo[3,2-a]pyridines, Thiazolo[3,2-a]pyridines and Pyrido[2,1-b]oxazines in Conscious Spontaneously Hypertensive Rats. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 49, 421-425.	2.4	20
99	An Isoflavone from <i>Dipteryx alata</i> Vogel is Active against the in Vitro Neuromuscular Paralysis of <i>Bothrops jararacussu</i> Snake Venom and Bothrospoxin I, and Prevents Venom-Induced Myonecrosis. <i>Molecules</i> , 2014, 19, 5790-5805.	3.8	20
100	Sesquiterpene hydrocarbons from the roots of <i>Otanthus maritimus</i> . <i>Phytochemistry</i> , 1981, 20, 166-167.	2.9	19
101	Synthesis and evaluation of some lipidic aminoalcohols and diamines as immunomodulators. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 6091-6095.	2.2	19
102	The <i>Schistosoma bovis</i> Sb14-3-3 \hat{I} recombinant protein cross-protects against <i>Schistosoma mansoni</i> in BALB/c mice. <i>Vaccine</i> , 2007, 25, 7217-7223.	3.8	19
103	Eudesmane alcohols from <i>jasonia glutinosa</i> . <i>Phytochemistry</i> , 1980, 19, 2155-2157.	2.9	18
104	Two New Cinnamyl Isovalerate Derivatives from <i>Juniperus thurifera</i> Leaves. <i>Journal of Natural Products</i> , 1986, 49, 677-679.	3.0	18
105	The Structures of Pulicalar and Related Sesquiterpenoids from <i>Pulicaria paludosa</i> . <i>Journal of Natural Products</i> , 1988, 51, 1153-1160.	3.0	18
106	Conformational isomers of 14-hydroxy-9-epi- \hat{I}^2 -caryophyllene isolated from the wood of <i>Juniperus oxycedrus</i> . <i>Tetrahedron Letters</i> , 1989, 30, 247-250.	1.4	18
107	Synthesis and Biological Activity of Bromolignans and Cyclolignans. <i>Archiv Der Pharmazie</i> , 1993, 326, 421-426.	4.1	18
108	^{13}C NMR data for abieta-7,13-diene diterpenoids. <i>Magnetic Resonance in Chemistry</i> , 1993, 31, 841-844.	1.9	18

#	ARTICLE	IF	CITATIONS
109	Regiochemistry in the synthesis of 2,3,8,8a-tetrahydro-7H-oxazolo[3,2-a]pyridines. <i>Tetrahedron</i> , 1993, 49, 10079-10088.	1.9	18
110	Synthesis of fused heterocycles from heterocyclic enaminones. <i>Tetrahedron</i> , 1999, 55, 7915-7922.	1.9	18
111	Antimalarial activity of imidazo[2,1-a]isoindol-5-ol derivatives and related compounds. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 5379-5386.	5.5	18
112	Oxazolo[3,2-a]pyridine. A new structural scaffold for the reversal of multi-drug resistance in <i>Leishmania</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 6272-6275.	2.2	18
113	Further -clerodane diterpenes from. <i>Tetrahedron</i> , 1985, 41, 671-680.	1.9	17
114	Synthesis and pharmacological activity of combretastatin analogues. Naphthylcombretastatins and related compounds. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995, 5, 229-232.	2.2	17
115	Chemoinduction of cytotoxic selectivity in Podophyllotoxin-related lignans. <i>Phytochemistry Reviews</i> , 2003, 2, 219-233.	6.5	17
116	Lignopurines: A new family of hybrids between cyclolignans and purines. Synthesis and biological evaluation. <i>European Journal of Medicinal Chemistry</i> , 2012, 58, 377-389.	5.5	17
117	Cytotoxic phloroglucinol meroterpenoid from <i>Eugenia umbelliflora</i> fruits. <i>Phytochemistry Letters</i> , 2018, 27, 187-192.	1.2	17
118	Cantabric Acids. Triquinane Sesquiterpenoids from <i>Artemisia cantabrica</i> . <i>Journal of Natural Products</i> , 1986, 49, 845-853.	3.0	16
119	Euglobal-like compounds from the genus <i>Eugenia</i> . <i>Natural Product Research</i> , 2013, 27, 28-31.	1.8	16
120	Artegallin, a sesquiterpene lactone from <i>Artemisia caerulea</i> subsp. <i>gallica</i> . <i>Phytochemistry</i> , 1986, 25, 1757-1759.	2.9	15
121	Pyrrole derivatives from α -ketoaldehydes. <i>Tetrahedron</i> , 1989, 45, 6553-6562.	1.9	15
122	2,3,8,8a-Tetrahydro-7H-oxazolo[3,2-a]pyridine: A new heterocyclic system. <i>Tetrahedron</i> , 1991, 47, 6503-6510.	1.9	15
123	Unambiguous configurational and conformational determination of thuriferic acid. <i>Tetrahedron</i> , 1995, 51, 6343-6348.	1.9	15
124	Synthesis of Enantiopure 2,3,8,8a- Tetrahydro-7H-oxazolo[3,2-a]pyridine Derivatives. <i>Journal of Organic Chemistry</i> , 1996, 61, 1890-1893.	3.2	15
125	Inhibition of human sPLA2 and 5-lipoxygenase activities by two neo-clerodane diterpenoids. <i>Life Sciences</i> , 1999, 64, PL205-PL211.	4.3	15
126	Essential oil of <i>Croton ovalifolius</i> Vahl from Venezuela. <i>Flavour and Fragrance Journal</i> , 2000, 15, 144-146.	2.6	15

#	ARTICLE	IF	CITATIONS
127	Trypanosoma cruzi: Inhibition of Parasite Growth and Respiration by Oxazolo(thiazolo)pyridine Derivatives and Its Relationship to Redox Potential and Lipophilicity. <i>Experimental Parasitology</i> , 2001, 99, 1-6.	1.2	15
128	New cytotoxic-antineoplastic prenyl-1,2-naphthohydroquinone derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 6645-6650.	3.0	15
129	The addition of a new immunomodulator with the adjuvant adaptation ADAD system using fatty acid binding proteins increases the protection against <i>Fasciola hepatica</i> . <i>Veterinary Parasitology</i> , 2008, 153, 176-181.	1.8	15
130	Simple dihydrosphingosine analogues with potent activity against MDR- <i>Mycobacterium tuberculosis</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 5764-5768.	2.2	15
131	Cernumidine and isocernumidine, new type of cyclic guanidine alkaloids from <i>Solanum cernuum</i> . <i>Tetrahedron Letters</i> , 2011, 52, 6392-6395.	1.4	15
132	The Effect of Lupane Triterpenoids (<i>Dipteryx alata</i> Vogel) in the in vitro Neuromuscular Blockade and Myotoxicity of two Snake Venoms. <i>Current Organic Chemistry</i> , 2012, 16, 2717-2723.	1.6	15
133	2,5-dimethylcoumarins from leaves of <i>Juniperus sabina</i> . <i>Phytochemistry</i> , 1981, 20, 2778-2779.	2.9	14
134	Neo-clerodane diterpenoids from aerial parts of <i>Linaria saxatilis</i> var. <i>glutinosa</i> . <i>Tetrahedron</i> , 1993, 49, 9067-9078.	1.9	14
135	N-substituted pyrrolinones from enamines and α,β -dicarbonyls. <i>Tetrahedron</i> , 1994, 50, 7849-7856.	1.9	14
136	Heterolignanoides: Antitumor Activity of Furyl-, Thienyl-, and Pyridyl Analogs of Lignanoides. <i>Archiv Der Pharmazie</i> , 1995, 328, 403-407.	4.1	14
137	Synthesis of thiazolo[3,2-a]pyridines from enaminoesters by tandem conjugate addition-cyclization. <i>Tetrahedron Letters</i> , 1998, 39, 455-458.	1.4	14
138	Antihypertensive activity of substituted 2,3,8a-tetrahydro-7 H -oxazolo[3,2- a]pyridinedicarboxylate enantiomers. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2000, 10, 319-322.	2.2	14
139	Pharmaco-Toxicological Study of <i>Kageneckia oblonga</i> , Rosaceae. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002, 57, 100-108.	1.4	14
140	Bioactive phenolic derivatives from <i>Acaena splendens</i> methanol extract. <i>Phytotherapy Research</i> , 2002, 16, 562-566.	5.8	14
141	Anti-HIV activity of some synthetic lignanoides and intermediates. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 4483-4486.	2.2	14
142	New oxidized ent-kaurane and ent-norkaurane derivatives from kaurenoic acid. <i>Journal of the Brazilian Chemical Society</i> , 2007, 18, 622-627.	0.6	14
143	A New Cytotoxic Friedelane Acid "Pluricostatic Acid" and Other Compounds from the Leaves of <i>Marila pluricostata</i> . <i>Molecules</i> , 2008, 13, 2915-2924.	3.8	13
144	β -Bisabolol β -D-fucopyranoside from <i>Carthamus lanatus</i> . <i>Phytochemistry</i> , 1982, 21, 2115-2117.	2.9	12

#	ARTICLE	IF	CITATIONS
145	Plantes de Nouvelle-Caledonie, 115. Alcaloïdes Monoterpéniques de <i>Coelospermum billardieri</i> . Journal of Natural Products, 1988, 51, 829-835.	3.0	12
146	High Resolution Nmr Studies of Paniculine and Related Lycopodium Compounds. Journal of Natural Products, 1990, 53, 200-203.	3.0	12
147	Cyclobakuchiols A and B from <i>Psoralea Glandulosa</i> . Phytochemistry, 1995, 40, 325-327.	2.9	12
148	Neo-clerodane diterpenoids from roots of <i>Linaria saxatilis</i> var. <i>saxatilis</i> . Phytochemistry, 1995, 40, 1307-1309.	2.9	12
149	The stereochemistry of thuriferic and epithuriferic acids. Tetrahedron, 1996, 52, 4903-4910.	1.9	12
150	Enantiospecific synthesis of dihydropyridines from chiral enamines. Tetrahedron: Asymmetry, 1996, 7, 1985-1994.	1.8	12
151	A New Cucurbitacin Glycoside from <i>Kageneckia oblonga</i> (Rosaceae). Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2000, 55, 141-145.	1.4	12
152	The Crystal Structure of Biatractylolide, an 8,8' (C-C) Linked Dimeric 12,8-Eudesmanolide from the Resin of <i>Trattinickia rhoifolia</i> WILLD.. Chemical and Pharmaceutical Bulletin, 2002, 50, 964-965.	1.3	12
153	A Novel Synthetic Route to Cytotoxic 1,4-Anthraquinones from 1,4-Benzoquinones. Synthesis, 2005, 2005, 3202-3208.	2.3	12
154	New antinociceptive agents related to dihydrosphingosine. Pharmacological Reports, 2010, 62, 849-857.	3.3	12
155	Synthesis, Bioevaluation and Structural Study of Substituted Phthalazin-1(2H)-ones Acting as Antifungal Agents. Molecules, 2013, 18, 3479-3501.	3.8	12
156	Reaction of SeO ₂ with dienes: 1. Linalyl acetate. Tetrahedron, 1989, 45, 5073-5080.	1.9	11
157	¹³ C NMR data for several cyclolignans. Magnetic Resonance in Chemistry, 1993, 31, 868-875.	1.9	11
158	Conjugate addition of 2-heteroaryl-1,3-dithianes to furan-2(5H)-one. Journal of the Chemical Society Perkin Transactions 1, 1994, , 45.	0.9	11
159	5-alkylresorcinols from <i>Ononis natrix</i> . Phytochemistry, 1997, 44, 1559-1563.	2.9	11
160	Hydroindenic-guanylhydrazones. Synthesis and evaluation as inotropic agents. Bioorganic and Medicinal Chemistry Letters, 1998, 8, 3217-3222.	2.2	11
161	Synthesis and inotropic activity of hydroindene derivatives. Bioorganic and Medicinal Chemistry, 1999, 7, 2991-3001.	3.0	11
162	LAAE-14, a new in vitro inhibitor of intracellular calcium mobilization, modulates acute and chronic inflammation. Biochemical Pharmacology, 2003, 65, 1539-1549.	4.4	11

#	ARTICLE	IF	CITATIONS
163	New cis-Clerodane Diterpenoids from <i>Croton schiedeanus</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2005, 53, 328-329.	1.3	11
164	Synthesis, characterisation and cytotoxicity of chloro derivatives of prenylnaphthohydroquinone. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 3841-3846.	3.0	11
165	Vasoactive effects of different fractions from two Panamanians plants used in Amerindian traditional medicine. <i>Journal of Ethnopharmacology</i> , 2010, 131, 497-501.	4.1	11
166	Synthesis of Leubethanol derivatives and evaluation against <i>Mycobacterium tuberculosis</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 4155-4163.	3.0	11
167	Chemical Composition and Antinociceptive Potential of <i>Campomanesia reitziana</i> Fruits. <i>Journal of Medicinal Food</i> , 2016, 19, 518-520.	1.5	11
168	Synthesis and evaluation of cardiotoxic activity of simple butenolides. <i>European Journal of Medicinal Chemistry</i> , 1990, 25, 413-417.	5.5	10
169	Synthesis, Antitumoral and Antiviral Evaluation of Halo- and Demethyl-Yatein Derivatives. <i>Archiv Der Pharmazie</i> , 1995, 328, 640-644.	4.1	10
170	Cytotoxic activity of neo-clerodane diterpenoids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997, 7, 1649-1654.	2.2	10
171	Heterolignanols. Synthesis of a new family of Thienolignanols. <i>Tetrahedron Letters</i> , 1998, 39, 2001-2004.	1.4	10
172	Effects of 3-chloro-phenyl-1,4-dihydropyridine derivatives on <i>Trypanosoma cruzi</i> epimastigotes. <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , 2000, 125, 103-109.	0.5	10
173	Cytotoxic and antineoplastic activity of acetyl derivatives of prenylnaphthohydroquinone. <i>Il Farmaco</i> , 2004, 59, 651-656.	0.9	10
174	New cytotoxic diterpenyl-naphthohydroquinone derivatives obtained from a natural diterpenoid. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 5760-5774.	3.0	10
175	The Triterpenoid Betulin Protects against the Neuromuscular Effects of <i>Bothrops jararacussu</i> Snake Venom <i>In Vivo</i> . <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-10.	1.2	10
176	Bisabolane related glycosides from <i>Carthamus lanatus</i> . <i>Phytochemistry</i> , 1990, 29, 645-648.	2.9	9
177	An Easy Procedure for the Preparation of 3-Methylidene-tetrahydrofurans from Dimethyl Succinates. <i>Synthesis</i> , 2000, 2000, 154-164.	2.3	9
178	Synthesis and Biological Evaluation of Cytotoxic 6(7)-Alkyl-2-hydroxy-1, 4-naphthoquinones. <i>Archiv Der Pharmazie</i> , 2002, 335, 427-437.	4.1	9
179	A new coumarin from the fruits of <i>Coutarea hexandra</i> . <i>Natural Product Research</i> , 2007, 21, 625-631.	1.8	9
180	Synthesis and Cytotoxic Evaluation of (3-Pyrazolylpropyl) Derivatives of 1,4-Naphthohydroquinone-1,4-diacetate. <i>Archiv Der Pharmazie</i> , 2009, 342, 591-599.	4.1	9

#	ARTICLE	IF	CITATIONS
181	Efficacious In Vitro and In Vivo Effects of Dihydrospingosine Ethambutol Analogues Against Susceptible and Multi-drug-resistant Mycobacterium tuberculosis. Archives of Medical Research, 2016, 47, 262-270.	3.3	9
182	New Hybrids Derived from Podophyllic Aldehyde and Diterpenylhydroquinones with Selectivity toward Osteosarcoma Cells. ACS Medicinal Chemistry Letters, 2018, 9, 328-333.	2.8	9
183	Revised assignments of the ¹³ C NMR spectrum of hibalactone using 2D heteronuclear ¹ H/ ¹³ C correlations. Magnetic Resonance in Chemistry, 1987, 25, 57-59.	1.9	8
184	Synthesis of diterpene analogues of cardenolides. Tetrahedron, 1990, 46, 6789-6798.	1.9	8
185	Synthesis and evaluation of cardiotoxic activity of diterpenic butenolides. European Journal of Medicinal Chemistry, 1991, 26, 799-805.	5.5	8
186	Synthesis and evaluation of cardiotoxic activity of simple butenolides II. European Journal of Medicinal Chemistry, 1993, 28, 887-892.	5.5	8
187	Reaction of dienes with selenium dioxide. 2. Unexpected 8-oxa-3-selenabicyclo[3.2.1]octanes from linalool. Journal of Organic Chemistry, 1993, 58, 7942-7944.	3.2	8
188	Neo-clerodane diterpenoids from Linaria saxatilis var. Glutinosa. Phytochemistry, 1994, 36, 1453-1456.	2.9	8
189	Synthesis of Heterocyclic Analogues of Lignans (Heterolignans). Archiv Der Pharmazie, 1994, 327, 91-94.	4.1	8
190	PREPARATION OF TRIOLS AND ETHERS RELATED TO PODOPHYLLOTOXIN. Organic Preparations and Procedures International, 1994, 26, 539-547.	1.3	8
191	A Versatile Approach to the Synthesis of Combretastatins. Journal of Natural Products, 1994, 57, 1136-1144.	3.0	8
192	Reactions of dienes with selenium dioxide III. Selenolabdanes from methyl 15-O-Acetylisocupressate. Tetrahedron, 1995, 51, 11011-11020.	1.9	8
193	A convenient method for the synthesis of six-membered heterocyclic enaminones. Journal of Heterocyclic Chemistry, 1999, 36, 1097-1099.	2.6	8
194	Cytotoxic Antineoplastic Derivatives of Prenyl-1,2-naphthohydroquinone. Archiv Der Pharmazie, 2008, 341, 301-306.	4.1	8
195	Diamine and aminoalcohol derivatives active against Trypanosoma brucei. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 440-443.	2.2	8
196	Selective and stereocontrolled hydroboration of 13-epi-pimaradiene diterpenoids. Tetrahedron, 1989, 45, 1815-1822.	1.9	7
197	8-hydroxy-labdanes from Juniperus thurifera. Phytochemistry, 1992, 31, 1713-1717.	2.9	7
198	Labdane acids from polar extracts of Juniperus thurifera. Phytochemistry, 1992, 31, 1719-1722.	2.9	7

#	ARTICLE	IF	CITATIONS
199	Reaction of selenium dioxide with 3-hydroxy-1,6-diolefins.. Tetrahedron Letters, 1995, 36, 8097-8098.	1.4	7
200	Methyl Ethers of Podophyllotoxin-Related Cyclolignans. Journal of Natural Products, 1995, 58, 870-877.	3.0	7
201	One Carbon Elongation of the Hajos-Parrish Ketone. Synthesis of (+)-(3a <i>S</i> ,7a <i>R</i>)-Octahydro-3a-hydroxy-7a-methyl-1-methylene-5H-indene-5-one. Synthetic Communications, 1995, 25, 1377-1382.	2.1	7
202	A New Synthesis of 3-Methylidenetetrahydrofurans. Synlett, 1996, 1996, 1201-1202.	1.8	7
203	Asymmetric synthesis of (+)-(3a <i>S</i> ,4 <i>S</i> ,7a <i>S</i>)-3a-hydroxy-4,7a-dimethylperhydroindane-1,5-dione. Tetrahedron: Asymmetry, 1997, 8, 2075-2077.	1.8	7
204	Ketene dithioacetal derivatives of 1-phenyl-3,5-dioxopyrazolidine. Synthesis and NMR characterization. Journal of Heterocyclic Chemistry, 1997, 34, 1297-1299.	2.6	7
205	Modified CoMFA methods for the analysis of antineoplastic effects of lignan analogues. Computational and Theoretical Chemistry, 2000, 504, 287-294.	1.5	7
206	Methyl Psilate: A New Antimicrobial Metabolite from <i>Psila boliviensis</i> . Planta Medica, 2002, 68, 66-67.	1.3	7
207	Correct structures of Diels-Alder adducts from the natural cyclolignan thuriferic acid and its 8-epimer. Tetrahedron, 2006, 62, 2370-2379.	1.9	7
208	Synthesis, characterisation, and antineoplastic cytotoxicity of hybrid naphthohydroquinone-nucleic base mimic derivatives. Medicinal Chemistry Research, 2009, 18, 59-69.	2.4	7
209	New 1 <i>H</i> -Benzo[<i>f</i>]indazole-4,9-diones Conjugated with C-Protected Amino Acids and Other Derivatives: Synthesis and in Vitro Antiproliferative Evaluation. Molecules, 2015, 20, 21924-21938.	3.8	7
210	Synthesis and cytotoxic evaluation of new terpenylpurines. RSC Advances, 2016, 6, 105412-105420.	3.6	7
211	In vitro and in vivo evaluation of 2-aminoalkanol and 1,2-alkanediamine derivatives against <i>Strongyloides venezuelensis</i> . Parasites and Vectors, 2016, 9, 364.	2.5	7
212	Neoflavonoids as Inhibitors of HIV-1 Replication by Targeting the Tat and NF- κ B Pathways. Molecules, 2017, 22, 321.	3.8	7
213	Antiproliferative potential of solidagenone isolated of <i>Solidago chilensis</i> . Revista Brasileira De Farmacognosia, 2018, 28, 703-709.	1.4	7
214	Synthesis, bioevaluation and docking studies of some 2-phenyl-1 <i>H</i> -benzimidazole derivatives as anthelmintic agents against the nematode <i>Teladorsagia circumcincta</i> . European Journal of Medicinal Chemistry, 2020, 208, 112554.	5.5	7
215	Stereochemical control of perhydroindanes for the synthesis of cardenolide analogs. Tetrahedron Letters, 1994, 35, 8683-8686.	1.4	6
216	9-epi-labdane diterpenoids from <i>Nolana rostrata</i> var. <i>Rostrata</i> . Phytochemistry, 1997, 45, 797-800.	2.9	6

#	ARTICLE	IF	CITATIONS
217	iso-Kaurenoic acid from <i>Wedelia paludosa</i> D.C.. <i>Anais Da Academia Brasileira De Ciencias</i> , 2010, 82, 823-831.	0.8	6
218	Antiproliferative Benzimidazolequinones as Potential Cyclooxygenase-2 Inhibitors. <i>Molecules</i> , 2019, 24, 2261.	3.8	6
219	Further diterpene acids from <i>Juniperus thurifera</i> . <i>Phytochemistry</i> , 1993, 33, 1165-1167.	2.9	5
220	A role for dipole moment in the activity of cyclolignans. <i>Computational and Theoretical Chemistry</i> , 2000, 504, 51-57.	1.5	5
221	An easy route to pentacyclic terpenylquinones. <i>Tetrahedron Letters</i> , 2012, 53, 519-521.	1.4	5
222	The Synthesis of Some Fused Pyrazolo-1,4-Naphthoquinones. <i>Journal of Heterocyclic Chemistry</i> , 2015, 52, 620-622.	2.6	5
223	Anthelmintic activity of aminoalcohol and diamine derivatives against the gastrointestinal nematode <i>Teladorsagia circumcincta</i> . <i>Veterinary Parasitology</i> , 2021, 296, 109496.	1.8	5
224	¹³ C NMR data for isopimarane and 8-epi-isopimarane diterpenoids. <i>Magnetic Resonance in Chemistry</i> , 1989, 27, 1166-1175.	1.9	4
225	¹² -Stereospecific hydroboration of 13-epi-pimar-8(14)-enes. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1992, , 1665-1669.	0.9	4
226	Biological activities and metabolites from <i>Trevoa trinervis</i> Miers. , 1997, 11, 504-507.		4
227	Cardenolides and Diterpenes as a Source of and Model for Positive Ionotropic Agents. <i>Pharmaceutical Biology</i> , 2001, 39, 53-62.	2.9	4
228	Phenylbutanoid derivatives from <i>Croton schiedeanus</i> . <i>Biochemical Systematics and Ecology</i> , 2005, 33, 849-854.	1.3	4
229	[1,3]Diazaheterofused isoindolol derivatives displaying anxiolytic-like effects on mice. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 4016-4021.	2.2	4
230	Synthesis and Evaluation as Antitumor Agents of 1,4-Naphthohydroquinone Derivatives Conjugated with Amino Acids and Purines. <i>Archiv Der Pharmazie</i> , 2013, 346, 882-890.	4.1	4
231	Trypanocidal Activity of Long Chain Diamines and Aminoalcohols. <i>Molecules</i> , 2015, 20, 11554-11568.	3.8	4
232	Mechanisms of Action of Substituted ¹² -Amino Alkanols on <i>Leishmania donovani</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 1211-1218.	3.2	4
233	<i>Passiflora quadrangularis</i> L. PREVENTS EXPERIMENTAL HYPERTENSION AND VASCULAR REMODELLING IN RATS EXPOSED TO NITRIC OXIDE DEFICIT. <i>Vitae</i> , 2017, 24, 186-195.	0.8	4
234	Pharmacological and Phytochemical Studies of <i>Cephaelis axillaris</i> . <i>Planta Medica</i> , 1994, 60, 561-565.	1.3	3

#	ARTICLE	IF	CITATIONS
235	Constituents and Biological Activities from <i>Muehlenbeckia hastulata</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002, 57, 801-804.	1.4	3
236	Two new dammarane triterpenoids from <i>Kageneckia angustifolia</i> D. Don. <i>Magnetic Resonance in Chemistry</i> , 2005, 43, 943-947.	1.9	3
237	Imidazo[2,1-a]isoindole scaffold as an uncharted structure active on <i>Leishmania donovani</i> . <i>European Journal of Medicinal Chemistry</i> , 2019, 182, 111568.	5.5	3
238	New Antineoplastic Naphthohydroquinones Attached to Labdane and Rearranged Diterpene Skeletons. <i>Molecules</i> , 2021, 26, 474.	3.8	3
239	2,3-FUNCTIONALLY DIALKYL-1,4-BENZOHYDROQUINONE DIACETATE DERIVATIVES FROM CLEAVAGE OF EPOXIDES. <i>Journal of the Chilean Chemical Society</i> , 2001, 46, .	0.1	3
240	New ent-pimarane diterpenes. <i>Tetrahedron</i> , 1990, 46, 1923-1930.	1.9	2
241	SELENIUM OXIDE OXIDATION OF ABIETA-7,13-DIENES IN METHANOL. <i>Organic Preparations and Procedures International</i> , 1993, 25, 215-222.	1.3	2
242	Synthesis of B,B-dinor-B-secosteroids as potential cardenolide analogues. <i>Tetrahedron</i> , 2002, 58, 10103-10112.	1.9	2
243	New labdane derivative from the essential oil of <i>Acalypha plicata</i> MÃ¼ll.Arg.. <i>Flavour and Fragrance Journal</i> , 2006, 21, 559-561.	2.6	2
244	A Highly Polar Phytocomplex Involving Rutin is Responsible for the Neuromuscular Facilitation Caused by <i>Casearia sylvestris</i> (guaÃ§atonga). <i>Current Pharmaceutical Biotechnology</i> , 2016, 17, 1360-1368.	1.6	2
245	¹³ C NMR data for 7- and/or 9-aza-substituted naphthalenecyclolignans. <i>Magnetic Resonance in Chemistry</i> , 1997, 35, 808-815.	1.9	1
246	Anti-hyperalgesic effects of two sphingosine derivatives in different acute and chronic models of hyperalgesia in mice. <i>Pharmacological Reports</i> , 2018, 70, 753-759.	3.3	1
247	New pharmacological insights of <i>Galactia glaucescens</i> . <i>Natural Product Research</i> , 2019, 33, 2389-2393.	1.8	1
248	Cardenolides and Diterpenes as a Source of and Model for Positive Ionotropic Agents. <i>Pharmaceutical Biology</i> , 2001, 39, 53-62.	2.9	1
249	Synthesis, <i>in vitro</i> evaluation and molecular docking studies of novel naphthoisoazolequinone carboxamide hybrids as potential antitumor agents. <i>Polycyclic Aromatic Compounds</i> , 2023, 43, 4960-4983.	2.6	1
250	Comments on Molecules MolBank M48, M88, M89, M92 and M94. <i>Molecules</i> , 1999, 4, M95.	3.8	0
251	Long-Chain Amino Alcohol and Diamine Derivatives Induce Apoptosis Through a Caspase-3 Dependent Pathway.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
252	Anti-HIV Activity of Some Synthetic Lignanoides and Intermediates.. <i>ChemInform</i> , 2004, 35, no.	0.0	0

#	ARTICLE	IF	CITATIONS
253	197. Lupane Triterpenoids from <i>Dipteryx alata</i> Vogel as Snake Venom Inhibitors. <i>Toxicon</i> , 2012, 60, 196-197.	1.6	0
254	RESUMOS DO VIII EDIÇÃO DO SIMPÓSIO IBEROAMERICANO DE PLANTAS MEDICINAIS E DO III SIMPÓSIO IBEROAMERICANO DE INVESTIGAÇÃO EM CÁNCER. <i>Infarma: Pharmaceutical Sciences</i> , 2017, 29, 321.	0.0	0
255	VASCULAR MECHANISMS OF TRITERPENOID SAPONINS ISOLATED FROM <i>Passiflora quadrangularis</i> L.. <i>Vitae</i> , 2020, 27, .	0.8	0
256	Two New Dihydrosphingosine Analogs Against <i>Mycobacterium tuberculosis</i> Affect <i>gltA1</i> , <i>lprQ</i> , and <i>rpsO</i> Expression. <i>Frontiers in Microbiology</i> , 2021, 12, 742867.	3.5	0