

# Young Rag Do

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2672581/publications.pdf>

Version: 2024-02-01

183  
papers

7,164  
citations

57758

44  
h-index

69250

77  
g-index

187  
all docs

187  
docs citations

187  
times ranked

7331  
citing authors

#	ARTICLE	IF	CITATIONS
1	Single and Dual Doping of Blue-Emissive ZnSeTe Quantum Dots with Transition Metal Ions. <i>Advanced Optical Materials</i> , 2022, 10, 2101767.	7.3	5
2	Fabrication of SiN Nanopore Filters Using Combined Process of Nanoimprint and Dual-Side Aligned Photolithography for Purified Cs <sub>3</sub> MnBr <sub>5</sub> Green Phosphors. <i>Advanced Materials Technologies</i> , 2022, 7, .	5.8	2
3	Estimation of melatonin level and core body temperature: heart rate and heart rate variability as circadian rhythm markers. <i>Biological Rhythm Research</i> , 2022, 53, 1735-1752.	0.9	3
4	Synthesis of Cs <sub>3</sub> MnBr <sub>5</sub> Green Phosphors Using an Eco-Friendly Evaporative Crystallization Process. <i>ACS Omega</i> , 2022, 7, 25031-25038.	3.5	4
5	Enhancement Mechanism of Quantum Yield in Alloyed-Core/Shell Structure of ZnS-CuInS <sub>2</sub> /ZnS Quantum Dots. <i>Journal of Physical Chemistry C</i> , 2021, 125, 9965-9972.	3.1	15
6	High-efficiency organic solar cells prepared using a halogen-free solution process. <i>Cell Reports Physical Science</i> , 2021, 2, 100517.	5.6	6
7	Fabrication of Circadian Light Meter with Non-Periodic Optical Filters to Evaluate the Non-Visual Effects of Light on Humans. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8283.	2.5	2
8	Preparation and photoluminescence properties of transparent suspensions of Ca(Y <sup>167</sup> Eu) <sub>2</sub> (MoO <sub>4</sub> ) <sub>4</sub> nanophosphors. <i>Optical Materials</i> , 2021, 119, 111394.	3.6	2
9	Narrow-Band SrMgAl <sub>10</sub> O <sub>17</sub> :Eu <sup>2+</sup> , Mn <sup>2+</sup> Green Phosphors for Wide-Color-Gamut Backlight for LCD Displays. <i>ACS Omega</i> , 2020, 5, 19516-19524.	3.5	18
10	73 <sup>rd</sup> : Invited Paper: Influences of Circadian Illuminances from Lighting and TV on the Human Locomotor Activity, Sleep Disorder, EEG, HRV, and Melatonin Secretion. <i>Digest of Technical Papers SID International Symposium</i> , 2020, 51, 1094-1097.	0.3	1
11	<i>Diphyllia grayi</i> -Inspired Intelligent Hydrochromic Adhesive Film. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 49982-49991.	8.0	14
12	Morphological-Electrical Property Relation in Cu(In,Ga)(S,Se) <sub>2</sub> Solar Cells: Significance of Crystal Grain Growth and Band Grading by Potassium Treatment. <i>Small</i> , 2020, 16, e2003865.	10.0	12
13	Optical Transitions of CuInS <sub>2</sub> Nanoparticles: Two Types of Absorption and Two Types of Emission. <i>Journal of Physical Chemistry C</i> , 2020, 124, 14400-14408.	3.1	10
14	Shallow and Deep Trap State Passivation for Low-Temperature Processed Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2020, 5, 1396-1403.	17.4	75
15	Newly Developed Broadband Antireflective Nanostructures by Coating a Low-Index MgF <sub>2</sub> Film onto a SiO <sub>2</sub> Moth-Eye Nanopattern. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 10626-10636.	8.0	39
16	Efficient Hybrid Tandem Solar Cells Based on Optical Reinforcement of Colloidal Quantum Dots with Organic Bulk Heterojunctions. <i>Advanced Energy Materials</i> , 2020, 10, 1903294.	19.5	17
17	InP-Based Quantum Dots Having an InP Core, Composition-Gradient ZnSeS Inner Shell, and ZnS Outer Shell with Sharp, Bright Emissivity, and Blue Absorptivity for Display Devices. <i>ACS Applied Nano Materials</i> , 2020, 3, 1972-1980.	5.0	68
18	Stable and Colorful Perovskite Solar Cells Using a Nonperiodic SiO <sub>2</sub> /TiO <sub>2</sub> Multi-Nanolayer Filter. <i>ACS Nano</i> , 2019, 13, 10129-10139.	14.6	55

#	ARTICLE	IF	CITATIONS
19	High-efficiency blue and white electroluminescent devices based on non-Cd $\text{In}^{\text{III}}\text{VI}$ quantum dots. <i>Nano Energy</i> , 2019, 63, 103869.	16.0	36
20	Dual wavelength lasing of InGaN/GaN axial-heterostructure nanorod lasers. <i>Nanoscale</i> , 2019, 11, 14186-14193.	5.6	9
21	Stable and Efficient Green Perovskite Nanocrystal $\text{Polysilazane}$ Films for White LEDs Using an Electro-spray Deposition Process. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 22510-22520.	8.0	11
22	Systematic and Extensive Emission Tuning of Highly Efficient $\text{Cu}^{\text{I}}\text{In}^{\text{S}}$ -Based Quantum Dots from Visible to Near Infrared. <i>Chemistry of Materials</i> , 2019, 31, 2627-2634.	6.7	45
23	RGB-Colored $\text{Cu}(\text{In,Ga})(\text{S,Se})_2$ Thin-Film Solar Cells with Minimal Efficiency Loss Using Narrow-Bandwidth Stopband Nano-Multilayered Filters. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 9994-10003.	8.0	18
24	Realization of high-color-quality white-by-blue organic light-emitting diodes with yellow and red phosphor films. <i>Journal of Luminescence</i> , 2019, 207, 195-200.	3.1	7
25	Enhancement Mechanism of the Photoluminescence Quantum Yield in Highly Efficient $\text{Zn}^{\text{S}}\text{AgIn}_5\text{S}_8$ Quantum Dots with Core/Shell Structures. <i>Journal of Physical Chemistry C</i> , 2018, 122, 10125-10132.	3.1	12
26	Synthesis of widely emission-tunable $\text{Ag}^{\text{I}}\text{Ga}^{\text{S}}$ and its quaternary derivative quantum dots. <i>Chemical Engineering Journal</i> , 2018, 347, 791-797.	12.7	27
27	Color- $\text{by}$ -Blue QD-Emissive LCD Enabled by Replacing RGB Color Filters with Narrow-Band GR InP/ZnSeS/ZnS QD Films. <i>Advanced Optical Materials</i> , 2018, 6, 1701239.	7.3	42
28	Efficient and Stable $\text{CsPbBr}_3$ Quantum-Dot Powders Passivated and Encapsulated with a Mixed Silicon Nitride and Silicon Oxide Inorganic Polymer Matrix. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 11756-11767.	8.0	115
29	Effective surface passivation of multi-shelled InP quantum dots through a simple complexing with titanium species. <i>Applied Surface Science</i> , 2018, 428, 906-911.	6.1	19
30	Highly efficient wide-color-gamut QD-emissive LCDs using red and green perovskite core/shell QDs. <i>Journal of Materials Chemistry C</i> , 2018, 6, 13023-13033.	5.5	59
31	Color-Generating 1D PC Dichroic Filter on $\text{Cu}(\text{In,Ga})(\text{S,Se})_2$ Thin-Film Photovoltaic Cells for Building Integrated Photovoltaics. , 2018, , .		1
32	Low-Yellowing Phosphor-in-Glass for High-Power Chip-on-board White LEDs by Optimizing a Low-Melting Sn-P-F-O Glass Matrix. <i>Scientific Reports</i> , 2018, 8, 7412.	3.3	17
33	Spectroscopic Influence of Virtual Reality and Augmented Reality Display Devices on the Human Non-Visual Characteristics and Melatonin Suppression Response. <i>IEEE Photonics Journal</i> , 2018, , 1-1.	2.0	4
34	Enhancing the alignment selectivity of p/MQW/n InGaN nanorod LEDs. , 2018, , .		0
35	Band-Gap States of $\text{AgIn}_5\text{S}_8$ and $\text{Zn}^{\text{S}}\text{AgIn}_5\text{S}_8$ Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2017, 121, 3149-3155.	3.1	31
36	Solution-processed fabrication of highly transparent mono- and tri-colored quantum dot-light-emitting diodes. <i>Organic Electronics</i> , 2017, 45, 145-150.	2.6	22

#	ARTICLE	IF	CITATIONS
37	Multiple-Color-Generating Cu(In,Ga)(S,Se) <sub>2</sub> Thin-Film Solar Cells via Dichroic Film Incorporation for Power-Generating Window Applications. ACS Applied Materials & Interfaces, 2017, 9, 14817-14826.	8.0	27
38	Origin of highly efficient photoluminescence in AgIn <sub>5</sub> S <sub>8</sub> nanoparticles. Nanoscale, 2017, 9, 10285-10291.	5.6	20
39	A near-ideal color rendering white solid-state lighting device copackaged with two color-separated Cu <sup>2+</sup> X <sup>2+</sup> (X = Ga, In) quantum dot emitters. Journal of Materials Chemistry C, 2017, 5, 6755-6761.	5.5	30
40	Circadian-tunable Perovskite Quantum Dot-based Down-Converted Multi-Package White LED with a Color Fidelity Index over 90. Scientific Reports, 2017, 7, 2808.	3.3	45
41	Highly Efficient Green Zn <sub>0.5</sub> Ag <sub>0.5</sub> In <sub>0.5</sub> S/Zn <sub>0.5</sub> In <sub>0.5</sub> S/ZnS QDs by a Strong Exothermic Reaction for Down-Converted Green and Tripackage White LEDs. Advanced Functional Materials, 2017, 27, 1602638.	14.9	60
42	Color-tunable Ag-In-Zn-S quantum-dot light-emitting devices realizing green, yellow and amber emissions. Journal of Materials Chemistry C, 2017, 5, 953-959.	5.5	39
43	Enhanced DC-Operated Electroluminescence of Forwardly Aligned p/MQW/n InGaN Nanorod LEDs via DC Offset-AC Dielectrophoresis. ACS Applied Materials & Interfaces, 2017, 9, 37912-37920.	8.0	18
44	3-D architecture between indium tin oxide nano-rods and a solution processed CuInGaS <sub>2</sub> absorber layer for thin film solar cells. Thin Solid Films, 2017, 636, 506-511.	1.8	1
45	Low-Temperature-Processed 9% Colloidal Quantum Dot Photovoltaic Devices through Interfacial Management of p-n Heterojunction. Advanced Energy Materials, 2016, 6, 1502146.	19.5	70
46	Multi-Functional Transparent Luminescent Configuration for Advanced Photovoltaics. Advanced Energy Materials, 2016, 6, 1502404.	19.5	10
47	Horizontally assembled green InGaN nanorod LEDs: scalable polarized surface emitting LEDs using electric-field assisted assembly. Scientific Reports, 2016, 6, 28312.	3.3	36
48	Tunable White Fluorescent Copper Gallium Sulfide Quantum Dots Enabled by Mn Doping. ACS Applied Materials & Interfaces, 2016, 8, 12291-12297.	8.0	57
49	Evaluation of new color metrics: guidelines for developing narrow-band red phosphors for WLEDs. Journal of Materials Chemistry C, 2016, 4, 8326-8348.	5.5	112
50	High-efficiency red electroluminescent device based on multishelled InP quantum dots. Optics Letters, 2016, 41, 3984.	3.3	101
51	Cycles of circadian illuminance are sufficient to entrain and maintain circadian locomotor rhythms in Drosophila. Scientific Reports, 2016, 6, 37784.	3.3	5
52	Sn <sup>4+</sup> P <sup>5+</sup> F containing glass matrix for the fabrication of phosphor-in-glass for use in high power LEDs. RSC Advances, 2016, 6, 111640-111647.	3.6	31
53	Study of Perovskite QD Down-Converted LEDs and Six-Color White LEDs for Future Displays with Excellent Color Performance. ACS Applied Materials & Interfaces, 2016, 8, 18189-18200.	8.0	159
54	Enhanced fluorescent stability of copper indium sulfide quantum dots through incorporating aluminum into ZnS shell. Journal of Alloys and Compounds, 2016, 662, 173-178.	5.5	17

#	ARTICLE	IF	CITATIONS
55	Enhanced Light Extraction From Green Quantum Dot Light-Emitting Diodes by Attaching Microstructure Arrayed Films. IEEE Journal of Selected Topics in Quantum Electronics, 2016, 22, 42-47.	2.9	11
56	Optical Properties Enhancement of Electrospayed Quantum Dot/Polymer Nanohybrid Films by a Solvent Vapor Treatment. Science of Advanced Materials, 2016, 8, 224-230.	0.7	1
57	Analysis of circadian properties and healthy levels of blue light from smartphones at night. Scientific Reports, 2015, 5, 11325.	3.3	96
58	Simultaneous Improvement of Charge Generation and Extraction in Colloidal Quantum Dot Photovoltaics Through Optical Management. Advanced Functional Materials, 2015, 25, 6241-6249.	14.9	16
59	2D TiO <sub>2</sub> photonic crystal-assisted Y <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> :Ce ceramic-plate phosphor and free-standing red film phosphor for white LEDs. , 2015, , .		1
60	Fabrication of an InGaN/GaN-based LED nanorod array by nanosphere lithography and its optical properties. , 2015, , .		1
61	Performance Improvement of Quantum Dot-Light-Emitting Diodes Enabled by an Alloyed ZnMgO Nanoparticle Electron Transport Layer. Chemistry of Materials, 2015, 27, 197-204.	6.7	152
62	Hybrid 2D Photonic Crystal-Assisted Lu <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> :Ce Ceramic-Plate Phosphor and Free-Standing Red Film Phosphor for White LEDs with High Color-Rendering Index. ACS Applied Materials & Interfaces, 2015, 7, 4549-4559.	8.0	50
63	Fabrication of a white electroluminescent device based on bilayered yellow and blue quantum dots. Nanoscale, 2015, 7, 5363-5370.	5.6	41
64	Optimization of the theoretical photosynthesis performance and vision-friendly quality of multi-package purplish white LED lighting. RSC Advances, 2015, 5, 21745-21754.	3.6	12
65	High-Color-Quality Multipackage Phosphor-Converted LEDs for Yellow Photolithography Room Lamp. IEEE Photonics Journal, 2015, 7, 1-8.	2.0	16
66	Realization of InP/ZnS quantum dots for green, amber and red down-converted LEDs and their color-tunable, four-package white LEDs. Journal of Materials Chemistry C, 2015, 3, 3582-3591.	5.5	46
67	Synthesis and Characterization of Green Zn <sup>2+</sup> Ag <sup>+</sup> In <sup>3+</sup> S and Red Zn <sup>2+</sup> Cu <sup>+</sup> In <sup>3+</sup> S Quantum Dots for Ultrahigh Color Quality of Down-Converted White LEDs. ACS Applied Materials & Interfaces, 2015, 7, 7342-7350.	8.0	124
68	Analysis of wide color gamut of green/red bilayered freestanding phosphor film-capped white LEDs for LCD backlight. Optics Express, 2015, 23, A791.	3.4	66
69	Improved performance of dye-sensitized solar cells using dual-function TiO <sub>2</sub> nanowire photoelectrode. Optics Express, 2015, 23, A1280.	3.4	3
70	Synthesis of narrow-band red-emitting K <sub>2</sub> SiF <sub>6</sub> :Mn <sup>4+</sup> phosphors for a deep red monochromatic LED and ultrahigh color quality warm-white LEDs. Journal of Materials Chemistry C, 2015, 3, 607-615.	5.5	148
71	Healthy, natural, efficient and tunable lighting: four-package white LEDs for optimizing the circadian effect, color quality and vision performance. Light: Science and Applications, 2014, 3, e141-e141.	16.6	325
72	Quantum-dot-based white lighting planar source through downconversion by blue electroluminescence. Optics Letters, 2014, 39, 1208.	3.3	6

#	ARTICLE	IF	CITATIONS
73	Color-by-blue display using blue quantum dot light-emitting diodes and green/red color converting phosphors. Optics Express, 2014, 22, A511.	3.4	37
74	Realization of quantum dot-based polarized white LEDs using short-wavelength pass dichroic filters and reflective polarizer films. , 2014, , .		0
75	High color rendering index of remote-type white LEDs with multi-layered quantum dot-phosphor films and short-wavelength pass dichroic filters. Proceedings of SPIE, 2014, , .	0.8	1
76	Use of a precursor solution to fill the gaps between indium tin oxide nanorods, for preparation of three-dimensional CuInGaS <sub>2</sub> thin-film solar cells. Research on Chemical Intermediates, 2014, 40, 49-56.	2.7	7
77	Full Extraction of 2D Photonic Crystal Assisted $\text{Y}_3\text{Al}_5\text{O}_{12}:\text{Ce}$ Ceramic Plate Phosphor for Highly Efficient White LEDs. IEEE Photonics Journal, 2014, 6, 1-10.	2.0	28
78	Photoluminescence of Band Gap States in AgInS <sub>2</sub> Nanoparticles. Journal of Physical Chemistry C, 2014, 118, 25677-25683.	3.1	59
79	Fabrication of wafer-scale free-standing quantum dot/polymer nanohybrid films for white-light-emitting diodes using an electrospray method. Journal of Materials Chemistry C, 2014, 2, 10439-10445.	5.5	23
80	Various nanofabrication approaches towards two-dimensional photonic crystals for ceramic plate phosphor-capped white light-emitting diodes. Journal of Materials Chemistry C, 2014, 2, 7513.	5.5	26
81	Coaxial RuO <sub>2</sub> â€ITO Nanopillars for Transparent Supercapacitor Application. Langmuir, 2014, 30, 1704-1709.	3.5	94
82	Fabrication of solution processed 3D nanostructured CuInGaS <sub>2</sub> thin film solar cells. Nanotechnology, 2014, 25, 125401.	2.6	13
83	Preparation with laser ablation and photoluminescence of Y <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> :Ce nanophosphors. Electronic Materials Letters, 2014, 10, 461-465.	2.2	19
84	Fabrication and characterization of large-scale multifunctional transparent ITO nanorod films. Journal of Materials Chemistry A, 2013, 1, 5860.	10.3	44
85	Fabrication of wafer-scale TiO <sub>2</sub> nanobowl arrays via a scooping transfer of polystyrene nanospheres and atomic layer deposition for their application in photonic crystals. Journal of Materials Chemistry C, 2013, 1, 1732.	5.5	26
86	Improved color coordinates of green monochromatic pc-LED capped with a band-pass filter. Optics Express, 2013, 21, 4539.	3.4	12
87	Toward scatter-free phosphors in white phosphor-converted light-emitting diodes: reply to comments. Optics Express, 2013, 21, 5074.	3.4	8
88	Visible cathodoluminescence of quantum dot films by direct irradiation of electron beam and its materialization as a field emission device. Optics Express, 2013, 21, 12519.	3.4	5
89	Polarized white light from LEDs using remote-phosphor layer sandwiched between reflective polarizer and light-recycling dichroic filter. Optics Express, 2013, 21, A765.	3.4	20
90	Preparation and Photoluminescence of Green-Emitting Phosphors SrGa <sub>2</sub> S <sub>4</sub> :Eu. Bulletin of the Korean Chemical Society, 2013, 34, 3919-3922.	1.9	6

#	ARTICLE	IF	CITATIONS
91	Effects of 2D SiO <sub>2</sub> and SiN <sub>x</sub> photonic crystal on extracted light from Y <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> :Ce <sup>3+</sup> ceramic plate phosphor. Proceedings of SPIE, 2012, , .	0.8	1
92	Highly-efficient, tunable green, phosphor-converted LEDs using a long-pass dichroic filter and a series of orthosilicate phosphors for tri-color white LEDs. Optics Express, 2012, 20, A1.	3.4	25
93	Toward scatter-free phosphors in white phosphor-converted light-emitting diodes. Optics Express, 2012, 20, 10218.	3.4	85
94	Excellent color rendering indexes of multi-package white LEDs. Optics Express, 2012, 20, 20276.	3.4	32
95	Two-Dimensional Hexagonal Lattice Photonic Crystal Band-Edge Laser Patterned by Nanosphere Lithography. Applied Physics Express, 2012, 5, 042102.	2.4	5
96	Selecting Morphology of Y <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> :Ce <sup>3+</sup> Phosphors for Minimizing Scattering Loss in the pc-LED Package. Journal of the Electrochemical Society, 2012, 159, J96-J106.	2.9	49
97	Bulk Heterojunction Formation between Indium Tin Oxide Nanorods and CuInS <sub>2</sub> Nanoparticles for Inorganic Thin Film Solar Cell Applications. ACS Applied Materials & Interfaces, 2012, 4, 849-853.	8.0	39
98	Vertical Growth of ZnO Nanorods Prepared on an ITO-Coated Glass Substrate by Hydrothermal-Electrochemical Deposition. Journal of the Electrochemical Society, 2012, 159, D355-D361.	2.9	22
99	Synthesis of color-tunable Cu <sup>2+</sup> In <sup>3+</sup> Ga <sup>3+</sup> S solid solution quantum dots with high quantum yields for application to white light-emitting diodes. Journal of Materials Chemistry, 2012, 22, 21901.	6.7	113
100	Comparisons of the structural and optical properties of o-AgInS <sub>2</sub> , t-AgInS <sub>2</sub> , and c-AgInS <sub>2</sub> nanocrystals and their solid-solution nanocrystals with ZnS. Journal of Materials Chemistry, 2012, 22, 18939.	6.7	132
101	Characterization of four-color multi-package white light-emitting diodes combined with various green monochromatic phosphor-converted light-emitting diodes. , 2012, , .		2
102	Utilization of All Hydrothermally Synthesized Red, Green, Blue Nanophosphors for Fabrication of Highly Transparent Monochromatic and Full-Color Plasma Display Devices. Advanced Functional Materials, 2012, 22, 1885-1893.	14.9	30
103	Surface-Plasmon-Enhanced Band Emission of ZnO Nanoflowers Decorated with Au Nanoparticles. Chemistry - A European Journal, 2012, 18, 7467-7472.	3.3	52
104	Silver Nanoparticles Are Assembled Only on the Two Facets of the Rod Template. Journal of Nanoscience and Nanotechnology, 2012, 12, 1638-1640.	0.9	0
105	Superhydrophobicity of 2D SiO <sub>2</sub> hierarchical micro/nanorod structures fabricated using a two-step micro/nanosphere lithography. Journal of Materials Chemistry, 2012, 22, 14035.	6.7	33
106	Wafer-Scale Growth of ITO Nanorods by Radio Frequency Magnetron Sputtering Deposition. Journal of the Electrochemical Society, 2011, 158, K131.	2.9	31
107	Fabrication of Micro-Patterned 2D Nanorod and Nanohole Arrays by a Combination of Photolithography and Nanosphere Lithography. Journal of the Electrochemical Society, 2011, 158, J143.	2.9	12
108	Enhancement of Photoluminescence by Photonic Crystal Scattering and Nanocrystalline Surface Scattering From Y <sub>2</sub> O <sub>3</sub> :Tb <sub>3+</sub> Film Phosphors. Journal of the Electrochemical Society, 2011, 158, J316-J320.	2.9	2



#	ARTICLE	IF	CITATIONS
109	New paradigm of multi-chip white LEDs: combination of an InGaN blue LED and full down-converted phosphor-converted LEDs. Optics Express, 2011, 19, A270.	3.4	38
110	The realization of a whole palette of colors in a green gap by monochromatic phosphor-converted light-emitting diodes. Optics Express, 2011, 19, 4188.	3.4	18
111	Highly efficient full-color display based on blue LED backlight and electrochromic light-valve coupled with front-emitting phosphors. Optics Express, 2011, 19, 16022.	3.4	10
112	2D SiN <sub>x</sub> photonic crystal coated Y <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> :Ce <sup>3+</sup> ceramic plate phosphor for high-power white light-emitting diodes. Optics Express, 2011, 19, 25593.	3.4	42
113	Fabrication of 2D photonic crystal assisted Y <sub>2</sub> O <sub>3</sub> :Eu <sup>3+</sup> thin-film phosphors by direct nano-imprinting. Microelectronic Engineering, 2011, 88, 2930-2933.	2.4	9
114	Mononuclear transition metal complexes with sterically hindered carboxylate ligands: Synthesis, structural and spectral properties. Polyhedron, 2011, 30, 340-346.	2.2	12
115	Two-dimensional photonic crystal arrays for polymer:fullerene solar cells. Nanotechnology, 2011, 22, 465403.	2.6	8
116	Fabrication of wafer-scale polystyrene photonic crystal multilayers via the layer-by-layer scooping transfer technique. Journal of Materials Chemistry, 2011, 21, 14167.	6.7	79
117	Structural templating and growth behavior of copper phthalocyanine thin films deposited on a polycrystalline perylenetetracarboxylic dianhydride layer. Journal of Applied Physics, 2011, 109, 063507.	2.5	16
118	A Facile Synthetic Method of Silver Nanoparticles with a Continuous Size Range from sub-10 nm to 40 nm. Bulletin of the Korean Chemical Society, 2011, 32, 117-121.	1.9	4
119	Novel Electroluminescent Polymer Derived from Pyrene-Functionalized Polyaniline. Bulletin of the Korean Chemical Society, 2011, 32, 1495-1499.	1.9	4
120	Efficiency enhancement in white phosphor-on-cup light-emitting diodes using short wave-pass filters. , 2010, , .		0
121	Colloidal synthesis of Cu <sub>2</sub> SnSe <sub>3</sub> nanocrystals. Materials Letters, 2010, 64, 2043-2045.	2.6	24
122	Facile synthesis and size control of spherical aggregates composed of Cu <sub>2</sub> O nanoparticles. Journal of Colloid and Interface Science, 2010, 342, 198-201.	9.4	30
123	Deep blue, efficient, moderate microcavity organic light-emitting diodes. Organic Electronics, 2010, 11, 137-145.	2.6	33
124	Lowering Color Temperature of Y <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> :Ce <sup>3+</sup> White Light Emitting Diodes Using Reddish Light-Recycling Filter. Electrochemical and Solid-State Letters, 2010, 13, J5.	2.2	22
125	Full down-conversion of amber-emitting phosphor-converted light-emitting diodes with powder phosphors and a long-wave pass filter. Optics Express, 2010, 18, 11063.	3.4	19
126	Highly efficient phosphor-converted white organic light-emitting diodes with moderate microcavity and light-recycling filters. Optics Express, 2010, 18, 1099.	3.4	42



#	ARTICLE	IF	CITATIONS
127	Wafer-scale colloidal lithography based on self-assembly of polystyrene nanospheres and atomic layer deposition. <i>Journal of Materials Chemistry</i> , 2010, 20, 5025.	6.7	29
128	Fabrication of monolithic polymer nanofluidic channels using nanowires as sacrificial templates. <i>Nanotechnology</i> , 2010, 21, 425302.	2.6	15
129	Brighter Photoluminescence of 2D Photonic Crystal-Assisted $Y_2O_3:Eu^{3+}$ Thick-Film Phosphors over Screened Powder Phosphors. <i>Electrochemical and Solid-State Letters</i> , 2009, 12, J58.	2.2	5
130	Sol-Gel Synthesis of an Efficient Blue $CaMgSi_2O_6:Eu^{2+}$ Thin-Film Phosphor with Two-Dimensional Triangular-Lattice $SiN_x$ Air-Hole Photonic Crystal. <i>Journal of the Electrochemical Society</i> , 2009, 156, J283.	2.9	9
131	Enhanced forward efficiency of $Y_3Al_5O_{12}:Ce^{3+}$ phosphor from white light-emitting diodes using blue-pass yellow-reflection filter. <i>Optics Express</i> , 2009, 17, 7450.	3.4	70
132	Hydrothermal Electrochemical Synthesis of ZnO Nanorods. <i>Crystal Growth and Design</i> , 2009, 9, 3615-3620.	3.0	62
133	Effects of symmetry, shape, and structural parameters of two-dimensional $SiN_x$ photonic crystal on the extracted light from $Y_2O_3:Eu^{3+}$ film. <i>Journal of Applied Physics</i> , 2009, 105, 043103.	2.5	24
134	Nanoscale ZnO and Al-Doped ZnO Coatings on ZnS:Ag Phosphors and their Cathodoluminescent Properties. <i>Journal of the American Ceramic Society</i> , 2008, 91, 451-455.	3.8	11
135	Periodic Growth of ZnO Nanorod Arrays on Two-Dimensional $SiN_x$ Nanohole Templates by Electrochemical Deposition. <i>Journal of Physical Chemistry C</i> , 2008, 112, 4129-4133.	3.1	12
136	The variation of the enhanced photoluminescence efficiency of $Y_2O_3:Eu^{3+}$ films with the thickness to the photonic crystal layer. <i>Optics Express</i> , 2008, 16, 5689.	3.4	19
137	Enhanced Light Extraction from $SrGa_2S_4:Eu^{2+}$ Film Phosphors Coated with Various Sizes of Polystyrene Nanosphere Monolayers. <i>Journal of Physical Chemistry C</i> , 2008, 112, 7594-7598.	3.1	23
138	A Study of the Factors Influencing the Brightness of the Photoluminescence of Sputter-Deposited $Y_2O_3:Eu^{3+}$ Film Phosphors. <i>Journal of the Electrochemical Society</i> , 2008, 155, J111.	2.9	13
139	The Effect of Annealing Temperature on the CL Properties of Sol-Gel Derived $Y_2O_3:Re$ ( $Re=Eu^{3+}, Tb^{3+}, Tm^{3+}$ ) Phosphors. <i>Journal of the Electrochemical Society</i> , 2007, 154, J272.	2.9	18
140	Enhanced extraction efficiency of $Y_2O_3:Eu^{3+}$ thin-film phosphors coated with hexagonally close-packed polystyrene nanosphere monolayers. <i>Applied Physics Letters</i> , 2007, 91, 041907.	3.3	46
141	Structural effect of a two-dimensional $SiO_2$ photonic crystal layer on extraction efficiency in sputter-deposited $Y_2O_3:Eu^{3+}$ thin-film phosphors. <i>Journal of Applied Physics</i> , 2007, 102, .	2.5	21
142	Strong perturbation of the guided light within $Y_2O_3:Eu^{3+}$ thin-film phosphors coated with two-dimensional air-hole photonic crystal arrays. <i>Applied Physics Letters</i> , 2007, 91, .	3.3	17
143	Optical Properties of $Y_2O_3:Eu^{3+}$ Thin-Film Phosphors Coated with 2D $SiN_x$ Air Photonic Crystal Layers. <i>Electrochemical and Solid-State Letters</i> , 2007, 10, H82.	2.2	8
144	Pulsed Laser Deposition Growth of $CaMgSi_2O_6:Eu^{2+}$ Thin Film Phosphors. <i>Electrochemical and Solid-State Letters</i> , 2007, 10, J23.	2.2	3

#	ARTICLE	IF	CITATIONS
145	Spatially Separated ZnO Nanopillar Arrays on Pt/Si Substrates Prepared by Electrochemical Deposition. Journal of Physical Chemistry C, 2007, 111, 11793-11801.	3.1	44
146	Optical properties of sol-gel derived Y <sub>2</sub> O <sub>3</sub> :Eu <sup>3+</sup> thin-film phosphors for display applications. Thin Solid Films, 2007, 515, 3373-3379.	1.8	64
147	Light Stamping Lithography: Microcontact Printing without Inks. Journal of the American Chemical Society, 2006, 128, 858-865.	13.7	46
148	Luminescence Properties of Potential Sr <sub>1-x</sub> Ca <sub>x</sub> Ga <sub>2</sub> S <sub>4</sub> :Eu Green- and Greenish-Yellow-Emitting Phosphors for White LED. Journal of the Electrochemical Society, 2006, 153, H142.	2.9	53
149	Design and Optical Properties of ZnS:Mn Thin-Film Electroluminescent Devices on 2D SiO <sub>2</sub> Corrugated Photonic Crystal Substrates. Journal of the Electrochemical Society, 2006, 153, H71.	2.9	5
150	Characterization of Eu-Doped SnO <sub>2</sub> Thin Films Deposited by Radio-Frequency Sputtering for a Transparent Conductive Phosphor Layer. Journal of the Electrochemical Society, 2006, 153, H63.	2.9	16
151	Planarized SiNx/spin-on-glass photonic crystal organic light-emitting diodes. Applied Physics Letters, 2006, 89, 173502.	3.3	58
152	Analysis of the factors governing the enhanced photoluminescence brightness of Li-doped Y <sub>2</sub> O <sub>3</sub> :Eu thin-film phosphors. Applied Physics Letters, 2006, 89, 131915.	3.3	77
153	Effects of 2D SiO <sub>2</sub> Nanorod-Modified Substrates on the Morphology and CL Properties of ZnS:Mn Particle-like Thin-Film Phosphors. Journal of the Electrochemical Society, 2005, 152, H48.	2.9	3
154	Enhanced Light Extraction Efficiency in Pulse Laser Deposited Gd <sub>2</sub> O <sub>3</sub> :Eu <sup>3+</sup> + Thin-Film Phosphors on 2-D PCLs. Electrochemical and Solid-State Letters, 2005, 8, H43-H45.	2.2	17
155	Effect of the extinction coefficient on the extraction efficiency of ZnS:Mn thin-film phosphors grown on two-dimensional nanorod substrates. Applied Physics Letters, 2005, 86, 251912.	3.3	4
156	Photoluminescence of Organic Luminescent Layers on a 2D SiO <sub>2</sub> Nanorod Array or between 2D Corrugated Ag and SiO <sub>2</sub> Layers. Journal of the Electrochemical Society, 2005, 152, H124.	2.9	3
157	Nanohole-templated organic light-emitting diodes fabricated using laser-interfering lithography: moth-eye lighting. Optics Express, 2005, 13, 1598.	3.4	49
158	Far-field radiation of photonic crystal organic light-emitting diode. Optics Express, 2005, 13, 5864.	3.4	44
159	Effect of corrugated substrates on light extraction efficiency and the mechanism of growth in pulsed laser deposited Y <sub>2</sub> O <sub>3</sub> :Eu <sup>3+</sup> thin-film phosphors. Applied Physics Letters, 2004, 85, 55-57.	3.3	47
160	Enhanced light extraction efficiency from organic light emitting diodes by insertion of a two-dimensional photonic crystal structure. Journal of Applied Physics, 2004, 96, 7629-7636.	2.5	194
161	Influence of a two-dimensional SiO <sub>2</sub> nanorod structure on the extraction efficiency of ZnS:Mn thin-film electroluminescent devices. Applied Physics Letters, 2004, 84, 1377-1379.	3.3	10
162	Al <sub>2</sub> O <sub>3</sub> Nanoencapsulation of BaMgAl <sub>10</sub> O <sub>17</sub> :Eu <sup>2+</sup> Phosphors for Improved Aging Properties in Plasma Display Panels. Journal of the Electrochemical Society, 2004, 151, H210.	2.9	31

#	ARTICLE	IF	CITATIONS
163	Phosphor Converted Three-Band White LED. Bulletin of the Korean Chemical Society, 2004, 25, 1585-1588.	1.9	43
164	Enhanced Light Extraction from Organic Light-Emitting Diodes with 2D SiO <sub>2</sub> /SiN <sub>x</sub> Photonic Crystals. Advanced Materials, 2003, 15, 1214-1218.	21.0	223
165	A high-extraction-efficiency nanopatterned organic light-emitting diode. Applied Physics Letters, 2003, 82, 3779-3781.	3.3	314
166	Optical Properties of Three-Band White Light Emitting Diodes. Journal of the Electrochemical Society, 2003, 150, H57.	2.9	198
167	Improved output coupling efficiency of a ZnS:Mn thin-film electroluminescent device with addition of a two-dimensional SiO <sub>2</sub> corrugated substrate. Applied Physics Letters, 2003, 82, 4172-4174.	3.3	33
168	Improved Cathodoluminescence Output Coupling of ZnS:Tb Thin-Film Phosphors Deposited on 2D SiO <sub>2</sub> Corrugated Glass Substrate. Journal of the Electrochemical Society, 2003, 150, H260.	2.9	13
169	Uniform Nanoscale SiO <sub>2</sub> Encapsulation of ZnS Phosphors for Improved Aging Properties under Low Voltage Electron Beam Excitation. Journal of the Electrochemical Society, 2001, 148, G548.	2.9	29
170	Uniform and continuous Y <sub>2</sub> O <sub>3</sub> coating on ZnS phosphors. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2000, 76, 122-126.	3.5	35
171	Photoluminescence properties of Al <sub>3</sub> Gd <sub>2</sub> B <sub>4</sub> O <sub>12</sub> :Eu phosphors. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2000, 78, 28-31.	3.5	38
172	Photocatalytic Behavior of WO <sub>3</sub> -Loaded TiO <sub>2</sub> in an Oxidation Reaction. Journal of Catalysis, 2000, 191, 192-199.	6.2	412
173	Thin SiO <sub>2</sub> coating on ZnS phosphors for improved low-voltage cathodoluminescence properties. Journal of Materials Research, 2000, 15, 2288-2291.	2.6	25
174	Application of photoluminescence phosphors to a phosphor-liquid crystal display. Journal of Applied Physics, 2000, 88, 4660.	2.5	24
175	Cathodoluminescence Properties of SrY <sub>2</sub> S <sub>4</sub> :Eu Phosphor for Application in Field Emission Display. Journal of the Electrochemical Society, 2000, 147, 1597.	2.9	9
176	Optical Properties of Potassium Europium Tungstate Phosphors. Journal of the Electrochemical Society, 2000, 147, 4385.	2.9	39
177	Tunable color emission in a Ba <sub>1-x</sub> Sr <sub>x</sub> Y <sub>2</sub> S <sub>4</sub> :Eu <sup>2+</sup> phosphor. Solid State Communications, 1996, 99, 961-963.	1.9	13
178	The Effect of WO <sub>3</sub> on the Photocatalytic Activity of TiO <sub>2</sub> . Journal of Solid State Chemistry, 1994, 108, 198-201.	2.9	201
179	Enhancement of photocatalytic activity of titanium (IV) oxide with molybdenum (VI) oxide. Materials Research Bulletin, 1993, 28, 1127-1134.	5.2	45
180	Crystal growth and characterization of the solid solutions (ZnS) <sub>1-x</sub> (CuMS <sub>2</sub> ) <sub>x</sub> (M = Al, In, or Fe). Chemistry of Materials, 1992, 4, 1014-1017.	6.7	10

#	ARTICLE	IF	CITATIONS
181	The crystal growth and characterization of the solid solutions $(\text{ZnS})_{1-x}(\text{CuGaS}_2)_x$ . Journal of Solid State Chemistry, 1992, 96, 360-365.	2.9	10
182	Tri-package White LEDs as a High-Color-Quality Lighting Source with Cd-free Quantum Dots. , 0, , .		0
183	Realization of White LEDs Using Free-Standing Quantum Dot Films. , 0, , .		0