

Astushi Takahara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2674330/publications.pdf>

Version: 2024-02-01

677
papers

24,049
citations

10650

74
h-index

18400

124
g-index

695
all docs

695
docs citations

695
times ranked

19887
citing authors

#	ARTICLE	IF	CITATIONS
1	Conosolvency of Poly[2-(methacryloyloxy)ethyl phosphorylcholine] in Ethanol-Water Mixtures: A Neutron Reflectivity Study. <i>Langmuir</i> , 2022, 38, 5081-5088.	1.6	7
2	Structure and properties of polysaccharide/imogolite hybrids. <i>Polymer Journal</i> , 2022, 54, 473-479.	1.3	6
3	Association Behavior of a Homopolymer Containing Choline Phosphonate Groups in Aqueous Solutions. <i>Chemistry Letters</i> , 2022, 51, 103-106.	0.7	1
4	Specific Deformation Behavior of Isotactic Polypropylene Films under Multiaxial Stress Field. <i>Soft Matter</i> , 2022, , .	1.2	2
5	Critical In-Plane Density of Polyelectrolyte Brush for the Ordered Hydrogen-Bonded Structure of Incorporated Water. <i>Langmuir</i> , 2022, 38, 3076-3081.	1.6	4
6	Morphological study of isotactic polypropylene thin films on different substrates using grazing incidence wide-angle X-ray diffraction. <i>Polymer</i> , 2022, 245, 124665.	1.8	3
7	Electronic Structure of Carbon Dioxide in Sylgard-184 Evaluated by Using X-ray Emission Spectroscopy. <i>Chemistry Letters</i> , 2022, 51, 650-653.	0.7	0
8	Adhesion Promoting Copolymer of Acetate-Protected Vinyl Catechol with Glycidyl Methacrylate: Unraveling Deprotection, Adsorption, and Adhesion Behaviors on Metal Substrates. <i>ACS Applied Polymer Materials</i> , 2022, 4, 3687-3696.	2.0	6
9	Preface to the Françoise M. Winnik Special Issue. <i>Langmuir</i> , 2022, 38, 5031-5032.	1.6	0
10	Deformation Behavior of Polyurethane Adhesive in the Single-Lap Joint Based on the Microbeam X-ray Scattering Method. <i>ACS Applied Polymer Materials</i> , 2022, 4, 5387-5394.	2.0	5
11	Preparation and characterization of an imogolite/chitosan hybrid with pyridoxal-5-phosphate as an interfacial modifier. <i>RSC Advances</i> , 2021, 11, 31712-31716.	1.7	2
12	Exploring the Mesoscopic Morphology in Mussel Adhesive Proteins by Soft X-ray Spectromicroscopy. <i>Biomacromolecules</i> , 2021, 22, 1256-1260.	2.6	4
13	Tailoring Multistimuli Responsive Micropatterns Activated by Various Mechanical Modes. <i>Advanced Functional Materials</i> , 2021, 31, 2100612.	7.8	20
14	Microdomain structure change and macroscopic mechanical response of styrenic triblock copolymer under cyclic uniaxial and biaxial stretching modes. <i>Polymer Journal</i> , 2021, 53, 703-712.	1.3	10
15	Actuator Performance of Dielectric Elastomers Comprising Hydrogenated Carboxylated Acrylonitrile-Butadiene Rubber/Nitrile Group-Modified Titanium Oxide Particles. <i>ACS Omega</i> , 2021, 6, 6965-6972.	1.6	4
16	Synthesis of Polysiloxanes with Functional Groups by Using Organometallic Carboxylate Catalysts. <i>Chemistry Letters</i> , 2021, 50, 542-545.	0.7	1
17	Single-Lap Joints Bonded with Epoxy Nanocomposite Adhesives: Effect of Organoclay Reinforcement on Adhesion and Fatigue Behaviors. <i>ACS Applied Polymer Materials</i> , 2021, 3, 3428-3437.	2.0	24
18	Probing the in-plane liquid-like behavior of liquid crystal elastomers. <i>Science Advances</i> , 2021, 7, .	4.7	23

#	ARTICLE	IF	CITATIONS
19	Freestanding Tough Glassy Membranes Produced by Simple Solvent Casting of Polyrotaxane Derivatives. <i>ACS Applied Polymer Materials</i> , 2021, 3, 4177-4183.	2.0	5
20	Visualization of judgment regions in convolutional neural networks for X-ray diffraction and scattering images of aliphatic polyesters. <i>Polymer Journal</i> , 2021, 53, 1269-1279.	1.3	5
21	Dynamics of matrix-free nanocomposites consisting of block copolymer-grafted silica nanoparticles under elongation evaluated through X-ray photon correlation spectroscopy. <i>Polymer</i> , 2021, 229, 124003.	1.8	6
22	Synthesis and surface properties of amphiphilic copolymer consisting of hydrophobic perfluorocarbon and hydrophilic zwitterionic blocks. <i>Polymer</i> , 2021, 230, 124029.	1.8	3
23	Preparation of an (inorganic/organic) hybrid hydrogel from a peptide oligomer and a tubular aluminosilicate nanofiber. <i>RSC Advances</i> , 2021, 11, 4901-4905.	1.7	3
24	Actuator Performance of a Hydrogenated Carboxylated Acrylonitrile-Butadiene Rubber/Silica-Coated BaTiO ₃ Dielectric Elastomer. <i>ACS Omega</i> , 2021, 6, 649-655.	1.6	4
25	Molecular Aggregation Structure of Notched Nylon 12 Film during Uniaxial Elongation. <i>Nippon Gomu Kyokaishi</i> , 2021, 94, 293-298.	0.0	0
26	Random Forest Analysis of X-ray Diffraction and Scattering Data on Crystalline Polymer. <i>Journal of Computer Chemistry Japan</i> , 2021, 20, 103-105.	0.0	1
27	Modulation of Double Zwitterionic Block Copolymer Aggregates by Zwitterion-Specific Interactions. <i>Langmuir</i> , 2021, 37, 14760-14766.	1.6	7
28	Structure Analyses of Soft Interface by Neutron Reflectivity. <i>Hamon</i> , 2021, 31, 68-73.	0.0	0
29	Mechanical Stabilization of Deoxyribonucleic Acid Solid Films Based on Hydrated Ionic Liquid. <i>Biomacromolecules</i> , 2020, 21, 464-471.	2.6	13
30	<i>In Situ</i> Synchrotron Radiation X-ray Scattering Investigation of a Microphase-Separated Structure of Thermoplastic Elastomers under Uniaxial and Equi-Biaxial Deformation Modes. <i>Macromolecules</i> , 2020, 53, 8901-8909.	2.2	20
31	Hydration State Variation of Polyzwitterion Brushes through Interplay with Ions. <i>Langmuir</i> , 2020, 36, 9015-9024.	1.6	26
32	Highly Dielectric Rubber Bearing Cyanoethyl Group with Various Side-Chain Structures. <i>Macromolecules</i> , 2020, 53, 10128-10136.	2.2	6
33	Application of Synchrotron Radiation X-ray Scattering and Spectroscopy to Soft Matter. <i>Polymers</i> , 2020, 12, 1624.	2.0	14
34	Anionic Polymerization of Methacrylate-functionalized Ionic Monomers in Ionic Liquid. <i>Chemistry Letters</i> , 2020, 49, 1459-1461.	0.7	2
35	Adhesion enhancement of Poly(etheretherketone) via surface-initiated photopolymerization of glycidyl methacrylate. <i>Polymer</i> , 2020, 209, 122971.	1.8	7
36	Enhanced adhesion effect of epoxy resin on carbon fiber-reinforced Poly(etheretherketone) via surface initiated photopolymerization of glycidyl methacrylate. <i>Polymer</i> , 2020, 209, 123036.	1.8	9

#	ARTICLE	IF	CITATIONS
37	Complex Network Representation of the Structure-Mechanical Property Relationships in Elastomers with Heterogeneous Connectivity. <i>Patterns</i> , 2020, 1, 100135.	3.1	13
38	Influence of chemical structure of hard segments on physical properties of polyurethane elastomers: a review. <i>Journal of Polymer Research</i> , 2020, 27, 1.	1.2	55
39	Cationic Polymer Brush/Giant Polysaccharide Sacran Assembly: Structure and Lubricity. <i>Langmuir</i> , 2020, 36, 6494-6501.	1.6	9
40	Fabrication and Deformation of Mechanochromic Nanocomposite Elastomers Based on Rubbery and Glassy Block Copolymer-Grafted Silica Nanoparticles. <i>Macromolecules</i> , 2020, 53, 4541-4551.	2.2	20
41	Preparation of polymethyl methacrylate with well-controlled stereoregularity by anionic polymerization in an ionic liquid solvent. <i>Journal of Polymer Science</i> , 2020, 58, 1960-1964.	2.0	4
42	Enhanced Adhesion Effect of Epoxy Resin on Metal Surfaces Using Polymer with Catechol and Epoxy Groups. <i>ACS Applied Polymer Materials</i> , 2020, 2, 1500-1507.	2.0	24
43	Functionalization of Metal Surface via Thiol-ene Click Chemistry: Synthesis, Adsorption Behavior, and Postfunctionalization of a Catechol- and Allyl-Containing Copolymer. <i>ACS Omega</i> , 2020, 5, 7488-7496.	1.6	15
44	Relationship between the Relative Dielectric Constant and the Monomer Sequence of Acrylonitrile in Rubber. <i>ACS Omega</i> , 2020, 5, 16255-16262.	1.6	6
45	Synthesis of a conductive polymer thin film having a choline phosphate side group and its bioadhesive properties. <i>Chemical Communications</i> , 2020, 56, 2691-2694.	2.2	14
46	Fluoropolymer Nanoparticles Prepared Using Trifluoropropene Telomer Based Fluorosurfactants. <i>Langmuir</i> , 2020, 36, 1754-1760.	1.6	6
47	Structure and Properties of Hybrid Film Fabricated by Spin-Assisted Layer-by-Layer Assembly of Sacran and Imogolite Nanotubes. <i>Langmuir</i> , 2020, 36, 1718-1726.	1.6	10
48	Molecular Design and Characterization of Ionic Monomers with Varying Ion Pair Interaction Energies. <i>Macromolecules</i> , 2020, 53, 1629-1637.	2.2	12
49	Film formation process of natural rubber latex particles: roles of the particle size and distribution of non-rubber species on film microstructure. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 592, 124571.	2.3	22
50	Molecular Aggregation Structure and Surface Properties of Biomimetic Catechol-Bearing Poly[2-(perfluorooctyl)ethyl acrylate] and Its Application to Superamphiphobic Coatings. <i>ACS Omega</i> , 2020, 5, 8169-8180.	1.6	8
51	Synthesis and Hydration Behavior of a Hydrolysis-Resistant Quasi-Choline Phosphate Zwitterionic Polymer. <i>Biomacromolecules</i> , 2020, 21, 2125-2131.	2.6	13
52	Effect of Ion-Pair Interaction Energy and Alkyl Chain Length on the Dispersibility of Carbon Nanotubes in a Conductive Composite Elastomer. <i>ACS Applied Polymer Materials</i> , 2020, 2, 1773-1780.	2.0	2
53	Crystal polymorphism of polylactide and its composites by X-ray diffraction study. <i>Polymer Journal</i> , 2020, 52, 755-763.	1.3	42
54	Organic-Inorganic Hybrid Films Fabricated from Cellulose Fibers and Imogolite Nanotubes. <i>Biomacromolecules</i> , 2019, 20, 3566-3574.	2.6	13

#	ARTICLE	IF	CITATIONS
55	Preface to the Interfaces and Biology 1: Mechanobiology Special Issue. Langmuir, 2019, 35, 7333-7334.	1.6	0
56	Pre- γ -Vulcanization of Large and Small Natural Rubber Latex Particles: Film-Forming Behavior and Mechanical Properties. Macromolecular Materials and Engineering, 2019, 304, 1900283.	1.7	4
57	Nanocomposite Elastomers Composed of Silica Nanoparticles Grafted with a Comb-Shaped Copolymer Brush. Macromolecules, 2019, 52, 5963-5970.	2.2	20
58	Advantages of bulge testing and rupture mechanism of glassy polymer films. Polymer, 2019, 179, 121632.	1.8	17
59	Elevation of the flow temperature of gels formed by nano fibers of Poly(L-lactic acid) by surface crystallization induced by block copolymers. Polymer, 2019, 181, 121768.	1.8	2
60	Molecular aggregation structure and water repellency of Poly(perfluorohexyl acrylate) with a carbamate linkage. Polymer, 2019, 182, 121846.	1.8	8
61	Investigation of Deformation Behavior of Thiourethane Elastomers Using In Situ X-ray Scattering, Diffraction, and Absorption Methods. Macromolecules, 2019, 52, 6825-6833.	2.2	26
62	Direct visualization of the molecular orientation and microstructure of glassy transparent polymers after the scratch test based on optical microscopy and X-ray scattering. Polymer, 2019, 181, 121773.	1.8	8
63	Incorporation of Benzoxazine Pendants in Polymer Chains: A Simple Approach to Add-Up Multi-Responsive Functions. Macromolecular Chemistry and Physics, 2019, 220, 1800526.	1.1	1
64	Preparation and characterization of boronic acid- functionalized halloysite nanotube/poly(vinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38	1.8	17
65	High-Performance Interface. , 2019, , 167-180.		0
66	Synthesis of Self-Healing Polymers by Scandium-Catalyzed Copolymerization of Ethylene and Anisylpropylenes. Journal of the American Chemical Society, 2019, 141, 3249-3257.	6.6	144
67	Direct Evaluation of Local Dynamic Viscoelastic Properties of Isotactic Polypropylene Films Based on a Dynamic $1/4$ -Beam X-ray Diffraction Method. ACS Macro Letters, 2019, 8, 218-222.	2.3	12
68	Preface to The 15th Pacific Polymer Conference (PPC-15) Virtual Issue. Langmuir, 2019, 35, 4413-4414.	1.6	0
69	Influence of water evaporation/absorption on the stability of glycerol- ω -water marbles. RSC Advances, 2019, 9, 34465-34471.	1.7	19
70	Enhanced pool boiling of ethanol on wettability-patterned surfaces. Applied Thermal Engineering, 2019, 149, 325-331.	3.0	55
71	Microphase-separated structure and mechanical properties of cycloaliphatic diisocyanate-based thiourethane elastomers. Polymer Journal, 2019, 51, 265-273.	1.3	30
72	Ion-Specific Hydration States of Zwitterionic Poly(sulfobetaine methacrylate) Brushes in Aqueous Solutions. Langmuir, 2019, 35, 1583-1589.	1.6	29

#	ARTICLE	IF	CITATIONS
73	Smectic ordered structure and water repellency of a poly(fluoroalkyl acrylate) with a carbamate linker. <i>Polymer Journal</i> , 2019, 51, 189-198.	1.3	8
74	Effect of Blend Composition on Scratch Behavior of Polystyrene/Poly(2,6-dimethyl-4-phenyleneoxide) Blends. <i>Macromolecular Chemistry and Physics</i> , 2019, 220, 1800371.	1.1	7
75	Lamellar orientation in isotactic polypropylene thin films: a complement study via grazing incidence X-ray diffraction and surface/cross-sectional imaging. <i>Polymer Journal</i> , 2019, 51, 183-188.	1.3	13
76	Preparation of High-Density Polymer Brushes with a Multihelical Structure. <i>Langmuir</i> , 2018, 34, 3283-3288.	1.6	10
77	Polymer coating glass to improve the protein antifouling effect. <i>Polymer Journal</i> , 2018, 50, 381-388.	1.3	14
78	Effect of Polycaprolactone Crystalline Block on Surface Reorganization of a Phosphorylcholine-based Amphiphilic Block Copolymer Surface Modifier. <i>Chemistry Letters</i> , 2018, 47, 247-250.	0.7	4
79	Halloysite Nanotubes: Green Nanomaterial for Functional Organic-Inorganic Nanohybrids. <i>Chemical Record</i> , 2018, 18, 986-999.	2.9	68
80	Design of High-Density Helical Polymer Brush on Silica Nanoparticles for the Size Recognition of Fullerene Molecules. <i>ACS Macro Letters</i> , 2018, 7, 148-152.	2.3	17
81	Counteranion-Specific Hydration States of Cationic Polyelectrolyte Brushes. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 5268-5275.	1.8	23
82	<i>In situ</i> synchrotron radiation X-ray diffraction studies on molecular aggregation structure of nylon 12 films during bulge testing. <i>Soft Matter</i> , 2018, 14, 1659-1664.	1.2	13
83	Electrospinning of non-ionic cellulose ethers/polyvinyl alcohol nanofibers: Characterization and applications. <i>Carbohydrate Polymers</i> , 2018, 181, 175-182.	5.1	63
84	Direct polymer brush grafting to polymer fibers and films by surface-initiated polymerization. <i>Polymer Journal</i> , 2018, 50, 101-108.	1.3	15
85	Synthesis of a bio-inspired catechol/phosphorylcholine surface modifier and characterization of its surface properties. <i>Journal of Polymer Science Part A</i> , 2018, 56, 38-49.	2.5	4
86	Molecular self-assembly of one-dimensional polymer nanostructures in nanopores of anodic alumina oxide templates. <i>Progress in Polymer Science</i> , 2018, 77, 95-117.	11.8	70
87	Self-healing cellulose nanocrystal-stabilized droplets for water collection under oil. <i>Soft Matter</i> , 2018, 14, 9308-9311.	1.2	10
88	Separation of Endo-cyclic 2-Methacryloyloxyethyl Choline Phosphate by Anion Exchange Approach. <i>Chemistry Letters</i> , 2018, 47, 1509-1511.	0.7	9
89	Anti-(bio)Fouling. <i>Biologically-inspired Systems</i> , 2018, , 239-257.	0.4	1
90	Direct Hydrophilic Modification of Polymer Surfaces via Surface-Initiated ATRP. <i>ACS Symposium Series</i> , 2018, , 157-168.	0.5	3

#	ARTICLE	IF	CITATIONS
91	Organic-Inorganic Hybrid Thin Films Fabricated by Layer-by-Layer Assembly of the Phosphorylated Cellulose Nanocrystal and Imogolite Nanotubes. <i>Langmuir</i> , 2018, 34, 13361-13367.	1.6	19
92	Investigating the Mechanistic and Structural Role of Lipid Hydrolysis in the Stabilization of Ammonia-Preserved <i>Hevea</i> Rubber Latex. <i>Langmuir</i> , 2018, 34, 12730-12738.	1.6	33
93	Preparation of polymer brushes with well-controlled stereoregularity and evaluation of their functional properties. <i>Polymer Journal</i> , 2018, 50, 931-939.	1.3	5
94	Depth-Resolved Characterization of Perylenediimide Side-Chain Polymer Thin Film Structure Using Grazing-Incidence Wide-Angle X-ray Diffraction with Tender X-rays. <i>Langmuir</i> , 2018, 34, 8516-8521.	1.6	9
95	Searching for a Stable High-Performance Magnetorheological Suspension. <i>Advanced Materials</i> , 2018, 30, e1704769.	11.1	85
96	Friction Behavior of Polymer Brush Immobilized Surfaces in Good Solvents. , 2018, , 507-528.		0
97	Structure Analyses of Charged Polymer Brush Films/Water Interface by Neutron Reflectivity. <i>Hamon</i> , 2018, 28, 178-182.	0.0	0
98	Superior Properties of Polyurethane Elastomers Synthesized with Aliphatic Diisocyanate Bearing a Symmetric Structure. <i>Macromolecules</i> , 2017, 50, 1008-1015.	2.2	71
99	Strain-induced molecular aggregation states around a crack tip in a segmented polyurethane film under uniaxial stretching. <i>Polymer</i> , 2017, 116, 458-465.	1.8	14
100	Versatile anti-fouling surface design through nature-inspired approaches. <i>Green Materials</i> , 2017, 5, 14-21.	1.1	2
101	Effect of molecular mobility of pre-ordered phase on crystallization in microphase-separated lamellar morphology of strongly segregated crystalline-crystalline diblock copolymers. <i>Polymer</i> , 2017, 116, 403-411.	1.8	8
102	Zwitterionic polymer brush grafting on anodic aluminum oxide membranes by surface-initiated atom transfer radical polymerization. <i>Polymer Chemistry</i> , 2017, 8, 2309-2316.	1.9	35
103	Enhancement of the Hydrogen-Bonding Network of Water Confined in a Polyelectrolyte Brush. <i>Langmuir</i> , 2017, 33, 3954-3959.	1.6	44
104	Mechanically Enhanced Hyaluronic Acid Hybrid Hydrogels with Halloysite Nanotubes. <i>Chemistry Letters</i> , 2017, 46, 1217-1219.	0.7	5
105	Orientation and crystallization of regioregular poly(3-dodecylthiophene) in alumina nanopores. <i>Soft Matter</i> , 2017, 13, 4661-4666.	1.2	11
106	Aqueous lubrication of poly(etheretherketone) via surface-initiated polymerization of electrolyte monomers. <i>Polymer</i> , 2017, 116, 549-555.	1.8	27
107	Dynamic covalent diarylbibenzofuranone-modified nanocellulose: mechanochromic behaviour and application in self-healing polymer composites. <i>Polymer Chemistry</i> , 2017, 8, 2115-2122.	1.9	75
108	Ion-Specific Modulation of Interfacial Interaction Potentials between Solid Substrates and Cell-Sized Particles Mediated via Zwitterionic, Super-Hydrophilic Poly(sulfobetaine) Brushes. <i>Journal of Physical Chemistry B</i> , 2017, 121, 1396-1404.	1.2	17

#	ARTICLE	IF	CITATIONS
109	Effect of chain architecture of polyol with secondary hydroxyl group on aggregation structure and mechanical properties of polyurethane elastomer. <i>Polymer</i> , 2017, 116, 423-428.	1.8	35
110	Dimensional Characterizations from Rod Stars to Brushes of Polymers with a Low Degree of Polymerization. <i>Macromolecules</i> , 2017, 50, 324-331.	2.2	10
111	Elastomers built up through the π - π stacking association of polycyclic planar aromatic diimides. <i>RSC Advances</i> , 2017, 7, 46195-46200.	1.7	9
112	Superamphiphobic Coatings from Combination of a Biomimetic Catechol-Bearing Fluoropolymer and Halloysite Nanotubes. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700907.	1.9	22
113	Control of the primary and secondary structure of polymer brushes by surface-initiated living/controlled polymerization. <i>Polymer Chemistry</i> , 2017, 8, 5456-5468.	1.9	19
114	Effect of Charged Group Spacer Length on Hydration State in Zwitterionic Poly(sulfobetaine) Brushes. <i>Langmuir</i> , 2017, 33, 8404-8412.	1.6	63
115	Molecular Aggregation States and Physical Properties of Syndiotactic Polystyrene/Hydrogenated Polyisoprene Multiblock Copolymers with Crystalline Hard Domain. <i>Macromolecules</i> , 2017, 50, 6184-6191.	2.2	15
116	Multifunctional nitrogen-doped carbon dots from maleic anhydride and tetraethylenepentamine via pyrolysis for sensing, adsorbance, and imaging applications. <i>Sensors and Actuators B: Chemical</i> , 2017, 253, 1026-1033.	4.0	39
117	Materials and Life Science Experimental Facility (MLF) at the Japan Proton Accelerator Research Complex II: Neutron Scattering Instruments. <i>Quantum Beam Science</i> , 2017, 1, 9.	0.6	69
118	Interphase Structure of Oxidized Carbon Fiber Reinforced Polyamide 6 Revealed by Synchrotron Microbeam X-ray Diffraction and Infrared-Spectroscopy. <i>Kobunshi Ronbunshu</i> , 2017, 74, 91-98.	0.2	1
119	Liquid Marbles from Polymer Particles: Formation Mechanism, Physical Characterizations, and Applications. <i>Kobunshi Ronbunshu</i> , 2017, 74, 26-35.	0.2	3
120	High Performance Polyurethane Elastomers Using New Cyclaliphatic Diisocyanate. <i>Nihon Reoroji Gakkaishi</i> , 2017, 45, 261-268.	0.2	2
121	Depth-Dependent Structural Analyses in PS- <i>b</i> -P2VP Thin Films as Revealed by Grazing Incidence Small Angle Scattering in the Tender Energy Region. <i>Kobunshi Ronbunshu</i> , 2017, 74, 109-113.	0.2	3
122	(Organic/Inorganic) Hybrids Based on Natural Inorganic Nanotubes. <i>Journal of Fiber Science and Technology</i> , 2017, 73, P-204-P-205.	0.0	0
123	Supramolecular network polymers formed from polyamidine and carboxy-terminated telechelic poly(<i>n</i> -butyl acrylate) via amidinium-carboxylate salt bridges. <i>Journal of Polymer Science Part A</i> , 2016, 54, 2148-2155.	2.5	5
124	Tribute to Toyoki Kunitake. <i>Langmuir</i> , 2016, 32, 12231-12241.	1.6	2
125	Surface Modification of Non-Woven Electrospun Fine Fiber Mats through Surface-Initiated Atom Transfer Radical Polymerization. <i>Kobunshi Ronbunshu</i> , 2016, 73, 225-232.	0.2	0
126	Solvent free oxidative coupling polymerization of 3-hexylthiophene (3HT) in the presence of FeCl ₃ particles. <i>RSC Advances</i> , 2016, 6, 111993-111996.	1.7	15

#	ARTICLE	IF	CITATIONS
127	Tribological properties of cross-linked oleophilic polymer brushes on diamond-like carbon films. <i>Polymer</i> , 2016, 89, 128-134.	1.8	15
128	Interphase structure of carbon fiber reinforced polyamide 6 revealed by microbeam X-ray diffraction with synchrotron radiation. <i>Polymer</i> , 2016, 89, 154-158.	1.8	24
129	Biobased Polymer Coating Using Catechol Derivative Urushiol. <i>Langmuir</i> , 2016, 32, 4619-4623.	1.6	45
130	Crystallization-induced structure fluctuation of crystallized microdomain structure composed of strongly segregated crystalline-crystalline diblock copolymers. <i>Polymer</i> , 2016, 102, 256-265.	1.8	8
131	Imogolite Polymer Nanocomposites. <i>Developments in Clay Science</i> , 2016, 7, 628-671.	0.3	3
132	Observation of constraint surface dynamics of polystyrene thin films by functionalization of a silsesquioxane cage. <i>Polymer</i> , 2016, 105, 487-499.	1.8	8
133	Fully Liquid-Crystalline ABA Triblock Copolymer of Fluorinated Side-Chain Liquid-Crystalline A Block and Main-Chain Liquid-Crystalline B Block: Higher Order Structure in Bulk and Thin Film States. <i>Macromolecules</i> , 2016, 49, 6061-6074.	2.2	13
134	Design and characterization of hybrid hydrogels composed of imogolite fibrous nanotubular clay and hyaluronic acid. <i>Polymer</i> , 2016, 100, 238-243.	1.8	13
135	Direct surface modification of poly(VDF-co-TrFE) films by surface-initiated ATRP without pretreatment. <i>RSC Advances</i> , 2016, 6, 86373-86384.	1.7	15
136	Autonomously Substitutable Organosilane Thin Films Based on Dynamic Covalent Diarylbibenzofuranone Units. <i>Chemistry Letters</i> , 2016, 45, 36-38.	0.7	8
137	Direct Characterization of In-Plane Phase Separation in Polystyrene Brush/Cyclohexane System. <i>Macromolecules</i> , 2016, 49, 4862-4866.	2.2	14
138	Effect of molecular weight on microcrystalline structure formation in polymer with perylenediimide side chain. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 2275-2283.	2.4	6
139	Repeatable mechanochemical activation of dynamic covalent bonds in thermoplastic elastomers. <i>Chemical Communications</i> , 2016, 52, 10482-10485.	2.2	76
140	Long-Range Hydrophilic Attraction between Water and Polyelectrolyte Surfaces in Oil. <i>Angewandte Chemie</i> , 2016, 128, 15241-15245.	1.6	4
141	Long-Range Hydrophilic Attraction between Water and Polyelectrolyte Surfaces in Oil. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 15017-15021.	7.2	103
142	Real-time displacement measurement system using phase-shifted optical pulse interferometry: Application to a seismic observation system. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 022701.	0.8	3
143	Preparation of Novel Functional Interface using Polymethyl Methacrylate (PMMA) Brush with Well-Controlled Stereoregularity. <i>Journal of the Adhesion Society of Japan</i> , 2016, 52, 16-21.	0.0	0
144	Swollen structure and electrostatic interactions of polyelectrolyte brush in aqueous solution. <i>Polymer</i> , 2016, 98, 464-469.	1.8	20

#	ARTICLE	IF	CITATIONS
145	Interphase crystal structure of polyamide 6 on carbon materials revealed by grazing incidence X-ray diffraction with synchrotron radiation. <i>Polymer</i> , 2016, 97, 174-178.	1.8	9
146	Direct observation of polyelectrolyte brushes under wet and dry conditions by atmospheric scanning electron microscopy. <i>Microscopy (Oxford, England)</i> , 2016, 65, 139-144.	0.7	3
147	An effect of surface segregation of polyhedral oligomeric silsesquioxanes on surface physical properties of acrylic hard coating materials. <i>Polymer</i> , 2016, 84, 81-88.	1.8	14
148	Anti-fouling behavior of polymer brush immobilized surfaces. <i>Polymer Journal</i> , 2016, 48, 325-331.	1.3	133
149	Superhydrophobic magnetic poly(DOPAm-co-PFOEA)/Fe ₃ O ₄ /cellulose microspheres for stable liquid marbles. <i>Chemical Communications</i> , 2016, 52, 1895-1898.	2.2	46
150	Bringing movable and deployable networks to disaster areas: development and field test of MDRU. <i>IEEE Network</i> , 2016, 30, 86-91.	4.9	63
151	Interface manipulated two-phase nanostructure in a triblock terpolymer with a short middle segment. <i>Polymer Journal</i> , 2016, 48, 533-538.	1.3	3
152	Precise Synthesis of Poly(methyl methacrylate) Brush with Well-Controlled Stereoregularity Using a Surface-Initiated Living Anionic Polymerization Method. <i>Macromolecules</i> , 2016, 49, 2071-2076.	2.2	27
153	Tuning Surface Wettability at the Submicron-Scale: Effect of Focused Ion Beam Irradiation on a Self-Assembled Monolayer. <i>Journal of Physical Chemistry C</i> , 2016, 120, 274-280.	1.5	16
154	Radical crossover reactions of alkoxyamine-based dynamic covalent polymer brushes on nanoparticles and the effect on their dispersibility. <i>Polymer Journal</i> , 2016, 48, 147-155.	1.3	9
155	CHAPTER 4. Design and Physicochemical Characterization of Novel Organic-Inorganic Hybrids from Natural Aluminosilicate Nanotubes. <i>RSC Smart Materials</i> , 2016, , 131-156.	0.1	5
156	<i>In situ</i> ultra-small-angle X-ray scattering study under uniaxial stretching of colloidal crystals prepared by silica nanoparticles bearing hydrogen-bonding polymer grafts. <i>IUCr</i> , 2016, 3, 211-218.	1.0	16
157	X-ray absorption fine structure study on the role of solvent on polymerization of 3-hexylthiophene with solid FeCl ₃ particles. <i>Journal of Polymer Science Part A</i> , 2015, 53, 2075-2078.	2.5	11
158	Macromolecular Design of Alkoxyamine-Containing Radically Reactive Polymers Based on Dynamic Covalent Chemistry. <i>Kobunshi Ronbunshu</i> , 2015, 72, 341-353.	0.2	0
159	Development of Sample Environments for the SOFIA Reflectometer for Seconds-Order Time-Slicing Measurements. , 2015, , .		4
160	X-ray Computerized Tomography Observation of the Interfacial Structure of Liquid Marbles. <i>Bulletin of the Chemical Society of Japan</i> , 2015, 88, 84-88.	2.0	13
161	Halloysite Nanotube/Polyelectrolyte Hybrids as Adsorbents for the Quick Removal of Dyes from Aqueous Solution. <i>Chemistry Letters</i> , 2015, 44, 1572-1574.	0.7	12
162	Synthesis and Characterization of Barnacle Adhesive Mimetic towards Underwater Adhesion. <i>Chemistry Letters</i> , 2015, 44, 1047-1049.	0.7	13

#	ARTICLE	IF	CITATIONS
163	Effects of aspect ratio and concentration on rheology of epoxy suspensions containing model plate-like nanoparticles. <i>Physics of Fluids</i> , 2015, 27, 123306.	1.6	14
164	Fabrication of NIR-Excitable SERS-Active Composite Particles Composed of Densely Packed Au Nanoparticles on Polymer Microparticles. <i>Particle and Particle Systems Characterization</i> , 2015, 32, 441-447.	1.2	17
165	Mechanically Robust and Self-Healable Superlattice Nanocomposites by Self-Assembly of Single-Component "Sticky" Polymer-Grafted Nanoparticles. <i>Advanced Materials</i> , 2015, 27, 3934-3941.	11.1	111
166	High-Performance "Type Electrical Memory and Morphology-Induced Memory" Mode Tuning of a Well-Defined Brush Polymer Bearing Perylene Diimide Moieties. <i>Advanced Electronic Materials</i> , 2015, 1, 1500197.	2.6	32
167	Surface Functionalization of Electrospun Poly(butylene terephthalate) Fibers by Surface-Initiated Radical Polymerization. <i>Macromolecular Chemistry and Physics</i> , 2015, 216, 1103-1108.	1.1	13
168	Development of Total Internal Reflection Raman Microscope with an Apparatus for Adhesion Test and Changes in Depolarization Ratio of Polymer Brush by Compressive Force. <i>Kobunshi Ronbunshu</i> , 2015, 72, 673-680.	0.2	0
169	Morphological Investigation of Midblock-Sulfonated Block Ionomers Prepared from Solvents Differing in Polarity. <i>Macromolecular Rapid Communications</i> , 2015, 36, 432-438.	2.0	45
170	Diarylbibenzofuranone-Based Dynamic Covalent Polymer Gels Prepared via Radical Polymerization and Subsequent Polymer Reaction. <i>Gels</i> , 2015, 1, 58-68.	2.1	9
171	Precise Synthesis of Poly(α -methylene- γ -butyrolactone) and Evaluation of Its Characteristics. <i>Kobunshi Ronbunshu</i> , 2015, 72, 447-452.	0.2	2
172	Poly(dimethylsiloxane) (PDMS) surface patterning by biocompatible photo-crosslinking block copolymers. <i>RSC Advances</i> , 2015, 5, 46686-46693.	1.7	11
173	Spray-Assisted Nanocoating of the Biobased Material Urushiol. <i>Langmuir</i> , 2015, 31, 2360-2365.	1.6	20
174	Chain orientation in poly(glycolic acid)/halloysite nanotube hybrid electrospun fibers. <i>Polymer</i> , 2015, 60, 284-291.	1.8	40
175	Interlayer structure and self-healing in suspensions of brush-stabilized nanoplatelets with smectic order. <i>Soft Matter</i> , 2015, 11, 954-971.	1.2	12
176	Effect of nanoparticle SiO ₂ grafted poly (methyl methacrylate) on poly(L-lactic) acid crystallization. <i>Polymer Bulletin</i> , 2015, 72, 1247-1263.	1.7	5
177	Molecular reorientation of polyimide film induced by thermal nanoimprint lithography and liquid crystals alignment on it. <i>Polymer</i> , 2015, 72, 113-117.	1.8	7
178	Molecular aggregation states and wetting behavior of a poly{2-(perfluorooctyl)ethyl acrylate} brush-immobilized nano-imprinted surface. <i>Polymer</i> , 2015, 69, 10-16.	1.8	17
179	Mixing of immiscible polymers using nanoporous coordination templates. <i>Nature Communications</i> , 2015, 6, 7473.	5.8	58
180	Structural Analysis of Microphase Separated Interface in an ABC-Type Triblock Terpolymer by Combining Methods of Synchrotron-Radiation Grazing Incidence Small-Angle X-ray Scattering and Electron Microtomography. <i>Macromolecules</i> , 2015, 48, 2697-2705.	2.2	20

#	ARTICLE	IF	CITATIONS
181	One-step nanopatterning of conjugated polymers by electron-beam-assisted electropolymerization. <i>Microscopy (Oxford, England)</i> , 2015, 64, 205-212.	0.7	6
182	Mechanophores with a Reversible Radical System and Freezing-Induced Mechanochemistry in Polymer Solutions and Gels. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 6168-6172.	7.2	202
183	Salt Dependence of the Chain Stiffness and Excluded-Volume Strength for the Polymethacrylate-Type Sulfopropylbetaine in Aqueous NaCl Solutions. <i>Macromolecules</i> , 2015, 48, 7194-7204.	2.2	32
184	Molecular aggregation structure evolution during stretching of environmentally benign lysine-based segmented poly(urethane-urea)s. <i>Polymer</i> , 2015, 78, 173-179.	1.8	5
185	Self-Healing of a Cross-Linked Polymer with Dynamic Covalent Linkages at Mild Temperature and Evaluation at Macroscopic and Molecular Levels. <i>Macromolecules</i> , 2015, 48, 5632-5639.	2.2	125
186	pH-Responsive and selective protein adsorption on an amino acid-based zwitterionic polymer surface. <i>Polymer Chemistry</i> , 2015, 6, 7053-7059.	1.9	35
187	Melting behavior of thin polyethylene films. <i>Journal of Plastic Film and Sheeting</i> , 2015, 31, 401-413.	1.3	3
188	Versatile inhibition of marine organism settlement by zwitterionic polymer brushes. <i>Polymer Journal</i> , 2015, 47, 811-818.	1.3	67
189	Solvothermal synthesis of superhydrophobic hollow carbon nanoparticles from a fluorinated alcohol. <i>Nanoscale</i> , 2015, 7, 16087-16093.	2.8	34
190	Mechanochromic Dynamic Covalent Elastomers: Quantitative Stress Evaluation and Autonomous Recovery. <i>ACS Macro Letters</i> , 2015, 4, 1307-1311.	2.3	142
191	Metathesis-driven scrambling reactions between polybutadiene or naturally occurring polyisoprene and olefin-containing polyurethane. <i>Polymer</i> , 2015, 78, 145-153.	1.8	34
192	Polyurethane Nanocomposites Reinforced with Surface Modified Halloysite Nanotubes. <i>Science of Advanced Materials</i> , 2015, 7, 974-980.	0.1	8
193	Molecular Conformation of Polysulfobetaine Brushes Immobilized on SiO ₂ Nanoparticles. <i>Journal of the Japan Society of Colour Material</i> , 2015, 88, 341-347.	0.0	0
194	Molecular Aggregation Structure of a Segmented Poly(urethane-urea) Elastomer Derived from an Amino Acid-Based Diisocyanate. <i>Kobunshi Ronbunshu</i> , 2015, 72, 31-36.	0.2	0
195	Crystallization Behavior of Hard Segment in Polyurethane Elastomers. <i>Kobunshi Ronbunshu</i> , 2014, 71, 608-614.	0.2	2
196	Buried nano-structure and molecular aggregation state in ordered heterojunction poly(3-hexylthiophene)-based photovoltaics. <i>Japanese Journal of Applied Physics</i> , 2014, 53, 05FH09.	0.8	5
197	Quantitative Analysis of Collagen Lamellae in the Normal and Keratoconic Human Cornea by Second Harmonic Generation Imaging Microscopy. <i>Investigative Ophthalmology and Visual Science</i> , 2014, 55, 8377-8385.	3.3	63
198	Preparation and characterization of looped polydimethylsiloxane brushes. <i>Polymer Journal</i> , 2014, 46, 117-122.	1.3	13

#	ARTICLE	IF	CITATIONS
199	Neutron reflectivity study of the swollen structure of polyzwitterion and polyelectrolyte brushes in aqueous solution. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2014, 25, 1673-1686.	1.9	57
200	Molecular self-assembly of nylon-12 nanorods cylindrically confined to nanoporous alumina. <i>IUCr</i> , 2014, 1, 439-445.	1.0	10
201	Interferometry Study of Aqueous Lubrication on the Surface of Polyelectrolyte Brush. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 20365-20371.	4.0	31
202	Surface patterned graft copolymerization of hydrophilic monomers onto hydrophobic polymer film upon UV irradiation. <i>Journal of Polymer Science Part A</i> , 2014, 52, 2822-2829.	2.5	9
203	Chain stiffness and chain conformation of poly(ϵ -methylene- δ -butyrolactone) in dilute solutions. <i>Polymer</i> , 2014, 55, 6539-6545.	1.8	1
204	Microscopy and microbeam X-ray analyses in poly(3-hydroxybutyrate-co-3-hydroxyvalerate) with amorphous poly(vinyl acetate). <i>Polymer</i> , 2014, 55, 6906-6914.	1.8	19
205	Precise characterization of outermost surface of crystalline/crystalline diblock copolymer thin films using synchrotron radiation soft X-ray photoelectron spectroscopy. <i>Polymer Journal</i> , 2014, 46, 637-640.	1.3	11
206	Advanced Soft Material Beamline Consortium at SPring-8 (FSBL). <i>Synchrotron Radiation News</i> , 2014, 27, 19-23.	0.2	10
207	Scaffold for Growing Dense Polymer Brushes from a Versatile Substrate. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 3648-3653.	4.0	28
208	Reversible cross-linking reactions of alkoxyamine-appended polymers under bulk conditions for transition between flow and rubber-like states. <i>Polymer</i> , 2014, 55, 1474-1480.	1.8	14
209	Wetting Transition from the Cassie/Baxter State to the Wenzel State on Textured Polymer Surfaces. <i>Langmuir</i> , 2014, 30, 2061-2067.	1.6	362
210	Surface texturing of natural urushi™ thermosetting polymer thin films. <i>Polymer Journal</i> , 2014, 46, 216-219.	1.3	16
211	Multifunctional photo-crosslinked polymeric ionic hydrogel films. <i>Polymer Chemistry</i> , 2014, 5, 2824-2835.	1.9	20
212	Substrate-Independent Underwater Superoleophobic Surfaces Inspired by Fish Skin and Mussel Adhesives. <i>Advanced Materials Interfaces</i> , 2014, 1, 1300092.	1.9	44
213	Adsorption and Desorption Behavior of Asphaltene on Polymer-Brush-Immobilized Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 20385-20389.	4.0	38
214	Effect of α -substituents on molecular motion and wetting behaviors of poly(fluoroalkyl acrylate) thin films with short fluoroalkyl side chains. <i>Polymer</i> , 2014, 55, 6303-6308.	1.8	34
215	Surface Functionalization by Decal-like Transfer of Thermally Cross-Linked Urushiol Thin Films. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 18517-18524.	4.0	23
216	Synthesis of polyethylene/polyester copolymers through main chain exchange reactions via olefin metathesis. <i>Polymer</i> , 2014, 55, 6245-6251.	1.8	35

#	ARTICLE	IF	CITATIONS
217	Network Reorganization of Dynamic Covalent Polymer Gels with Exchangeable Diarylbibenzofuranone at Ambient Temperature. <i>Journal of the American Chemical Society</i> , 2014, 136, 11839-11845.	6.6	90
218	Micelles consisting of choline phosphate-bearing Calix[4]arene lipids. <i>Soft Matter</i> , 2014, 10, 8216-8223.	1.2	30
219	Solution Processable Iridescent Self-Assembled Nanoplatelets with Finely Tunable Interlayer Distances Using Charge- and Sterically Stabilizing Oligomeric Polyoxyalkyleneamine Surfactants. <i>Chemistry of Materials</i> , 2014, 26, 1528-1537.	3.2	43
220	Structure of insoluble complex formed by a block copolymer of 2-ethyl-2-oxazoline and ethylene oxide and poly(methacrylic acid). <i>Polymer</i> , 2014, 55, 4757-4764.	1.8	4
221	Radical crossover reactions of a dynamic covalent polymer brush for reversible hydrophilicity control. <i>Polymer</i> , 2014, 55, 4586-4592.	1.8	12
222	Unique Difference in Transition Temperature of Two Similar Fluorinated Side Chain Polymers Forming Hexatic Smectic Phase: Poly{2-(perfluorooctyl)ethyl acrylate} and Poly{2-(perfluorooctyl)ethyl vinyl ether}. <i>Macromolecules</i> , 2014, 47, 3860-3870.	2.2	26
223	Large-scale self-assembled zirconium phosphate smectic layers via a simple spray-coating process. <i>Nature Communications</i> , 2014, 5, 3589.	5.8	97
224	Linking experiment and theory for three-dimensional networked binary metal nanoparticle-triblock terpolymer superstructures. <i>Nature Communications</i> , 2014, 5, 3247.	5.8	58
225	Toward integrating overlay and physical networks for robust parallel processing architecture. <i>IEEE Network</i> , 2014, 28, 40-45.	4.9	6
226	Precise Synthesis and Surface Wettability of a Polymer with Liquid Crystalline Side Chains. <i>Macromolecules</i> , 2014, 47, 4901-4907.	2.2	15
227	Liquid Marbles Supported by Monodisperse Poly(methylsilsequioxane) Particles. <i>Langmuir</i> , 2014, 30, 9071-9075.	1.6	43
228	Effect of Water Swelling on the Tribological Properties of PMMA Spin-Cast Film and Brush in Aqueous Environment. <i>Tribology Letters</i> , 2014, 55, 121-129.	1.2	4
229	Tunable Lyotropic Photonic Liquid Crystal Based on Graphene Oxide. <i>ACS Photonics</i> , 2014, 1, 79-86.	3.2	58
230	Preparation and characterization of polycarbonate nanocomposites based on surface-modified halloysite nanotubes. <i>Polymer Journal</i> , 2014, 46, 307-312.	1.3	20
231	Thermodynamic Control of Diameter-Modulated Aluminosilicate Nanotubes. <i>Journal of Physical Chemistry C</i> , 2014, 118, 8148-8152.	1.5	16
232	Nanometer-scale Real-space Observation and Material Processing for Polymer Materials under Atmospheric Pressure: Application of Atmospheric Scanning Electron Microscopy. <i>Electrochemistry</i> , 2014, 82, 359-363.	0.6	5
233	Two-dimensional percolation phenomena of single-component linear homopolymer brushes. <i>Journal of Chemical Physics</i> , 2014, 140, 054904.	1.2	5
234	Polymer Brush Growth from Surface-textured Thin Urushiol Films. <i>Chemistry Letters</i> , 2014, 43, 1776-1778.	0.7	1

#	ARTICLE	IF	CITATIONS
235	Plasticizer-Promoted Thermal Crosslinking of a Dynamic Covalent Polymer with Complementarily Reactive Alkoxyamine Units in the Side Chain under Bulk Conditions. Bulletin of the Chemical Society of Japan, 2014, 87, 1023-1025.	2.0	6
236	Transformation from Multi- to Single-lamellar Vesicle by Addition of a Cationic Lipid to 1,2-Dilauroyl-sn-glycero-3-phosphocholine Explored with SAXS and TEM. Chemistry Letters, 2014, 43, 1785-1787.	0.7	1
237	Preparation and Morphology Variation of Lipophilic Polyelectrolyte Brush Functioning in Nonpolar Solvents. Chemistry Letters, 2014, 43, 1300-1302.	0.7	10
238	Interfacial Dynamics and Surface Mechanical Properties of Soft Materials. Nihon Reoroji Gakkaishi, 2014, 41, 271-281.	0.2	0
239	Structural analysis and surface wettability of a novel alternated vinylidene cyanide with fluorinated vinyl ether copolymer. Polymer Journal, 2013, 45, 1041-1046.	1.3	8
240	Perfluoropolyether-infused nano-texture: a versatile approach to omniphobic coatings with low hysteresis and high transparency. Chemical Communications, 2013, 49, 597-599.	2.2	99
241	Morphological Control of Helical Structures of an ABC-Type Triblock Terpolymer by Distribution Control of a Blending Homopolymer in a Block Copolymer Microdomain. Macromolecules, 2013, 46, 6991-6997.	2.2	60
242	Direct Measurement of Chain Diffusion at Interfaces of PPO/PS Bilayer Films by Nano-Thermal Analysis and Time-of-Flight Secondary Ion Mass Spectrometry. Macromolecules, 2013, 46, 9722-9728.	2.2	7
243	Characterization of complexes formed by mixing aqueous solutions of poly(2-ethyl-2-oxazoline) and poly(methacrylic acid) with a wide range of concentrations. Polymer, 2013, 54, 1896-1904.	1.8	7
244	Direct modification of polyolefin films by surface-initiated polymerization of a phosphobetaine monomer. Polymer Chemistry, 2013, 4, 731-739.	1.9	35
245	Measurement of the Electrostatic Interaction between Polyelectrolyte Brush Surfaces by Optical Tweezers. Langmuir, 2013, 29, 16093-16097.	1.6	24
246	Preparation of novel polyimide hybrid materials by multi-layered charge-transfer complex formation. Polymer Journal, 2013, 45, 839-844.	1.3	14
247	Dynamical crossover between hyperdiffusion and subdiffusion of polymer-grafted nanoparticles in a polymer matrix. Physical Review E, 2013, 88, 032602.	0.8	40
248	Characterization of catechol-containing natural thermosetting polymer α -curushiol thin film. Journal of Polymer Science Part A, 2013, 51, 3688-3692.	2.5	47
249	Molecular design of environmentally benign segmented polyurethane(urea)s: effect of the hard segment component on the molecular aggregation states and biodegradation behavior. Polymer Chemistry, 2013, 4, 3735.	1.9	17
250	Environmentally friendly repeatable adhesion using a sulfobetaine-type polyzwitterion brush. Polymer Chemistry, 2013, 4, 4987.	1.9	58
251	Effect of supercritical carbon dioxide on molecular aggregation states of side chains of semicrystalline poly{2-(perfluorooctyl)ethyl acrylate} brush thin films. RSC Advances, 2013, 3, 4778.	1.7	7
252	Preparation of poly(lactic-acid)-particle stabilized liquid marble and the improvement of its stability by uniform shell formation through solvent vapor exposure. RSC Advances, 2013, 3, 7862.	1.7	33

#	ARTICLE	IF	CITATIONS
253	Dispersion and reaggregation of nanoparticles in the polypropylene copolymer foamed by supercritical carbon dioxide. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 11061.	1.3	8
254	Structural effects of catechol-containing polystyrene gels based on a dual cross-linking approach. <i>Soft Matter</i> , 2013, 9, 1967-1974.	1.2	31
255	Influence of Trace Amount of Well-Dispersed Carbon Nanotubes on Structural Development and Tensile Properties of Polypropylene. <i>Macromolecules</i> , 2013, 46, 463-473.	2.2	47
256	Light-Triggered Adhesion of Water-Soluble Polymers with a Caged Catechol Group. <i>ACS Macro Letters</i> , 2013, 2, 112-115.	2.3	38
257	Grazing-incidence wide-angle X-ray diffraction study on molecular aggregation state of imprinted polyimide film before and after hard baking. <i>Polymer Bulletin</i> , 2013, 70, 105-115.	1.7	3
258	Gelation and adhesion behavior of mussel adhesive protein mimetic polymer. <i>Journal of Polymer Science Part A</i> , 2013, 51, 1058-1065.	2.5	31
259	Cross-Linked Liquid Crystalline Polyimides with Siloxane Units: Their Morphology and Thermal Diffusivity. <i>Macromolecules</i> , 2013, 46, 747-755.	2.2	38
260	Concealing Surface Topography by Attachment of Nanometer-Thick Film. <i>Langmuir</i> , 2013, 29, 2906-2911.	1.6	4
261	Confinement-Induced Crystal Growth in One-Dimensional Isotactic Polystyrene Nanorod Arrays. <i>ACS Macro Letters</i> , 2013, 2, 414-418.	2.3	24
262	Spreading and Structuring of Water on Superhydrophilic Polyelectrolyte Brush Surfaces. <i>Langmuir</i> , 2013, 29, 1148-1151.	1.6	36
263	Effective Addition of Organic Chloride Salts on Atom Transfer Radical Polymerization in Fluoroalcohols. <i>Macromolecules</i> , 2013, 46, 9189-9196.	2.2	11
264	Chain Conformation of Poly[2-(methacryloyloxy)ethyltrimethylammonium chloride] in Aqueous Sodium Chloride Solutions. <i>Macromolecules</i> , 2013, 46, 4081-4088.	2.2	13
265	THUP: A P2P Network Robust to Churn and DoS Attack Based on Bimodal Degree Distribution. <i>IEEE Journal on Selected Areas in Communications</i> , 2013, 31, 247-256.	9.7	16
266	Robust Liquid Marbles Stabilized with Surface-Modified Halloysite Nanotubes. <i>Langmuir</i> , 2013, 29, 14971-14975.	1.6	51
267	Synthesis and Characterization of a Calix[4]arene Amphiphilie Bearing Cysteine and Uniform Au Nanoparticle Formation Templated by its Four Cysteine Moieties. <i>Langmuir</i> , 2013, 29, 13666-13675.	1.6	23
268	Chain dimensions and surface characterization of superhydrophilic polymer brushes with zwitterion side groups. <i>Soft Matter</i> , 2013, 9, 5138.	1.2	130
269	Surface and Interface Analyses of Polymer Brushes by Synchrotron Radiation. <i>Journal of the Physical Society of Japan</i> , 2013, 82, 021014.	0.7	22
270	Insertion Metathesis Depolymerization of Aromatic Disulfide-containing Dynamic Covalent Polymers under Weak Intensity Photoirradiation. <i>Chemistry Letters</i> , 2013, 42, 1346-1348.	0.7	34

#	ARTICLE	IF	CITATIONS
271	Molecular simulation of 2-dimensional microphase separation of single-component homopolymers grafted onto a planar substrate. <i>Europhysics Letters</i> , 2013, 101, 16006.	0.7	14
272	Thermal gradient effect on the dynamical behavior of nanoparticles observed using X-ray photon correlation spectroscopy. <i>Polymer Journal</i> , 2013, 45, 94-99.	1.3	6
273	Experimental station for multiscale surface structural analyses of soft-material films at SPring-8 via a GISWAX/GIXD/XR-integrated system. <i>Polymer Journal</i> , 2013, 45, 109-116.	1.3	51
274	Precise and nondestructive characterization of a ϵ -buried ϵ ™ nanostructure in a polymer thin film using synchrotron radiation ultra-small angle X-ray scattering. <i>Polymer Journal</i> , 2013, 45, 307-312.	1.3	3
275	Novel neutron reflectometer SOFIA at J-PARC/MLF for in-situ soft-interface characterization. <i>Polymer Journal</i> , 2013, 45, 100-108.	1.3	134
276	Transmission electron microtomography in soft materials. <i>Microscopy (Oxford, England)</i> , 2013, 62, 243-258.	0.7	20
277	Chain-mixing behavior at interface between polystyrene brushes and polystyrene matrices. <i>Polymer Journal</i> , 2013, 45, 117-123.	1.3	15
278	Reversibly Crosslinked Polymeric Micelles Formed by Autonomously Exchangeable Dynamic Covalent Bonds. <i>Chemistry Letters</i> , 2013, 42, 377-379.	0.7	18
279	Internally Modified Halloysite Nanotubes as Inorganic Nanocontainers for a Flame Retardant. <i>Chemistry Letters</i> , 2013, 42, 121-123.	0.7	46
280	Nature-inspired Super Hydrophilic and Antifouling Surfaces. <i>Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan</i> , 2013, 64, 15-20.	0.1	3
281	Nature-inspired Low Adhesive Antifouling Surfaces. <i>Kobunshi Ronbunshu</i> , 2013, 70, 301-308.	0.2	1
282	Abnormalities of Stromal Structure in the Bullous Keratopathy Cornea Identified by Second Harmonic Generation Imaging Microscopy. , 2012, 53, 4998.		22
283	Highly oriented and ordered double-helical morphology in ABC triblock terpolymer films up to micrometer thickness by solvent evaporation. <i>Polymer Journal</i> , 2012, 44, 567-572.	1.3	17
284	Formation of Layered Perovskite Structure by Folding Monolayer During Compression. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 8094-8097.	0.9	5
285	Semirigid Biobased Polymer Brush: Poly(ϵ -methylene- ϵ -butyrolactone) Brushes. <i>ACS Macro Letters</i> , 2012, 1, 1124-1127.	2.3	42
286	Heterogeneous Lamellar Structures Near the Polymer/Substrate Interface. <i>Macromolecules</i> , 2012, 45, 7098-7106.	2.2	43
287	Characterization of an isotactic polystyrene/poly(2,6-dimethylphenylene oxide) nanorod blend with gradient composition and crystallinity. <i>RSC Advances</i> , 2012, 2, 8707.	1.7	12
288	Morphology of nanoimprinted polyimide films fabricated via a controlled thermal history. <i>Polymer Journal</i> , 2012, 44, 1036-1041.	1.3	5

#	ARTICLE	IF	CITATIONS
289	Chain dimension of polyampholytes in solution and immobilized brush states. <i>Polymer Journal</i> , 2012, 44, 121-130.	1.3	57
290	Polyelectrolyte brushes: a novel stable lubrication system in aqueous conditions. <i>Faraday Discussions</i> , 2012, 156, 403.	1.6	84
291	Influence of Molecular Weight Dispersity of Poly{2-(perfluorooctyl)ethyl acrylate} Brushes on Their Molecular Aggregation States and Wetting Behavior. <i>Macromolecules</i> , 2012, 45, 1509-1516.	2.2	75
292	Wettability and Antifouling Behavior on the Surfaces of Superhydrophilic Polymer Brushes. <i>Langmuir</i> , 2012, 28, 7212-7222.	1.6	376
293	Synthesis of TiO ₂ Nanocoral Structures in Ever-Changing Aqueous Reaction Systems. <i>Langmuir</i> , 2012, 28, 2637-2642.	1.6	16
294	Changes in Network Structure of Chemical Gels Controlled by Solvent Quality through Photoinduced Radical Reshuffling Reactions of Trithiocarbonate Units. <i>ACS Macro Letters</i> , 2012, 1, 478-481.	2.3	81
295	Biomimetic Dopamine Derivative for Selective Polymer Modification of Halloysite Nanotube Lumen. <i>Journal of the American Chemical Society</i> , 2012, 134, 12134-12137.	6.6	253
296	Selective Modification of Halloysite Lumen with Octadecylphosphonic Acid: New Inorganic Tubular Micelle. <i>Journal of the American Chemical Society</i> , 2012, 134, 1853-1859.	6.6	377
297	Application of imogolite clay nanotubes in organic-inorganic nanohybrid materials. <i>Journal of Materials Chemistry</i> , 2012, 22, 11887.	6.7	68
298	X-ray photon correlation spectroscopy using a fast pixel array detector with a grid mask resolution enhancer. <i>Journal of Synchrotron Radiation</i> , 2012, 19, 988-993.	1.0	22
299	Orientation of poly(vinyl alcohol) nanofiber and crystallites in non-woven electrospun nanofiber mats under uniaxial stretching. <i>Polymer</i> , 2012, 53, 4702-4708.	1.8	63
300	Competition between Oxidation and Coordination in Cross-Linking of Polystyrene Copolymer Containing Catechol Groups. <i>ACS Macro Letters</i> , 2012, 1, 457-460.	2.3	168
301	Tribological Behavior of Polymer Brushes Designed Based on Biomimetic Water Lubrication. , 2012, , 901-904.		0
302	Dynamic covalent polymer brushes: reversible surface modification of reactive polymer brushes with alkoxyamine-based dynamic covalent bonds. <i>Polymer Chemistry</i> , 2012, 3, 3077.	1.9	31
303	Preparation and Characterization of Imogolite/DNA Hybrid Hydrogels. <i>Biomacromolecules</i> , 2012, 13, 276-281.	2.6	31
304	Isotactic polystyrene nanorods with gradient crystallite states. <i>Soft Matter</i> , 2012, 8, 3180.	1.2	32
305	Mobility Gradient of Polystyrene in Films Supported on Solid Substrates. <i>Advances in Polymer Science</i> , 2012, , 1-27.	0.4	0
306	Surface functionalization of aluminosilicate nanotubes with organic molecules. <i>Beilstein Journal of Nanotechnology</i> , 2012, 3, 82-100.	1.5	20

#	ARTICLE	IF	CITATIONS
307	Applications of Surface Initiated ATRP to the Preparation of Polyelectrolyte Brushes for Antifouling, Adhesion Control, Friction Control. ACS Symposium Series, 2012, , 183-195.	0.5	2
308	Direct Controlled Polymerization of Ionic Monomers by Surface-Initiated ATRP Using a Fluoroalcohol and Ionic Liquids. Israel Journal of Chemistry, 2012, 52, 364-374.	1.0	14
309	A "non-sticky" superhydrophobic surface prepared by self-assembly of fluoroalkyl phosphonic acid on a hierarchically micro/nanostructured alumina gel film. Chemical Communications, 2012, 48, 6824.	2.2	54
310	Self-Healing of Covalently Cross-Linked Polymers by Reshuffling Thiuram Disulfide Moieties in Air under Visible Light. Advanced Materials, 2012, 24, 3975-3980.	11.1	585
311	Polystyrene-based blend nanorods with gradient composition distribution. Science China Chemistry, 2012, 55, 726-734.	4.2	7
312	Aggregation behavior of a polystyrene-b-poly(phenylsilsesquioxane) H-type copolymer at the air/water interface. Polymer, 2012, 53, 2223-2232.	1.8	3
313	Self-Healing of Chemical Gels Cross-Linked by Diarylbibenzofuranone-Based Trigger-Free Dynamic Covalent Bonds at Room Temperature. Angewandte Chemie - International Edition, 2012, 51, 1138-1142.	7.2	431
314	Analyses of Surface and Interfaces of Soft Materials by Neutron Reflectivity. Hyomen Kagaku, 2012, 33, 272-277.	0.0	0
315	Gradient composition distribution in poly(2,6-dimethylphenylene oxide)/polystyrene blend nanorods. Soft Matter, 2011, 7, 1868-1873.	1.2	16
316	Multipurpose soft-material SAXS/WAXS/GISAXS beamline at SPring-8. Polymer Journal, 2011, 43, 471-477.	1.3	112
317	Manipulation of surface properties: the use of nanomembrane as a nanometre-thick decal. Soft Matter, 2011, 7, 1856-1860.	1.2	19
318	Reversible adhesive-free nanoscale adhesion utilizing oppositely charged polyelectrolyte brushes. Soft Matter, 2011, 7, 5717.	1.2	84
319	Applications of polymer brushes to structural nano-coatings. , 2011, , .		0
320	Poly(methyl methacrylate) grafted imogolite nanotubes prepared through surface-initiated ARGET ATRP. Chemical Communications, 2011, 47, 5813.	2.2	54
321	Preparation of Low-Surface-Energy Poly[2-(perfluorooctyl)ethyl acrylate] Microparticles and Its Application to Liquid Marble Formation. Langmuir, 2011, 27, 1269-1274.	1.6	62
322	Advanced Neutron Reflectometer for Investigation on Dynamic/Static Structures of Soft-Interfaces in J-PARC. Journal of Physics: Conference Series, 2011, 272, 012017.	0.3	26
323	Enhanced Interfacial Adhesion between an Amorphous Polymer (Polystyrene) and a Semicrystalline Polymer [a Polyamide (Nylon 6)]. ACS Applied Materials & Interfaces, 2011, 3, 2622-2629.	4.0	12
324	Reversible cross-linking of hydrophilic dynamic covalent polymers with radically exchangeable alkoxyamines in aqueous media. Polymer Chemistry, 2011, 2, 2021.	1.9	42

#	ARTICLE	IF	CITATIONS
325	Mesh-size control and functionalization of reorganizable chemical gels by monomer insertion into their cross-linking points. <i>Polymer Chemistry</i> , 2011, 2, 957.	1.9	26
326	Three-Dimensional Analysis of Collagen Lamellae in the Anterior Stroma of the Human Cornea Visualized by Second Harmonic Generation Imaging Microscopy. , 2011, 52, 911.		66
327	Characterization of Surface Microstructures on Bio-based Polymer Film Fabricated with Nano-imprint Lithography by Synchrotron Radiation Small Angle X-ray Scattering. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011, 24, 012004.	0.3	3
328	Molecular Aggregation States of Imogolite/P3HT Nanofiber Hybrid. <i>Journal of Physics: Conference Series</i> , 2011, 272, 012021.	0.3	7
329	Static and Dynamic Scattering from Polysulfobetaine Immobilized on Silica Nanoparticle in Ionic Liquid. <i>Journal of Physics: Conference Series</i> , 2011, 272, 012016.	0.3	2
330	Chain dimensions in free and immobilized brush states of polysulfobetaine in aqueous solution at various salt concentrations. <i>Journal of Physics: Conference Series</i> , 2011, 272, 012010.	0.3	15
331	Molecular Aggregation State and Electrical Properties of Terthiophenes/Imogolite Nanohybrids. <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 893-902.	2.0	14
332	Surface Modification of Individual Imogolite Nanotubes with Alkyl Phosphate from an Aqueous Solution. <i>Chemistry Letters</i> , 2011, 40, 159-161.	0.7	20
333	Generality of anomalous expansion of polymer chains in supercritical fluids. <i>Polymer</i> , 2011, 52, 4331-4336.	1.8	23
334	Preparation and properties of PVC/PMMA-g-imogolite nanohybrid via surface-initiated radical polymerization. <i>Polymer</i> , 2011, 52, 5543-5550.	1.8	30
335	Salt Concentration Dependence of Swelling States for Poly(sulfobetaine) Brush at Aqueous Solution Interface. <i>ACS Symposium Series</i> , 2011, , 135-143.	0.5	0
336	Well-Defined Poly(sulfobetaine) Brushes Prepared by Surface-Initiated ATRP Using a Fluoroalcohol and Ionic Liquids as the Solvents. <i>Macromolecules</i> , 2011, 44, 104-111.	2.2	84
337	Design and performance of horizontal-type neutron reflectometer SOFIA at J-PARC/MLF. <i>European Physical Journal Plus</i> , 2011, 126, 1.	1.2	136
338	Preparation of superparamagnetic β -cyclodextrin-functionalized composite nanoparticles with core-shell structures. <i>Polymer Bulletin</i> , 2011, 66, 1125-1136.	1.7	10
339	The space of left-invariant metrics on a Lie group up to isometry and scaling. <i>Manuscripta Mathematica</i> , 2011, 135, 229-243.	0.3	22
340	Conversion of poly(ethylene terephthalate) tetrafluoroethylene copolymers into polytetrafluoroethylene by direct fluorination: A convenient approach to access new properties at the ETFE surface. <i>Journal of Polymer Science Part A</i> , 2011, 49, 1517-1527.	2.5	19
341	Repeatable Photoinduced Self-Healing of Covalently Cross-Linked Polymers through Reshuffling of Trithiocarbonate Units. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 1660-1663.	7.2	488
342	Preparation and characterization of cross-linked β -cyclodextrin polymer/Fe ₃ O ₄ composite nanoparticles with core-shell structures. <i>Chinese Chemical Letters</i> , 2011, 22, 217-220.	4.8	13

#	ARTICLE	IF	CITATIONS
343	X-ray Photon Correlation Spectroscopy of Silica Particles Grafted with Polymer Brush in Polystyrene Matrix. <i>Journal of Physics: Conference Series</i> , 2011, 272, 012020.	0.3	3
344	Characterization of Swollen States of Polyelectrolyte Brushes in Salt Solution by Neutron Reflectivity. <i>Journal of Physics: Conference Series</i> , 2011, 272, 012019.	0.3	19
345	Molecular composition distribution of polycarbonate/polystyrene blends in cylindrical nanopores. <i>Polymer Journal</i> , 2011, 43, 600-605.	1.3	12
346	Precise control of surface physicochemical properties for electrospun fiber mats by surface-initiated radical polymerization. <i>Polymer Journal</i> , 2011, 43, 838-848.	1.3	30
347	Preparation and Surface Characterization of Surface-modified Electrospun Poly(methyl methacrylate) Copolymer Nanofibers. <i>Chemistry Letters</i> , 2010, 39, 1110-1111.	0.7	9
348	Substitutable Polymer Brushes: Reactive Poly(methacrylate) Brushes with Exchangeable Alkoxyamine Units in the Side Chain. <i>Chemistry Letters</i> , 2010, 39, 1209-1211.	0.7	17
349	Application of polymerizable surfactant in the preparation of polystyrene/nano-Fe ₃ O ₄ composite. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2010, 25, 184-187.	0.4	4
350	Chemical and physical characterizations of spinel ferrite nanoparticles containing Nd and B elements. <i>Journal of Colloid and Interface Science</i> , 2010, 345, 143-148.	5.0	11
351	Direct observation of surface and internal phase-separated structure of the active layer buried in organic photovoltaic cells. <i>Applied Surface Science</i> , 2010, 257, 1145-1148.	3.1	2
352	Tribological properties of hydrophilic polymer brushes under wet conditions. <i>Chemical Record</i> , 2010, 10, 208-216.	2.9	143
353	Influence of magadiite dispersion states on the flammability of polystyrene and polyphenylene ether-polystyrene alloy nanocomposites. <i>Polymer Journal</i> , 2010, 42, 223-231.	1.3	4
354	Arm-replaceable star-like nanogels: arm detachment and arm exchange reactions by dynamic covalent exchanges of alkoxyamine units. <i>Polymer Journal</i> , 2010, 42, 860-867.	1.3	15
355	Imogolite Reinforced Nanocomposites: Multifaceted Green Materials. <i>Materials</i> , 2010, 3, 1709-1745.	1.3	44
356	X-ray photoelectron spectroscopy study of polyimide thin films with Ar cluster ion depth profiling. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2010, 28, L1-L4.	0.9	71
357	Nonisothermal Crystallization Behaviors of Nanocomposites Prepared by <i>In Situ</i> Polymerization of High-Density Polyethylene on Multiwalled Carbon Nanotubes. <i>Macromolecules</i> , 2010, 43, 10545-10553.	2.2	59
358	Direct Synthesis of Well-Defined Poly[2-(methacryloyloxy)ethyl]trimethylammonium chloride] Brush via Surface-Initiated Atom Transfer Radical Polymerization in Fluoroalcohol. <i>Macromolecules</i> , 2010, 43, 8409-8415.	2.2	78
359	Solvent-Controlled Formation of Star-like Nanogels via Dynamic Covalent Exchange of PSt- <i>b</i> -PMMA Diblock Copolymers with Alkoxyamine Units in the Side Chain. <i>Macromolecules</i> , 2010, 43, 5470-5473.	2.2	28
360	Intelligent Build-Up of Complementarily Reactive Diblock Copolymers via Dynamic Covalent Exchange toward Symmetrical and Miktoarm Star-like Nanogels. <i>Macromolecules</i> , 2010, 43, 1785-1791.	2.2	62

#	ARTICLE	IF	CITATIONS
361	Macroscopic Frictional Properties of Poly(1-(2-methacryloyloxy)ethyl-3-butyl Imidazolium) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Interfaces, 2010, 2, 1120-1128.	4.0	49
362	Effect of Surface Molecular Aggregation State and Surface Molecular Motion on Wetting Behavior of Water on Poly(fluoroalkyl methacrylate) Thin Films. Macromolecules, 2010, 43, 454-460.	2.2	128
363	Structure and Properties of Imogolite Nanotubes and Their Application to Polymer Nanocomposites. Topics in Applied Physics, 2010, , 169-190.	0.4	6
364	Room-temperature nanoimprint lithography for crystalline poly(fluoroalkyl acrylate) thin films. Soft Matter, 2010, 6, 870.	1.2	34
365	Synthesis, Characterization and Drug Release of Biocompatible/Biodegradable Non-toxic Poly(urethane urea)s Based on Poly(μ -caprolactone)s and Lysine-Based Diisocyanate. Journal of Biomaterials Science, Polymer Edition, 2010, 21, 1483-1502.	1.9	29
366	A dynamic covalent polymer driven by disulfidemetathesis under photoirradiation. Chemical Communications, 2010, 46, 1150-1152.	2.2	275
367	Wettability and Friction Control of Soft Materials Based on Biomimetic Approach. Hyomen Kagaku, 2010, 31, 276-282.	0.0	0
368	Characterization of Polymer Brush/ Water Interface by Neutron Reflectometry. Hamon, 2009, 19, 165-169.	0.0	0
369	Physicochemical Characterization of Biodegradable Segmented Polyurethane and Blends with Polylactide. International Polymer Science and Technology, 2009, 36, 45-51.	0.1	0
370	A Study on the Correlation between QoE of 4K Super High Definition Video Streamings and QoS of Network. , 2009, , .		7
371	Precise Design of Surface Nano-texture and Surface Chemistry of Polymeric Solids. Composite Interfaces, 2009, 16, 519-533.	1.3	4
372	Detection of Subepithelial Fibrosis Associated with Corneal Stromal Edema by Second Harmonic Generation Imaging Microscopy. , 2009, 50, 3145.		54
373	TRIBOLOGICAL BEHAVIOR OF POLYMER BRUSH PREPARED BY THE "GRAFTING-FROM" METHOD. , 2009, , 582-602.		11
374	Synthesis and Reaction of Well-defined Copolymers with Thermally Exchangeable Dynamic Covalent Bonds in the Side Chains. ACS Symposium Series, 2009, , 319-329.	0.5	0
375	Micropatterning of polymeric semiconductor by selective lift-off method using epoxy mold. Journal of Vacuum Science & Technology B, 2009, 27, 1958.	1.3	3
376	Synthesis and characterization of semi-interpenetrating polymer networks based on polyurethane and N-isopropylacrylamide for wound dressing. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2009, 88B, 32-40.	1.6	11
377	Substitute and complement relations among various fish species in the Japanese market: implications for fishery resource management. Fisheries Science, 2009, 75, 1079-1087.	0.7	6
378	Novel silver-loaded semi-interpenetrating polymer network gel films with antibacterial activity. Journal of Polymer Science Part A, 2009, 47, 4950-4962.	2.5	9

#	ARTICLE	IF	CITATIONS
379	Simultaneous and sequential micro-porous semi-interpenetrating polymer network hydrogel films for drug delivery and wound dressing applications. <i>Polymer</i> , 2009, 50, 3537-3546.	1.8	50
380	Dynamic covalent polymers: Reorganizable polymers with dynamic covalent bonds. <i>Progress in Polymer Science</i> , 2009, 34, 581-604.	11.8	458
381	Surface Modification of Polypropylene Molded Sheets by Means of Surface-Initiated ATRP of Methacrylates. <i>Polymer Journal</i> , 2009, 41, 547-554.	1.3	25
382	Thermal Degradation Behavior of Polystyrene/Magadiite Nanocomposites Prepared by Surface-initiated Nitroxide-Mediated Radical Polymerization. <i>Polymer Journal</i> , 2009, 41, 555-561.	1.3	19
383	Scrambling reaction between polymers prepared by step-growth and chain-growth polymerizations: macromolecular cross-metathesis between 1,4-polybutadiene and olefin-containing polyester. <i>Chemical Communications</i> , 2009, , 1073.	2.2	70
384	Contamination-Free Transmission Electron Microscopy for High-Resolution Carbon Elemental Mapping of Polymers. <i>ACS Nano</i> , 2009, 3, 1297-1304.	7.3	43
385	Molecular Aggregation State and Photovoltaic Properties of Chlorophyll-Doped Conducting Poly(3-hexylthiophene)/MCM-41 Nanocomposites. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 1544-1552.	4.0	5
386	Preparation of hybrid films of aluminosilicate nanofiber and conjugated polymer. <i>Synthetic Metals</i> , 2009, 159, 885-888.	2.1	19
387	Reorganizable Chemical Polymer Gels Based on Dynamic Covalent Exchange and Controlled Monomer Insertion. <i>Macromolecules</i> , 2009, 42, 8733-8738.	2.2	67
388	Rational approach to star-like nanogels with different arm lengths: formation by dynamic covalent exchange and their imaging. <i>Chemical Communications</i> , 2009, , 689-691.	2.2	37
389	4K & 2K multi-resolution video communication with 60 fps over IP networks using JPEG2000. , 2009, , .		3
390	Crystallization behavior of polyethylene on silicon wafers in solution casting processes traced by time-resolved measurements of synchrotron grazing-incidence small-angle and wide-angle X-ray scattering. <i>Journal of Physics: Conference Series</i> , 2009, 184, 012015.	0.3	3
391	Physicochemical Characterization of Biodegradable Segmented Polyurethanes and Their Blends with Polylactide. <i>Nippon Gomu Kyokaishi</i> , 2009, 82, 349-355.	0.0	0
392	Influence of Γ -methyl group on molecular aggregation structure and surface physicochemical properties of fluoroalkyl side chain polymers. <i>Journal of Physics: Conference Series</i> , 2009, 184, 012007.	0.3	5
393	Molecular aggregation states of poly{2-(perfluorooctyl)ethyl acrylate} polymer brush thin film analyzed by grazing incidence X-ray diffraction. <i>Journal of Physics: Conference Series</i> , 2009, 184, 012009.	0.3	3
394	Characterization of swollen structure of high-density polyelectrolyte brushes in salt solution by neutron reflectivity. <i>Journal of Physics: Conference Series</i> , 2009, 184, 012010.	0.3	11
395	Preparation of Poly(vinylidene fluoride- <i>co</i> -trifluoroethylene) Film with a Hydrophilic Surface by Direct Surface-initiated Atom Transfer Radical Polymerization without Pretreatment. <i>Chemistry Letters</i> , 2009, 38, 446-447.	0.7	25
396	Enhanced Absorption and Emission in a Copper Phthalocyanine-Gold Nanoparticle System Assisted by Localized Surface Plasmon. <i>Chemistry Letters</i> , 2009, 38, 326-327.	0.7	23

#	ARTICLE	IF	CITATIONS
397	Preparation of Organic/Inorganic Hybrid Gel after I^{137} -Ray Radiation. <i>Chemistry Letters</i> , 2009, 38, 1112-1113.	0.7	8
398	Formation of polystyrene/poly(methyl methacrylate) heteroarm star-like nanogels from complementarily reactive well-defined diblock copolymers. <i>Journal of Physics: Conference Series</i> , 2009, 184, 012019.	0.3	0
399	Structure and Surface Properties of High-density Polyelectrolyte Brushes at the Interface of Aqueous Solution. <i>Macromolecular Symposia</i> , 2009, 279, 79-87.	0.4	33
400	Influence of salt concentration on swelling states of poly(sulfobetaine) brush at aqueous solution interface. <i>Journal of Physics: Conference Series</i> , 2009, 184, 012011.	0.3	10
401	Chain dimension of polystyrene-like hyperbranched polymers with various chain end groups in THF. <i>Journal of Physics: Conference Series</i> , 2009, 184, 012033.	0.3	0
402	Dynamic Viscoelastic Properties From Bulk to Surface of Polymeric Solids. <i>Journal of Fiber Science and Technology</i> , 2009, 65, P.472-P.476.	0.0	1
403	IUMRS-ICA 2008 Symposium, Sessions "X. Applications of Synchrotron Radiation and Neutron Beam to Soft Matter Science" and "Y. Frontier of Polymeric Nano-Soft-Materials" Precision Polymer Synthesis, Self-assembling and Their Functionalization". <i>Journal of Physics: Conference Series</i> , 2009, 184, 011001.	0.3	0
404	Simultaneous imaging for surface and internal structure of polymer blend thin films. <i>Applied Surface Science</i> , 2008, 254, 3180-3183.	3.1	11
405	Surface depth analysis for fluorinated block copolymer films by X-ray photoelectron spectroscopy using C60 cluster ion beam. <i>Applied Surface Science</i> , 2008, 254, 5435-5438.	3.1	25
406	On the Dimension of a Hyperbranched Polymer Synthesized from a Styrene Derivative. <i>Polymer Journal</i> , 2008, 40, 375-378.	1.3	3
407	Surface Modification of Engineering Plastics through Swelling in Supercritical Carbon Dioxide. <i>Polymer Journal</i> , 2008, 40, 716-724.	1.3	6
408	UCST-Type Cononsolvency Behavior of Poly(2-methacryloxyethyl phosphorylcholine) in the Mixture of Water and Ethanol. <i>Polymer Journal</i> , 2008, 40, 479-483.	1.3	32
409	Molecular Aggregation State of Surface-grafted Poly{2-(perfluorooctyl)ethyl acrylate} Thin Film Analyzed by Grazing Incidence X-ray Diffraction. <i>Polymer Journal</i> , 2008, 40, 854-860.	1.3	37
410	Room-temperature fabrication of nanotexture in crystalline poly(fluoroalkyl acrylate) thin film. <i>Soft Matter</i> , 2008, 4, 1400.	1.2	18
411	Control of Dispersion State of Silsesquioxane Nanofillers for Stabilization of Polystyrene Thin Films. <i>Langmuir</i> , 2008, 24, 5766-5772.	1.6	48
412	Dimensions of a Free Linear Polymer and Polymer Immobilized on Silica Nanoparticles of a Zwitterionic Polymer in Aqueous Solutions with Various Ionic Strengths. <i>Langmuir</i> , 2008, 24, 8772-8778.	1.6	86
413	Thermosensitive Transparent Semi-Interpenetrating Polymer Networks for Wound Dressing and Cell Adhesion Control. <i>Biomacromolecules</i> , 2008, 9, 1313-1321.	2.6	67
414	Surface molecular aggregation structure and surface physicochemical properties of poly(fluoroalkyl acrylate) thin films. <i>Journal of Physics: Conference Series</i> , 2008, 100, 012035.	0.3	12

#	ARTICLE	IF	CITATIONS
415	Fabrication of Conjugated Polymer Hybrid Thin Films with Radially Oriented Aluminosilicate Nanofibers by Spin-Assembly. <i>Bulletin of the Chemical Society of Japan</i> , 2008, 81, 1663-1668.	2.0	15
416	Surface and Interface Structure and Tribological Properties of Hydrophilic Polymer Brushes. <i>Nihon Reoroji Gakkaishi</i> , 2008, 36, 107-112.	0.2	4
417	Model Analysis of Scanning Viscoelasticity Microscopy and Its Applications to Polymer Surfaces. <i>Nihon Reoroji Gakkaishi</i> , 2008, 36, 87-92.	0.2	0
418	Characterization of the Interface Structure of Hydrophilic and Hydrophobic Polymer Brushes by Neutron Beam and Synchrotron Radiation. <i>Transactions of the Materials Research Society of Japan</i> , 2008, 33, 573-577.	0.2	0
419	Drying Process of Micro-Scale Polymer Solution Droplets Deposited on Lyophobic Surfaces. <i>Experimental Heat Transfer</i> , 2007, 20, 137-146.	2.3	4
420	Chapter 8 Structure and Physicochemical Properties of Polyalkylsiloxane Monolayers Prepared onto the Solid Substrate. <i>Interface Science and Technology</i> , 2007, 14, 193-217.	1.6	0
421	Two-dimensional Molecular Aggregation Structure and Thermal Molecular Motion of Polyalkylsiloxane Ultrathin Films. <i>Kobunshi Ronbunshu</i> , 2007, 64, 269-279.	0.2	0
422	Surface Molecular Aggregation Structure and Surface Properties of Poly (fluoroalkyl acrylate) Thin Films. <i>Kobunshi Ronbunshu</i> , 2007, 64, 181-190.	0.2	12
423	Preparation and Surface Properties of Poly(vinyl alcohol) Brush. <i>Chemistry Letters</i> , 2007, 36, 1280-1281.	0.7	14
424	Programmed Formation of Nanogels via a Radical Crossover Reaction of Complementarily Reactive Diblock Copolymers. <i>Chemistry Letters</i> , 2007, 36, 774-775.	0.7	27
425	Study of Chemical Analysis at the Surface of Organic Thin Films by Scanning Force Microscopy with Chemically Modified Cantilever Tip. <i>Journal of the Adhesion Society of Japan</i> , 2007, 43, 58-63.	0.0	0
426	Programmed Thermodynamic Formation and Structure Analysis of Star-like Nanogels with Core Cross-linked by Thermally Exchangeable Dynamic Covalent Bonds. <i>Journal of the American Chemical Society</i> , 2007, 129, 13298-13304.	6.6	102
427	Friction behavior of high-density poly(2-methacryloyloxyethyl phosphorylcholine) brush in aqueous media. <i>Soft Matter</i> , 2007, 3, 740.	1.2	242
428	Two-dimensional alignment of imogolite on a solid surface. <i>Chemical Communications</i> , 2007, , 2917.	2.2	27
429	Surface and Interfacial Segregation in Blends of Polystyrene with Functional End Groups and Deuterated Polystyrene. <i>Langmuir</i> , 2007, 23, 7269-7275.	1.6	28
430	Structure and Dewetting Behavior of Polyhedral Oligomeric Silsesquioxane-Filled Polystyrene Thin Films. <i>Langmuir</i> , 2007, 23, 902-907.	1.6	48
431	Thermal Reorganization and Molecular Weight Control of Dynamic Covalent Polymers Containing Alkoxyamines in Their Main Chains. <i>Macromolecules</i> , 2007, 40, 1429-1434.	2.2	104
432	Phase Transition of Alkylsilane Monolayers Studied by Temperature-Dependent Grazing Incidence X-ray Diffraction. <i>Langmuir</i> , 2007, 23, 8861-8865.	1.6	9

#	ARTICLE	IF	CITATIONS
433	Surface and Interfacial Segregation in Binary Polymer Blends. Hyomen Kagaku, 2007, 28, 688-697.	0.0	1
434	Film formation from polymer solution using inkjet printing method. AIChE Journal, 2007, 53, 1100-1108.	1.8	28
435	In situ investigation of annealing effect on lamellar stacking structure of polyethylene thin films by synchrotron grazing-incidence small-angle and wide-angle X-ray scattering. Journal of Applied Crystallography, 2007, 40, s642-s644.	1.9	17
436	Preparation of Novel Polymer Hybrids from Imogolite Nanofiber. Polymer Journal, 2007, 39, 1-15.	1.3	52
437	Effects of Static and Dynamic Forces on Surface Viscoelastic Response of Polymer Films in Scanning Viscoelasticity Microscopy. Polymer Journal, 2007, 39, 684-689.	1.3	7
438	Dewetting Inhibition and Interfacial Structures of Silsesquioxane-terminated Polystyrene Thin Films. Polymer Journal, 2007, 39, 1247-1252.	1.3	18
439	Substrate effect on mechanical relaxation of polystyrene in ultrathin films. European Physical Journal: Special Topics, 2007, 141, 173-180.	1.2	12
440	Thermal molecular motion in polystyrene thin and ultrathin films by dynamic viscoelastic measurement. Central South University, 2007, 14, 346-349.	0.5	2
441	Effect of a Binary Solvent on Film Formation in Ink-Jet Printing. Kagaku Kagaku Ronbunshu, 2007, 33, 396-401.	0.1	7
442	Surface Molecular Aggregation Structure of Poly(fluoroalkyl acrylate) Thin Films. Transactions of the Materials Research Society of Japan, 2007, 32, 239-242.	0.2	5
443	Surface and Interfacial Structures of Silsesquioxane-terminated Polystyrene Thin Films. Transactions of the Materials Research Society of Japan, 2007, 32, 267-270.	0.2	0
444	Higher-order Structure Analysis of Polyethylene Thin Films by In-situ Synchrotron Grazing-incidence Small-angle and Wide-angle X-ray Scattering Measurements. Transactions of the Materials Research Society of Japan, 2007, 32, 193-197.	0.2	3
445	Structural Characterization of Surface-grafted Poly (Vinyl Alcohol) on Silicon Wafer. Transactions of the Materials Research Society of Japan, 2007, 32, 259-262.	0.2	1
446	Polystyrene-grafted titanium oxide nanoparticles prepared through surface-initiated nitroxide-mediated radical polymerization and their application to polymer hybrid thin films. Soft Matter, 2006, 2, 415.	1.2	71
447	Phase selective preparations and surface modifications of spherical hollow nanomagnets. Journal of Materials Chemistry, 2006, 16, 3215.	6.7	51
448	A Thermodynamic Polymer Cross-Linking System Based on Radically Exchangeable Covalent Bonds. Macromolecules, 2006, 39, 2121-2125.	2.2	167
449	Hyomen Kagaku, 2006, 26, 551-555.		
450	Analysis of Molecular Aggregation States in Pentacene Thin Films Prepared from Soluble Precursor. Chemistry Letters, 2006, 35, 1162-1163.	0.7	12

#	ARTICLE	IF	CITATIONS
451	Stabilization of Polystyrene Thin Films against Dewetting by Silsesquioxane-terminated Polystyrene Additives. <i>Chemistry Letters</i> , 2006, 35, 1098-1099.	0.7	14
452	(Inorganic Nanofiber/Enzyme) Hybrid Hydrogel: Preparation, Characterization, and Enzymatic Activity of Imogolite/Pepsin Conjugate. <i>Chemistry Letters</i> , 2006, 35, 194-195.	0.7	35
453	Dimension of Poly(2-methacryloyloxyethyl phosphorylcholine) in Aqueous Solutions with Various Ionic Strength. <i>Chemistry Letters</i> , 2006, 35, 1310-1311.	0.7	31
454	Supramolecular control of spin-crossover phenomena in lipophilic Fe(II)-1,2,4-triazole complexes. <i>Journal of Polymer Science Part A</i> , 2006, 44, 5192-5202.	2.5	63
455	Precise surface structure control of inorganic solid and metal oxide nanoparticles through surface-initiated radical polymerization. <i>Science and Technology of Advanced Materials</i> , 2006, 7, 617-628.	2.8	66
456	Facile synthesis of multiblock copolymers composed of poly(tetramethylene oxide) and polystyrene using living free-radical polymerization macroinitiator. <i>Polymer</i> , 2006, 47, 3784-3791.	1.8	26
457	Effects of droplet size and solute concentration on drying process of polymer solution droplets deposited on homogeneous surfaces. <i>International Journal of Heat and Mass Transfer</i> , 2006, 49, 3561-3567.	2.5	79
458	Controlled Release of Model Drug from Biodegradable Segmented Polyurethane Ureas: Morphological and Structural Features. <i>Macromolecular Symposia</i> , 2006, 242, 241-249.	0.4	36
459	Development of High-performance Experimental Systems and Fiber Science. <i>Journal of Fiber Science and Technology</i> , 2006, 62, P.41-P.41.	0.0	0
460	Evaluation of Surface Composition in Miscible Polymer Blends by Lateral Force Microscopy. <i>ACS Symposium Series</i> , 2005, , 239-248.	0.5	1
461	Synthesis and Frictional Properties of Poly(2,3-dihydroxypropyl methacrylate) Brush Prepared by Surface-initiated Atom Transfer Radical Polymerization. <i>Chemistry Letters</i> , 2005, 34, 1582-1583.	0.7	60
462	Molecular Aggregation Structure of Poly(fluoroalkyl acrylate) Thin Films Evaluated by Synchrotron-sourced Grazing-incidence X-ray Diffraction. <i>Chemistry Letters</i> , 2005, 34, 1024-1025.	0.7	34
463	Imaging of Charged Micropatterned Monolayer Surfaces by Chemical Force Microscopy. <i>Bulletin of the Chemical Society of Japan</i> , 2005, 78, 1691-1698.	2.0	9
464	Adsorption of Di-n-butyl Phthalate by Chitosan Beads Modified with Water-soluble Calixarenes. <i>Chemistry Letters</i> , 2005, 34, 218-219.	0.7	8
465	Site-selective Coating of Polymer Thin Film Prepared by the Ink-jet Method on the Patterned Fluoroalkylsilane Monolayer Substrate. <i>Chemistry Letters</i> , 2005, 34, 916-917.	0.7	16
466	Evaluation of Interfacial Structure in Blends of Polypropylene and Elastomer by Scanning Force Microscopy. <i>Kobunshi Ronbunshu</i> , 2005, 62, 432-434.	0.2	0
467	Macroscopic-Wetting Anisotropy on the Line-Patterned Surface of Fluoroalkylsilane Monolayers. <i>Langmuir</i> , 2005, 21, 911-918.	1.6	237
468	Grazing Incidence X-ray Diffraction Study on Surface Crystal Structure of Polyethylene Thin Films. <i>Polymer Bulletin</i> , 2005, 53, 213-222.	1.7	34

#	ARTICLE	IF	CITATIONS
469	Preparation and properties of [poly(methyl methacrylate)/imogolite] hybrid via surface modification using phosphoric acid ester. <i>Polymer</i> , 2005, 46, 12386-12392.	1.8	74
470	Macro- and nanotribological properties of organosilane monolayers prepared by a chemical vapor adsorption method on silicon substrates. <i>Tribology Letters</i> , 2005, 19, 3-8.	1.2	18
471	Rational model for chiral recognition in a silica-based chiral column: chiral recognition of N-(3,5-dinitrobenzoyl)phenylglycine-terminated alkylsilane monolayer by 2,2,2-trifluoro-1-(9-anthryl)ethanol derivatives by chemical force microscopy. <i>Journal of Physical Organic Chemistry</i> , 2005, 18, 957-961.	0.9	12
472	Adsorbent for Di-n-butyl Phthalate Using Chitosan Beads with Upper- or Lower-Rim Substituted Water-soluble Calixarenes. <i>Polymer Journal</i> , 2005, 37, 939-945.	1.3	6
473	Spontaneously Formed Hydrophilic Surfaces by Segregation of Block Copolymers with Water-Soluble Blocks. <i>Macromolecules</i> , 2005, 38, 5180-5189.	2.2	75
474	Dependence of the Molecular Aggregation State of Octadecylsiloxane Monolayers on Preparation Methods. <i>Langmuir</i> , 2005, 21, 905-910.	1.6	64
475	Reversible Radical Ring-Crossover Polymerization of an Alkoxyamine-Containing Dynamic Covalent Macrocycle. <i>Macromolecules</i> , 2005, 38, 6316-6320.	2.2	82
476	Molecular Motion in Ultrathin Polystyrene Films: A Dynamic Mechanical Analysis of Surface and Interfacial Effects. <i>Macromolecules</i> , 2005, 38, 9735-9741.	2.2	73
477	Tribological Properties of Poly(methyl methacrylate) Brushes Prepared by Surface-Initiated Atom Transfer Radical Polymerization. <i>Polymer Journal</i> , 2005, 37, 767-775.	1.3	99
478	Tunable Metallization by Assembly of Metal Nanoparticles in Polymer Thin Films by Photo- or Electron Beam Lithography. <i>Langmuir</i> , 2005, 21, 9352-9358.	1.6	21
479	Transparent polymer nanohybrid prepared by in situ synthesis of aluminosilicate nanofibers in poly(vinyl alcohol) solution. <i>Soft Matter</i> , 2005, 1, 372.	1.2	75
480	Super-Liquid-Repellent Surfaces Prepared by Colloidal Silica Nanoparticles Covered with Fluoroalkyl Groups. <i>Langmuir</i> , 2005, 21, 7299-7302.	1.6	300
481	Characterization of Novel Biodegradable Segmented Polyurethanes Prepared from Amino-Acid Based Diisocyanate. <i>Macromolecular Symposia</i> , 2005, 224, 207-218.	0.4	28
482	Molecular Aggregation Structure and Surface Properties of Poly(fluoroalkyl acrylate) Thin Films. <i>Macromolecules</i> , 2005, 38, 5699-5705.	2.2	301
483	(9) CAE ç””ãf-ã,ãfã,ãf¼ã@ãÿçŽ : é«ã†ã»ã½“ãf»èj”éçããf-ã,ãfã,ãf¼. <i>Seikei-Kakou</i> , 2005, 17, 610-615.	0.0	0
484	Annealing effect on adhesion properties of poly(butylene terephthalate). <i>Composite Interfaces</i> , 2004, 11, 325-333.	1.3	3
485	Influence of the addition of silsesquioxane on the dewetting behavior of polystyrene thin film. <i>Composite Interfaces</i> , 2004, 11, 297-306.	1.3	20
486	Analysis of surface mobility in polystyrene films with monodisperse and bimodal molecular weights by lateral force microscopy. <i>Journal of Polymer Science Part A</i> , 2004, 42, 639-647.	2.5	12

#	ARTICLE	IF	CITATIONS
487	Surface Structure of Asymmetric Fluorinated Block Copolymers. <i>Macromolecules</i> , 2004, 37, 939-945.	2.2	50
488	Dynamic Formation of Graft Polymers via Radical Crossover Reaction of Alkoxyamines. <i>Macromolecules</i> , 2004, 37, 1696-1701.	2.2	91
489	Control of Nanobiointerfaces Generated from Well-Defined Biomimetic Polymer Brushes for Protein and Cell Manipulations. <i>Biomacromolecules</i> , 2004, 5, 2308-2314.	2.6	280
490	Anisotropic-to-Isotropic Change in Lateral Force at the Surface of Single-Crystal Lamellae of High-Density Polyethylene during Low-Temperature Annealing. <i>Macromolecules</i> , 2004, 37, 5115-5117.	2.2	18
491	Aggregation States and Surface Wettability in Films of Poly(styrene-block-2-perfluorooctyl ethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 11 20, 5304-5310.	1.6	57
492	Polystyrene- and Poly(3-vinylpyridine)-Grafted Magnetite Nanoparticles Prepared through Surface-Initiated Nitroxide-Mediated Radical Polymerization. <i>Macromolecules</i> , 2004, 37, 2203-2209.	2.2	209
493	Synthesis of well-defined poly(styrene)-b-poly(p-tert-butoxystyrene) multiblock copolymer from poly(alkoxyamine) macroinitiator. <i>Polymer</i> , 2003, 44, 7095-7101.	1.8	29
494	Surface segregation of chain ends in $\hat{\pm}, \tilde{\%}$ -fluoroalkyl-terminated polystyrenes films. <i>Polymer</i> , 2003, 44, 4171-4177.	1.8	46
495	Analysis of surface composition of isotopic polymer blend based on time-of-flight secondary ion mass spectroscopy. <i>Applied Surface Science</i> , 2003, 203-204, 538-540.	3.1	9
496	Mobility Gradient in Surface Region of Monodisperse Polystyrene Films. <i>Macromolecules</i> , 2003, 36, 1235-1240.	2.2	87
497	Surface Composition Control via Chain End Segregation in Blend Films of Polystyrene and Poly(vinyl) Tj ETQq1 1 0.784314 rgBT /Overlock 11 2.2 56	2.2	56
498	Polymer Scrambling: A Macromolecular Radical Crossover Reaction between the Main Chains of Alkoxyamine-Based Dynamic Covalent Polymers. <i>Journal of the American Chemical Society</i> , 2003, 125, 4064-4065.	6.6	147
499	Polyurethane Macroinitiator for Controlled Monomer Insertion of Styrene. <i>Macromolecules</i> , 2003, 36, 1494-1499.	2.2	32
500	Visualization of Active Surface Molecular Motion in Polystyrene Film by Scanning Viscoelasticity Microscopy. <i>Langmuir</i> , 2003, 19, 6573-6575.	1.6	54
501	Anomalous Surface Relaxation Process in Polystyrene Ultrathin Films. <i>Macromolecules</i> , 2003, 36, 4937-4943.	2.2	51
502	Paracrystalline Lattice Distortion in the Near-Surface Region of Melt-Crystallized Polyethylene Films Evaluated by Synchrotron-Sourced Grazing-Incidence X-ray Diffraction. <i>Macromolecules</i> , 2003, 36, 5905-5907.	2.2	33
503	Polystyrene-Grafted Magnetite Nanoparticles Prepared through Surface-Initiated Nitroxyl-Mediated Radical Polymerization. <i>Chemistry of Materials</i> , 2003, 15, 3-5.	3.2	122
504	Fabrication and characterization of multi-component organosilane nanofilms. <i>Composite Interfaces</i> , 2003, 10, 489-504.	1.3	17

#	ARTICLE	IF	CITATIONS
505	Effect of Cyclic Fatigue Conditions on Nonlinear Dynamic Viscoelasticity and Fatigue Behaviors for Short Glass-Fiber Reinforced Nylon 6. <i>Polymer Journal</i> , 2003, 35, 844-850.	1.3	11
506	Surface Relaxation Processes of Poly(methyl methacrylate) Brushes Prepared by Atom Transfer Radical Polymerization. <i>Polymer Journal</i> , 2003, 35, 44-49.	1.3	23
507	Thin Silica Film with a Network Structure as Prepared by Surface Sol-Gel Transcription on the Poly(styrene- <i>b</i> -4-vinylpyridine) Polymer Film. <i>Chemistry Letters</i> , 2003, 32, 352-353.	0.7	8
508	Surface thermal molecular motion of chain end-modified polystyrenes. <i>Macromolecular Symposia</i> , 2003, 192, 265-270.	0.4	6
509	The X-ray microscopy project at Saga SLS. <i>European Physical Journal Special Topics</i> , 2003, 104, 63-66.	0.2	1
510	Surface Nano-structure and Nano-mechanical Properties of Organosilane Monolayers. <i>Shinku/Journal of the Vacuum Society of Japan</i> , 2003, 46, 98-104.	0.2	0
511	Analysis of Surface Dynamics of Polymer Films by Lateral Force Microscopy. <i>Hyomen Kagaku</i> , 2003, 24, 359-366.	0.0	0
512	Nano-rheological Properties of Polymeric Solid Surfaces.. <i>Nihon Reorogi Gakkaishi</i> , 2003, 31, 33-40.	0.2	1
513	SURFACE STRUCTURE AND PROPERTIES OF MULTICOMPONENT MICROPATTERNED ORGANOSILANE MONOLAYERS PREPARED BY STEPWISE PHOTODECOMPOSITION AND CHEMISORPTION PROCESS. , 2003, , .		0
514	Preparation of a novel (polymer/inorganic nanofiber) composite through surface modification of natural aluminosilicate nanofiber. <i>Journal of Adhesion</i> , 2002, 78, 591-602.	1.8	34
515	SURFACE STRUCTURE AND PROPERTIES OF MULTICOMPONENT MICROPATTERNED ORGANOSILANE MONOLAYERS PREPARED BY STEPWISE PHOTODECOMPOSITION AND CHEMISORPTION PROCESS. <i>International Journal of Nanoscience</i> , 2002, 01, 419-423.	0.4	10
516	Fabrication of Three-component Micropatterned Organosilane Monolayer by a Stepwise Photolithography Process. <i>Chemistry Letters</i> , 2002, 31, 1196-1197.	0.7	15
517	Effect of Interfacial Interaction between Glass-Fiber and Matrix Nylon-6 on Nonlinear Dynamic Viscoelasticity and Fatigue Behavior for Glass-Fiber Reinforced Nylon-6. <i>Polymer Journal</i> , 2002, 34, 897-904.	1.3	4
518	A Novel Method To Examine Surface Composition in Mixtures of Chemically Identical Two Polymers with Different Molecular Weights. <i>Macromolecules</i> , 2002, 35, 4702-4706.	2.2	57
519	Effect of Low Surface Energy Chain Ends on the Glass Transition Temperature of Polymer Thin Films. <i>Macromolecules</i> , 2002, 35, 1491-1492.	2.2	67
520	Spectroscopic and Electrochemical Characterizations of Dilithium Octacyanophthalocyanine Langmuir-Blodgett Films. <i>Langmuir</i> , 2002, 18, 2223-2228.	1.6	28
521	A dynamic (reversible) covalent polymer: radical crossover behaviour of TEMPO-containing poly(alkoxyamine ester)s. <i>Chemical Communications</i> , 2002, , 2838-2839.	2.2	90
522	Crystallization Behavior of Strongly Interacting Chains. <i>Macromolecules</i> , 2002, 35, 3117-3125.	2.2	32

#	ARTICLE	IF	CITATIONS
523	Instrumental design and performance of a new pulsed-neutron reflectometer (ARISA) at KENS for studying free surfaces. <i>Applied Physics A: Materials Science and Processing</i> , 2002, 74, s264-s266.	1.1	31
524	Plasma protein adsorption behavior onto the surface of phase-separated organosilane monolayers on the basis of scanning force microscopy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2002, 23, 141-152.	2.5	34
525	Effect of aggregation state on nanotribological behaviors of organosilane monolayers. <i>Ultramicroscopy</i> , 2002, 91, 203-213.	0.8	25
526	Microscopic lamellar organization in high-density polyethylene banded spherulites studied by scanning probe microscopy. <i>Polymer</i> , 2002, 43, 3441-3446.	1.8	59
527	Aggregation structure and molecular motion of (glass-fiber/matrix nylon 66) interface in short glass-fiber reinforced nylon 66 composites. <i>Polymer</i> , 2002, 43, 4055-4062.	1.8	23
528	Thermal molecular motion at surface of atactic polypropylene films. <i>Polymer</i> , 2002, 43, 5109-5115.	1.8	6
529	Title is missing!. <i>Journal of Materials Science</i> , 2002, 37, 4801-4809.	1.7	16
530	Deformation Conditions. Nonlinear Viscoelasticity Relationship for HDPE Solid-State Extrudate under Cyclic Fatigue.. <i>Nihon Reoroji Gakkaishi</i> , 2002, 30, 147-153.	0.2	0
531	Surface Molecular Motion of Monodisperse $\hat{1}\pm, \hat{1}\%$ -Diamino-Terminated and $\hat{1}\pm, \hat{1}\%$ -Dicarboxy-Terminated Polystyrenes. <i>Macromolecules</i> , 2001, 34, 8761-8767.	2.2	52
532	Effect of Internal Bulk Phase on Surface Viscoelastic Properties by Scanning Probe Microscopy. <i>Macromolecules</i> , 2001, 34, 6420-6423.	2.2	22
533	Surface Mobile Layer of Polystyrene Film below Bulk Glass Transition Temperature. <i>Macromolecules</i> , 2001, 34, 6164-6166.	2.2	59
534	Aggregation Structure and Surface Properties of Immobilized Fluoroalkylsilanes and Their Mixed Monolayers. <i>ACS Symposium Series</i> , 2001, , 31-47.	0.5	6
535	Scanning force microscopic study of protein adsorption on the surface of organosilane monolayers prepared by the Langmuir-Blodgett method. <i>Macromolecular Symposia</i> , 2001, 167, 271-284.	0.4	8
536	Novel Method to Prepare Organosilane Monolayers on Solid Substrate. <i>Bulletin of the Chemical Society of Japan</i> , 2001, 74, 1397-1401.	2.0	12
537	Surface Modification of Aluminosilicate Nanofiber $\hat{a}\hat{c}\hat{o}\hat{e}\hat{l}\hat{m}\hat{o}\hat{g}\hat{o}\hat{l}\hat{i}\hat{t}\hat{e}\hat{a}\hat{c}\hat{e}$. <i>Chemistry Letters</i> , 2001, 30, 1162-1163.	0.7	50
538	Reversible Reduction and Reoxidation of Langmuir $\hat{a}\hat{c}\hat{B}\hat{l}\hat{o}\hat{d}\hat{g}\hat{e}\hat{t}\hat{t}$ Films of Octacyanophthalocyanine Dilithium Complex. <i>Chemistry Letters</i> , 2001, 30, 536-537.	0.7	1
539	Effect of chain end group on surface glass transition temperature of thin polymer film. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2001, 281, 363-367.	0.9	25
540	Surface relaxation behavior of proton- and perfluoroalkyl-terminated poly(2-vinylpyridine) films. <i>Polymer</i> , 2001, 42, 8959-8964.	1.8	3

#	ARTICLE	IF	CITATIONS
541	Fatigue failure mechanisms of short glass-fiber reinforced nylon 66 based on nonlinear dynamic viscoelastic measurement. <i>Polymer</i> , 2001, 42, 5803-5811.	1.8	67
542	Mechanical nanofabrication of lignoceric acid monolayer with atomic force microscopy. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2001, 19, 593.	1.6	15
543	Effect of Precursor Solvent on the Copper Migration Behavior at the (Polyimide/Copper) Interface.. <i>Kobunshi Ronbunshu</i> , 2000, 57, 233-243.	0.2	3
544	Construction of C60 Monolayer Based on Structural Relaxation on the Water Surface. <i>Bulletin of the Chemical Society of Japan</i> , 2000, 73, 1429-1435.	2.0	7
545	Physical Properties of Polymeric Solids. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2000, 46, 227-231.	1.8	0
546	Surface aggregation structure and surface mechanical properties of binary polymer blend thin films. <i>Macromolecular Symposia</i> , 2000, 159, 89-96.	0.4	8
547	Effect of end group chemistry on surface molecular motion of monodisperse polystyrene films. <i>Macromolecular Symposia</i> , 2000, 159, 35-42.	0.4	4
548	Formation mechanism of n-octadecyltrichlorosilane monolayer prepared at the air/water interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2000, 169, 295-306.	2.3	30
549	In situ atomic force microscopic observation of albumin adsorption onto phase-separated organosilane monolayer surface. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2000, 11, 111-120.	1.9	25
550	Secondary ion mass spectroscopic analysis of copper migration at the copper/polyimide interface. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2000, 18, 313.	1.6	5
551	Rheological Analysis of Surface Relaxation Process of Monodisperse Polystyrene Films. <i>Macromolecules</i> , 2000, 33, 7588-7593.	2.2	185
552	Determination Factors on Surface Glass Transition Temperatures of Polymeric Solids. <i>High Performance Polymers</i> , 2000, 12, 587-597.	0.8	14
553	Structure and Physical Properties of Polymeric Supramolecular Assembly. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2000, 46, 233-242.	1.8	1
554	Molecular Aggregation State of n-Octadecyltrichlorosilane Monolayers Prepared by the Langmuir and Chemisorption Methods. <i>Langmuir</i> , 2000, 16, 3932-3936.	1.6	61
555	Molecular Aggregation State and Molecular Motion of Organosilane Monolayers Prepared at the Air/Water Interface. <i>Langmuir</i> , 2000, 16, 9314-9320.	1.6	37
556	Aggregation Structure and Surface Properties of 18-Nonadecenyltrichlorosilane Monolayer and Multilayer Films Prepared by the Langmuir Method. <i>ACS Symposium Series</i> , 2000, , 332-352.	0.5	8
557	Surface glass transition temperatures of monodisperse polystyrene films by scanning force microscopy. <i>Science and Technology of Advanced Materials</i> , 2000, 1, 31-35.	2.8	51
558	Dynamics on Molecular Films. Surface Structure and Surface Mechanical Properties of Organosilane Monolayers.. <i>Hyomen Kagaku</i> , 2000, 21, 635-642.	0.0	2

#	ARTICLE	IF	CITATIONS
559	Scanning Force Microscopic Study of Polyethylene Single Crystals Prepared by a Self-Seeding Method. ACS Symposium Series, 1999, , 336-345.	0.5	1
560	Determination of Surface Glass Transition Temperature of Monodisperse Polystyrene Based on Temperature-Dependent Scanning Viscoelasticity Microscopy. Macromolecules, 1999, 32, 4474-4476.	2.2	137
561	Visualized Polymers. Patterns Formed by Polymeric Systems. II. Scanning Force Microscopic Study of Surface Structure of Polyethylene Single Crystals.. Kobunshi Ronbunshu, 1999, 56, 845-849.	0.2	1
562	Construction of Defect-Diminished Fatty Acid Langmuir-Blodgett Film and Its Optical Waveguide Properties. Bulletin of the Chemical Society of Japan, 1999, 72, 2795-2802.	2.0	4
563	Chain End Group-Induced Surface Ordering in Poly(styrene-b-4-vinylpyridine) Symmetric Diblock Copolymer Films. Polymer Journal, 1999, 31, 1015-1020.	1.3	1
564	Effect of Chain End Group-Substrate Interaction on Surface Molecular Motion of Polystyrene Ultrathin Films. Polymer Journal, 1999, 31, 550-556.	1.3	9
565	Surface, thermal and mechanical characteristics of polymeric solids. Macromolecular Symposia, 1999, 143, 171-183.	0.4	10
566	Effect of End Group-Substrate Interaction on Aggregation Structure of Polystyrene Ultrathin Films. Polymer Journal, 1999, 31, 89-95.	1.3	14
567	Analysis of Fatigue Lifetime of Polymeric Fibers and Polymeric Solids in Terms of Nonlinear Dynamic Viscoelastic Measurements. Journal of Fiber Science and Technology, 1999, 55, P343-P348.	0.0	0
568	Surface Phase-separated Structures of Multiphase Polymer Thin Films. Journal of Fiber Science and Technology, 1999, 55, P57-P62.	0.0	0
569	Fatigue Analysis of Short Glass Fibre-Reinforced Nylon 6 on the Basis of Dynamic Viscoelastic Measurements under Cyclic Fatigue. Key Engineering Materials, 1998, 137, 147-154.	0.4	9
570	Effect of chain end group hydrophobicity on surface aggregation structure of poly(styrene-block-4-vinylpyridine) symmetric diblock copolymer films. Polymer, 1998, 39, 2615-2620.	1.8	12
571	Effects of main chain rigidity on nonlinear dynamic viscoelasticity and fatigue performance for polymeric fibres. Polymer, 1998, 39, 5387-5392.	1.8	17
572	Study of the surface glass transition behaviour of amorphous polymer film by scanning-force microscopy and surface spectroscopy. Polymer, 1998, 39, 4665-4673.	1.8	112
573	Molecular Aggregation State of n-Octadecyltrichlorosilane Monolayer Prepared at an Air/Water Interface. Langmuir, 1998, 14, 971-974.	1.6	90
574	Effect of Chain End Chemistry on Surface Molecular Motion of Polystyrene Films. Macromolecules, 1998, 31, 5148-5149.	2.2	48
575	Surface Segregation of the Higher Surface Free Energy Component in Symmetric Polymer Blend Films. Macromolecules, 1998, 31, 3746-3749.	2.2	53
576	Surface Relaxation Process of Monodisperse Polystyrene Film Based on Lateral Force Microscopic Measurements. Macromolecules, 1998, 31, 5150-5151.	2.2	99

#	ARTICLE	IF	CITATIONS
577	Surface Molecular Aggregation Structure and Surface Molecular Motions of High-Molecular-Weight Polystyrene/Low-Molecular-Weight Poly(methyl methacrylate) Blend Films. <i>Macromolecules</i> , 1998, 31, 863-869.	2.2	112
578	AFM observation of single-chain PMMA particles. <i>Journal of Macromolecular Science - Physics</i> , 1998, 37, 339-348.	0.4	5
579	Bovine serum albumin adsorption onto immobilized organotrichlorosilane surface: Influence of the phase separation on protein adsorption patterns. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1998, 9, 131-150.	1.9	162
580	Electric field induced structural change for poly(vinylidene fluoride-co-trifluoroethylene) ultrathin films studied by scanning Maxwell stress microscope. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 1998, 16, 121.	1.6	23
581	Scanning Force Microscopy of Surface Structure and Surface Mechanical Properties of Organotrichlorosilane Monolayers Prepared by Langmuir Method. <i>ACS Symposium Series</i> , 1998, , 204-222.	0.5	5
582	Aggregation structure and fatigue characteristics of (nylon 6/clay) hybrid. <i>Composite Interfaces</i> , 1998, 6, 247-258.	1.3	16
583	Interaction between Polymeric Organosilane Monolayer and Plasma Protein.. <i>Kobunshi Ronbunshu</i> , 1998, 55, 344-352.	0.2	0
584	Analysis of Surface Mechanical Properties of Polymer Blend Ultrathin Films by Scanning Force Microscopy. <i>Key Engineering Materials</i> , 1997, 137, 79-86.	0.4	2
585	Surface thermomechanical and glass transition temperature measurements of polymeric solids. <i>Macromolecular Symposia</i> , 1997, 118, 677-682.	0.4	7
586	Surface Molecular Motion of Amorphous Polymeric Solids. <i>Bulletin of the Chemical Society of Japan</i> , 1997, 70, 1491-1503.	2.0	4
587	Analysis of Surface Molecular Motion of Amorphous Polymeric Solids on the Basis of Scanning Force Microscopy and X-ray Photoelectron Spectroscopy.. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1997, 73, 132-137.	1.6	5
588	Observation of Molecular Motion of Polymer Chains.. <i>Kobunshi</i> , 1997, 46, 249-251.	0.0	0
589	Surface Molecular Motion of the Monodisperse Polystyrene Films. <i>Macromolecules</i> , 1997, 30, 280-285.	2.2	321
590	Effect of Polydispersity on Surface Molecular Motion of Polystyrene Films. <i>Macromolecules</i> , 1997, 30, 6626-6632.	2.2	116
591	Relationships between lateral force and viscoelastic properties for amorphous polymer films based on lateral force microscopy. <i>Polymer Bulletin</i> , 1997, 39, 369-376.	1.7	9
592	Anisotropic swelling behavior of copolymeric gel film with crystalline oriented side chains. <i>Polymer Gels and Networks</i> , 1997, 5, 429-438.	0.6	1
593	Effect of aggregation structure on non-linear dynamic viscoelastic characteristics of oriented high-density polyethylenes under cyclic fatigue. <i>Polymer</i> , 1997, 38, 5195-5201.	1.8	13
594	Researches on Polymer Surfaces: Structure and Dynamics. <i>Surface Structure and Surface Molecular Motion of Solid Polymer Films.. Hyomen Kagaku</i> , 1997, 18, 531-536.	0.0	0

#	ARTICLE	IF	CITATIONS
595	Higher Order Structure and Thermo-Responsive Properties of Polymeric Gel with Crystalline Side Chains. <i>Polymer Journal</i> , 1996, 28, 452-457.	1.3	23
596	Scanning force microscopic study of surface structure and properties of (alkylsilane) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 Td (fluor	0.7	31
597	Effect of solvent on aggregation structure and responsive properties of copolymeric gel with side chain crystals. <i>Polymer Gels and Networks</i> , 1996, 4, 315-333.	0.6	5
598	Film Thickness Dependence of the Surface Structure of Immiscible Polystyrene/Poly(methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 Td	2.2	299
599	Molecular Weight Dependence of Surface Dynamic Viscoelastic Properties for the Monodisperse Polystyrene Film. <i>Macromolecules</i> , 1996, 29, 3040-3042.	2.2	187
600	Scanning force microscopic studies of surface structure and protein adsorption behavior of organosilane monolayers. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1996, 14, 1747-1754.	0.9	70
601	Effect of Main-Chain Rigidity on Fatigue Behavior of Polymeric Fibers Based on Zone Nonlinear Viscoelastic Analysis. <i>Polymer Journal</i> , 1996, 28, 801-807.	1.3	8
602	Surface Molecular Motion of Polymeric Solid Films.. <i>Kobunshi Ronbunshu</i> , 1996, 53, 582-591.	0.2	6
603	Morphology and mechanical properties of polymer surfaces via scanning force microscopy. <i>Progress in Surface Science</i> , 1996, 52, 1-52.	3.8	65
604	Relationships between nonlinear dynamic viscoelasticity and fatigue behaviors of glassy polymer under various fatigue test conditions. <i>Polymer Bulletin</i> , 1996, 36, 477-482.	1.7	19
605	Effect of Aggregation Structure on Fatigue Characteristics of (Nylon 6/Clay) Composites. <i>Nihon Reoroji Gakkaishi</i> , 1996, 24, 117-122.	0.2	3
606	Selective Adsorption of Plasma Protein Onto Phase-Separated Domain of Immobilized Organosilane Monolayer Surfaces. , 1996, , 243-244.		0
607	Direct Observation of Surface Morphology and Surface Viscoelastic Properties of Polymeric Solids Based on Scanning Force Microscopy.. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1995, 71, 75-80.	1.6	9
608	Surface molecular motion in thin films of poly(styrene-block-methyl methacrylate) diblock copolymer. <i>Acta Polymerica</i> , 1995, 46, 476-482.	1.4	42
609	Studies on the tumor-promoting activity of polyurethanes: Depletion of inhibitory action of metabolic cooperation on the surface of a polyalkyleneurethane but not a polyetherurethane. <i>Journal of Biomedical Materials Research Part B</i> , 1995, 29, 835-841.	3.0	18
610	Phase Separated Morphology of an Immobilized Organosilane Monolayer Studied by a Scanning Probe Microscope. <i>Langmuir</i> , 1995, 11, 1341-1346.	1.6	97
611	Depth Dependence of the Surface Glass Transition Temperature of a Poly(styrene-block-methyl Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 702 Td Spectroscopy. <i>Macromolecules</i> , 1995, 28, 3482-3484.	2.2	142
612	Surface Morphology and Frictional Property of Polyethylene Single Crystals Studied by Scanning Force Microscopy. <i>Macromolecules</i> , 1995, 28, 4768-4770.	2.2	33

#	ARTICLE	IF	CITATIONS
613	Ultrathinning-Induced Surface Phase Separation of Polystyrene/Poly(vinyl methyl ether) Blend Film. <i>Macromolecules</i> , 1995, 28, 934-938.	2.2	155
614	Surface enrichment of the solution-cast poly(methyl methacrylate)/poly(vinyl acetate) blends. <i>Polymer</i> , 1995, 36, 1229-1234.	1.8	33
615	Analysis of Fatigue Behavior of Polymeric Solids on the Basis of Nonlinear Dynamic Viscoelastic Measurement. <i>Nihon Reoroji Gakkaishi</i> , 1995, 23, 217-227.	0.2	1
616	Effect of polyurethane surface chemistry on its lipid sorption behavior. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1994, 5, 183-196.	1.9	22
617	Aggregation structure and surface properties of immobilized organosilane monolayers prepared by the upward drawing method. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1994, 12, 2530-2536.	0.9	57
618	Effect of surface microphase-separated structure on interaction between biological components and multiphase polymer surface. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1994, 12, 2956-2961.	0.9	2
619	Effect of glass fiber-matrix polymer interaction on fatigue characteristics of short glass fiber-reinforced poly(butylene terephthalate) based on dynamic viscoelastic measurement during the fatigue process. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994, 32, 839-849.	2.4	39
620	Imaging of Dynamic Viscoelastic Properties of a Phase-Separated Polymer Surface by Forced Oscillation Atomic Force Microscopy. <i>Macromolecules</i> , 1994, 27, 7932-7934.	2.2	159
621	Effect of Crystalline Relaxation on Fatigue Behavior of the Oriented High-Density Polyethylene Based on Nonlinear Viscoelastic Measurements. <i>Polymer Journal</i> , 1994, 26, 1027-1036.	1.3	11
622	Bistable electro-optical switching with memory effects of (liquid crystalline polymer/low molecular weight) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50		
623	Effect of side chain structure on aggregation state and mechanical properties of synthetic polypeptide monolayers at the air-water interface. <i>Polymer Bulletin</i> , 1993, 30, 119-126.	1.7	4
624	Effect of polycation in subphase on aggregation structure of monolayer and Langmuir-Blodgett film of anionic amphiphile. <i>Langmuir</i> , 1993, 9, 760-765.	1.6	31
625	Analysis of Fatigue Behavior of High-Density Polyethylene Based on Nonlinear Viscoelastic Measurement under Cyclic Fatigue. <i>Polymer Journal</i> , 1993, 25, 721-729.	1.3	19
626	<title>Phase-separated structure-electro-optical property relationships of polymer/liquid-crystal composite film</title>. , 1993, , .		7
627	Measurement of Viscoelastic Properties of Organic Thin Films. <i>Journal of Fiber Science and Technology</i> , 1993, 49, P149-P153.	0.0	0
628	Analysis of Solid-Water Interfacial Structure of Polymeric Solids Based on Freeze-Etch X-Ray Photoelectron Spectroscopy.. <i>Kobunshi Ronbunshu</i> , 1992, 49, 275-280.	0.2	18
629	<title>Polymer/(liquid crystal) composite systems for novel electro-optical effects</title>. , 1992, , .		19
630	Mechanical properties of fatty acid monolayers on the water surface based on surface pressure relaxation and area creep measurements (abstract). <i>Journal of Rheology</i> , 1992, 36, 974-974.	1.3	0

#	ARTICLE	IF	CITATIONS
631	Analysis of fatigue behavior of high-density polyethylene based on dynamic viscoelastic and small angle light scattering measurements during the fatigue process (abstract). Journal of Rheology, 1992, 36, 993-993.	1.3	0
632	Aggregation state and mesophase structure of comb-shaped polymers with fluorocarbon side groups. Polymer, 1992, 33, 1316-1320.	1.8	116
633	Effect of soft segment chemistry on the biostability of segmented polyurethanes. II. In vitro hydrolytic degradation and lipid sorption. Journal of Biomedical Materials Research Part B, 1992, 26, 801-818.	3.0	81
634	Block Copolymers and Hydrophilicity. , 1992, , 179-212.		7
635	Effect of fiber-matrix interaction on fatigue fracture morphology of glass-fiber reinforced poly (butylene terephthalate).. Journal of Fiber Science and Technology, 1992, 48, 363-367.	0.0	2
636	Mechanical Properties of Fatty Acid Monolayers on the Water Surface Based on Surface Pressure Relaxation and Area Creep Measurements. Nihon Reoraji Gakkaishi, 1991, 19, 208-213.	0.2	4
637	Aggregation State-Permeation Characteristic Relationships of Self-Supported Liquid Crystalline Membranes. Polymer Journal, 1991, 23, 347-356.	1.3	15
638	Effect of surface hydrophilicity on ex vivo blood compatibility of segmented polyurethanes. Biomaterials, 1991, 12, 324-334.	5.7	72
639	Effect of soft segment chemistry on the biostability of segmented polyurethanes. I. In vitro oxidation. Journal of Biomedical Materials Research Part B, 1991, 25, 341-356.	3.0	144
640	Effect of hydrophilic soft segment side chains on the surface properties and blood compatibility of segmented poly (urethaneureas). Journal of Biomedical Materials Research Part B, 1991, 25, 1095-1118.	3.0	47
641	Surface Properties and Platelet Reactivity of Segmented Poly(etherurethanes) and Poly(etherurethaneureas). Journal of Biomaterials Applications, 1991, 6, 42-70.	1.2	37
642	Effect of polyol chemistry on the in vitro biostability of segmented polyurethanes. , 1991, , 77-83.		3
643	Analysis of Fatigue Behavior of High-density Polyethylene Based on Dynamic Viscoelastic and Small Angle Light Scattering Measurements during the Fatigue Process. Nihon Reoraji Gakkaishi, 1991, 19, 72-75.	0.2	3
644	Surface properties and gas permeabilities of polybutadiene membrane treated with various fluorine containing gas plasmas.. Journal of Fiber Science and Technology, 1991, 47, 635-643.	0.0	3
645	Environmental dependence of surface chemical composition of the A-B diblock copolymers with poly(styrene) as the A-component.. Kobunshi Ronbunshu, 1990, 47, 395-402.	0.2	5
646	Fatigue Behavior of Oriented Ultra-High Molecular Weight Polyethylene Prepared by Gel Drawing. Polymer Journal, 1990, 22, 859-865.	1.3	6
647	Effect of end group of side chains on surface properties of diblock copolymers. Polymer Bulletin, 1990, 24, 333-340.	1.7	20
648	Surface chemical composition and surface molecular mobility of diblock and random copolymers with hydrophobic and hydrophilic segments. Polymer, 1990, 31, 1149-1153.	1.8	54

#	ARTICLE	IF	CITATIONS
649	Influence of Aqueous Environment on Surface Molecular Mobility and Surface Microphase Separated Structure of Segmented Poly(ether urethanes) and Segmented Poly(ether urethane ureas). , 1990, , 217-228.		13
650	Fatigue Fracture Behavior of Solid-State Extruded High-Density Polyethylene. Polymer Journal, 1989, 21, 523-531.	1.3	22
651	Analysis of surface structure of built-up film of fluorocarbon amphiphile and polymer/(fluorocarbon) Tj ETQq1 1 0.784314 rgBT /Overl 22, 617-622.	2.2	44
652	Surface molecular mobility and platelet reactivity of segmented poly(etherurethaneureas) with hydrophilic and hydrophobic soft segment components. Journal of Biomaterials Science, Polymer Edition, 1989, 1, 17-29.	1.9	77
653	Effect of Ester Side Chains on the Aggregation State and Surface Properties of Poly(dialkylfumarate)s. Polymer Journal, 1989, 21, 215-219.	1.3	9
654	Effects of Ester Side Chain Structure on Gas Permeation Behavior of Poly(dialkylfumarate)s. Polymer Journal, 1989, 21, 433-438.	1.3	21
655	State of aggregation and surface chemical composition of composite thin films composed of poly(vinyl alcohol) and fluorocarbon amphiphile. Macromolecules, 1988, 21, 2443-2446.	2.2	18
656	Effect of segment structure on fatigue behavior of segmented polyurethaneureas in pseudobiological environments. , 1988, , 19-25.		7
657	Photoelectron Mean Free Path in Langmuir-Blodgett Film Estimated from Angular Dependence of X-Ray Photoelectron Spectra. Chemistry Letters, 1987, 16, 1737-1740.	0.7	12
658	Preparation of LB built-up films of polymerizable amphiphile with sodium sulfonate group and their surface properties.. Nippon Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal, 1987, 1987, 2163-2168.	0.1	0
659	Cast multibilayer films from polymerizable lipids. Macromolecules, 1987, 20, 29-33.	2.2	28
660	Photo-controlled active transport of cations through polymer/liquid crystal/photoresponsive crown ether ternary composite thin films.. Kobunshi Ronbunshu, 1986, 43, 669-675.	0.2	8
661	Title is missing!. Die Makromolekulare Chemie, 1986, 187, 943-953.	1.1	20
662	EFFECT OF CRYSTAL ORIENTATION ON FATIGUE BEHAVIOR OF SOLID-STATE EXTRUDED HIGH-DENSITY POLYETHYLENE. Journal of Fiber Science and Technology, 1986, 42, T127-T135.	0.0	8
663	Influence of lipid sorption on fatigue strength of segmented poly(urethaneurea)s with various hard segment component.. Kobunshi Ronbunshu, 1985, 42, 793-801.	0.2	6
664	Microphase separated structure and blood compatibility of segmented poly(urethaneureas) with different diamines in the hard segment. Polymer, 1985, 26, 978-986.	1.8	90
665	Microphase separated structure, surface composition and blood compatibility of segmented poly(urethaneureas) with various soft segment components. Polymer, 1985, 26, 987-996.	1.8	126
666	Effect of aggregation state of hard segment in segmented poly(urethaneureas) on their fatigue behavior after interaction with blood components. Journal of Biomedical Materials Research Part B, 1985, 19, 13-34.	3.0	60

#	ARTICLE	IF	CITATIONS
667	Effect of polyether components on surface composition and blood compatibility of segmented polyurethaneureas.. Nippon Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal, 1985, , 1293-1301.	0.1	10
668	Title is missing!. Kobunshi Ronbunshu, 1982, 39, 203-211.	0.2	25
669	Analysis of fatigue behavior of high-density polyethylene based on dynamic viscoelastic measurements during the fatigue process. Journal of Applied Polymer Science, 1981, 26, 1085-1104.	1.3	45
670	Variations of dynamic viscoelastic properties of dog compact bone during the fatigue process. Journal of Materials Science, 1980, 15, 2653-2657.	1.7	3
671	Evaluation of fatigue lifetime and elucidation of fatigue mechanism in plasticized poly(vinyl chloride) in terms of dynamic viscoelasticity. Journal of Applied Polymer Science, 1980, 25, 597-614.	1.3	47
672	An architecture-oriented routing method for FPGAs having rich hierarchical routing resources. , 0, , .		1
673	Dynamic arbitration of video conferencing flows by using MXQ mechanism. , 0, , .		1
674	Reliability Analysis of Adhesive for PBT-Epoxy Interface. , 0, , .		0
675	Thermal hysteresis of aggregation states of thermoresponsive block copolymers forming intermolecular hydrogen bonds. Polymer Journal, 0, , .	1.3	1
676	Water modulates the lamellar structure and interlayer correlation of poly(perfluorooctyl acrylate) films: a specular and off-specular neutron scattering study. Polymer Journal, 0, , .	1.3	0
677	Organosilanes: Molecular Assembly. , 0, , 3502-3512.		0