

Sheng Luan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2674730/publications.pdf>

Version: 2024-02-01

127
papers

9,592
citations

36303

51
h-index

40979

93
g-index

131
all docs

131
docs citations

131
times ranked

8194
citing authors

#	ARTICLE	IF	CITATIONS
1	Four plasma membrane-localized MGR transporters mediate xylem Mg ²⁺ loading for root-to-shoot Mg ²⁺ translocation in Arabidopsis. <i>Molecular Plant</i> , 2022, 15, 805-819.	8.3	13
2	Conserved mechanism for vacuolar magnesium sequestration in yeast and plant cells. <i>Nature Plants</i> , 2022, 8, 181-190.	9.3	16
3	Nitrate transporter NRT1.1 and anion channel SLAH3 form a functional unit to regulate nitrate-dependent alleviation of ammonium toxicity. <i>Journal of Integrative Plant Biology</i> , 2022, 64, 942-957.	8.5	22
4	Crystal packing reveals rapamycin-mediated homodimerization of an FK506-binding domain. <i>International Journal of Biological Macromolecules</i> , 2022, 206, 670-680.	7.5	0
5	Two magnesium transporters in the chloroplast inner envelope essential for thylakoid biogenesis in Arabidopsis. <i>New Phytologist</i> , 2022, 236, 464-478.	7.3	8
6	Structural and functional analyses of the PPlase domain of <i>Arabidopsis thaliana</i> CYP71 reveal its catalytic activity toward histone H3. <i>FEBS Letters</i> , 2021, 595, 145-154.	2.8	4
7	<i>PHOTOSENSITIVE LEAF ROLLING 1</i> encodes a polygalacturonase that modifies cell wall structure and drought tolerance in rice. <i>New Phytologist</i> , 2021, 229, 890-901.	7.3	40
8	An ICLN homolog contributes to osmotic and low-nitrate tolerance by enhancing nitrate accumulation in Arabidopsis. <i>Plant, Cell and Environment</i> , 2021, 44, 1580-1595.	5.7	5
9	Evidence for the involvement of <i>AtPiezo</i> in mechanical responses. <i>Plant Signaling and Behavior</i> , 2021, 16, 1889252.	2.4	2
10	Kinase SnRK1.1 regulates nitrate channel SLAH3 engaged in nitrate-dependent alleviation of ammonium toxicity. <i>Plant Physiology</i> , 2021, 186, 731-749.	4.8	37
11	Loss of mature D1 leads to compromised CP43 assembly in Arabidopsis thaliana. <i>BMC Plant Biology</i> , 2021, 21, 106.	3.6	6
12	Recent Advances in Genome-wide Analyses of Plant Potassium Transporter Families. <i>Current Genomics</i> , 2021, 22, 164-180.	1.6	11
13	A plasma membrane transporter coordinates phosphate reallocation and grain filling in cereals. <i>Nature Genetics</i> , 2021, 53, 906-915.	21.4	55
14	A Golgi-localized manganese transporter functions in pollen tube tip growth to control male fertility in Arabidopsis. <i>Plant Communications</i> , 2021, 2, 100178.	7.7	20
15	A transceptor-channel complex couples nitrate sensing to calcium signaling in Arabidopsis. <i>Molecular Plant</i> , 2021, 14, 774-786.	8.3	60
16	Potential Networks of Nitrogen-Phosphorus-Potassium Channels and Transporters in Arabidopsis Roots at a Single Cell Resolution. <i>Frontiers in Plant Science</i> , 2021, 12, 689545.	3.6	8
17	Calcium Signaling Mechanisms Across Kingdoms. <i>Annual Review of Cell and Developmental Biology</i> , 2021, 37, 311-340.	9.4	98
18	Rice Potassium Transporter OsHAK8 Mediates K ⁺ Uptake and Translocation in Response to Low K ⁺ Stress. <i>Frontiers in Plant Science</i> , 2021, 12, 730002.	3.6	14

#	ARTICLE	IF	CITATIONS
19	AtPiezo Plays an Important Role in Root Cap Mechanotransduction. <i>International Journal of Molecular Sciences</i> , 2021, 22, 467.	4.1	24
20	An Arabidopsis vasculature distributed metal tolerance protein facilitates xylem magnesium diffusion to shoots under high magnesium environments. <i>Journal of Integrative Plant Biology</i> , 2021, , .	8.5	8
21	Rice Na ⁺ -Permeable Transporter OsHAK12 Mediates Shoots Na ⁺ Exclusion in Response to Salt Stress. <i>Frontiers in Plant Science</i> , 2021, 12, 771746.	3.6	16
22	Two tonoplast proton pumps function in Arabidopsis embryo development. <i>New Phytologist</i> , 2020, 225, 1606-1617.	7.3	14
23	AtFKBP53: a chimeric histone chaperone with functional nucleoplasmin and PPlase domains. <i>Nucleic Acids Research</i> , 2020, 48, 1531-1550.	14.5	8
24	Plant Membrane Transport Research in the Post-genomic Era. <i>Plant Communications</i> , 2020, 1, 100013.	7.7	26
25	Two glutamate- and pH-regulated Ca ²⁺ channels are required for systemic wound signaling in <i>Arabidopsis</i> . <i>Science Signaling</i> , 2020, 13, .	3.6	77
26	Reducing the Common Environmental Effect on <i>Litopenaeus vannamei</i> Body Weight by Rearing Communally at Early Developmental Stages and Using a Reconstructed Pedigree. <i>Journal of Ocean University of China</i> , 2020, 19, 923-930.	1.2	0
27	Genome-Wide Analysis of the Five Phosphate Transporter Families in <i>Camelina sativa</i> and Their Expressions in Response to Low-P. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8365.	4.1	10
28	Danger-Associated Peptide Regulates Root Immune Responses and Root Growth by Affecting ROS Formation in Arabidopsis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4590.	4.1	24
29	Feed competition reduces heritable variation for body weight in <i>Litopenaeus vannamei</i> . <i>Genetics Selection Evolution</i> , 2020, 52, 45.	3.0	3
30	Nematode-Encoded RALF Peptide Mimics Facilitate Parasitism of Plants through the FERONIA Receptor Kinase. <i>Molecular Plant</i> , 2020, 13, 1434-1454.	8.3	67
31	Evaluation of the utility of genomic information to improve genetic evaluation of feed efficiency traits of the Pacific white shrimp <i>Litopenaeus vannamei</i> . <i>Aquaculture</i> , 2020, 527, 735421.	3.5	9
32	Type A2 BTB Members Decrease the ABA Response during Seed Germination by Affecting the Stability of SnRK2.3 in Arabidopsis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3153.	4.1	8
33	Using single-step genomic best linear unbiased prediction to improve the efficiency of genetic evaluation on body weight in <i>Macrobrachium rosenbergii</i> . <i>Aquaculture</i> , 2020, 528, 735577.	3.5	9
34	Rhythms of magnesium. <i>Nature Plants</i> , 2020, 6, 742-743.	9.3	10
35	The CBL-CIPK Calcium Signaling Network: Unified Paradigm from 20 Years of Discoveries. <i>Trends in Plant Science</i> , 2020, 25, 604-617.	8.8	181
36	A calcium signalling network activates vacuolar K ⁺ remobilization to enable plant adaptation to low-K environments. <i>Nature Plants</i> , 2020, 6, 384-393.	9.3	76

#	ARTICLE	IF	CITATIONS
37	Calcium spikes, waves and oscillations in plant development and biotic interactions. <i>Nature Plants</i> , 2020, 6, 750-759.	9.3	188
38	A Thylakoid Membrane Protein Functions Synergistically with GUN5 in Chlorophyll Biosynthesis. <i>Plant Communications</i> , 2020, 1, 100094.	7.7	17
39	Choline transporter-like 1 (CTL1) positively regulates apical hook development in etiolated <i>Arabidopsis</i> seedlings. <i>Biochemical and Biophysical Research Communications</i> , 2020, 525, 491-497.	2.1	2
40	Receptor kinase FERONIA regulates flowering time in <i>Arabidopsis</i> . <i>BMC Plant Biology</i> , 2020, 20, 26.	3.6	26
41	<i>Arabidopsis</i> Seedling Lethal 1 Interacting With Plastid-Encoded RNA Polymerase Complex Proteins Is Essential for Chloroplast Development. <i>Frontiers in Plant Science</i> , 2020, 11, 602782.	3.6	6
42	A calmodulin-gated calcium channel links pathogen patterns to plant immunity. <i>Nature</i> , 2019, 572, 131-135.	27.8	320
43	A Defective Vacuolar Proton Pump Enhances Aluminum Tolerance by Reducing Vacuole Sequestration of Organic Acids. <i>Plant Physiology</i> , 2019, 181, 743-761.	4.8	22
44	The RING finger E3 ligases PIR1 and PIR2 mediate PP2CA degradation to enhance abscisic acid response in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2019, 100, 473-486.	5.7	29
45	Molecular identification of the magnesium transport gene family in <i>Brassica napus</i> . <i>Plant Physiology and Biochemistry</i> , 2019, 136, 204-214.	5.8	20
46	Dynamic Interactions of Plant CNGC Subunits and Calmodulins Drive Oscillatory Ca ²⁺ Channel Activities. <i>Developmental Cell</i> , 2019, 48, 710-725.e5.	7.0	92
47	Danger-Associated Peptides Interact with PIN-Dependent Local Auxin Distribution to Inhibit Root Growth in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2019, 31, 1767-1787.	6.6	31
48	Calcineurin B-Like Proteins CBL4 and CBL10 Mediate Two Independent Salt Tolerance Pathways in <i>Arabidopsis</i> . <i>International Journal of Molecular Sciences</i> , 2019, 20, 2421.	4.1	49
49	Vacuolar Phosphate Transporters Contribute to Systemic Phosphate Homeostasis Vital for Reproductive Development in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2019, 179, 640-655.	4.8	30
50	Identification of vacuolar phosphate efflux transporters in land plants. <i>Nature Plants</i> , 2019, 5, 84-94.	9.3	115
51	Golgi-localized cation/proton exchangers regulate ionic homeostasis and stomorphogenesis in <i>Arabidopsis</i> . <i>Plant, Cell and Environment</i> , 2019, 42, 673-687.	5.7	25
52	The Shaker Type Potassium Channel, GORK, Regulates Abscisic Acid Signaling in <i>Arabidopsis</i> . <i>Plant Pathology Journal</i> , 2019, 35, 684-691.	1.7	6
53	<i>GATA7</i> modulates brassinosteroids-mediated growth regulation and influences architecture and grain shape. <i>Plant Biotechnology Journal</i> , 2018, 16, 1261-1264.	8.3	26
54	Vacuolar Phosphate Transporter 1 (VPT1) Affects Arsenate Tolerance by Regulating Phosphate Homeostasis in <i>Arabidopsis</i> . <i>Plant and Cell Physiology</i> , 2018, 59, 1345-1352.	3.1	18

#	ARTICLE	IF	CITATIONS
55	Danger-Associated Peptides Close Stomata by OST1-Independent Activation of Anion Channels in Guard Cells. <i>Plant Cell</i> , 2018, 30, 1132-1146.	6.6	57
56	Vacuolar Proton Pyrophosphatase Is Required for High Magnesium Tolerance in Arabidopsis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3617.	4.1	15
57	EBP1 nuclear accumulation negatively feeds back on FERONIA-mediated RALF1 signaling. <i>PLoS Biology</i> , 2018, 16, e2006340.	5.6	66
58	A protein phosphatase 2C, AP2C1, interacts with and negatively regulates the function of CIPK9 under potassium-deficient conditions in Arabidopsis. <i>Journal of Experimental Botany</i> , 2018, 69, 4003-4015.	4.8	65
59	Inner Envelope CHLOROPLAST MANGANESE TRANSPORTER 1 Supports Manganese Homeostasis and Phototrophic Growth in Arabidopsis. <i>Molecular Plant</i> , 2018, 11, 943-954.	8.3	71
60	<i>Arabidopsis</i> calcineurin B-like proteins differentially regulate phosphorylation activity of CBL-interacting protein kinase 9. <i>Biochemical Journal</i> , 2018, 475, 2621-2636.	3.7	29
61	FAIR: A Call to Make Published Data More Findable, Accessible, Interoperable, and Reusable. <i>Molecular Plant</i> , 2018, 11, 1105-1108.	8.3	31
62	Magnesium Transporter MGT6 Plays an Essential Role in Maintaining Magnesium Homeostasis and Regulating High Magnesium Tolerance in Arabidopsis. <i>Frontiers in Plant Science</i> , 2018, 9, 274.	3.6	37
63	Loss of function mutation of the calcium sensor <i>CBL1</i> increases aluminum sensitivity in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2017, 214, 830-841.	7.3	50
64	Two tonoplast MATE proteins function as turgor-regulating chloride channels in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E2036-E2045.	7.1	70
65	<i>Arabidopsis</i> CNGC14 Mediates Calcium Influx Required for Tip Growth in Root Hairs. <i>Molecular Plant</i> , 2017, 10, 1004-1006.	8.3	61
66	The Maize MID-COMPLEMENTING ACTIVITY Homolog CELL NUMBER REGULATOR13/NARROW ODD DWARF Coordinates Organ Growth and Tissue Patterning. <i>Plant Cell</i> , 2017, 29, 474-490.	6.6	52
67	FERONIA Receptor Kinase at the Crossroads of Hormone Signaling and Stress Responses. <i>Plant and Cell Physiology</i> , 2017, 58, 1143-1150.	3.1	83
68	ZxAKT1 is essential for K ⁺ uptake and K ⁺ /Na ⁺ homeostasis in the succulent xerophyte <i>Zygophyllum xanthoxylum</i> . <i>Plant Journal</i> , 2017, 90, 48-60.	5.7	51
69	A survey of the pyrabactin resistance-like abscisic acid receptor gene family in poplar. <i>Plant Signaling and Behavior</i> , 2017, 12, e1356966.	2.4	5
70	Regulation of calcium and magnesium homeostasis in plants: from transporters to signaling network. <i>Current Opinion in Plant Biology</i> , 2017, 39, 97-105.	7.1	170
71	Genetically encoded calcium indicators for fluorescence imaging in the moss <i>Physcomitrella</i> : GCMP3 provides a bright new look. <i>Plant Biotechnology Journal</i> , 2017, 15, 1235-1237.	8.3	20
72	Overexpression of Pyrabactin Resistance-Like Abscisic Acid Receptors Enhances Drought, Osmotic, and Cold Tolerance in Transgenic Poplars. <i>Frontiers in Plant Science</i> , 2017, 8, 1752.	3.6	57

#	ARTICLE	IF	CITATIONS
73	The Rice High-Affinity K ⁺ Transporter OsHKT2;4 Mediates Mg ²⁺ Homeostasis under High-Mg ²⁺ Conditions in Transgenic Arabidopsis. <i>Frontiers in Plant Science</i> , 2017, 8, 1823.	3.6	13
74	Calcium-dependent protein kinase CPK31 interacts with arsenic transporter AtNIP1;1 and regulates arsenite uptake in Arabidopsis thaliana. <i>PLoS ONE</i> , 2017, 12, e0173681.	2.5	66
75	Arabidopsis choline transporter-like 1 (CTL1) regulates secretory trafficking of auxin transporters to control seedling growth. <i>PLoS Biology</i> , 2017, 15, e2004310.	5.6	35
76	Constant change: dynamic regulation of membrane transport by calcium signalling networks keeps plants in tune with their environment. <i>Plant, Cell and Environment</i> , 2016, 39, 467-481.	5.7	16
77	Receptor kinase complex transmits RALF peptide signal to inhibit root growth in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E8326-E8334.	7.1	138
78	Transport and homeostasis of potassium and phosphate: limiting factors for sustainable crop production. <i>Journal of Experimental Botany</i> , 2016, 68, erw444.	4.8	42
79	Peptide signaling in plants: finding partners is the key. <i>Cell Research</i> , 2016, 26, 755-756.	12.0	7
80	Vacuolar SPX-MFS transporters are essential for phosphate adaptation in plants. <i>Plant Signaling and Behavior</i> , 2016, 11, e1213474.	2.4	27
81	FERONIA interacts with ABI2-type phosphatases to facilitate signaling cross-talk between abscisic acid and RALF peptide in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E5519-27.	7.1	185
82	Overexpression of Poplar Pyrabactin Resistance-Like Abscisic Acid Receptors Promotes Abscisic Acid Sensitivity and Drought Resistance in Transgenic Arabidopsis. <i>PLoS ONE</i> , 2016, 11, e0168040.	2.5	43
83	<scp>FERONIA</scp> receptor kinase interacts with <scp>i>S</i></scp>â€adenosylmethionine synthetase and suppresses <scp>i>S</i></scp>â€adenosylmethionine production and ethylene biosynthesis in <scp>i>A</i></scp><i>rabidopsis</i>. <i>Plant, Cell and Environment</i> , 2015, 38, 2566-2574.	5.7	98
84	A Calcium Sensor-Regulated Protein Kinase, CALCINEURIN B-LIKE PROTEIN-INTERACTING PROTEIN KINASE19, Is Required for Pollen Tube Growth and Polarity Å. <i>Plant Physiology</i> , 2015, 167, 1351-1360.	4.8	53
85	The inward-rectifying K ⁺ channel SsAKT1 is a candidate involved in K ⁺ uptake in the halophyte Suaeda salsa under saline condition. <i>Plant and Soil</i> , 2015, 395, 173-187.	3.7	49
86	The calcium sensor CBL7 modulates plant responses to low nitrate in Arabidopsis. <i>Biochemical and Biophysical Research Communications</i> , 2015, 468, 59-65.	2.1	40
87	A vacuolar phosphate transporter essential for phosphate homeostasis in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E6571-8.	7.1	173
88	A molecular pathway for CO ₂ response in Arabidopsis guard cells. <i>Nature Communications</i> , 2015, 6, 6057.	12.8	145
89	Tonoplast CBLâ€CIPK calcium signaling network regulates magnesium homeostasis in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3134-3139.	7.1	208
90	An endoplasmic reticulum magnesium transporter is essential for pollen development in Arabidopsis. <i>Plant Science</i> , 2015, 231, 212-220.	3.6	70

#	ARTICLE	IF	CITATIONS
91	PSB27: A thylakoid protein enabling <i>Arabidopsis</i> to adapt to changing light intensity. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 1613-1618.	7.1	58
92	Calcineurin B-Like Protein-Interacting Protein Kinase CIPK21 Regulates Osmotic and Salt Stress Responses in Arabidopsis. Plant Physiology, 2015, 169, 780-792.	4.8	126
93	Receptor protein kinase FERONIA controls leaf starch accumulation by interacting with glyceraldehyde-3-phosphate dehydrogenase. Biochemical and Biophysical Research Communications, 2015, 465, 77-82.	2.1	57
94	An ABC transporter complex encoded by Aluminum Sensitive 3 and NAP3 is required for phosphate deficiency responses in Arabidopsis. Biochemical and Biophysical Research Communications, 2015, 463, 18-23.	2.1	33
95	Rice cyclophilin OsCYP18 ϵ 2 is translocated to the nucleus by an interaction with SKIP and enhances drought tolerance in rice and <i>Arabidopsis</i> . Plant, Cell and Environment, 2015, 38, 2071-2087.	5.7	37
96	Anion channel <i>SLAH3</i> functions in nitrate-dependent alleviation of ammonium toxicity in <i>Arabidopsis</i> . Plant, Cell and Environment, 2015, 38, 474-486.	5.7	84
97	Plant immunophilins: a review of their structure-function relationship. Biochimica Et Biophysica Acta - General Subjects, 2015, 1850, 2145-2158.	2.4	38
98	Pronounced Phenotypic Changes in Transgenic Tobacco Plants Overexpressing Sucrose Synthase May Reveal a Novel Sugar Signaling Pathway. Frontiers in Plant Science, 2015, 6, 1216.	3.6	29
99	Comparative phylogenomics of the CBL-CIPK calcium-decoding network in the moss <i>Physcomitrella</i> , Arabidopsis, and other green lineages. Frontiers in Plant Science, 2014, 5, 187.	3.6	72
100	Site- and kinase-specific phosphorylation-mediated activation of SLAC1, a guard cell anion channel stimulated by abscisic acid. Science Signaling, 2014, 7, ra86.	3.6	168
101	A DTX/MATE-Type Transporter Facilitates Abscisic Acid Efflux and Modulates ABA Sensitivity and Drought Tolerance in Arabidopsis. Molecular Plant, 2014, 7, 1522-1532.	8.3	238
102	DUF221 proteins are a family of osmosensitive calcium-permeable cation channels conserved across eukaryotes. Cell Research, 2014, 24, 632-635.	12.0	198
103	<i>Arabidopsis</i> Transporter MGT6 Mediates Magnesium Uptake and Is Required for Growth under Magnesium Limitation. Plant Cell, 2014, 26, 2234-2248.	6.6	108
104	A Prominent Role for RCAR3-Mediated ABA Signaling in Response to <i>Pseudomonas syringae</i> pv. tomato DC3000 Infection in Arabidopsis. Plant and Cell Physiology, 2014, 55, 1691-1703.	3.1	83
105	From Receptor-Like Kinases to Calcium Spikes: What Are the Missing Links?. Molecular Plant, 2014, 7, 1501-1504.	8.3	12
106	Potassium nutrition, sodium toxicity, and calcium signaling: connections through the CBL-CIPK network. Current Opinion in Plant Biology, 2009, 12, 339-346.	7.1	187
107	Magnesium transporter AtMGT9 is essential for pollen development in Arabidopsis. Cell Research, 2009, 19, 887-898.	12.0	91
108	The CBL-CIPK network in plant calcium signaling. Trends in Plant Science, 2009, 14, 37-42.	8.8	491

#	ARTICLE	IF	CITATIONS
109	<i>AtMGT7</i> : An <i>Arabidopsis</i> Gene Encoding a Low-Affinity Magnesium Transporter. <i>Journal of Integrative Plant Biology</i> , 2008, 50, 1530-1538.	8.5	45
110	A Mitochondrial Magnesium Transporter Functions in <i>Arabidopsis</i> Pollen Development. <i>Molecular Plant</i> , 2008, 1, 675-685.	8.3	87
111	PROTEINPHOSPHATASES IN PLANTS. <i>Annual Review of Plant Biology</i> , 2003, 54, 63-92.	18.7	248
112	Calmodulins and Calcineurin-Blike Proteins. <i>Plant Cell</i> , 2002, 14, S389-S400.	6.6	619
113	Tyrosine phosphorylation in plant cell signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 11567-11569.	7.1	76
114	Protein tyrosine phosphatases in higher plants. <i>New Phytologist</i> , 2001, 151, 155-164.	7.3	20
115	A Novel Family of Magnesium Transport Genes in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2001, 13, 2761-2775.	6.6	261
116	Internal Aluminum Block of Plant Inward K ⁺ Channels. <i>Plant Cell</i> , 2001, 13, 1453-1466.	6.6	48
117	ATMPK4, an <i>Arabidopsis</i> Homolog of Mitogen-Activated Protein Kinase, Is Activated in Vitro by AtMEK1 through Threonine Phosphorylation. <i>Plant Physiology</i> , 2000, 122, 1301-1310.	4.8	147
118	Inward Potassium Channel in Guard Cells As a Target for Polyamine Regulation of Stomatal Movements. <i>Plant Physiology</i> , 2000, 124, 1315-1326.	4.8	261
119	Interaction Specificity of <i>Arabidopsis</i> Calcineurin B-Like Calcium Sensors and Their Target Kinases. <i>Plant Physiology</i> , 2000, 124, 1844-1853.	4.8	192
120	Novel Protein Kinases Associated with Calcineurin-Blike Calcium Sensors in <i>Arabidopsis</i> . <i>Plant Cell</i> , 1999, 11, 2393-2405.	6.6	288
121	Functional expression and characterization of a plant K ⁺ channel gene in a plant cell model. <i>Plant Journal</i> , 1998, 13, 857-865.	5.7	48
122	Molecular characterization of a plant FKBP12 that does not mediate action of FK506 and rapamycin. <i>Plant Journal</i> , 1998, 15, 511-519.	5.7	85
123	Identification of a dual-specificity protein phosphatase that inactivates a MAP kinase from <i>Arabidopsis</i> . <i>Plant Journal</i> , 1998, 16, 581-589.	5.7	132
124	Molecular Characterization of a Tyrosine-Specific Protein Phosphatase Encoded by a Stress-Responsive Gene in <i>Arabidopsis</i> . <i>Plant Cell</i> , 1998, 10, 849-857.	6.6	160
125	Voltage-Dependent K ⁺ Channels as Targets of Osmosensing in Guard Cells. <i>Plant Cell</i> , 1998, 10, 1957-1970.	6.6	94
126	<i>AtKUP1</i> : A Dual-Affinity K ⁺ Transporter from <i>Arabidopsis</i> . <i>Plant Cell</i> , 1998, 10, 63-73.	6.6	257

#	ARTICLE	IF	CITATIONS
127	Paradigms and Networks for Intracellular Calcium Signaling in Plant Cells. , 0, , 163-188.		0