

Alberto Ascherio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2674917/publications.pdf>

Version: 2024-02-01

242
papers

39,475
citations

2975

93
h-index

2629

194
g-index

248
all docs

248
docs citations

248
times ranked

31392
citing authors

#	ARTICLE	IF	CITATIONS
1	Vitamin E Consumption and the Risk of Coronary Heart Disease in Men. <i>New England Journal of Medicine</i> , 1993, 328, 1450-1456.	27.0	2,231
2	Serum 25-Hydroxyvitamin D Levels and Risk of Multiple Sclerosis. <i>JAMA - Journal of the American Medical Association</i> , 2006, 296, 2832.	7.4	1,569
3	Trans Fatty Acids and Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2006, 354, 1601-1613.	27.0	1,416
4	The epidemiology of Parkinson's disease: risk factors and prevention. <i>Lancet Neurology</i> , The, 2016, 15, 1257-1272.	10.2	1,233
5	Intake of Carotenoids and Retino in Relation to Risk of Prostate Cancer. <i>Journal of the National Cancer Institute</i> , 1995, 87, 1767-1776.	6.3	1,229
6	The Effect of Fruit and Vegetable Intake on Risk for Coronary Heart Disease. <i>Annals of Internal Medicine</i> , 2001, 134, 1106.	3.9	1,111
7	Dietary Fat and Coronary Heart Disease: A Comparison of Approaches for Adjusting for Total Energy Intake and Modeling Repeated Dietary Measurements. <i>American Journal of Epidemiology</i> , 1999, 149, 531-540.	3.4	927
8	Prospective study of major dietary patterns and risk of coronary heart disease in men. <i>American Journal of Clinical Nutrition</i> , 2000, 72, 912-921.	4.7	908
9	Longitudinal analysis reveals high prevalence of Epstein-Barr virus associated with multiple sclerosis. <i>Science</i> , 2022, 375, 296-301.	12.6	892
10	Environmental risk factors for multiple sclerosis. Part I: The role of infection. <i>Annals of Neurology</i> , 2007, 61, 288-299.	5.3	867
11	Major types of dietary fat and risk of coronary heart disease: a pooled analysis of 11 cohort studies. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1425-1432.	4.7	844
12	Genome-wide association study of circulating vitamin D levels. <i>Human Molecular Genetics</i> , 2010, 19, 2739-2745.	2.9	700
13	Body Size and Fat Distribution as Predictors of Coronary Heart Disease among Middle-aged and Older US Men. <i>American Journal of Epidemiology</i> , 1995, 141, 1117-1127.	3.4	692
14	Dietary fat and risk of coronary heart disease in men: cohort follow up study in the United States. <i>BMJ: British Medical Journal</i> , 1996, 313, 84-90.	2.3	608
15	Environmental risk factors for multiple sclerosis. Part II: Noninfectious factors. <i>Annals of Neurology</i> , 2007, 61, 504-513.	5.3	602
16	Prospective study of caffeine consumption and risk of Parkinson's disease in men and women. <i>Annals of Neurology</i> , 2001, 50, 56-63.	5.3	571
17	Dietary saturated fats and their food sources in relation to the risk of coronary heart disease in women. <i>American Journal of Clinical Nutrition</i> , 1999, 70, 1001-1008.	4.7	558
18	Nonsteroidal Anti-inflammatory Drugs and the Risk of Parkinson Disease. <i>Archives of Neurology</i> , 2003, 60, 1059.	4.5	545

#	ARTICLE	IF	CITATIONS
19	Dietary Intake of Marine n-3 Fatty Acids, Fish Intake, and the Risk of Coronary Disease among Men. <i>New England Journal of Medicine</i> , 1995, 332, 977-983.	27.0	499
20	Vitamin D and multiple sclerosis. <i>Lancet Neurology</i> , The, 2010, 9, 599-612.	10.2	478
21	Epstein-Barr Virus Antibodies and Risk of Multiple Sclerosis. <i>JAMA - Journal of the American Medical Association</i> , 2001, 286, 3083.	7.4	468
22	Trans Fatty Acids and Coronary Heart Disease. <i>New England Journal of Medicine</i> , 1999, 340, 1994-1998.	27.0	456
23	Nonsteroidal antiinflammatory drug use and the risk for Parkinson's disease. <i>Annals of Neurology</i> , 2005, 58, 963-967.	5.3	443
24	Infectious mononucleosis and risk for multiple sclerosis: A meta-analysis. <i>Annals of Neurology</i> , 2006, 59, 499-503.	5.3	429
25	Vitamin D as an Early Predictor of Multiple Sclerosis Activity and Progression. <i>JAMA Neurology</i> , 2014, 71, 306.	9.0	402
26	Interplay Between Different Polyunsaturated Fatty Acids and Risk of Coronary Heart Disease in Men. <i>Circulation</i> , 2005, 111, 157-164.	1.6	400
27	Hepatitis B Vaccination and the Risk of Multiple Sclerosis. <i>New England Journal of Medicine</i> , 2001, 344, 327-332.	27.0	396
28	Coffee Consumption and Risk for Type 2 Diabetes Mellitus. <i>Annals of Internal Medicine</i> , 2004, 140, 1.	3.9	391
29	Pesticide exposure and risk for Parkinson's disease. <i>Annals of Neurology</i> , 2006, 60, 197-203.	5.3	376
30	Temporal Relationship Between Elevation of Epstein-Barr Virus Antibody Titers and Initial Onset of Neurological Symptoms in Multiple Sclerosis. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 2496.	7.4	365
31	Body size and risk of MS in two cohorts of US women. <i>Neurology</i> , 2009, 73, 1543-1550.	1.1	354
32	Prospective Study of Nutritional Factors, Blood Pressure, and Hypertension Among US Women. <i>Hypertension</i> , 1996, 27, 1065-1072.	2.7	335
33	Urate as a Predictor of the Rate of Clinical Decline in Parkinson Disease. <i>Archives of Neurology</i> , 2009, 66, 1460.	4.5	326
34	Periodontal Disease, Tooth Loss, and Incidence of Ischemic Stroke. <i>Stroke</i> , 2003, 34, 47-52.	2.0	323
35	Primary infection with the Epstein-Barr virus and risk of multiple sclerosis. <i>Annals of Neurology</i> , 2010, 67, 824-830.	5.3	309
36	Serum Urate as a Predictor of Clinical and Radiographic Progression in Parkinson Disease. <i>Archives of Neurology</i> , 2008, 65, 716.	4.5	295

#	ARTICLE	IF	CITATIONS
37	Fish Consumption and Risk of Stroke in Men. JAMA - Journal of the American Medical Association, 2002, 288, 3130.	7.4	294
38	Pooled Analysis of Tobacco Use and Risk of Parkinson Disease. Archives of Neurology, 2007, 64, 990.	4.5	289
39	Adherence to the Dietary Guidelines for Americans and risk of major chronic disease in men. American Journal of Clinical Nutrition, 2000, 72, 1223-1231.	4.7	287
40	Correlations of Vitamin A and E Intakes with the Plasma Concentrations of Carotenoids and Tocopherols among American Men and Women. Journal of Nutrition, 1992, 122, 1792-1801.	2.9	283
41	Prospective study of dietary pattern and risk of Parkinson disease. American Journal of Clinical Nutrition, 2007, 86, 1486-1494.	4.7	281
42	Peripheral Inflammatory Biomarkers and Risk of Parkinson's Disease. American Journal of Epidemiology, 2007, 167, 90-95.	3.4	272
43	Use of ibuprofen and risk of Parkinson disease. Neurology, 2011, 76, 863-869.	1.1	271
44	Antioxidant vitamins and coronary heart disease risk: a pooled analysis of 9 cohorts. American Journal of Clinical Nutrition, 2004, 80, 1508-1520.	4.7	258
45	The initiation and prevention of multiple sclerosis. Nature Reviews Neurology, 2012, 8, 602-612.	10.1	253
46	Perinatal Air Pollutant Exposures and Autism Spectrum Disorder in the Children of Nursesâ€™ Health Study II Participants. Environmental Health Perspectives, 2013, 121, 978-984.	6.0	247
47	Cigarette smoking and the progression of multiple sclerosis. Brain, 2005, 128, 1461-1465.	7.6	242
48	Epstein-Barr Virus and Multiple Sclerosis. Archives of Neurology, 2006, 63, 839.	4.5	233
49	Integration of genetic risk factors into a clinical algorithm for multiple sclerosis susceptibility: a weighted genetic risk score. Lancet Neurology, The, 2009, 8, 1111-1119.	10.2	233
50	Adiposity and Mortality in Men. American Journal of Epidemiology, 2000, 152, 264-271.	3.4	232
51	Environmental factors in multiple sclerosis. Expert Review of Neurotherapeutics, 2013, 13, 3-9.	2.8	229
52	Epstein-Barr Virus Infection and Multiple Sclerosis: A Review. Journal of Neuroimmune Pharmacology, 2010, 5, 271-277.	4.1	221
53	Coffee, Caffeine, and Risk of Depression Among Women. Archives of Internal Medicine, 2011, 171, 1571.	3.8	218
54	Hypertension, hypercholesterolemia, diabetes, and risk of Parkinson disease. Neurology, 2007, 69, 1688-1695.	1.1	217

#	ARTICLE	IF	CITATIONS
55	Inosine to Increase Serum and Cerebrospinal Fluid Urate in Parkinson Disease. <i>JAMA Neurology</i> , 2014, 71, 141.	9.0	211
56	Epidemiology of Multiple Sclerosis: From Risk Factors to Prevention—An Update. <i>Seminars in Neurology</i> , 2016, 36, 103-114.	1.4	209
57	Smoking is a risk factor for multiple sclerosis. <i>Neurology</i> , 2003, 61, 1122-1124.	1.1	207
58	Coffee Consumption, Gender, and Parkinson's Disease Mortality in the Cancer Prevention Study II Cohort: The Modifying Effects of Estrogen. <i>American Journal of Epidemiology</i> , 2004, 160, 977-984.	3.4	203
59	Epstein-Barr Virus and Multiple Sclerosis. <i>Epidemiology</i> , 2000, 11, 220-224.	2.7	192
60	Relation of Consumption of Vitamin E, Vitamin C, and Carotenoids to Risk for Stroke among Men in the United States. <i>Annals of Internal Medicine</i> , 1999, 130, 963.	3.9	187
61	Smoking and Disease Progression in Multiple Sclerosis. <i>Archives of Neurology</i> , 2009, 66, 858-64.	4.5	182
62	Folate, Vitamin B ₆ , and B ₁₂ Intakes in Relation to Risk of Stroke Among Men. <i>Stroke</i> , 2004, 35, 169-174.	2.0	180
63	Caffeinated clues and the promise of adenosine A _{2A} antagonists in PD. <i>Neurology</i> , 2002, 58, 1154-1160.	1.1	158
64	Consumption of Dairy Products and Risk of Parkinson's Disease. <i>American Journal of Epidemiology</i> , 2007, 165, 998-1006.	3.4	156
65	Cigarette smoking and the incidence of Parkinson's disease in two prospective studies. <i>Annals of Neurology</i> , 2001, 50, 780-786.	5.3	154
66	Recreational physical activity and risk of Parkinson's disease. <i>Movement Disorders</i> , 2008, 23, 69-74.	3.9	153
67	Caffeine and risk of Parkinson's disease in a large cohort of men and women. <i>Movement Disorders</i> , 2012, 27, 1276-1282.	3.9	153
68	Relation Between Clinical Depression Risk and Physical Activity and Time Spent Watching Television in Older Women: A 10-Year Prospective Follow-up Study. <i>American Journal of Epidemiology</i> , 2011, 174, 1017-1027.	3.4	152
69	Inflammatory dietary pattern and risk of depression among women. <i>Brain, Behavior, and Immunity</i> , 2014, 36, 46-53.	4.1	152
70	Epidemiology of Multiple Sclerosis: From Risk Factors to Prevention. <i>Seminars in Neurology</i> , 2008, 28, 017-028.	1.4	151
71	Vitamin D Status During Pregnancy and Risk of Multiple Sclerosis in Offspring of Women in the Finnish Maternity Cohort. <i>JAMA Neurology</i> , 2016, 73, 515.	9.0	145
72	Vitamin E intake and risk of amyotrophic lateral sclerosis. <i>Annals of Neurology</i> , 2005, 57, 104-110.	5.3	143

#	ARTICLE	IF	CITATIONS
73	Dietary intake of nâˆ’3 and nâˆ’6 fatty acids and the risk of clinical depression in women: a 10-y prospective follow-up study. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 1337-1343.	4.7	142
74	Diet, Urate, and Parkinson's Disease Risk in Men. <i>American Journal of Epidemiology</i> , 2008, 167, 831-838.	3.4	138
75	The Mediterranean diet, plasma metabolome, and cardiovascular disease risk. <i>European Heart Journal</i> , 2020, 41, 2645-2656.	2.2	138
76	Serum Neurofilament Light Chain Levels in Patients With Presymptomatic Multiple Sclerosis. <i>JAMA Neurology</i> , 2020, 77, 58.	9.0	135
77	Obesity, diabetes, and risk of Parkinson's disease. <i>Movement Disorders</i> , 2011, 26, 2253-2259.	3.9	133
78	Gestational vitamin D and the risk of multiple sclerosis in offspring. <i>Annals of Neurology</i> , 2011, 70, 30-40.	5.3	133
79	Association of Vitamin D Levels With Multiple Sclerosis Activity and Progression in Patients Receiving Interferon Beta-1b. <i>JAMA Neurology</i> , 2015, 72, 1458.	9.0	130
80	Recent Use of Oral Contraceptives and the Risk of Multiple Sclerosis. <i>Archives of Neurology</i> , 2005, 62, 1362.	4.5	128
81	Estrogen Prevents Neuroprotection by Caffeine in the Mouse 1-Methyl-4-Phenyl-1,2,3,6-Tetrahydropyridine Model of Parkinson's Disease. <i>Journal of Neuroscience</i> , 2006, 26, 535-541.	3.6	125
82	Diet and Parkinson's disease: A potential role of dairy products in men. <i>Annals of Neurology</i> , 2002, 52, 793-801.	5.3	121
83	Polymorphisms in vitamin D metabolism related genes and risk of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010, 16, 133-138.	3.0	121
84	Prospective study of plasma urate and risk of Parkinson disease in men and women. <i>Neurology</i> , 2016, 86, 520-526.	1.1	121
85	Gout and the risk of Alzheimer's disease: a population-based, BMI-matched cohort study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 547-551.	0.9	119
86	Neonatal vitamin D status and risk of multiple sclerosis. <i>Neurology</i> , 2017, 88, 44-51.	1.1	117
87	Genetic determinants of hair color and parkinson's disease risk. <i>Annals of Neurology</i> , 2009, 65, 76-82.	5.3	115
88	Dietary Fat in Relation to Risk of Multiple Sclerosis among Two Large Cohorts of Women. <i>American Journal of Epidemiology</i> , 2000, 152, 1056-1064.	3.4	108
89	Dietary Intakes of Fat and Risk of Parkinson's Disease. <i>American Journal of Epidemiology</i> , 2003, 157, 1007-1014.	3.4	107
90	Dietary ï‰-3 Polyunsaturated Fatty Acid Intake and Risk for Amyotrophic Lateral Sclerosis. <i>JAMA Neurology</i> , 2014, 71, 1102.	9.0	107

#	ARTICLE	IF	CITATIONS
91	Vitamin E Intake and Risk of Amyotrophic Lateral Sclerosis: A Pooled Analysis of Data From 5 Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 2011, 173, 595-602.	3.4	103
92	Targeting urate to reduce oxidative stress in Parkinson disease. <i>Experimental Neurology</i> , 2017, 298, 210-224.	4.1	103
93	Environmental modifiable risk factors for multiple sclerosis: Report from the 2016ECTRIMS focused workshop. <i>Multiple Sclerosis Journal</i> , 2018, 24, 590-603.	3.0	101
94	EBV and Autoimmunity. <i>Current Topics in Microbiology and Immunology</i> , 2015, 390, 365-385.	1.1	99
95	Epidemiologic studies on dietary fats and coronary heart disease. <i>American Journal of Medicine</i> , 2002, 113, 9-12.	1.5	94
96	Obesity and the Risk of Parkinson's Disease. <i>American Journal of Epidemiology</i> , 2004, 159, 547-555.	3.4	91
97	Intake of antioxidant vitamins and risk of Parkinson's disease. <i>Movement Disorders</i> , 2016, 31, 1909-1914.	3.9	89
98	Plasma Urate and Progression of Mild Cognitive Impairment. <i>Neurodegenerative Diseases</i> , 2009, 6, 23-28.	1.4	85
99	Prospective study on long-term dietary patterns and incident depression in middle-aged and older women. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 813-820.	4.7	84
100	Parental Social Responsiveness and Risk of Autism Spectrum Disorder in Offspring. <i>JAMA Psychiatry</i> , 2014, 71, 936.	11.0	84
101	Dietary Iron Intake and Risk of Parkinson's Disease. <i>American Journal of Epidemiology</i> , 2008, 168, 1381-1388.	3.4	83
102	Preclinical disease activity in multiple sclerosis: A prospective study of cognitive performance prior to first symptom. <i>Annals of Neurology</i> , 2016, 80, 616-624.	5.3	82
103	Vitamin D and multiple sclerosis. <i>Current Opinion in Neurology</i> , 2012, 25, 246-251.	3.6	80
104	Sodium intake and multiple sclerosis activity and progression in <scp>BENEFIT</scp>. <i>Annals of Neurology</i> , 2017, 82, 20-29.	5.3	80
105	Effect of Urate-Elevating Inosine on Early Parkinson Disease Progression. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 926.	7.4	80
106	Prospective Study of Restless Legs Syndrome and Risk of Depression in Women. <i>American Journal of Epidemiology</i> , 2012, 176, 279-288.	3.4	79
107	Mendelian randomization of serum urate and parkinson disease progression. <i>Annals of Neurology</i> , 2014, 76, 862-868.	5.3	79
108	Coffee, caffeine, and risk of completed suicide: Results from three prospective cohorts of American adults. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 377-386.	2.6	79

#	ARTICLE	IF	CITATIONS
109	Restless Legs Syndrome: An Early Clinical Feature of Parkinson Disease in Men. <i>Sleep</i> , 2014, 37, 369-372.	1.1	79
110	Intake of dairy foods and risk of Parkinson disease. <i>Neurology</i> , 2017, 89, 46-52.	1.1	76
111	Telomere length and risk of Parkinson's disease. <i>Movement Disorders</i> , 2008, 23, 302-305.	3.9	75
112	Polyunsaturated fatty acids and the risk of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1830-1838.	3.0	74
113	Intakes of vitamin C and carotenoids and risk of amyotrophic lateral sclerosis: Pooled results from 5 cohort studies. <i>Annals of Neurology</i> , 2013, 73, 236-245.	5.3	73
114	Prenatal and Perinatal Factors and Risk of Multiple Sclerosis. <i>Epidemiology</i> , 2009, 20, 611-618.	2.7	72
115	Reproductive factors, exogenous estrogen use, and risk of Parkinson's disease. <i>Movement Disorders</i> , 2009, 24, 1359-1365.	3.9	72
116	Particulate matter and risk of parkinson disease in a large prospective study of women. <i>Environmental Health</i> , 2014, 13, 80.	4.0	72
117	Dietary intake of vitamin D during adolescence and risk of multiple sclerosis. <i>Journal of Neurology</i> , 2011, 258, 479-485.	3.6	68
118	Plasma Urate and Parkinson's Disease in Women. <i>American Journal of Epidemiology</i> , 2010, 172, 666-670.	3.4	64
119	Preclinical Serum 25-Hydroxyvitamin D Levels and Risk of Type 1 Diabetes in a Cohort of US Military Personnel. <i>American Journal of Epidemiology</i> , 2013, 177, 411-419.	3.4	62
120	Adherence to Mediterranean diet and subjective cognitive function in men. <i>European Journal of Epidemiology</i> , 2018, 33, 223-234.	5.7	62
121	Folate Intake and Risk of Parkinson's Disease. <i>American Journal of Epidemiology</i> , 2004, 160, 368-375.	3.4	60
122	25-Hydroxyvitamin D deficiency and risk of MS among women in the Finnish Maternity Cohort. <i>Neurology</i> , 2017, 89, 1578-1583.	1.1	59
123	Population-based study of $\hat{\alpha}$ - and $\hat{\beta}$ -tocopherol in plasma and adipose tissue as biomarkers of intake in Costa Rican adults. <i>American Journal of Clinical Nutrition</i> , 2001, 74, 356-363.	4.7	56
124	No association of multiple sclerosis activity and progression with EBV or tobacco use in BENEFIT. <i>Neurology</i> , 2015, 85, 1694-1701.	1.1	55
125	Smoking and Parkinson's Disease: Using Parental Smoking as a Proxy to Explore Causality. <i>American Journal of Epidemiology</i> , 2009, 169, 678-682.	3.4	54
126	Long-term Dietary Flavonoid Intake and Subjective Cognitive Decline in US Men and Women. <i>Neurology</i> , 2021, 97, e1041-e1056.	1.1	52

#	ARTICLE	IF	CITATIONS
127	Smoking and Increased Risk of Multiple Sclerosis: Parallel Trends in the Sex Ratio Reinforce the Evidence. <i>Annals of Epidemiology</i> , 2011, 21, 536-542.	1.9	51
128	Prevention and treatment of MS: studying the effects of vitamin D. <i>Multiple Sclerosis Journal</i> , 2011, 17, 1405-1411.	3.0	51
129	Diet and Amyotrophic Lateral Sclerosis. <i>Epidemiology</i> , 2008, 19, 324-337.	2.7	49
130	The human gut microbiota in people with amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2021, 22, 186-194.	1.7	49
131	Trans fatty acids and blood lipids. <i>Atherosclerosis Supplements</i> , 2006, 7, 25-27.	1.2	48
132	Higher urate in <i>LRRK2</i> mutation carriers resistant to Parkinson disease. <i>Annals of Neurology</i> , 2019, 85, 593-599.	5.3	45
133	Diet pattern and prodromal features of Parkinson disease. <i>Neurology</i> , 2020, 95, e2095-e2108.	1.1	45
134	Vitamin D, smoking, EBV, and long-term cognitive performance in MS. <i>Neurology</i> , 2020, 94, e1950-e1960.	1.1	45
135	Calcium Intake and the Incidence of Forearm and Hip Fractures among Men ., <i>Journal of Nutrition</i> , 1997, 127, 1782-1787.	2.9	44
136	Short stature and hypertension in the city of Rio de Janeiro, Brazil. <i>Public Health Nutrition</i> , 2000, 3, 77-82.	2.2	44
137	Suicide Mortality in Relation to Dietary Intake of n-3 and n-6 Polyunsaturated Fatty Acids and Fish: Equivocal Findings From 3 Large US Cohort Studies. <i>American Journal of Epidemiology</i> , 2014, 179, 1458-1466.	3.4	44
138	Molecular mechanism underlying the impact of vitamin D on disease activity of MS. <i>Annals of Clinical and Translational Neurology</i> , 2014, 1, 605-617.	3.7	44
139	C-reactive protein, interleukin-6, soluble tumor necrosis factor α receptor 2 and incident clinical depression. <i>Journal of Affective Disorders</i> , 2014, 163, 25-32.	4.1	44
140	Maternal exposure to intimate partner abuse before birth is associated with autism spectrum disorder in offspring. <i>Autism</i> , 2016, 20, 26-36.	4.1	44
141	Sun exposure over the life course and associations with multiple sclerosis. <i>Neurology</i> , 2018, 90, e1191-e1199.	1.1	44
142	Serum urate and probability of dopaminergic deficit in early "Parkinson's disease". <i>Movement Disorders</i> , 2011, 26, 1864-1868.	3.9	43
143	No association between dietary sodium intake and the risk of multiple sclerosis. <i>Neurology</i> , 2017, 89, 1322-1329.	1.1	43
144	Urate and the risk of Parkinson's disease in men and women. <i>Parkinsonism and Related Disorders</i> , 2018, 52, 76-82.	2.2	42

#	ARTICLE	IF	CITATIONS
145	Calcium channel blocker use and risk of Parkinson's disease. <i>Movement Disorders</i> , 2010, 25, 1818-1822.	3.9	38
146	Hormone therapy use and physical quality of life in postmenopausal women with multiple sclerosis. <i>Neurology</i> , 2016, 87, 1457-1463.	1.1	38
147	Physical activity and the incidence of multiple sclerosis. <i>Neurology</i> , 2016, 87, 1770-1776.	1.1	38
148	Caffeinated clues from epidemiology of Parkinson's disease. <i>Neurology</i> , 2003, 61, S51-4.	1.1	38
149	Women's posttraumatic stress symptoms and autism spectrum disorder in their children. <i>Research in Autism Spectrum Disorders</i> , 2014, 8, 608-616.	1.5	37
150	Oral Inosine Persistently Elevates Plasma antioxidant capacity in Parkinson's disease. <i>Movement Disorders</i> , 2016, 31, 417-421.	3.9	35
151	Plasma metabolite profiles related to plant-based diets and the risk of type 2 diabetes. <i>Diabetologia</i> , 2022, 65, 1119-1132.	6.3	35
152	Blood donations, iron stores, and risk of Parkinson's disease. <i>Movement Disorders</i> , 2006, 21, 835-838.	3.9	34
153	Variations in gender ratios support the connection between smoking and Parkinson's disease. <i>Movement Disorders</i> , 2008, 23, 1414-1419.	3.9	34
154	Association of caffeine and related analytes with resistance to Parkinson disease among <i>LRRK2</i> mutation carriers. <i>Neurology</i> , 2020, 95, e3428-e3437.	1.1	34
155	Current pathways for epidemiological research in amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2013, 14, 33-43.	1.7	33
156	Long-Term Intake of Dietary Carotenoids Is Positively Associated with Late-Life Subjective Cognitive Function in a Prospective Study in US Women. <i>Journal of Nutrition</i> , 2020, 150, 1871-1879.	2.9	33
157	Sex differences by design and outcome in the Safety of Urate Elevation in PD (SURE-PD) trial. <i>Neurology</i> , 2019, 93, e1328-e1338.	1.1	33
158	Prenatal and early life factors and risk of Parkinson's disease. <i>Movement Disorders</i> , 2010, 25, 1560-1567.	3.9	32
159	Use of Negative Control Exposure Analysis to Evaluate Confounding: An Example of Acetaminophen Exposure and Attention-Deficit/Hyperactivity Disorder in Nurses' Health Study II. <i>American Journal of Epidemiology</i> , 2019, 188, 768-775.	3.4	32
160	Nutrient Intakes and Blood Pressure in Normotensive Males. <i>International Journal of Epidemiology</i> , 1991, 20, 886-891.	1.9	31
161	Appendectomy and risk of Parkinson's disease in two large prospective cohorts of men and women. <i>Movement Disorders</i> , 2018, 33, 1492-1496.	3.9	31
162	Long-term dietary protein intake and subjective cognitive decline in US men and women. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 199-210.	4.7	31

#	ARTICLE	IF	CITATIONS
163	Intakes of caffeine, coffee and tea and risk of amyotrophic lateral sclerosis: Results from five cohort studies. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2015, 16, 366-371.	1.7	29
164	Dairy consumption, plasma metabolites, and risk of type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 163-174.	4.7	29
165	Long-term intake of vegetables and fruits and subjective cognitive function in US men. <i>Neurology</i> , 2019, 92, e63-e75.	1.1	28
166	Associations of Lower Caffeine Intake and Plasma Urate Levels with Idiopathic Parkinson's Disease in the Harvard Biomarkers Study. <i>Journal of Parkinson's Disease</i> , 2020, 10, 505-510.	2.8	27
167	Intake of Flavonoids and Flavonoid-Rich Foods and Mortality Risk Among Individuals With Parkinson Disease. <i>Neurology</i> , 2022, 98, .	1.1	27
168	Prediagnostic plasma metabolomics and the risk of amyotrophic lateral sclerosis. <i>Neurology</i> , 2019, 92, 10.1212/WNL.0000000000007401.	1.1	26
169	Physical activity and prodromal features of Parkinson disease. <i>Neurology</i> , 2019, 93, e2157-e2169.	1.1	24
170	Epstein-Barr virus in the development of multiple sclerosis. <i>Expert Review of Neurotherapeutics</i> , 2008, 8, 331-333.	2.8	23
171	XVI European Charcot Foundation lecture: Nutrition and environment, can MS be prevented?. <i>Journal of the Neurological Sciences</i> , 2011, 311, 1-8.	0.6	22
172	Epidemiology of Major Neurodegenerative Diseases in Women: Contribution of the Nurses' Health Study. <i>American Journal of Public Health</i> , 2016, 106, 1650-1655.	2.7	22
173	Regional variation in the incidence rate and sex ratio of multiple sclerosis in Scotland 2010-2017: findings from the Scottish Multiple Sclerosis Register. <i>Journal of Neurology</i> , 2019, 266, 2376-2386.	3.6	22
174	Physical activity across adulthood and subjective cognitive function in older men. <i>European Journal of Epidemiology</i> , 2018, 33, 79-87.	5.7	21
175	Diet quality and risk of multiple sclerosis in two cohorts of US women. <i>Multiple Sclerosis Journal</i> , 2019, 25, 1773-1780.	3.0	21
176	Serum urate at trial entry and ALS progression in EMPOWER. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017, 18, 120-125.	1.7	20
177	Association of Maternal Exposure to Childhood Abuse With Elevated Risk for Attention Deficit Hyperactivity Disorder in Offspring. <i>American Journal of Epidemiology</i> , 2018, 187, 1896-1906.	3.4	20
178	Prediagnostic Neurofilament Light Chain Levels in Amyotrophic Lateral Sclerosis. <i>Neurology</i> , 2021, 97, e1466-e1474.	1.1	20
179	Urate and neuroprotection trials. <i>Lancet Neurology</i> , The, 2014, 13, 758.	10.2	19
180	EBV and brain matter(s)?. <i>Neurology</i> , 2010, 74, 1092-1095.	1.1	18

#	ARTICLE	IF	CITATIONS
181	Vitamin D in MS. <i>Neurology</i> , 2012, 79, 208-210.	1.1	18
182	Prediagnostic plasma polyunsaturated fatty acids and the risk of amyotrophic lateral sclerosis. <i>Neurology</i> , 2020, 94, e811-e819.	1.1	18
183	Design of a virtual longitudinal observational study in Parkinson's disease (AT&HOME PD). <i>Annals of Clinical and Translational Neurology</i> , 2021, 8, 308-320.	3.7	18
184	Integration of risk factors for Parkinson disease in 2 large longitudinal cohorts. <i>Neurology</i> , 2018, 90, e1646-e1653.	1.1	17
185	The association between restless legs syndrome and premotor symptoms of Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2018, 394, 41-44.	0.6	17
186	The Potential for EBV Vaccines to Prevent Multiple Sclerosis. <i>Frontiers in Neurology</i> , 0, 13, .	2.4	17
187	Epstein-Barr virus neutralizing antibody levels and risk of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2012, 18, 1185-1187.	3.0	14
188	Differences in Parkinson's Disease Risk with Caffeine Intake and Postmenopausal Hormone Use. <i>Journal of Parkinson's Disease</i> , 2017, 7, 677-684.	2.8	14
189	Interaction between caffeine and polymorphisms of glutamate ionotropic receptor NMDA type subunit 2A (<i>GRIN2A</i>) and cytochrome P450 1A2 (<i>CYP1A2</i>) on Parkinson's disease risk. <i>Movement Disorders</i> , 2018, 33, 414-420.	3.9	14
190	Epstein-Barr virus and multiple sclerosis risk in the finnish maternity cohort. <i>Annals of Neurology</i> , 2019, 86, 436-442.	5.3	14
191	Rotating night shift work and risk of multiple sclerosis in the Nurses' Health Studies. <i>Occupational and Environmental Medicine</i> , 2019, 76, 733-738.	2.8	13
192	A Metabolomics Analysis of Adiposity and Advanced Prostate Cancer Risk in the Health Professionals Follow-Up Study. <i>Metabolites</i> , 2020, 10, 99.	2.9	12
193	Pre-diagnostic plasma lipid levels and the risk of amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2021, 22, 133-143.	1.7	12
194	Association of Sleepwalking and REM Sleep Behavior Disorder With Parkinson Disease in Men. <i>JAMA Network Open</i> , 2021, 4, e215713.	5.9	12
195	Body mass index as a predictor of MS activity and progression among participants in BENEFIT. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1277-1285.	3.0	12
196	Pre-diagnostic plasma urate and the risk of amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2018, 19, 194-200.	1.7	11
197	Dietary nicotine intake and risk of Parkinson disease: a prospective study. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1080-1087.	4.7	11
198	Risk factors in the development of multiple sclerosis. <i>Expert Review of Clinical Immunology</i> , 2007, 3, 739-748.	3.0	10

#	ARTICLE	IF	CITATIONS
199	Age at Epstein-Barr virus infection and Epstein-Barr virus nuclear antigen-1 antibodies in Swedish children. <i>Multiple Sclerosis and Related Disorders</i> , 2012, 1, 136-138.	2.0	9
200	Perinatal vitamin D levels are not associated with later risk of developing pediatric-onset inflammatory bowel disease: a Danish case-cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 927-933.	1.5	9
201	Long-term intake of total energy and fat in relation to subjective cognitive decline. <i>European Journal of Epidemiology</i> , 2022, 37, 133-146.	5.7	9
202	Dissociation between urate and blood pressure in mice and in people with early Parkinson's disease. <i>EBioMedicine</i> , 2018, 37, 259-268.	6.1	8
203	Long-term diet quality and its change in relation to late-life subjective cognitive decline. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 232-243.	4.7	8
204	Not too late to take vitamin D supplements. <i>Annals of Neurology</i> , 2014, 76, 321-322.	5.3	7
205	Dietary antioxidants and Parkinson's disease. <i>Movement Disorders</i> , 2017, 32, 1501-1503.	3.9	7
206	Total intake of different minerals and the risk of multiple sclerosis. <i>Neurology</i> , 2019, 92, 10.1212/WNL.0000000000006800.	1.1	7
207	Changes in plasma phospholipids and sphingomyelins with aging in men and women: A comprehensive systematic review of longitudinal cohort studies. <i>Ageing Research Reviews</i> , 2021, 68, 101340.	10.9	7
208	People with MS should consume a low-salt diet – NO. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1779-1781.	3.0	6
209	Genetic variants related to urate and risk of Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2018, 53, 4-9.	2.2	6
210	Plasma urate concentrations and possible REM sleep behavior disorder. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 2368-2376.	3.7	6
211	Early Diagnosis of Multiple Sclerosis. <i>Neurology</i> , 2021, 96, 1111-1112.	1.1	6
212	Weighing Evidence from Mendelian Randomization – Early-Life Obesity as a Causal Factor in Multiple Sclerosis?. <i>PLoS Medicine</i> , 2016, 13, e1002054.	8.4	6
213	Sun exposure and vitamin D are independent risk factors for CNS demyelination. <i>Neurology</i> , 2011, 77, 1405-1406.	1.1	5
214	Understanding the joint effects of EBV and vitamin D in MS. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1554-1555.	3.0	5
215	Prediagnostic plasma branched chain amino acids and the risk of amyotrophic lateral sclerosis. <i>Neurology</i> , 2018, 92, 10.1212/WNL.0000000000006669.	1.1	5
216	Animal exposure over the life-course and risk of multiple sclerosis: A case-control study within two cohorts of US women. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 27, 327-332.	2.0	5

#	ARTICLE	IF	CITATIONS
217	Plasma Metabolomic Markers of Insulin Resistance and Diabetes and Rate of Incident Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2020, 10, 1011-1021.	2.8	5
218	Immune responses to EBNA1. <i>Neurology</i> , 2009, 73, 13-14.	1.1	4
219	Incidence of myalgic encephalomyelitis/chronic fatigue syndrome in a large prospective cohort of U.S. nurses. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2017, 5, 159-166.	1.9	4
220	Lifestyle and Parkinson's disease progression. <i>Movement Disorders</i> , 2019, 34, 7-8.	3.9	4
221	Expectations of Benefit in a Trial of a Candidate Disease-Modifying Treatment for Parkinson Disease. <i>Movement Disorders</i> , 2021, 36, 1964-1967.	3.9	4
222	Association Between Periconceptual Weight of Maternal Grandmothers and Attention-Deficit/Hyperactivity Disorder in Grandchildren. <i>JAMA Network Open</i> , 2021, 4, e2118824.	5.9	4
223	Epidemiology of Multiple Sclerosis. <i>Blue Books of Neurology</i> , 2010, 35, 57-82.	0.1	3
224	Low Cost Screening for Features of Prodromal Parkinson's Disease in General Medical Practice in Italy. <i>Journal of Parkinson's Disease</i> , 2020, 10, 711-715.	2.8	3
225	Relation entre n-3 et n-6 avec la dépression clinique : Résultats de la Nurses' Health Study. <i>Oleagineux Corps Gras Lipides</i> , 2011, 18, 181-187.	0.2	2
226	Age, Statin Use, and the Risk for Incident Parkinson Disease—Reply. <i>Archives of Neurology</i> , 2012, 69, 1381.	4.5	2
227	Epstein-Barr virus candidate genes and multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2015, 4, 60-64.	2.0	2
228	Big health data and Parkinson's disease epidemiology: Challenges and opportunities. <i>Parkinsonism and Related Disorders</i> , 2020, 71, 58-59.	2.2	2
229	Maternal diabetes and risk of multiple sclerosis in the offspring: A Danish nationwide register-based cohort study. <i>Multiple Sclerosis Journal</i> , 2020, 27, 135245852097712.	3.0	2
230	Aging with multiple sclerosis: A longitudinal study of physical function, mental health, and memory in two cohorts of US women. <i>Multiple Sclerosis Journal</i> , 2022, 28, 121-131.	3.0	2
231	New insights on physical activity and amyotrophic lateral sclerosis. <i>European Journal of Epidemiology</i> , 2016, 31, 213-215.	5.7	1
232	Reply to stratified analyses are necessary to verify the influence of salt intake in multiple sclerosis. <i>Annals of Neurology</i> , 2017, 82, 649-649.	5.3	1
233	Obesity and brain volume loss in multiple sclerosis. <i>Neurology</i> , 2018, 91, 1079-1080.	1.1	1
234	To meat or not to meat? Processed meat and risk of dementia. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 7-8.	4.7	1

#	ARTICLE	IF	CITATIONS
235	Maternal prepregnancy <scp>BMI</scp> and physical activity and type 1 diabetes in the offspring. <i>Pediatric Diabetes</i> , 2021, 22, 992-1002.	2.9	1
236	High BMI in Youths as a Modifiable Risk Factor for Multiple Sclerosis. <i>Neurology</i> , 2021, 97, 1057-1058.	1.1	1
237	Vitamin D and Multiple Sclerosis. , 2010, , 881-893.		1
238	Effect of Urate-Elevating Inosine on Progression of Early Parkinson Diseaseâ€”Reply. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 85.	7.4	1
239	Reply to letter to the editor. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 34, 165.	2.0	0
240	Response to letter to Editor. <i>Journal of the Neurological Sciences</i> , 2019, 397, 48-49.	0.6	0
241	Dietary Nicotine Intake and Risk of Parkinson Disease: A Prospective Study. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa057_038.	0.3	0
242	Prediagnosis and Postdiagnosis Diet Quality, Physical Activity, and Mortality Risk Among Individuals with Parkinson Disease: A Prospective Cohort Study. <i>Current Developments in Nutrition</i> , 2022, 6, 969.	0.3	0