

Jianling Xie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2676537/publications.pdf>

Version: 2024-02-01

52
papers

2,084
citations

236925

25
h-index

243625

44
g-index

75
all docs

75
docs citations

75
times ranked

4124
citing authors

#	ARTICLE	IF	CITATIONS
1	Eukaryotic elongation factor 2 kinase regulates foam cell formation via translation of CD36. <i>FASEB Journal</i> , 2022, 36, e22154.	0.5	3
2	Da-Chai-Hu-Tang Protects From Acute Intrahepatic Cholestasis by Inhibiting Hepatic Inflammation and Bile Accumulation via Activation of PPAR α . <i>Frontiers in Pharmacology</i> , 2022, 13, 847483.	3.5	4
3	Reciprocal signaling between mTORC1 and MNK2 controls cell growth and oncogenesis. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 249-270.	5.4	14
4	Bicuculline regulated protein synthesis is dependent on Homer1 and promotes its interaction with eEF2K through mTORC1-dependent phosphorylation. <i>Journal of Neurochemistry</i> , 2021, 157, 1086-1101.	3.9	5
5	mTOR Signaling Pathways. , 2021, , 1-7.		0
6	Regulation mTOR and its Substrates. , 2021, , 614-630.		0
7	TSC-insensitive Rheb mutations induce oncogenic transformation through a combination of constitutively active mTORC1 signalling and proteome remodelling. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 4035-4052.	5.4	5
8	Constitutively active Rheb mutants [T23M] and [E40K] drive increased production and secretion of recombinant protein in Chinese hamster ovary cells. <i>Biotechnology and Bioengineering</i> , 2021, 118, 2422-2434.	3.3	1
9	Regulation of mRNA Translation by Hormone Receptors in Breast and Prostate Cancer. <i>Cancers</i> , 2021, 13, 3254.	3.7	10
10	The composition of the gut microbiota following early-life antibiotic exposure affects host health and longevity in later life. <i>Cell Reports</i> , 2021, 36, 109564.	6.4	31
11	A feedback loop between the androgen receptor and 6-phosphogluconate dehydrogenase (6PGD) drives prostate cancer growth. <i>ELife</i> , 2021, 10, .	6.0	16
12	mTOR Signaling Pathways. , 2021, , 1010-1016.		0
13	Eukaryotic elongation factor 2 kinase promotes angiogenesis in hepatocellular carcinoma via PI3K/Akt and STAT3. <i>International Journal of Cancer</i> , 2020, 146, 1383-1395.	5.1	40
14	Cyclosporin A but not FK506 activates the integrated stress response in human cells. <i>Journal of Biological Chemistry</i> , 2020, 295, 15134-15143.	3.4	3
15	The prohibitin-binding compound fluorizoline affects multiple components of the translational machinery and inhibits protein synthesis. <i>Journal of Biological Chemistry</i> , 2020, 295, 9855-9867.	3.4	9
16	The Lifeact-EGFP mouse is a translationally controlled fluorescent reporter of T cell activation. <i>Journal of Cell Science</i> , 2020, 133, .	2.0	9
17	The eEF2 kinase-induced STAT3 inactivation inhibits lung cancer cell proliferation by phosphorylation of PKM2. <i>Cell Communication and Signaling</i> , 2020, 18, 25.	6.5	23
18	The gene for the lysosomal protein LAMP3 is a direct target of the transcription factor ATF4. <i>Journal of Biological Chemistry</i> , 2020, 295, 7418-7430.	3.4	20

#	ARTICLE	IF	CITATIONS
19	MAPK-interacting kinase 2 (MNK2) regulates adipocyte metabolism independently of its catalytic activity. <i>Biochemical Journal</i> , 2020, 477, 2735-2754.	3.7	6
20	eEF2K enhances expression of PD-L1 by promoting the translation of its mRNA. <i>Biochemical Journal</i> , 2020, 477, 4367-4381.	3.7	25
21	Transcriptional and metabolic rewiring of colorectal cancer cells expressing the oncogenic KRASG13D mutation. <i>British Journal of Cancer</i> , 2019, 121, 37-50.	6.4	41
22	Ablation of elongation factor 2 kinase enhances heat-shock protein 90 chaperone expression and protects cells under proteotoxic stress. <i>Journal of Biological Chemistry</i> , 2019, 294, 7169-7176.	3.4	14
23	Regulation of the Elongation Phase of Protein Synthesis Enhances Translation Accuracy and Modulates Lifespan. <i>Current Biology</i> , 2019, 29, 737-749.e5.	3.9	60
24	The MAP kinase-interacting kinases (MNKs) as targets in oncology. <i>Expert Opinion on Therapeutic Targets</i> , 2019, 23, 187-199.	3.4	30
25	Design, synthesis and activity of Mnk1 and Mnk2 selective inhibitors containing thieno[2,3-d]pyrimidine scaffold. <i>European Journal of Medicinal Chemistry</i> , 2019, 162, 735-751.	5.5	28
26	Eukaryotic elongation factor 2 kinase upregulates the expression of proteins implicated in cell migration and cancer cell metastasis. <i>International Journal of Cancer</i> , 2018, 142, 1865-1877.	5.1	32
27	Who does TORC2 talk to?. <i>Biochemical Journal</i> , 2018, 475, 1721-1738.	3.7	29
28	mTORC1 Plays an Important Role in Skeletal Development by Controlling Preosteoblast Differentiation. <i>Molecular and Cellular Biology</i> , 2017, 37, .	2.3	51
29	A novel fluorescent probe reveals starvation controls the commitment of amyloid precursor protein to the lysosome. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017, 1864, 1554-1565.	4.1	19
30	Eukaryotic Elongation Factor 2 Kinase (eEF2K) in Cancer. <i>Cancers</i> , 2017, 9, 162.	3.7	49
31	mTOR inhibitors in cancer therapy. <i>F1000Research</i> , 2016, 5, 2078.	1.6	228
32	mTORC1 signalling and eIF4E/4E-BP1 translation initiation factor stoichiometry influence recombinant protein productivity from GS-CHOK1 cells. <i>Biochemical Journal</i> , 2016, 473, 4651-4664.	3.7	49
33	Elongation factor 2 kinase promotes cell survival by inhibiting protein synthesis without inducing autophagy. <i>Cellular Signalling</i> , 2016, 28, 284-293.	3.6	36
34	Characterization of p75 neurotrophin receptor expression in human dental pulp stem cells. <i>International Journal of Developmental Neuroscience</i> , 2016, 53, 90-98.	1.6	17
35	Quantitative Non-canonical Amino Acid Tagging (QuaNCAT) Proteomics Identifies Distinct Patterns of Protein Synthesis Rapidly Induced by Hypertrophic Agents in Cardiomyocytes, Revealing New Aspects of Metabolic Remodeling. <i>Molecular and Cellular Proteomics</i> , 2016, 15, 3170-3189.	3.8	18
36	Cambogin exerts anti-proliferative and pro-apoptotic effects on breast adenocarcinoma through the induction of NADPH oxidase 1 and the alteration of mitochondrial morphology and dynamics. <i>Oncotarget</i> , 2016, 7, 50596-50611.	1.8	18

#	ARTICLE	IF	CITATIONS
37	Guttiferone K suppresses cell motility and metastasis of hepatocellular carcinoma by restoring aberrantly reduced profilin 1. <i>Oncotarget</i> , 2016, 7, 56650-56663.	1.8	35
38	Molecular Mechanism for the Control of Eukaryotic Elongation Factor 2 Kinase by pH: Role in Cancer Cell Survival. <i>Molecular and Cellular Biology</i> , 2015, 35, 1805-1824.	2.3	39
39	Cambogin Induces Caspase-Independent Apoptosis through the ROS/JNK Pathway and Epigenetic Regulation in Breast Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 1738-1749.	4.1	37
40	Regulated stability of eukaryotic elongation factor 2 kinase requires intrinsic but not ongoing activity. <i>Biochemical Journal</i> , 2015, 467, 321-331.	3.7	18
41	The MAP kinase-interacting kinases regulate cell migration, vimentin expression and eIF4E/CYFIP1 binding. <i>Biochemical Journal</i> , 2015, 467, 63-76.	3.7	58
42	Signaling crosstalk between the mTOR complexes. <i>Translation</i> , 2014, 2, e28174.	2.9	40
43	Eukaryotic Elongation Factor 2 Kinase Activity Is Controlled by Multiple Inputs from Oncogenic Signaling. <i>Molecular and Cellular Biology</i> , 2014, 34, 4088-4103.	2.3	84
44	Exendin-4 stimulates islet cell replication via the IGF1 receptor activation of mTORC1/S6K1. <i>Journal of Molecular Endocrinology</i> , 2014, 53, 105-115.	2.5	25
45	Cellular signalling of the receptor for advanced glycation end products (RAGE). <i>Cellular Signalling</i> , 2013, 25, 2185-2197.	3.6	410
46	Crosstalk between mTOR complexes. <i>Nature Cell Biology</i> , 2013, 15, 1263-1265.	10.3	77
47	The role of mammalian target of rapamycin (mTOR) in the regulation of pancreatic β -cell mass: implications in the development of type-2 diabetes. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 1289-1304.	5.4	58
48	Rapamycin toxicity in MIN6 cells and rat and human islets is mediated by the inhibition of mTOR complex 2 (mTORC2). <i>Diabetologia</i> , 2012, 55, 1355-1365.	6.3	64
49	cAMP inhibits mammalian target of rapamycin complex-1 and -2 (mTORC1 and 2) by promoting complex dissociation and inhibiting mTOR kinase activity. <i>Cellular Signalling</i> , 2011, 23, 1927-1935.	3.6	56
50	Trends in advanced glycation end products research in diabetes mellitus and its complications. <i>Molecular and Cellular Biochemistry</i> , 2010, 341, 33-41.	3.1	62
51	Molecular susceptibility to glycation and its implication in diabetes mellitus and related diseases. <i>Molecular and Cellular Biochemistry</i> , 2010, 344, 185-193.	3.1	31
52	Identification of cAMP-Dependent Kinase as a Third in Vivo Ribosomal Protein S6 Kinase in Pancreatic β -Cells. <i>Journal of Molecular Biology</i> , 2009, 389, 480-494.	4.2	47