

Bruno J Le Bizec

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2682180/publications.pdf>

Version: 2024-02-01

335
papers

12,957
citations

25034

57
h-index

49909

87
g-index

342
all docs

342
docs citations

342
times ranked

12562
citing authors

#	ARTICLE	IF	CITATIONS
1	The ion suppression phenomenon in liquid chromatography–mass spectrometry and its consequences in the field of residue analysis. <i>Analytica Chimica Acta</i> , 2005, 529, 129-136.	5.4	351
2	Toxicological Function of Adipose Tissue: Focus on Persistent Organic Pollutants. <i>Environmental Health Perspectives</i> , 2013, 121, 162-169.	6.0	269
3	Androgenic and estrogenic activity in water bodies receiving cattle feedlot effluent in Eastern Nebraska, USA.. <i>Environmental Health Perspectives</i> , 2004, 112, 346-352.	6.0	254
4	Recent developments in the use and abuse of growth promoters. <i>Analytica Chimica Acta</i> , 2002, 473, 71-82.	5.4	243
5	Exposure assessment of French women and their newborns to tetrabromobisphenol-A: Occurrence measurements in maternal adipose tissue, serum, breast milk and cord serum. <i>Chemosphere</i> , 2008, 73, 1036-1041.	8.2	201
6	Fate and Complex Pathogenic Effects of Dioxins and Polychlorinated Biphenyls in Obese Subjects before and after Drastic Weight Loss. <i>Environmental Health Perspectives</i> , 2011, 119, 377-383.	6.0	170
7	Perfluoroalkyl acid (PFAA) levels and profiles in breast milk, maternal and cord serum of French women and their newborns. <i>Environment International</i> , 2015, 84, 71-81.	10.0	167
8	Human testis steroidogenesis is inhibited by phthalates. <i>Human Reproduction</i> , 2012, 27, 1451-1459.	0.9	164
9	Novel analytical methods for the determination of steroid hormones in edible matrices. <i>Analytica Chimica Acta</i> , 2008, 611, 1-16.	5.4	163
10	PFOS (perfluorooctanesulfonate) in serum is negatively associated with testosterone levels, but not with semen quality, in healthy men. <i>Human Reproduction</i> , 2013, 28, 599-608.	0.9	158
11	Assessment of Circulating Sex Steroid Levels in Prepubertal and Pubertal Boys and Girls by a Novel Ultrasensitive Gas Chromatography-Tandem Mass Spectrometry Method. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 82-92.	3.6	152
12	Exposure assessment of French women and their newborn to brominated flame retardants: Determination of tri- to deca- polybromodiphenylethers (PBDE) in maternal adipose tissue, serum, breast milk and cord serum. <i>Environmental Pollution</i> , 2009, 157, 164-173.	7.5	149
13	Innovative method for determination of 19 polycyclic aromatic hydrocarbons in food and oil samples using gas chromatography coupled to tandem mass spectrometry based on an isotope dilution approach. <i>Journal of Chromatography A</i> , 2007, 1149, 333-344.	3.7	133
14	Suspect and non-targeted screening of chemicals of emerging concern for human biomonitoring, environmental health studies and support to risk assessment: From promises to challenges and harmonisation issues. <i>Environment International</i> , 2020, 139, 105545.	10.0	133
15	Determination of bisphenol A and related substitutes/analogues in human breast milk using gas chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 2485-2497.	3.7	121
16	Ion Mobility Spectrometry in Food Analysis: Principles, Current Applications and Future Trends. <i>Molecules</i> , 2019, 24, 2706.	3.8	113
17	Validation of analytical methods based on mass spectrometric detection according to the 2002/657/EC–European decision: guideline and application. <i>Analytica Chimica Acta</i> , 2003, 483, 325-334.	5.4	111
18	Development of a metabolomic approach based on liquid chromatography-high resolution mass spectrometry to screen for clenbuterol abuse in calves. <i>Analyst</i> , 2009, 134, 1637.	3.5	110

#	ARTICLE	IF	CITATIONS
19	Dietary exposure to polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans and polychlorinated biphenyls of the French population: Results of the second French Total Diet Study. <i>Chemosphere</i> , 2012, 88, 492-500.	8.2	110
20	Simultaneous measurement of plasma concentrations and ¹³ C-enrichment of short-chain fatty acids, lactic acid and ketone bodies by gas chromatography coupled to mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 784, 395-403.	2.3	108
21	Options for veterinary drug analysis using mass spectrometry. <i>Journal of Chromatography A</i> , 2009, 1216, 8016-8034.	3.7	107
22	Current applications and perspectives of ion mobility spectrometry to answer chemical food safety issues. <i>TrAC - Trends in Analytical Chemistry</i> , 2017, 94, 39-53.	11.4	107
23	Human dietary exposure to polycyclic aromatic hydrocarbons: Results of the second French Total Diet Study. <i>Environment International</i> , 2013, 54, 11-17.	10.0	101
24	Ultra trace detection of a wide range of anabolic steroids in meat by gas chromatography coupled to mass spectrometry. <i>Journal of Chromatography A</i> , 2000, 867, 219-233.	3.7	99
25	Alternative (backdoor) androgen production and masculinization in the human fetus. <i>PLoS Biology</i> , 2019, 17, e3000002.	5.6	99
26	Basics of mass spectrometry based metabolomics. <i>Proteomics</i> , 2014, 14, 2369-2388.	2.2	95
27	Mass spectrometry-based metabolomics applied to the chemical safety of food. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 292-301.	11.4	91
28	Ibuprofen alters human testicular physiology to produce a state of compensated hypogonadism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E715-E724.	7.1	88
29	New data regarding phytoestrogens content in bovine milk. <i>Food Chemistry</i> , 2004, 87, 275-281.	8.2	86
30	Collision Cross Section (CCS) Database: An Additional Measure to Characterize Steroids. <i>Analytical Chemistry</i> , 2018, 90, 4616-4625.	6.5	85
31	Collision-induced dissociation of corticosteroids in electrospray tandem mass spectrometry and development of a screening method by high performance liquid chromatography/tandem mass spectrometry. , 2000, 14, 33-39.		84
32	Past, present and future of mass spectrometry in the analysis of residues of banned substances in meat-producing animals. <i>Journal of Mass Spectrometry</i> , 2007, 42, 983-998.	1.6	82
33	Exposure assessment of fetus and newborn to brominated flame retardants in France: preliminary data. <i>Molecular Nutrition and Food Research</i> , 2008, 52, 258-265.	3.3	81
34	Identification of ractopamine residues in tissue and urine samples at ultra-trace level using liquid chromatography-“positive electrospray tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 774, 59-66.	2.3	80
35	Probing new approaches using atmospheric pressure photo ionization for the analysis of brominated flame retardants and their related degradation products by liquid chromatography-“mass spectrometry. <i>Journal of Chromatography A</i> , 2005, 1082, 98-109.	3.7	80
36	Germination Stimulants of <i>Phelipanche ramosa</i> in the Rhizosphere of <i>Brassica napus</i> Are Derived from the Glucosinolate Pathway. <i>Molecular Plant-Microbe Interactions</i> , 2012, 25, 993-1004.	2.6	79

#	ARTICLE	IF	CITATIONS
37	Blue sharks (<i>Prionace glauca</i>) as bioindicators of pollution and health in the Atlantic Ocean: Contamination levels and biochemical stress responses. <i>Science of the Total Environment</i> , 2016, 563-564, 282-292.	8.0	79
38	Presence and metabolism of the anabolic steroid boldenone in various animal species: a review. <i>Food Additives and Contaminants</i> , 2004, 21, 515-525.	2.0	78
39	Auto-deconvolution and molecular networking of gas chromatography-mass spectrometry data. <i>Nature Biotechnology</i> , 2021, 39, 169-173.	17.5	78
40	Multi-residue analysis for β -agonistic drugs in urine of meat-producing animals by gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 1993, 275, 253-268.	5.4	77
41	New multiresidue analytical method dedicated to trace level measurement of brominated flame retardants in human biological matrices. <i>Journal of Chromatography A</i> , 2005, 1100, 144-152.	3.7	77
42	PrCYP707A1, an ABA catabolic gene, is a key component of <i>Phelipanche ramosa</i> seed germination in response to the strigolactone analogue GR24. <i>Journal of Experimental Botany</i> , 2012, 63, 5311-5322.	4.8	77
43	Targeted and untargeted profiling of biological fluids to screen for anabolic practices in cattle. <i>TrAC - Trends in Analytical Chemistry</i> , 2010, 29, 1269-1280.	11.4	73
44	Development and validation of a specific and sensitive gas chromatography tandem mass spectrometry method for the determination of bisphenol A residues in a large set of food items. <i>Journal of Chromatography A</i> , 2014, 1362, 241-249.	3.7	73
45	Study of 17β -estradiol-3-benzoate, 17β -methyltestosterone and medroxyprogesterone acetate fixation in bovine hair. <i>Analytica Chimica Acta</i> , 2005, 532, 165-176.	5.4	72
46	Dietary intake of non-dioxin-like PCBs (NDL-PCBs) in France, impact of maximum levels in some foodstuffs. <i>Regulatory Toxicology and Pharmacology</i> , 2009, 54, 287-293.	2.7	72
47	Polycyclic aromatic hydrocarbons: Bees, honey and pollen as sentinels for environmental chemical contaminants. <i>Chemosphere</i> , 2012, 86, 98-104.	8.2	72
48	Determination of naturally occurring oestrogens and androgens in retail samples of milk and eggs. <i>Food Additives and Contaminants</i> , 2007, 24, 1358-1366.	2.0	71
49	PCDD/F and PCB transfer to milk in goats exposed to a long-term intake of contaminated hay. <i>Chemosphere</i> , 2006, 64, 650-657.	8.2	67
50	Exposure Assessment of Prepubertal Children to Steroid Endocrine Disruptors. 2. Determination of Steroid Hormones in Milk, Egg, and Meat Samples. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 3176-3184.	5.2	66
51	Ibuprofen results in alterations of human fetal testis development. <i>Scientific Reports</i> , 2017, 7, 44184.	3.3	65
52	Occurrence of priority and emerging organic compounds in fishes from the Rhone River (France). <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 2721-2735.	3.7	63
53	In utero exposure to cigarette smoke dysregulates human fetal ovarian developmental signalling. <i>Human Reproduction</i> , 2014, 29, 1471-1489.	0.9	63
54	Identification of phytoestrogens in bovine milk using liquid chromatography/electrospray tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 1256-1264.	1.5	62

#	ARTICLE	IF	CITATIONS
55	PCDD/Fs and dioxin-like PCBs in sediment and biota from the Mondego estuary (Portugal). Chemosphere, 2011, 83, 1345-1352.	8.2	62
56	Multi-residue extraction and purification procedure for corticosteroids in biological samples for efficient control of their misuse in livestock production. Biomedical Applications, 2001, 757, 11-19.	1.7	61
57	Assessment of two complementary liquid chromatography coupled to high resolution mass spectrometry metabolomics strategies for the screening of anabolic steroid treatment in calves. Analytica Chimica Acta, 2011, 700, 144-154.	5.4	59
58	Ligerin, an Antiproliferative Chlorinated Sesquiterpenoid from a Marine-Derived <i>Penicillium</i> Strain. Journal of Natural Products, 2013, 76, 297-301.	3.0	59
59	Occurrence of POPs and other persistent organic contaminants in the European eel (<i>Anguilla</i>) Tj ETQq1 1 0.784314 mgBT /Overlock 10 T	8.9	58
60	Associations between persistent organic pollutants and risk of breast cancer metastasis. Environment International, 2019, 132, 105028.	10.0	58
61	Human epidemiological evidence about the associations between exposure to organochlorine chemicals and endometriosis: Systematic review and meta-analysis. Environment International, 2019, 123, 209-223.	10.0	58
62	Consequence of boar edible tissue consumption on urinary profiles of nandrolone metabolites. I. Mass spectrometric detection and quantification of 19-norandrosterone and 19-noretiocholanolone in human urine. Rapid Communications in Mass Spectrometry, 2000, 14, 1058-1065.	1.5	56
63	Analytical strategies for the direct mass spectrometric analysis of steroid and corticosteroid phase II metabolites. Steroids, 2005, 70, 205-216.	1.8	56
64	Interlaboratory and Interplatform Study of Steroids Collision Cross Section by Traveling Wave Ion Mobility Spectrometry. Analytical Chemistry, 2020, 92, 5013-5022.	6.5	56
65	Preliminary assays to elucidate the structure of oxytetracycline's degradation products in sediments. Biomedical Applications, 2000, 748, 369-381.	1.7	54
66	Application of stable carbon isotope analysis to the detection of 17β -estradiol administration to cattle. Journal of Chromatography A, 2005, 1093, 69-80.	3.7	54
67	Screening halogenated environmental contaminants in biota based on isotopic pattern and mass defect provided by high resolution mass spectrometry profiling. Analytica Chimica Acta, 2016, 936, 130-138.	5.4	54
68	HaloSeeker 1.0: A User-Friendly Software to Highlight Halogenated Chemicals in Nontargeted High-Resolution Mass Spectrometry Data Sets. Analytical Chemistry, 2019, 91, 3500-3507.	6.5	52
69	Occurrence of perfluorinated alkylated substances in breast milk of French women and relation with socio-demographical and clinical parameters: Results of the ELFE pilot study. Chemosphere, 2013, 91, 802-808.	8.2	51
70	Endogenous nandrolone metabolites in human urine: preliminary results to discriminate between endogenous and exogenous origin. Steroids, 2002, 67, 105-110.	1.8	50
71	Study of natural and artificial corticosteroid phase II metabolites in bovine urine using HPLC-MS/MS. Steroids, 2002, 67, 873-882.	1.8	50
72	Multi-residue method for the determination of thyreostats in urine samples using liquid chromatography coupled to tandem mass spectrometry after derivatisation with 3-iodobenzylbromide. Journal of Chromatography A, 2005, 1085, 247-252.	3.7	50

#	ARTICLE	IF	CITATIONS
73	Effective monitoring for ractopamine residues in samples of animal origin by SPR biosensor and mass spectrometry. <i>Analytica Chimica Acta</i> , 2008, 608, 217-225.	5.4	50
74	Evidence that urinary excretion of thiouracil in adult bovine submitted to a cruciferous diet can give erroneous indications of the possible illegal use of thyrostats in meat production. <i>Food Additives and Contaminants</i> , 2006, 23, 974-980.	2.0	49
75	Patulin and secondary metabolite production by marine-derived <i>Penicillium</i> strains. <i>Fungal Biology</i> , 2012, 116, 954-961.	2.5	49
76	Assessment of dietary exposure to bisphenol A in the French population with a special focus on risk characterisation for pregnant French women. <i>Food and Chemical Toxicology</i> , 2014, 72, 90-97.	3.6	49
77	Analysis of glucuronide and sulfate steroids in urine by ultra-high-performance supercritical-fluid chromatography hyphenated tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 4473-4484.	3.7	49
78	Determination of PAH profiles by GC-MS/MS in salmon processed by four cold-smoking techniques. <i>Food Additives and Contaminants</i> , 2007, 24, 744-757.	2.0	48
79	Monitoring Anabolic Steroids in Meat-Producing Animals. Review of Current Hyphenated Mass Spectrometric Techniques. <i>Chromatographia</i> , 2004, 59, S3-S11.	1.3	47
80	Exposure assessment of prepubertal children to steroid endocrine disrupters. <i>Analytica Chimica Acta</i> , 2007, 586, 105-114.	5.4	47
81	Global gene expression profiles induced by phytoestrogens in human breast cancer cells. <i>Endocrine-Related Cancer</i> , 2008, 15, 161-173.	3.1	47
82	Impact of storage conditions on the urinary metabolomics fingerprint. <i>Analytica Chimica Acta</i> , 2017, 951, 99-107.	5.4	47
83	An Investigation of the Endocrine-Disruptive Effects of Bisphenol A in Human and Rat Fetal Testes. <i>PLoS ONE</i> , 2015, 10, e0117226.	2.5	47
84	Transfer assessment of fipronil residues from feed to cow milk. <i>Talanta</i> , 2007, 73, 710-717.	5.5	46
85	Distribution of persistent organic pollutants in serum, omental, and parietal adipose tissue of French women with deep infiltrating endometriosis and circulating versus stored ratio as new marker of exposure. <i>Environment International</i> , 2016, 97, 125-136.	10.0	46
86	Versatile lipid profiling by liquid chromatography-high resolution mass spectrometry using all ion fragmentation and polarity switching. Preliminary application for serum samples phenotyping related to canine mammary cancer. <i>Analytica Chimica Acta</i> , 2013, 796, 75-83.	5.4	45
87	Determination of the exogenous character of testosterone in bovine urine by gas chromatography-combustion-isotope ratio mass spectrometry. <i>Analyst</i> , 1998, 123, 2617-2620.	3.5	44
88	Determination of Phenanthrene and Hydroxyphenanthrenes in Various Biological Matrices at Trace Levels using Gas Chromatography-Mass Spectrometry. <i>Journal of Analytical Toxicology</i> , 2005, 29, 175-181.	2.8	44
89	Organoleptic characterization and PAH content of salmon (<i>Salmo salar</i>) fillets smoked according to four industrial smoking techniques. <i>Journal of the Science of Food and Agriculture</i> , 2007, 87, 847-854.	3.5	44
90	Development and validation of a multi-residue method for the detection of a wide range of hormonal anabolic compounds in hair using gas chromatography-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2007, 586, 93-104.	5.4	44

#	ARTICLE	IF	CITATIONS
91	Development of an analytical strategy based on liquid chromatography–high resolution mass spectrometry for measuring perfluorinated compounds in human breast milk: Application to the generation of preliminary data regarding perinatal exposure in France. <i>Chemosphere</i> , 2011, 85, 473-480.	8.2	43
92	Collision cross section (CCS) as a complementary parameter to characterize human and veterinary drugs. <i>Analytica Chimica Acta</i> , 2018, 1043, 52-63.	5.4	43
93	A new reliable sample preparation for high throughput focused steroid profiling by gas chromatography–mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 6652-6660.	3.7	42
94	First mass spectrometry metabolic fingerprinting of bacterial metabolism in a model cheese. <i>Food Chemistry</i> , 2013, 141, 1032-1040.	8.2	42
95	Regional Sub-Saharan Africa Total Diet Study in Benin, Cameroon, Mali and Nigeria Reveals the Presence of 164 Mycotoxins and Other Secondary Metabolites in Foods. <i>Toxins</i> , 2019, 11, 54.	3.4	42
96	Exposure of the French population to bisphenols, phthalates, parabens, glycol ethers, brominated flame retardants, and perfluorinated compounds in 2014–2016: Results from the Esteban study. <i>Environment International</i> , 2021, 147, 106340.	10.0	42
97	Criteria to distinguish between natural situations and illegal use of boldenone, boldenone esters and boldione in cattle. <i>Steroids</i> , 2006, 71, 1078-1087.	1.8	41
98	Combining biomarker screening and mass-spectrometric analysis to detect hormone abuse in cattle. <i>TrAC - Trends in Analytical Chemistry</i> , 2009, 28, 665-675.	11.4	41
99	Associations between internal exposure levels of persistent organic pollutants in adipose tissue and deep infiltrating endometriosis with or without concurrent ovarian endometrioma. <i>Environment International</i> , 2017, 108, 195-203.	10.0	41
100	Detection and identification of anabolic steroids in bovine urine by gas chromatography–mass spectrometry. <i>Analytica Chimica Acta</i> , 1993, 275, 123-133.	5.4	40
101	Enzymatic hydrolysis of conjugated steroid metabolites: search for optimum conditions using response surface methodology. <i>Analyst</i> , The, 2000, 125, 2255-2259.	3.5	40
102	Effect of Exposure to Soil-Bound Polycyclic Aromatic Hydrocarbons on Milk Contaminations of Parent Compounds and Their Monohydroxylated Metabolites. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 263-268.	5.2	40
103	Development of a metabonomic approach based on LC-ESI-HRMS measurements for profiling of metabolic changes induced by recombinant equine growth hormone in horse urine. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 2119-2128.	3.7	40
104	Metabolomic approach based on liquid chromatography coupled to high resolution mass spectrometry to screen for the illegal use of estradiol and progesterone in cattle. <i>Analytica Chimica Acta</i> , 2011, 700, 16-25.	5.4	40
105	Metabolomics as a Potential New Approach for Investigating Human Reproductive Disorders. <i>Journal of Proteome Research</i> , 2013, 12, 2914-2920.	3.7	40
106	Micropollutants and chemical residues in organic and conventional meat. <i>Food Chemistry</i> , 2017, 232, 218-228.	8.2	40
107	Application of Stable Carbon Isotope Analysis to the Detection of Testosterone Administration to Cattle. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 2850-2858.	5.2	39
108	Generation and processing of urinary and plasmatic metabolomic fingerprints to reveal an illegal administration of recombinant equine growth hormone from LC-HRMS measurements. <i>Metabolomics</i> , 2011, 7, 84-93.	3.0	39

#	ARTICLE	IF	CITATIONS
109	Metabolomics in food analysis: application to the control of forbidden substances. Drug Testing and Analysis, 2012, 4, 59-69.	2.6	39
110	LC-HRMS based metabolomics screening model to detect various β^2 -agonists treatments in bovines. Metabolomics, 2015, 11, 403-411.	3.0	39
111	Milk and Urine Excretion of Polycyclic Aromatic Hydrocarbons and Their Hydroxylated Metabolites After a Single Oral Administration in Ruminants. Journal of Dairy Science, 2007, 90, 2624-2629.	3.4	38
112	Determination of thyreostats in urine and thyroid gland by ultra high performance liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2009, 1216, 8080-8089.	3.7	38
113	Characterization of nitrogen relationships between Sorghum bicolor and the root-hemiparasitic angiosperm Striga hermonthica (Del.) Benth. using $K^{15}NO_3$ as isotopic tracer. Journal of Experimental Botany, 2003, 54, 789-799.	4.8	37
114	Analysis of thyreostats: A history of 35 years. Analytica Chimica Acta, 2009, 637, 2-12.	5.4	37
115	Measurement of phthalates diesters in food using gas chromatography-tandem mass spectrometry. Food Chemistry, 2016, 196, 211-219.	8.2	37
116	Rapid evaporative ionisation mass spectrometry and chemometrics for high-throughput screening of growth promoters in meat producing animals. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2018, 35, 900-910.	2.3	37
117	Ultra high performance liquid chromatography/tandem mass spectrometry based identification of steroid esters in serum and plasma: An efficient strategy to detect natural steroids abuse in breeding and racing animals. Journal of Chromatography A, 2013, 1284, 126-140.	3.7	36
118	Levels of persistent organic pollutants (POPs) in foods from the first regional Sub-Saharan Africa Total Diet Study. Environment International, 2020, 135, 105413.	10.0	36
119	Addressing Main Challenges Regarding Short- and Medium-Chain Chlorinated Paraffin Analysis Using GC/ECNI-MS and LC/ESI-MS Methods. Journal of the American Society for Mass Spectrometry, 2020, 31, 1885-1895.	2.8	36
120	Characterization of exogenous testosterone in livestock by gas chromatography/combustion/isotope ratio mass spectrometry: influence of feeding and age. , 2000, 14, 652-656.		35
121	Studying variations in the PCDD/PCDF profile across various food products using multivariate statistical analysis. Analytical and Bioanalytical Chemistry, 2006, 384, 271-279.	3.7	35
122	Structural investigation and elucidation of new communesins from a marine-derived <i>Penicillium expansum</i> Link by liquid chromatography/electrospray ionization mass spectrometry. Rapid Communications in Mass Spectrometry, 2009, 23, 3928-3938.	1.5	35
123	Dioxin-like, non-dioxin like PCB and PCDD/F contamination in European eel (<i>Anguilla anguilla</i>) from the Loire estuarine continuum: Spatial and biological variabilities. Science of the Total Environment, 2014, 472, 562-571.	8.0	35
124	High Throughput Identification and Quantification of Anabolic Steroid Esters by Atmospheric Solids Analysis Probe Mass Spectrometry for Efficient Screening of Drug Preparations. Analytical Chemistry, 2014, 86, 5649-5655.	6.5	35
125	Resistant Starch Modulates In Vivo Colonic Butyrate Uptake and Its Oxidation in Rats with Dextran Sulfate Sodium-Induced Colitis. Journal of Nutrition, 2004, 134, 493-500.	2.9	34
126	French infant total diet study: Dietary exposure to heat-induced compounds (acrylamide, furan and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 130, 308-316.	3.6	34

#	ARTICLE	IF	CITATIONS
127	Detection and identification of thyreostats in the thyroid gland by gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 1997, 340, 201-208.	5.4	33
128	Development and validation of an ultra-high performance liquid chromatography tandem mass spectrometry method for quantifying thyreostats in urine without derivatisation. <i>Journal of Chromatography A</i> , 2010, 1217, 4285-4293.	3.7	33
129	Relative bioavailability to laying hens of indicator polychlorobiphenyls present in soil. <i>Chemosphere</i> , 2012, 88, 300-306.	8.2	33
130	Is the fresh water fish consumption a significant determinant of the internal exposure to perfluoroalkylated substances (PFAS)?. <i>Toxicology Letters</i> , 2014, 231, 233-238.	0.8	33
131	Polychlorinated dibenzo-p-dioxins, furans, and biphenyls (PCDDs/PCDFs and PCBs) in breast milk and early childhood growth and IGF1. <i>Reproduction</i> , 2014, 147, 391-399.	2.6	33
132	Identification of Endogenous 19-Nortestosterone in Pregnant Ewes by Gas Chromatography-Mass Spectrometry. <i>Analyst</i> , 1997, 122, 471-474.	3.5	32
133	Gas chromatography/combustion/isotope ratio mass spectrometry to control the misuse of androgens in breeding animals: new derivatisation method applied to testosterone metabolites and precursors in urine samples. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 2509-2514.	1.5	32
134	Ecdysteroids: one potential new anabolic family in breeding animals. <i>Analytica Chimica Acta</i> , 2002, 473, 89-97.	5.4	32
135	Application of Gas Chromatography-Mass Spectrometry/Combustion/Isotope Ratio Mass Spectrometry (GC-MS/C/IRMS) To Detect the Abuse of 17 β -Estradiol in Cattle. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 7242-7249.	5.2	32
136	Determination of a Large Set of β -Adrenergic Agonists in Animal Matrices Based on Ion Mobility and Mass Separations. <i>Analytical Chemistry</i> , 2015, 87, 9234-9242.	6.5	32
137	A multidimensional 1H NMR lipidomics workflow to address chemical food safety issues. <i>Metabolomics</i> , 2018, 14, 60.	3.0	32
138	Application of Hyphenated Mass Spectrometric Techniques to the Determination of Corticosteroid Residues in Biological Matrices. <i>Chromatographia</i> , 2004, 59, S13-S22.	1.3	31
139	LC-ESI-MS/MS determination of phenylurea and triazine herbicides and their dealkylated degradation products in oysters. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006, 838, 96-106.	2.3	31
140	Identification and quantification of 5 α -dihydrotestosterone in the teleost fathead minnow (<i>Pimephales</i>) Tj ETQq0 0 0 rgBT /Overlock 10. <i>Endocrinology</i> , 2013, 191, 202-209.	1.8	31
141	Comparison of Analytical Strategies for the Chromatographic and Mass Spectrometric Measurement of Brominated Flame Retardants: 1. Polybrominated Diphenylethers. <i>Journal of Chromatographic Science</i> , 2006, 44, 489-497.	1.4	30
142	Identification of Recombinant Equine Growth Hormone in Horse Plasma by LC-MS/MS: A Confirmatory Analysis in Doping Control. <i>Analytical Chemistry</i> , 2008, 80, 8340-8347.	6.5	30
143	Detection of secondary biomarker of met-eGH as a strategy to screen for somatotropin misuse in horseracing. <i>Analyst</i> , 2008, 133, 270-276.	3.5	30
144	Chlorination of bisphenol A: Non-targeted screening for the identification of transformation products and assessment of estrogenicity in generated water. <i>Chemosphere</i> , 2013, 93, 2814-2822.	8.2	30

#	ARTICLE	IF	CITATIONS
145	Evaluation of specific gravity as normalization strategy for cattle urinary metabolome analysis. <i>Metabolomics</i> , 2014, 10, 627-637.	3.0	30
146	Direct analysis in real time LC^{H} -high resolution mass spectrometry (DART LC^{H} -HRMS): a high throughput strategy for identification and quantification of anabolic steroid esters. <i>Drug Testing and Analysis</i> , 2015, 7, 603-608.	2.6	30
147	Potential of mass spectrometry metabolomics for chemical food safety. <i>Bioanalysis</i> , 2015, 7, 133-146.	1.5	30
148	Polycyclic aromatic hydrocarbons in foods from the first regional total diet study in Sub-Saharan Africa: contamination profile and occurrence data. <i>Food Control</i> , 2019, 103, 133-144.	5.5	30
149	Consequence of boar edible tissue consumption on urinary profiles of nandrolone metabolites. II. Identification and quantification of 19-norsteroids responsible for 19-norandrosterone and 19-noretiocholanolone excretion in human urine. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 1442-1447.	1.5	29
150	Determination of hormonal growth promoters in bovine hair: Comparison of liquid chromatography LC^{H} -mass spectrometry and gas chromatography GC^{H} -mass spectrometry methods for estradiol benzoate and nortestosterone decanoate. <i>Analytica Chimica Acta</i> , 2009, 637, 165-172.	5.4	29
151	LC^{H} -HRMS fingerprinting as an efficient approach to highlight fine differences in cheese metabolome during ripening. <i>Metabolomics</i> , 2015, 11, 1117-1130.	3.0	29
152	Endogenous occurrence of some anabolic steroids in swine matrices. <i>Food Additives and Contaminants</i> , 2005, 22, 808-815.	2.0	28
153	Detection and identification of 20-hydroxyecdysone metabolites in calf urine by liquid chromatography-high resolution or tandem mass spectrometry measurements and establishment of their kinetics of elimination after 20-hydroxyecdysone administration. <i>Analytica Chimica Acta</i> , 2009, 637, 178-184.	5.4	28
154	Criteria to distinguish between natural situations and illegal use of boldenone, boldenone esters and boldione in cattle. <i>Steroids</i> , 2009, 74, 803-808.	1.8	28
155	Polychlorinated Biphenyl and Low Polybrominated Diphenyl Ether Transfer to Milk in Lactating Goats Chronically Exposed to Contaminated Soil. <i>Environmental Science & Technology</i> , 2010, 44, 2682-2688.	10.0	28
156	Screening of 4-androstenedione misuse in cattle by LC^{H} -MS/MS profiling of glucuronide and sulfate steroids in urine. <i>Talanta</i> , 2011, 86, 186-194.	5.5	28
157	Steroid hormone profiling in human breast adipose tissue using semi-automated purification and highly sensitive determination of estrogens by GC-APCI-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 259-275.	3.7	28
158	Potential of ion mobility-mass spectrometry for both targeted and non-targeted analysis of phase II steroid metabolites in urine. <i>Analytica Chimica Acta: X</i> , 2019, 1, 100006.	1.0	28
159	Quantitative method for conjugated metabolites of bisphenol A and bisphenol S determination in food of animal origin by Ultra High Performance Liquid Chromatography LC^{H} -Tandem Mass Spectrometry. <i>Journal of Chromatography A</i> , 2019, 1601, 232-242.	3.7	28
160	Elimination kinetic of recombinant somatotropin in bovine. <i>Analytica Chimica Acta</i> , 2009, 637, 121-127.	5.4	27
161	Targeted phase II metabolites profiling as new screening strategy to investigate natural steroid abuse in animal breeding. <i>Analytica Chimica Acta</i> , 2011, 700, 105-113.	5.4	27
162	Implementation of a semi-automated strategy for the annotation of metabolomic fingerprints generated by liquid chromatography-high resolution mass spectrometry from biological samples. <i>Analyt. The</i> , 2012, 137, 4958.	3.5	27

#	ARTICLE	IF	CITATIONS
163	Kinetic study of $\hat{1}^3$ -hexabromocyclododecane orally given to laying hens (<i>Gallus domesticus</i>). <i>Environmental Science and Pollution Research</i> , 2012, 19, 440-447.	5.3	27
164	Dietary exposure to perfluoroalkyl acids of specific French adult sub-populations: High seafood consumers, high freshwater fish consumers and pregnant women. <i>Science of the Total Environment</i> , 2014, 491-492, 170-175.	8.0	27
165	Monitoring the endogenous steroid profile disruption in urine and blood upon nandrolone administration: An efficient and innovative strategy to screen for nandrolone abuse in entire male horses. <i>Drug Testing and Analysis</i> , 2014, 6, 376-388.	2.6	27
166	Effect of oral exposure to polycyclic aromatic hydrocarbons on goat's milk contamination. <i>Agronomy for Sustainable Development</i> , 2006, 26, 195-199.	5.3	27
167	Associations between persistent organic pollutants and endometriosis: A multiblock approach integrating metabolic and cytokine profiling. <i>Environment International</i> , 2022, 158, 106926.	10.0	27
168	Elimination kinetic of $17\hat{1}^2$ -estradiol 3-benzoate and $17\hat{1}^2$ -nandrolone laureate ester metabolites in calves' urine. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2008, 110, 30-38.	2.5	26
169	Molecularly imprinted polymer applied to the selective isolation of urinary steroid hormones: An efficient tool in the control of natural steroid hormones abuse in cattle. <i>Journal of Chromatography A</i> , 2012, 1270, 51-61.	3.7	26
170	Ultra-trace quantification method for chlordecone in human fluids and tissues. <i>Journal of Chromatography A</i> , 2015, 1408, 169-177.	3.7	26
171	Pollutants in pet dogs: a model for environmental links to breast cancer. <i>SpringerPlus</i> , 2015, 4, 27.	1.2	26
172	Serum-based metabolomics characterization of pigs treated with ractopamine. <i>Metabolomics</i> , 2017, 13, 1.	3.0	26
173	Transfer of short-, medium-, and long-chain chlorinated paraffins to eggs of laying hens after dietary exposure. <i>Food Chemistry</i> , 2021, 343, 128491.	8.2	26
174	Gas chromatographic-mass spectrometric identification of main metabolites of stanozolol in cattle after oral and subcutaneous administration. <i>Biomedical Applications</i> , 1997, 695, 269-277.	1.7	25
175	European Analytical Criteria: Past, Present, and Future. <i>Journal of AOAC INTERNATIONAL</i> , 2011, 94, 360-372.	1.5	25
176	Gas chromatography coupled to mass spectrometry-based metabolomic to screen for anabolic practices in cattle: identification of 5α -androstane- 2α -ene- 17α -one as new biomarker of 4α -androstenedione misuse. <i>Journal of Mass Spectrometry</i> , 2012, 47, 131-140.	1.7	25
177	How metabolomics can contribute to bio-processes: a proof of concept study for biomarkers discovery in the context of nitrogen-starved microalgae grown in photobioreactors. <i>Metabolomics</i> , 2013, 9, 1286-1300.	3.0	25
178	Perfluoroalkyl Acid Contamination and Polyunsaturated Fatty Acid Composition of French Freshwater and Marine Fishes. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 7593-7603.	5.2	25
179	Global urine fingerprinting by LC-ESI(+)-HRMS for better characterization of metabolic pathway disruption upon anabolic practices in bovine. <i>Metabolomics</i> , 2015, 11, 184-197.	3.0	25
180	Non-targeted screening methodology to characterise human internal chemical exposure: Application to halogenated compounds in human milk. <i>Talanta</i> , 2021, 225, 121979.	5.5	25

#	ARTICLE	IF	CITATIONS
181	Endogenous Nandrolone Metabolites in Human Urine. Two-Year Monitoring of Male Professional Soccer Players. <i>Journal of Analytical Toxicology</i> , 2002, 26, 43-47.	2.8	24
182	Estranediols profiling in calves' urine after 17β -nandrolone laureate ester administration. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010, 121, 626-632.	2.5	24
183	Determination of MRL regulated corticosteroids in liver from various species using ultra high performance liquid chromatography-tandem mass spectrometry (UHPLC). <i>Analytica Chimica Acta</i> , 2011, 700, 137-143.	5.4	24
184	Human anogenital distance: an update on fetal smoke-exposure and integration of the perinatal literature on sex differences. <i>Human Reproduction</i> , 2016, 31, 463-472.	0.9	24
185	Methodology design of the regional Sub-Saharan Africa Total Diet Study in Benin, Cameroon, Mali and Nigeria. <i>Food and Chemical Toxicology</i> , 2017, 109, 155-169.	3.6	24
186	Differentiation of betamethasone and dexamethasone using liquid chromatography/positive electrospray tandem mass spectrometry and multivariate statistical analysis. <i>Journal of Mass Spectrometry</i> , 2002, 37, 69-75.	1.6	23
187	Direct determination of recombinant bovine somatotropin in plasma from a treated goat by liquid chromatography/high-resolution mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 3130-3136.	1.5	23
188	Comparison of different liquid chromatography stationary phases in LC-MS metabolomics for the detection of recombinant growth hormone doping control. <i>Journal of Separation Science</i> , 2011, 34, 3493-3501.	2.5	23
189	Human health risks related to the consumption of foodstuffs of plant and animal origin produced on a site polluted by chemical munitions of the First World War. <i>Science of the Total Environment</i> , 2017, 599-600, 314-323.	8.0	23
190	Comprehensive steroid profiling by liquid chromatography coupled to high resolution mass spectrometry. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018, 183, 106-115.	2.5	23
191	Toward the characterisation of non-intentionally added substances migrating from polyester-polyurethane lacquers by comprehensive gas chromatography-mass spectrometry technologies. <i>Journal of Chromatography A</i> , 2019, 1601, 327-334.	3.7	23
192	Optimized characterization of short-, medium, and long-chain chlorinated paraffins in liquid chromatography-high resolution mass spectrometry. <i>Journal of Chromatography A</i> , 2020, 1619, 460927.	3.7	23
193	Health risk assessment to dioxins, furans and PCBs in young children: The first French evaluation. <i>Food and Chemical Toxicology</i> , 2020, 139, 111292.	3.6	23
194	4-Chlorotestosterone acetate metabolites in cattle after intramuscular and oral administrations. <i>Clinical Chemistry</i> , 1998, 44, 973-984.	3.2	22
195	Development and validation of a method for fipronil residue determination in ovine plasma using 96-well plate solid-phase extraction and gas chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1201, 91-99.	3.7	22
196	Detection of hazardous food contaminants by transcriptomics fingerprinting. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 181-191.	11.4	22
197	Fast and multiresidue determination of twenty glucocorticoids in bovine milk using ultra high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1294, 76-86.	3.7	22
198	Simultaneous Detection of Androgen and Estrogen Abuse in Breeding Animals by Gas Chromatography-Mass Spectrometry/Combustion/Isotope Ratio Mass Spectrometry (GC-MS/C/IRMS) Evaluated against Alternative Methods. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 7574-7581.	5.2	22

#	ARTICLE	IF	CITATIONS
199	Tissue Distribution and Transfer to Eggs of Ingested $\hat{\pm}$ -Hexabromocyclododecane ($\hat{\pm}$ -HBCDD) in Laying Hens (<i>Gallus domesticus</i>). Journal of Agricultural and Food Chemistry, 2016, 64, 2112-2119.	5.2	22
200	Tissue Uptake, Distribution, and Elimination of Perfluoroalkyl Substances in Juvenile Perch through Perfluorooctane Sulfonamidoethanol Based Phosphate Diester Dietary Exposure. Environmental Science & Technology, 2017, 51, 7658-7666.	10.0	22
201	Public health risks and benefits associated with breast milk and infant formula consumption. Critical Reviews in Food Science and Nutrition, 2018, 58, 126-145.	10.3	22
202	Elucidation of non-intentionally added substances migrating from polyester-polyurethane lacquers using automated LC-HRMS data processing. Analytical and Bioanalytical Chemistry, 2018, 410, 5391-5403.	3.7	22
203	A role for metabolomics in the antidoping toolbox?. Drug Testing and Analysis, 2020, 12, 677-690.	2.6	22
204	Bioavailability of Polycyclic Aromatic Hydrocarbons (PAHs) from Soil and Hay Matrices in Lactating Goats. Journal of Agricultural and Food Chemistry, 2009, 57, 5352-5357.	5.2	21
205	Neurodevelopmental and behavioral effects of nonylphenol exposure during gestational and breastfeeding period on F1 rats. NeuroToxicology, 2014, 44, 237-249.	3.0	21
206	Simultaneous analysis of historical, emerging and novel brominated flame retardants in food and feed using a common extraction and purification method. Chemosphere, 2018, 205, 31-40.	8.2	21
207	Developments in residue assay and metabolism study of growth-promoters by mass spectrometric analysis. Analyst, The, 1994, 119, 2529-2535.	3.5	20
208	Modification of 17 $\hat{\beta}$ -estradiol metabolite profile in steer edible tissues after estradiol implant administration. Analytica Chimica Acta, 2003, 483, 289-297.	5.4	20
209	Multi-functional sample preparation procedure for measuring phytoestrogens in milk, cereals, and baby-food by liquid-chromatography tandem mass spectrometry with subsequent determination of their estrogenic activity using transcriptomic assay. Analytica Chimica Acta, 2009, 637, 55-63.	5.4	20
210	Detection of recombinant bovine somatotropin in milk and effect of industrial processes on its stability. Analytica Chimica Acta, 2010, 672, 45-49.	5.4	20
211	Use of Volatile Compound Metabolic Signatures in Poultry Liver to Back-Trace Dietary Exposure to Rapidly Metabolized Xenobiotics. Environmental Science & Technology, 2011, 45, 6584-6591.	10.0	20
212	Development and validation of an enzyme-linked immunosorbent assay for the detection of circulating antibodies raised against growth hormone as a consequence of rbST treatment in cows. Analytica Chimica Acta, 2011, 700, 189-193.	5.4	20
213	Short-term effects of a perinatal exposure to the HBCDD $\hat{\pm}$ -isomer in rats: Assessment of early motor and sensory development, spontaneous locomotor activity and anxiety in pups. Neurotoxicology and Teratology, 2015, 52, 170-180.	2.4	20
214	Recombinant bovine somatotropin misuse in cattle. Analytica Chimica Acta, 2005, 529, 41-46.	5.4	19
215	Unambiguous identification of thiouracil residue in urine collected in non-treated bovine by tandem and high-resolution mass spectrometry. Rapid Communications in Mass Spectrometry, 2006, 20, 3183-3187.	1.5	19
216	Identification of Cows Treated with Recombinant Bovine Somatotropin. Journal of Agricultural and Food Chemistry, 2010, 58, 729-733.	5.2	19

#	ARTICLE	IF	CITATIONS
217	Toward a criterion for suspect thiouracil administration in animal husbandry. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2011, 28, 840-847.	2.3	19
218	Occurrence of 30 trace elements in foods from a multi-centre Sub-Saharan Africa Total Diet Study: Focus on Al, As, Cd, Hg, and Pb. Environment International, 2019, 133, 105197.	10.0	19
219	WiPP: Workflow for Improved Peak Picking for Gas Chromatography-Mass Spectrometry (GC-MS) Data. Metabolites, 2019, 9, 171.	2.9	19
220	Ammonium Fluoride as Suitable Additive for HILIC-Based LC-HRMS Metabolomics. Metabolites, 2019, 9, 292.	2.9	19
221	Pitfalls in trimethylsilylation of anabolic steroids. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 816, 281-288.	2.3	18
222	Detection of 20 α -hydroxyecdysone in calf urine by comparative liquid chromatography/high-resolution mass spectrometry and liquid chromatography/tandem mass spectrometry measurements: application to the control of the potential misuse of ecdysteroids in cattle. Rapid Communications in Mass Spectrometry, 2008, 22, 4073-4080.	1.5	18
223	Feed or Food Responsible for the Presence of Low-Level Thiouracil in Urine of Livestock and Humans?. Journal of Agricultural and Food Chemistry, 2011, 59, 5786-5792.	5.2	18
224	Use of isotope ratio mass spectrometry to differentiate between endogenous steroids and synthetic homologues in cattle: A review. Analytica Chimica Acta, 2013, 772, 1-15.	5.4	18
225	Toward a New European Threshold to Discriminate Illegally Administered from Naturally Occurring Thiouracil in Livestock. Journal of Agricultural and Food Chemistry, 2015, 63, 1339-1346.	5.2	18
226	Phthalates Exert Multiple Effects on Leydig Cell Steroidogenesis. Hormone Research in Paediatrics, 2016, 86, 253-263.	1.8	18
227	Release and toxicity of adipose tissue-stored TCDD: Direct evidence from a xenografted fat model. Environment International, 2018, 121, 1113-1120.	10.0	18
228	When LC-HRMS metabolomics gets ISO17025 accredited and ready for official controls " application to the screening of forbidden compounds in livestock. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2018, 35, 1948-1958.	2.3	18
229	Improvement of estradiol esters monitoring in bovine hair by dansylation and liquid chromatography/tandem mass spectrometry analysis in multiple reaction monitoring and precursor ion scan modes. Rapid Communications in Mass Spectrometry, 2012, 26, 819-827.	1.5	17
230	Thyroid endocrine status of wild European eels (<i>Anguilla anguilla</i>) in the Loire (France). Relationships with organic contaminant body burdens. Science of the Total Environment, 2016, 550, 391-405.	8.0	17
231	Spatial Distribution of <i>Lactococcus lactis</i> Colonies Modulates the Production of Major Metabolites during the Ripening of a Model Cheese. Applied and Environmental Microbiology, 2016, 82, 202-210.	3.1	17
232	Development and Application of a Probabilistic Risk-Benefit Assessment Model for Infant Feeding Integrating Microbiological, Nutritional, and Chemical Components. Risk Analysis, 2017, 37, 2360-2388.	2.7	17
233	Human health risks related to the consumption of foodstuffs of animal origin contaminated by bisphenol A. Food and Chemical Toxicology, 2017, 110, 333-339.	3.6	17
234	Associations between exposure to organochlorine chemicals and endometriosis in experimental studies: A systematic review protocol. Environment International, 2019, 124, 400-407.	10.0	17

#	ARTICLE	IF	CITATIONS
235	Sub-Saharan Africa total diet study in Benin, Cameroon, Mali and Nigeria: Pesticides occurrence in foods. Food Chemistry: X, 2019, 2, 100034.	4.3	17
236	Contamination of food by fluorinated surfactants – Distribution in emulsions and impact on the interfacial protein behaviour. Food Hydrocolloids, 2009, 23, 1149-1155.	10.7	16
237	Analytical strategies to detect use of recombinant bovine somatotropin in food-producing animals. TrAC - Trends in Analytical Chemistry, 2014, 53, 1-10.	11.4	16
238	Associations between persistent organic pollutants and endometriosis: A multipollutant assessment using machine learning algorithms. Environmental Pollution, 2020, 260, 114066.	7.5	16
239	Nontargeted LC/ESI-HRMS Detection of Polyhalogenated Compounds in Marine Mammals Stranded on French Atlantic Coasts. ACS ES&T Water, 2021, 1, 309-318.	4.6	16
240	Discrimination of Recombinant and Pituitary-Derived Bovine and Porcine Growth Hormones by Peptide Mass Mapping. Journal of Agricultural and Food Chemistry, 2004, 52, 407-414.	5.2	15
241	Elimination kinetics of dexamethasone in bovine urine, hair and feces following single administration of dexamethasone acetate and phosphate esters. Steroids, 2011, 76, 111-117.	1.8	15
242	Analytical strategies to detect enobosarm administration in bovines. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2017, 34, 632-640.	2.3	15
243	Androgenic potential of human fetal adrenals at the end of the first trimester. Endocrine Connections, 2017, 6, 348-359.	1.9	15
244	Field investigation to determine the environmental source of PCBs in a pig farm. Food Chemistry, 2018, 245, 394-401.	8.2	15
245	Modeling the fragmentation patterns of triacylglycerides in mass spectrometry allows the quantification of the regioisomers with a minimal number of standards. Analytica Chimica Acta, 2019, 1057, 60-69.	5.4	15
246	Simultaneous exploration of nutrients and pollutants in human milk and their impact on preterm infant growth: An integrative cross-platform approach. Environmental Research, 2020, 182, 109018.	7.5	15
247	Human dietary exposure to chemicals in sub-Saharan Africa: safety assessment through a total diet study. Lancet Planetary Health, The, 2020, 4, e292-e300.	11.4	15
248	Associations between human internal chemical exposure to Persistent Organic Pollutants (POPs) and In Vitro Fertilization (IVF) outcomes: Systematic review and evidence map of human epidemiological evidence. Reproductive Toxicology, 2021, 105, 184-197.	2.9	15
249	N-Methyl-N-alkylsilyltrifluoroacetamide – 12 as a new derivatization reagent for anabolic steroid control. Analyst, The, 1998, 123, 2645-2648.	3.5	14
250	Prediction of the PCDD/F and dl-PCB 2005-WHO-TEQ content based on the contribution of six congeners: Toward a new screening approach for fish samples?. Environmental Pollution, 2010, 158, 941-947.	7.5	14
251	Predicting PCDD/F and dioxin-like PCB contamination levels in bovine edible tissues from in vivo sampling. Chemosphere, 2010, 80, 634-640.	8.2	14
252	Specific characterization of non-steroidal selective androgen receptor modulators using supercritical fluid chromatography coupled to ion-mobility mass spectrometry: application to the detection of enobosarm in bovine urine. Drug Testing and Analysis, 2017, 9, 179-187.	2.6	14

#	ARTICLE	IF	CITATIONS
253	APCI as an innovative ionization mode compared with EI and CI for the analysis of a large range of organophosphate esters using GC-MS/MS. <i>Journal of Mass Spectrometry</i> , 2017, 52, 54-61.	1.6	14
254	Applying metabolomics to detect growth hormone administration in athletes: Proof of concept. <i>Drug Testing and Analysis</i> , 2020, 12, 887-899.	2.6	14
255	Data analysis strategies for the characterization of chemical contaminant mixtures. Fish as a case study. <i>Environment International</i> , 2021, 155, 106610.	10.0	14
256	Differential global profiling as a new analytical strategy for revealing micropollutant treatment by-products: Application to ethinylestradiol and chlorination water treatment. <i>Chemosphere</i> , 2011, 83, 1553-1559.	8.2	13
257	Differential chemical profiling to identify ozonation by-products of estrone-sulfate and first characterization of its estrogenicity in generated drinking water. <i>Water Research</i> , 2013, 47, 3791-3802.	11.3	13
258	Polychlorinated Biphenyl (PCB) Decontamination Kinetics in Lactating Goats (<i>Capra hircus</i>) Following a Contaminated Corn Silage Exposure. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 7156-7164.	5.2	13
259	A relevant exposure to a food matrix contaminated environmentally by polychlorinated biphenyls induces liver and brain disruption in rats. <i>Chemosphere</i> , 2016, 161, 80-88.	8.2	13
260	Occurrence of Dechlorane Plus and related compounds in catfish (<i>Silurus spp.</i>) from rivers in France. <i>Chemosphere</i> , 2018, 207, 413-420.	8.2	13
261	Dietary exposure to perfluoroalkyl acids, brominated flame retardants and health risk assessment in the French infant total diet study. <i>Food and Chemical Toxicology</i> , 2019, 131, 110561.	3.6	13
262	Accumulation of short-, medium-, and long- chain chlorinated paraffins in tissues of laying hens after dietary exposure. <i>Food Chemistry</i> , 2021, 351, 129289.	8.2	13
263	Rapid measurement of ¹³ C-enrichment of acetic, propionic and butyric acids in plasma with solid phase microextraction coupled to gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2004, 512, 305-310.	5.4	12
264	Phytosterols and anabolic agents versus designer drugs. <i>Analytica Chimica Acta</i> , 2007, 586, 49-56.	5.4	12
265	Mass spectrometric detection of and similarities between 1-androgens. <i>Analytica Chimica Acta</i> , 2007, 586, 57-72.	5.4	12
266	Clinical biochemical and hormonal profiling in plasma: a promising strategy to predict growth hormone abuse in cattle. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 4343-4349.	3.7	12
267	Simultaneous determination of 16 brominated flame retardants in food and feed of animal origin by fast gas chromatography coupled to tandem mass spectrometry using atmospheric pressure chemical ionisation. <i>Journal of Chromatography A</i> , 2016, 1459, 120-128.	3.7	12
268	Solid-phase microextraction set-up for the analysis of liver volatolome to detect livestock exposure to micropollutants. <i>Journal of Chromatography A</i> , 2017, 1497, 9-18.	3.7	12
269	Identification of new tetrahydroxylated metabolites of Polycyclic Aromatic Hydrocarbons in hair as biomarkers of exposure and signature of DNA adduct levels. <i>Analytica Chimica Acta</i> , 2017, 995, 65-76.	5.4	12
270	The challenging use and interpretation of circulating biomarkers of exposure to persistent organic pollutants in environmental health: Comparison of lipid adjustment approaches in a case study related to endometriosis. <i>Chemosphere</i> , 2018, 200, 388-396.	8.2	12

#	ARTICLE	IF	CITATIONS
271	Characterization of Steroids through Collision Cross Sections: Contribution of Quantum Chemistry Calculations. <i>Analytical Chemistry</i> , 2020, 92, 6034-6042.	6.5	12
272	Sustained bloodstream release of persistent organic pollutants induced by extensive weight loss after bariatric surgery: Implications for women of childbearing age. <i>Environment International</i> , 2021, 151, 106400.	10.0	12
273	Profiling of transcriptional biomarkers in FFPE liver samples: PLS-DA applications for detection of illicit administration of sex steroids and clenbuterol in veal calves. <i>Food Control</i> , 2021, 128, 108149.	5.5	12
274	Studies on the determination of chlorotestosterone and its metabolites in bovine urine. <i>Analyst</i> , The, 1998, 123, 2687-2691.	3.5	11
275	Urinary excretion of 5(10)-estrene-3 β ,17 β -diol and estrone by the female horse: Complementary indicators of early pregnancy screened with regard to a putative anabolic doping practice. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2007, 104, 85-91.	2.5	11
276	5 β -Estrane-3 β ,17 β -diol and 5 β -estrane-3 α ,17 β -diol: Definitive screening biomarkers to sign nandrolone abuse in cattle?. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2011, 126, 65-71.	2.5	11
277	Hens can ingest extruded polystyrene in rearing buildings and lay eggs contaminated with hexabromocyclododecane. <i>Chemosphere</i> , 2017, 186, 62-67.	8.2	11
278	Selective androgen receptor modulators: comparative excretion study of bicalutamide in bovine urine and faeces. <i>Drug Testing and Analysis</i> , 2017, 9, 1017-1025.	2.6	11
279	Comparison between liquid chromatography and supercritical fluid chromatography coupled to mass spectrometry for beta-agonists screening in feeding stuff. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1086, 130-137.	2.3	11
280	Associations between Exposure to Organochlorine Chemicals and Endometriosis: A Systematic Review of Experimental Studies and Integration of Epidemiological Evidence. <i>Environmental Health Perspectives</i> , 2021, 129, 76003.	6.0	11
281	Production of polyclonal antibodies directed to recombinant methionyl bovine somatotropin. <i>Analytica Chimica Acta</i> , 2013, 761, 186-193.	5.4	10
282	Metabolomics analysis of liver reveals profile disruption in bovines upon steroid treatment. <i>Metabolomics</i> , 2017, 13, 1.	3.0	10
283	A method to assess lifetime dietary risk: Example of cadmium exposure. <i>Food and Chemical Toxicology</i> , 2020, 137, 111130.	3.6	10
284	PAH7 concentration reflects anthropization: A study using environmental biomonitoring with honeybees. <i>Science of the Total Environment</i> , 2021, 751, 141831.	8.0	10
285	Coupling Complete Blood Count and Steroidomics to Track Low Doses Administration of Recombinant Growth Hormone: An Anti-Doping Perspective. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 683675.	3.5	10
286	Characterization of an unusually regulated gene encoding asparagine synthetase in the parasitic plant <i>Striga hermonthica</i> (Scrophulariaceae). <i>Physiologia Plantarum</i> , 2005, 123, 9-20.	5.2	9
287	Occurrence of PCDD/Fs and dioxin-like PCBs in superficial sediment of Portuguese estuaries. <i>Environmental Science and Pollution Research</i> , 2014, 21, 9396-9407.	5.3	9
288	Accumulation of β -hexabromocyclododecane (β -HBCDD) in tissues of fast- and slow-growing broilers (<i>Gallus domesticus</i>). <i>Chemosphere</i> , 2017, 178, 424-431.	8.2	9

#	ARTICLE	IF	CITATIONS
289	Assessment of Dechlorane Plus and related compounds in foodstuffs and estimates of daily intake from Lebanese population. <i>Chemosphere</i> , 2019, 235, 492-497.	8.2	9
290	Quantification of light polycyclic aromatic hydrocarbons in seafood samples using on-line dynamic headspace extraction, thermodesorption, gas chromatography tandem mass spectrometry, based on an isotope dilution approach. <i>Journal of Chromatography A</i> , 2020, 1619, 460906.	3.7	9
291	Tissue distribution and bioconcentration factors of PCDD/Fs in the liver and adipose tissue following chronic ingestion of contaminated milk in rats. <i>Chemosphere</i> , 2005, 60, 929-938.	8.2	8
292	Residues of medroxyprogesterone acetate detected in sows at a slaughterhouse, Madagascar. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2013, 30, 2108-2113.	2.3	8
293	Development of a molecular recognition based approach for multi-residue extraction of estrogenic endocrine disruptors from biological fluids coupled to liquid chromatography-tandem mass spectrometry measurement. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 8713-8723.	3.7	8
294	Study on polychlorobiphenyl serum levels in French consumers of freshwater fish. <i>Science of the Total Environment</i> , 2015, 505, 623-632.	8.0	8
295	The use of gas chromatography-mass spectrometry/combustion/isotope ratio mass spectrometry to demonstrate progesterone treatment in bovines. <i>Journal of Chromatography A</i> , 2016, 1449, 129-140.	3.7	8
296	Resveratrol inhibits steroidogenesis in human fetal adrenocortical cells at the end of first trimester. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600522.	3.3	8
297	From a non-targeted metabolomics approach to a targeted biomarkers strategy to highlight testosterone abuse in equine. Illustration of a methodological transfer between platforms and laboratories. <i>Drug Testing and Analysis</i> , 2022, 14, 864-878.	2.6	8
298	Suppression of androstenone in entire male pigs by anabolic preparations. <i>Livestock Science</i> , 2001, 69, 139-144.	1.2	7
299	Distribution of PCDD/Fs and dioxin-like PCBs in sediment and plants from a contaminated salt marsh (Tejo estuary, Portugal). <i>Environmental Science and Pollution Research</i> , 2014, 21, 2540-2549.	5.3	7
300	Enantiomer-specific accumulation and depuration of α -hexabromocyclododecane (α -HBCDD) in chicken (<i>Tj ETQq0.0 0 rgBT/Overlock</i>)	8.2	7
301	Thyreostatic drugs, stability in bovine and porcine urine. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 2973-2982.	3.7	6
302	Supercritical fluid chromatography applied to the highly selective isolation of urinary steroid hormones prior to GC/MS analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1086, 97-104.	2.3	6
303	The challenging use and interpretation of blood biomarkers of exposure related to lipophilic endocrine disrupting chemicals in environmental health studies. <i>Molecular and Cellular Endocrinology</i> , 2020, 499, 110606.	3.2	6
304	Adipose Tissue Properties in Tumor-Bearing Breasts. <i>Frontiers in Oncology</i> , 2020, 10, 1506.	2.8	6
305	Dietary risk assessment methodology: how to deal with changes through life. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2020, 37, 705-722.	2.3	6
306	Undernutrition combined with dietary mineral oil hastens depuration of stored dioxin and polychlorinated biphenyls in ewes. 1. Kinetics in blood, adipose tissue and faeces. <i>PLoS ONE</i> , 2020, 15, e0230629.	2.5	6

#	ARTICLE	IF	CITATIONS
307	Lifetime dietary exposure to bisphenol A in the general population and during pregnancy: Foetal exposure and health risk assessment. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 234, 113733.	4.3	6
308	Biosynthesis of 6 β -hydroxymethyltestosterone using bovine hepatocyte cultures. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2000, 74, 57-62.	2.5	5
309	Determination of toxaphene specific congeners in fish liver oil and feedingstuff using gas chromatography coupled to high resolution mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008, 865, 121-126.	2.3	5
310	Determination of L-cysteine origin on the basis of its $\delta^{15}N$ values. <i>Food Chemistry</i> , 2018, 260, 283-288.	8.2	5
311	Impact of sociodemographic profile, generation and bioaccumulation on lifetime dietary and internal exposures to PCBs. <i>Science of the Total Environment</i> , 2021, 800, 149511.	8.0	5
312	Metabolomics and lipidomics to identify biomarkers of effect related to exposure to non-dioxin-like polychlorinated biphenyls in pigs. <i>Chemosphere</i> , 2022, 296, 133957.	8.2	5
313	Calf primary hepatocyte culture as a tool for anabolic steroid metabolism studies. <i>Analyst</i> , 1998, 123, 2489-2492.	3.5	4
314	Multidimensional statistical analysis applied to electron ionization mass spectra to determine steroid stereochemistry. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 509-518.	1.5	4
315	New anabolic steroid illegally used in cattle—structure elucidation of 19-norchlorotestosterone acetate metabolites in bovine urine. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2006, 98, 78-89.	2.5	4
316	TRANSFER OF PHENANTHRENE AND ITS HYDROXYLATED METABOLITES TO MILK, URINE AND FAECES. <i>Polycyclic Aromatic Compounds</i> , 2008, 28, 98-111.	2.6	4
317	Extending the Lipidome Coverage by Combining Different Mass Spectrometric Platforms: An Innovative Strategy to Answer Chemical Food Safety Issues. <i>Foods</i> , 2021, 10, 1218.	4.3	4
318	Le contrôle des anabolisants dans la viande. <i>Toxicorama</i> , 2000, 12, 56-63.	0.1	4
319	Thorough investigation of non-volatile substances extractable from inner coatings of metallic cans and their occurrence in the canned vegetables. <i>Journal of Hazardous Materials</i> , 2022, 435, 129026.	12.4	4
320	Influence of the solvent quality on the AhR mediated Procept® assay measurement of dioxin and dioxin-like compounds. <i>Talanta</i> , 2010, 80, 2063-2067.	5.5	3
321	Recombinant bovine growth hormone identification and the kinetic of elimination in rainbow trout treated by LC-MS/MS. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2013, 30, 1020-1026.	2.3	3
322	Identification of treatment by-products of the ozonation of estrone sulfate. <i>Water Science and Technology: Water Supply</i> , 2013, 13, 1302-1308.	2.1	3
323	Early contamination of European flounder (<i>Platichthys flesus</i>) by PCDD/Fs and dioxin-like PCBs in European waters. <i>Marine Pollution Bulletin</i> , 2014, 85, 292-296.	5.0	3
324	Undernutrition combined with dietary mineral oil hastens depuration of stored dioxin and polychlorinated biphenyls in ewes. 2. Tissue distribution, mass balance and body burden. <i>PLoS ONE</i> , 2020, 15, e0230628.	2.5	3

#	ARTICLE	IF	CITATIONS
325	Nandrolone and estradiol biomarkers identification in bovine urine applying a liquid chromatography high-resolution mass spectrometry metabolomics approach. Drug Testing and Analysis, 2021, , .	2.6	3
326	The Promise and Challenges of Determining Recombinant Bovine Growth Hormone in Milk. Foods, 2022, 11, 274.	4.3	3
327	Chapter 11 Analytical Strategies to Control the Illegal Use of Banned Growth Promoters in Meat Producing Animals. Comprehensive Analytical Chemistry, 2008, 51, 339-361.	1.3	2
328	Brazilian Ministry of Agriculture, Livestock and Food Supply (MAPA): strategies to tackle chemical food safety issues. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2012, 29, 481-481.	2.3	2
329	PFOS (perfluorooctanesulfonate) in serum is negatively associated with testosterone levels, but not with semen quality, in healthy men. Human Reproduction, 2014, 29, 1600-1600.	0.9	2
330	Urinary signature of pig carcasses with boar taint by liquid chromatography-high-resolution mass spectrometry. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2016, 34, 1-10.	2.3	2
331	Enantiomeric fraction of hexabromocyclododecanes in foodstuff from the Belgian market. Chemosphere, 2020, 260, 127607.	8.2	2
332	Impact of dietary guidelines on lifetime exposure to chemical contaminants: Divergent conclusions for two bioaccumulative substances. Food and Chemical Toxicology, 2020, 145, 111672.	3.6	2
333	Collision-induced dissociation of corticosteroids in electrospray tandem mass spectrometry and development of a screening method by high performance liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2000, 14, 33-39.	1.5	2
334	Chapter 5. Current Research into New Analytical Procedures. RSC Food Analysis Monographs, 0, , 171-209.	0.2	0
335	Improving infant food safety by avoiding hazards of chemical mixture effects using novel integrated methods based on bioassays and analytical chemistry. , 2022, 2, 100012.		0