## Yucheng Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2682723/publications.pdf

Version: 2024-02-01

361413 434195 1,317 91 20 31 citations h-index g-index papers 91 91 91 2302 docs citations times ranked citing authors all docs

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 1  | Diverse Right Ventricular Remodeling Evaluated by <scp>MRI</scp> and Prognosis in Eisenmenger Syndrome With Different Shunt Locations. Journal of Magnetic Resonance Imaging, 2022, 55, 1478-1488.   | 3.4 | 6         |
| 2  | Sick sinus syndrome associated with Erdheim-Chester disease was reversed by interferon-alpha treatment. Korean Journal of Internal Medicine, 2022, 37, 245-246.  | 1.7 | 1         |
| 3  | Left Atrial Function Predicts Outcome in Dilated Cardiomyopathy: Fast Long-Axis Strain Analysis Derived from MRI. Radiology, 2022, 302, 72-81.   | 7.3 | 15        |
| 4  | Relationship Between Fragmented QRS Complex and Left Ventricular Fibrosis and Function in Patients With Danon Disease. Frontiers in Cardiovascular Medicine, 2022, 9, 790917.  | 2.4 | 3         |
| 5  | A 64-year-old woman with right atrial mass. Heart, 2022, 108, 557-578.   | 2.9 | О         |
| 6  | First-pass perfusion cardiovascular magnetic resonance parameters as surrogate markers for left ventricular diastolic dysfunction: a validation against cardiac catheterization. European Radiology, 2022, 32, 8131-8139.                                      | 4.5 | 5         |
| 7  | Fractal Analysis: Prognostic Value of Left Ventricular Trabecular Complexity Cardiovascular MRI in Participants with Hypertrophic Cardiomyopathy. Radiology, 2021, 298, 71-79.   | 7.3 | 18        |
| 8  | Serum high-density lipoprotein cholesterol serves as a prognostic marker for light-chain cardiac amyloidosis. International Journal of Cardiology, 2021, 325, 96-102.  | 1.7 | 4         |
| 9  | Myocardial Tissue Reverse Remodeling After Guideline-Directed Medical Therapy in Idiopathic Dilated<br>Cardiomyopathy. Circulation: Heart Failure, 2021, 14, e007944.  | 3.9 | 31        |
| 10 | Left Ventricular Remodeling in Patients with Primary Aldosteronism: A Prospective Cardiac Magnetic Resonance Imaging Study. Korean Journal of Radiology, 2021, 22, 1619.   | 3.4 | 5         |
| 11 | Prognostic value of myocardial extracellular volume fraction evaluation based on cardiac magnetic resonance T1 mapping with T1 long and short in hypertrophic cardiomyopathy. European Radiology, 2021, 31, 4557-4567.   | 4.5 | 28        |
| 12 | Phenotyping of myocardial involvement by cardiac magnetic resonance in idiopathic inflammatory myopathies. European Radiology, 2021, 31, 5077-5086.  | 4.5 | 3         |
| 13 | Reply to: Left ventricular midwall fibrosis as a predictor of sudden cardiac death in nonâ€ischaemic<br>dilated cardiomyopathy: a metaâ€analysis. ESC Heart Failure, 2021, 8, 1728-1728.   | 3.1 | 6         |
| 14 | Prognostic value of fast semi-automated left atrial long-axis strain analysis in hypertrophic cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2021, 23, 36.  | 3.3 | 15        |
| 15 | Cardiovascular magnetic resonanceâ€assessed fast global longitudinal strain parameters add diagnostic and prognostic insights in right ventricular volume and pressure loading disease conditions. Journal of Cardiovascular Magnetic Resonance, 2021, 23, 38. | 3.3 | 14        |
| 16 | False positive technetium-99m pyrophosphate scintigraphy in a patient with cardiac amyloidosis light chain. Medicine (United States), 2021, 100, e25582.   | 1.0 | 6         |
| 17 | Cardiacï»; Phenotype Characterization at MRI in Patientsï»; with Danon Disease: A Retrospective<br>Multicenter Case Series. Radiology, 2021, 299, 303-310.   | 7.3 | 11        |
| 18 | Comparing cardiovascular magnetic resonance strain software packages by their abilities to discriminate outcomes in patients with heart failure with preserved ejection fraction. Journal of Cardiovascular Magnetic Resonance, 2021, 23, 55.                  | 3.3 | 12        |

| #  | Article  | lF  | Citations |
|----|--|-----|-----------|
| 19 | FEASIBILITY AND RELIABILITY OF SIMULTANEOUS 6-LEAD ELECTROCARDIOGRAPHY RECORDING WITH A NOVEL SMARTWATCH: A PILOT VALIDATION STUDY. Journal of the American College of Cardiology, 2021, 77, 234.  | 2.8 | 0         |
| 20 | Differential and prognostic value of cardiovascular magnetic resonance derived scoring algorithm in cardiac tumors. International Journal of Cardiology, 2021, 331, 281-288.   | 1.7 | 2         |
| 21 | Age- and Sex-Specific Changes in CMR Feature Tracking-Based Right Atrial and Ventricular Functional Parameters in Healthy Asians. Frontiers in Cardiovascular Medicine, 2021, 8, 664431.   | 2.4 | 3         |
| 22 | Patient manifested as left ventricular non-compaction. Heart, 2021, 107, 1166-1184.  | 2.9 | 0         |
| 23 | The Value of Cardiac Magnetic Resonance Imaging in Identification of Rare Diseases Mimicking Hypertrophic Cardiomyopathy. Journal of Clinical Medicine, 2021, 10, 3339.  | 2.4 | 3         |
| 24 | The Prognostic Value of Left Ventricular Mechanical Dyssynchrony Derived from Cardiac MRI in Patients with Idiopathic Dilated Cardiomyopathy. Radiology: Cardiothoracic Imaging, 2021, 3, e200536.   | 2.5 | 5         |
| 25 | Severe aortic regurgitation and heart failure. Heart, 2021, 107, 1874-1924.  | 2.9 | 0         |
| 26 | Radiomics Analysis Derived From LGE-MRI Predict Sudden Cardiac Death in Participants With Hypertrophic Cardiomyopathy. Frontiers in Cardiovascular Medicine, 2021, 8, 766287.  | 2.4 | 6         |
| 27 | Electrocardiogram Characteristics and Prognostic Value in Light-Chain Amyloidosis: A Comparison With Cardiac Magnetic Resonance Imaging. Frontiers in Cardiovascular Medicine, 2021, 8, 751422.  | 2.4 | 2         |
| 28 | Prognostic Value of Right Ventricular Dysfunction in Patients With <scp>AL</scp> Amyloidosis: Comparison of Different Techniques by Cardiac Magnetic Resonance. Journal of Magnetic Resonance Imaging, 2020, 52, 1441-1448.                      | 3.4 | 11        |
| 29 | Prognostic value of left ventricular remodelling index in idiopathic dilated cardiomyopathy.<br>European Heart Journal Cardiovascular Imaging, 2020, 22, 1197-1207.  | 1.2 | 11        |
| 30 | Prognostic Value of Cardiac Magnetic Resonance–Derived Right Ventricular Remodeling Parameters in Pulmonary Hypertension. Circulation: Cardiovascular Imaging, 2020, 13, e010568.  | 2.6 | 33        |
| 31 | The phenotypic characteristic observed by cardiac magnetic resonance in a PLN-R14del family.<br>Scientific Reports, 2020, 10, 16478.   | 3.3 | 4         |
| 32 | A stacking-based model for predicting 30-day all-cause hospital readmissions of patients with acute myocardial infarction. BMC Medical Informatics and Decision Making, 2020, 20, 335.   | 3.0 | 15        |
| 33 | Cardiovascular manifestations and treatment considerations in COVID-19. Heart, 2020, 106, 1132-1141.   | 2.9 | 296       |
| 34 | Performance of 12â€lead electrocardiogram Selvester QRS scoring criteria to diagnose myocardial scar in patients with hypertrophic cardiomyopathy. Annals of Noninvasive Electrocardiology, 2020, 25, e12762.                                    | 1.1 | 4         |
| 35 | T2-weighted cardiac magnetic resonance image and myocardial biomarker in hypertrophic cardiomyopathy. Medicine (United States), 2020, 99, e20134.  | 1.0 | 7         |
| 36 | Radiomic Analysis of Native <scp>T<sub>1</sub></scp> Mapping Images Discriminates Between <scp><i>MYH7</i></scp> and <scp><i>MYBPC3</i></scp> â€Related Hypertrophic Cardiomyopathy. Journal of Magnetic Resonance Imaging, 2020, 52, 1714-1721. | 3.4 | 23        |

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 37 | Diagnostic and prognostic value of right ventricular eccentricity index in pulmonary artery hypertension. Pulmonary Circulation, 2020, 10, 1-10.   | 1.7  | 9         |
| 38 | Differential effects of fine and coarse particulate matter on hospitalizations for ischemic heart disease: A population-based time-series analysis in Southwestern China. Atmospheric Environment, 2020, 224, 117366.  | 4.1  | 9         |
| 39 | The prognostic value of late gadolinium enhancement in myocarditis and clinically suspected myocarditis: systematic review and meta-analysis. European Radiology, 2020, 30, 2616-2626.   | 4.5  | 32        |
| 40 | Quantitative mechanical dyssynchrony in dilated cardiomyopathy measured by deformable registration algorithm. European Radiology, 2020, 30, 2010-2020.   | 4.5  | 7         |
| 41 | Contemporary Application of Cardiovascular Magnetic Resonance Imaging. Annual Review of Medicine, 2020, 71, 221-234.   | 12.2 | 4         |
| 42 | Multiparametric cardiovascular magnetic resonance characteristics and dynamic changes in myocardial and skeletal muscles in idiopathic inflammatory cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2020, 22, 22.  | 3.3  | 25        |
| 43 | MicroRNA-221 is a potential biomarker of myocardial hypertrophy and fibrosis in hypertrophic obstructive cardiomyopathy. Bioscience Reports, 2020, 40, .   | 2.4  | 20        |
| 44 | Automated segmentation of the left ventricle from MR cine imaging based on deep learning architecture. Biomedical Physics and Engineering Express, 2020, 6, 025009.  | 1.2  | 5         |
| 45 | SAT-540 Primary Aldosteronism Represents Earlier Myocardial Fibrosis Than Essential Hypertension by T1 Mapping. Journal of the Endocrine Society, 2020, 4, .   | 0.2  | 0         |
| 46 | Abstract 15116: The Prognostic Value of Left Ventricular Mechanical Dyssynchrony in Patients With Idiopathic Dilated Cardiomyopathy. Circulation, 2020, 142, .   | 1.6  | 0         |
| 47 | Abstract 15126: Myocardial Tissue Reverse Remodeling After Guideline-directed Medical Therapy in Idiopathic Dilated Cardiomyopathy. Circulation, 2020, 142, .  | 1.6  | 0         |
| 48 | The prognostic value of biventricular long axis strain using standard cardiovascular magnetic resonance imaging in patients with hypertrophic cardiomyopathy. International Journal of Cardiology, 2019, 294, 43-49.   | 1.7  | 17        |
| 49 | Elevated Right Atrial Pressure Associated with Alteration of Left Ventricular Contractility and Ventricular-Arterial Coupling in Pulmonary Artery Hypertension*., 2019, 2019, 820-823.   |      | 2         |
| 50 | Variable and Limited Predictive Value of the European Society of Cardiology Hypertrophic Cardiomyopathy Sudden-Death Risk Model: A Meta-analysis. Canadian Journal of Cardiology, 2019, 35, 1791-1799.   | 1.7  | 35        |
| 51 | Regional amyloid distribution and impact on mortality in light-chain amyloidosis: a T1 mapping cardiac magnetic resonance study. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2019, 26, 45-51. | 3.0  | 26        |
| 52 | Different Clinical Presentation and Tissue Characterization in a Monozygotic Twin Pair with MYH7 Mutation-Related Hypertrophic Cardiomyopathy. International Heart Journal, 2019, 60, 477-481.   | 1.0  | 9         |
| 53 | Left Ventricular Spherical Index Is an Independent Predictor for Clinical Outcomes in Patients With Nonischemic Dilated Cardiomyopathy. JACC: Cardiovascular Imaging, 2019, 12, 1578-1580.   | 5.3  | 10        |
| 54 | T2STIR preparation for single-shot cardiovascular magnetic resonance myocardial edema imaging. Journal of Cardiovascular Magnetic Resonance, 2019, 21, 72.   | 3.3  | 5         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Left Ventricular Myocardial Deformation on Cine MR Images: Relationship to Severity of Disease and Prognosis in Light-Chain Amyloidosis. Radiology, 2018, 288, 73-80.   | 7.3 | 38        |
| 56 | Phenotypic diversity identified by cardiac magnetic resonance in a large hypertrophic cardiomyopathy family with a single MYH7 mutation. Scientific Reports, 2018, 8, 973.  | 3.3 | 17        |
| 57 | Improved segmental myocardial strain reproducibility using deformable registration algorithms compared with feature tracking cardiac MRI and speckle tracking echocardiography. Journal of Magnetic Resonance Imaging, 2018, 48, 404-414.       | 3.4 | 20        |
| 58 | Early detection of myocardial involvement by T $<$ sub $>$ 1 $<$ /sub $>$ mapping of cardiac MRI in idiopathic inflammatory myopathy. Journal of Magnetic Resonance Imaging, 2018, 48, 415-422.   | 3.4 | 27        |
| 59 | A rare phenotype of heterozygous Danon disease mimicking apical hypertrophic cardiomyopathy.<br>European Heart Journal, 2018, 39, 3263-3264.  | 2.2 | 8         |
| 60 | Right ventricular septomarginal trabeculation hypertrophy is associated with disease severity in patients with pulmonary arterial hypertension. International Journal of Cardiovascular Imaging, 2018, 34, 1439-1449.                           | 1.5 | 9         |
| 61 | Transapical Transcatheter Aortic Valve Implantation Using a New TAVI System for High-Risk Patients<br>With Severe Aortic Stenosis. Heart Lung and Circulation, 2018, 27, e67-e69.   | 0.4 | 2         |
| 62 | Right ventricular involvement evaluated by cardiac magnetic resonance imaging predicts mortality in patients with light chain amyloidosis. Heart and Vessels, 2018, 33, 170-179.  | 1.2 | 28        |
| 63 | Prevalence and Prognostic Significance of Right Ventricular Dysfunction in Patients With Hypertrophic Cardiomyopathy. American Journal of Cardiology, 2018, 122, 1932-1938.   | 1.6 | 18        |
| 64 | Age and Gender Impact the Measurement of Myocardial Interstitial Fibrosis in a Healthy Adult Chinese Population: A Cardiac Magnetic Resonance Study. Frontiers in Physiology, 2018, 9, 140.   | 2.8 | 34        |
| 65 | Increased Prognostic Value of Query Amyloid Late Enhancement Score in Light-Chain Cardiac<br>Amyloidosis. Circulation Journal, 2018, 82, 739-746.   | 1.6 | 15        |
| 66 | Improved workflow for quantifying left ventricular function via cardiorespiratoryâ€resolved analysis of freeâ€breathing MR realâ€time cines. Journal of Magnetic Resonance Imaging, 2017, 46, 905-914.  | 3.4 | 4         |
| 67 | Reference values of cardiac ventricular structure and function by steadyâ€state freeâ€procession MRI at 3.0T in healthy adult chinese volunteers. Journal of Magnetic Resonance Imaging, 2017, 45, 1684-1692.                                   | 3.4 | 16        |
| 68 | Reference value of left and right atrial size and phasic function by SSFP CMR at 3.0 T in healthy Chinese adults. Scientific Reports, 2017, 7, 3196.  | 3.3 | 30        |
| 69 | Right ventricular outflow tract systolic function correlates with exercise capacity in patients with severe right ventricle dilatation after repair of tetralogy of Fallot. Interactive Cardiovascular and Thoracic Surgery, 2017, 24, 755-761. | 1.1 | 6         |
| 70 | The Role of Clinical Cardiac Magnetic Resonance Imaging in China: Current Status and the Future. Cardiovascular Innovations and Applications, 2016, 2, .  | 0.3 | 0         |
| 71 | Repair or replace ischemic mitral regurgitation during coronary artery bypass grafting? A meta-analysis. Journal of Cardiothoracic Surgery, 2016, 11, 141.  | 1.1 | 9         |
| 72 | Feature tracking (FT) and extracelluar volume (ECV) by cardiac magnetic resonance segmentally analyze change of LV in Ebstein:a novel perspective in myocardial remodeling. Journal of Cardiovascular Magnetic Resonance, 2016, 18, O31.        | 3.3 | O         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Extracellular volume(ECV) quantified by T1 mapping could reflect effect of long term blood pressure control status in patients with essential hypertension. Journal of Cardiovascular Magnetic Resonance, 2016, 18, P125.  | 3.3 | 1         |
| 74 | The right ventricular end-systolic volume index predicts mortality in patients with cardiac amyloidosis. Journal of Cardiovascular Magnetic Resonance, 2016, 18, P139.   | 3.3 | 0         |
| 75 | LV geometric and substrate remodelling in patient with Ebstein anomaly - a deep insight from MRI T1 mapping fibrosis imaging. Journal of Cardiovascular Magnetic Resonance, 2016, 18, P159.  | 3.3 | O         |
| 76 | Mitral valve leaflet length as an important factor to differentiate hypertrophic cardiomyopathy from other causes of left ventricular hypertrophy. Journal of Cardiovascular Magnetic Resonance, 2016, 18, P272.   | 3.3 | 2         |
| 77 | Distribution pattern of left ventricular myocardial strain by feature-tracking CMR in Chinese normal subjects. Journal of Cardiovascular Magnetic Resonance, 2016, 18, P34.  | 3.3 | 0         |
| 78 | Treatment of Pure Aortic Regurgitation Using a Second-Generation Transcatheter Aortic Valve Implantation System. Journal of the American College of Cardiology, 2016, 67, 2803-2805.   | 2.8 | 23        |
| 79 | Cardiac MRI-based multi-modality imaging in clinical decision-making: Preliminary assessment of a management algorithm for patients with suspected cardiac mass. International Journal of Cardiology, 2016, 203, 474-481.  | 1.7 | 29        |
| 80 | The global cardiovascular magnetic resonance registry (GCMR) of the society for cardiovascular magnetic resonance (SCMR): its goals, rationale, data infrastructure, and current developments. Journal of Cardiovascular Magnetic Resonance, 2016, 19, 23.           | 3.3 | 28        |
| 81 | Accuracy of Late Gadolinium Enhancement - Magnetic Resonance Imaging in the Measurement of Left<br>Atrial Substrate Remodeling in Patients With Rheumatic Mitral Valve Disease and Persistent Atrial<br>Fibrillation International Heart Journal, 2015, 56, 505-510. | 1.0 | 13        |
| 82 | The Association between Triglyceride/High-Density Lipoprotein Cholesterol Ratio and All-Cause Mortality in Acute Coronary Syndrome after Coronary Revascularization. PLoS ONE, 2015, 10, e0123521.   | 2.5 | 58        |
| 83 | Cardiac Involvement in a Patient With POEMS Syndrome Detected Using Cardiac Magnetic Resonance Imaging. International Heart Journal, 2015, 56, 571-573.  | 1.0 | 3         |
| 84 | Transapical transcatheter aortic valve implantation using a new second-generation TAVI system â€" J-Valveâ,,¢ for high-risk patients with aortic valve diseases: Initial results with 90-day follow-up. International Journal of Cardiology, 2015, 199, 155-162.     | 1.7 | 23        |
| 85 | High signal intensity on T2 weighted cardiac magnetic resonance imaging in hypertrophic cardiomyopathy: Is it a marker of myocardial injury?. Journal of Cardiovascular Magnetic Resonance, 2015, 17, .  | 3.3 | 0         |
| 86 | Role of cardiac MRI-based multi-modality imaging in diagnosis and management of patients with cardiac mass. Journal of Cardiovascular Magnetic Resonance, 2015, 17, P344.  | 3.3 | 0         |
| 87 | A giant congenital aneurysm of the left atrium. European Journal of Cardio-thoracic Surgery, 2015, 48, e7-e8.  | 1.4 | 0         |
| 88 | Efficient method for analyzing MR realâ€time cines: Toward accurate quantification of left ventricular function. Journal of Magnetic Resonance Imaging, 2015, 42, 972-980.   | 3.4 | 4         |
| 89 | Transapical implantation of a new second-generation transcatheter heart valve in patients with pure aortic regurgitation: a preliminary report. Interactive Cardiovascular and Thoracic Surgery, 2015, 20, 860-862.  | 1.1 | 12        |
| 90 | A Genetic Polymorphism in RBP4 Is Associated with Coronary Artery Disease. International Journal of Molecular Sciences, 2014, 15, 22309-22319.   | 4.1 | 13        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 9: | Multimodality Images of a Giant Blood Cyst Originating From the Bicuspid Aortic Valve. Circulation, 2014, 130, e165-6. | 1.6 | 4         |