

Andrea J Britton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2683677/publications.pdf>

Version: 2024-02-01

48
papers

1,752
citations

304743

22
h-index

276875

41
g-index

48
all docs

48
docs citations

48
times ranked

2641
citing authors

#	ARTICLE	IF	CITATIONS
1	Determinants of community compositional change are equally affected by global change. <i>Ecology Letters</i> , 2021, 24, 1892-1904.	6.4	27
2	Hemispheric- and Continental-Scale Patterns of Similarity in Mountain Tundra. <i>Annals of the American Association of Geographers</i> , 2020, 110, 1005-1021.	2.2	2
3	Disparities between plant community responses to nitrogen deposition and critical loads in UK semi-natural habitats. <i>Atmospheric Environment</i> , 2020, 239, 117478.	4.1	7
4	Legacy effects of nitrogen and phosphorus additions on vegetation and carbon stocks of upland heaths. <i>New Phytologist</i> , 2020, 228, 226-237.	7.3	14
5	Global change effects on plant communities are magnified by time and the number of global change factors imposed. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 17867-17873.	7.1	141
6	Impacts of nitrogen deposition on carbon and nitrogen cycling in alpine <i>Racomitrium</i> heath in the UK and prospects for recovery. <i>Environmental Pollution</i> , 2019, 254, 112986.	7.5	9
7	What is the most ecologically-meaningful metric of nitrogen deposition?. <i>Environmental Pollution</i> , 2019, 247, 319-331.	7.5	15
8	Long-term vegetation change in Scotland's native forests. <i>Biological Conservation</i> , 2019, 235, 136-146.	4.1	4
9	The potential for modelling peatland habitat condition in Scotland using long-term MODIS data. <i>Science of the Total Environment</i> , 2019, 660, 429-442.	8.0	10
10	Nitrogen deposition drives loss of moss cover in alpine moss-sedge heath via lowered C:N ratio and accelerated decomposition. <i>New Phytologist</i> , 2018, 218, 470-478.	7.3	29
11	Tiny niches and translocations: The challenge of identifying suitable recipient sites for small and immobile species. <i>Journal of Applied Ecology</i> , 2018, 55, 621-630.	4.0	15
12	Habitat impact assessment detects spatially driven patterns of grazing impacts in habitat mosaics but overestimates damage. <i>Journal for Nature Conservation</i> , 2018, 45, 20-29.	1.8	3
13	Climate, pollution and grazing drive long-term change in moorland habitats. <i>Applied Vegetation Science</i> , 2017, 20, 194-203.	1.9	29
14	Pollution and climate change drive long-term change in Scottish wetland vegetation composition. <i>Biological Conservation</i> , 2017, 210, 72-79.	4.1	17
15	Metrics for evaluating the ecological benefits of decreased nitrogen deposition. <i>Biological Conservation</i> , 2017, 212, 454-463.	4.1	22
16	Soil microarthropod-plant community relationships in alpine moss-sedge heath. <i>Applied Soil Ecology</i> , 2017, 111, 1-8.	4.3	5
17	Asynchrony among local communities stabilises ecosystem function of metacommunities. <i>Ecology Letters</i> , 2017, 20, 1534-1545.	6.4	136
18	Forty years of change in Scottish grassland vegetation: Increased richness, decreased diversity and increased dominance. <i>Biological Conservation</i> , 2017, 212, 327-336.	4.1	33

#	ARTICLE	IF	CITATIONS
19	Relative importance of local- and large-scale drivers of alpine soil microarthropod communities. <i>Oecologia</i> , 2016, 182, 913-924.	2.0	25
20	Landscape-scale vegetation patterns influence small-scale grazing impacts. <i>Biological Conservation</i> , 2015, 192, 218-225.	4.1	20
21	Developing monitoring protocols for cost-effective surveillance of lichens. <i>Lichenologist</i> , 2014, 46, 471-482.	0.8	9
22	The relative importance of nitrogen deposition as a driver of <i>Racomitrium</i> heath species composition and richness across Europe. <i>Biological Conservation</i> , 2014, 171, 224-231.	4.1	18
23	The Role of Nitrogen Deposition in Widespread Plant Community Change Across Semi-natural Habitats. <i>Ecosystems</i> , 2014, 17, 864-877.	3.4	86
24	Heather Moorland Vegetation and Air Pollution: A Comparison and Synthesis of Three National Gradient Studies. <i>Water, Air, and Soil Pollution</i> , 2014, 225, 1.	2.4	3
25	Nitrogen Deposition Reduces Plant Diversity and Alters Ecosystem Functioning: Field-Scale Evidence from a Nationwide Survey of UK Heathlands. <i>PLoS ONE</i> , 2013, 8, e59031.	2.5	93
26	Grazing exclusion and phosphorus addition as potential local management options for the restoration of alpine moss-sedge heath. <i>Biological Conservation</i> , 2012, 153, 17-24.	4.1	14
27	Impacts of atmospheric nitrogen deposition: responses of multiple plant and soil parameters across contrasting ecosystems in long-term field experiments. <i>Global Change Biology</i> , 2012, 18, 1197-1215.	9.5	340
28	Nitrogen deposition enhances moss growth, but leads to an overall decline in habitat condition of mountain moss-sedge heath. <i>Global Change Biology</i> , 2012, 18, 290-300.	9.5	40
29	Controls on soil solution nitrogen along an altitudinal gradient in the Scottish uplands. <i>Science of the Total Environment</i> , 2012, 431, 100-108.	8.0	18
30	Drought alters carbon fluxes in alpine snowbed ecosystems through contrasting impacts on graminoids and forbs. <i>New Phytologist</i> , 2011, 190, 740-749.	7.3	17
31	Assessing the recovery potential of alpine moss-sedge heath: Reciprocal transplants along a nitrogen deposition gradient. <i>Environmental Pollution</i> , 2011, 159, 140-147.	7.5	10
32	An integrated assessment of ecosystem carbon pools and fluxes across an oceanic alpine toposequence. <i>Plant and Soil</i> , 2011, 345, 287-302.	3.7	18
33	Additive impacts of nitrogen deposition and grazing on a mountain moss-sedge heath. <i>Botanica Helvetica</i> , 2010, 120, 129-137.	1.1	8
34	Interactive Effects of N Deposition, Land Management and Weather Patterns on Soil Solution Chemistry in a Scottish Alpine Heath. <i>Ecosystems</i> , 2010, 13, 696-711.	3.4	18
35	Terricolous alpine lichens are sensitive to both load and concentration of applied nitrogen and have potential as bioindicators of nitrogen deposition. <i>Environmental Pollution</i> , 2010, 158, 1296-1302.	7.5	23
36	Nitrogen deposition, vegetation burning and climate warming act independently on microbial community structure and enzyme activity associated with decomposing litter in low-alpine heath. <i>Global Change Biology</i> , 2010, 16, 3120-3132.	9.5	14

#	ARTICLE	IF	CITATIONS
37	Biodiversity gains and losses: Evidence for homogenisation of Scottish alpine vegetation. <i>Biological Conservation</i> , 2009, 142, 1728-1739.	4.1	115
38	Growth responses of low-alpine dwarf-shrub heath species to nitrogen deposition and management. <i>Environmental Pollution</i> , 2008, 153, 564-573.	7.5	26
39	Interactive effects of nitrogen deposition and fire on plant and soil chemistry in an alpine heathland. <i>Environmental Pollution</i> , 2008, 156, 409-416.	7.5	32
40	Who Put the N in PristiNe. <i>Mountain Research and Development</i> , 2008, 28, 210-215.	1.0	3
41	NP stoichiometry of low-alpine heathland: Usefulness for bio-monitoring and prediction of pollution impacts. <i>Biological Conservation</i> , 2007, 138, 100-108.	4.1	24
42	Interactive effects of nitrogen deposition, fire and grazing on diversity and composition of low-alpine prostrate <i>Calluna vulgaris</i> heathland. <i>Journal of Applied Ecology</i> , 2006, 44, 125-135.	4.0	72
43	Impacts of grazing on montane heath vegetation in Wales and implications for the restoration of montane areas. <i>Biological Conservation</i> , 2005, 125, 515-524.	4.1	32
44	Title is missing!. <i>Plant Ecology</i> , 2003, 166, 93-105.	1.6	40
45	Impacts of climate, management and nitrogen deposition on the dynamics of lowland heathland. <i>Journal of Vegetation Science</i> , 2001, 12, 797-806.	2.2	45
46	A comparison of regeneration dynamics following gap creation at two geographically contrasting heathland sites. <i>Journal of Applied Ecology</i> , 2000, 37, 832-844.	4.0	22
47	Conservation problems on Breckland heaths: from theory to practice. <i>Biological Conservation</i> , 2000, 95, 143-151.	4.1	13
48	Comparison of techniques to increase <i>Calluna vulgaris</i> cover on heathland invaded by grasses in Breckland, south east England. <i>Biological Conservation</i> , 2000, 95, 227-232.	4.1	36