

# Baoru Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/268572/publications.pdf>

Version: 2024-02-01

211  
papers

8,459  
citations

36303

51  
h-index

66911

78  
g-index

212  
all docs

212  
docs citations

212  
times ranked

8711  
citing authors

#	ARTICLE	IF	CITATIONS
1	Phenolic compounds in Nordic berry species and their application as potential natural food preservatives. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 345-377.	10.3	6
2	Green technologies for production of oils rich in n-3 polyunsaturated fatty acids from aquatic sources. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 2942-2962.	10.3	26
3	NMR-based metabolomics approach on optimization of malolactic fermentation of sea buckthorn juice with <i>Lactiplantibacillus plantarum</i> . <i>Food Chemistry</i> , 2022, 366, 130630.	8.2	15
4	Comparison of volatile compounds and sensory profiles of alcoholic black currant ( <i>Ribes nigrum</i> ) beverages produced with <i>Saccharomyces</i> , <i>Torulasporea</i> , and <i>Metschnikowia</i> yeasts. <i>Food Chemistry</i> , 2022, 370, 131049.	8.2	7
5	Health promoting properties and sensory characteristics of phytochemicals in berries and leaves of sea buckthorn ( <i>Hippophaë rhamnoides</i> ). <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 3798-3816.	10.3	31
6	Phenolic compound profiles in Finnish apple ( <i>Malus domestica</i> Borkh.) juices and ciders fermented with <i>Saccharomyces cerevisiae</i> and <i>Schizosaccharomyces pombe</i> strains. <i>Food Chemistry</i> , 2022, 373, 131437.	8.2	18
7	Potential of brewers' spent grain in yogurt fermentation and evaluation of its impact in rheological behaviour, consistency, microstructural properties and acidity profile during the refrigerated storage. <i>Food Hydrocolloids</i> , 2022, 125, 107412.	10.7	37
8	Tissue-Specific Content of Polyunsaturated Fatty Acids in (n-3) Deficiency State of Rats. <i>Foods</i> , 2022, 11, 208.	4.3	9
9	Use of Non- <i>Saccharomyces</i> Yeasts in Berry Wine Production: Inspiration from Their Applications in Winemaking. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 736-750.	5.2	12
10	Quality of Protein Isolates and Hydrolysates from Baltic Herring ( <i>Clupea harengus membras</i> ) and Roach ( <i>Rutilus rutilus</i> ) Produced by pH-Shift Processes and Enzymatic Hydrolysis. <i>Foods</i> , 2022, 11, 230.	4.3	13
11	Antimicrobial activity of cyanidin-3-O-glucoside-lauric acid ester against <i>Staphylococcus aureus</i> and <i>Escherichia coli</i> . <i>Food Chemistry</i> , 2022, 383, 132410.	8.2	12
12	Effects of acylated and nonacylated anthocyanins extracts on gut metabolites and microbiota in diabetic Zucker rats: A metabolomic and metagenomic study. <i>Food Research International</i> , 2022, 153, 110978.	6.2	22
13	Supercritical CO <sub>2</sub> Extraction of Triterpenoids from Chaga Sterile Conk of <i>Inonotus obliquus</i> . <i>Molecules</i> , 2022, 27, 1880.	3.8	4
14	Impact of enzymatic pre-treatment on composition of nutrients and phytochemicals of canola ( <i>Brassica napus</i> ) oil press residues. <i>Food Chemistry</i> , 2022, 387, 132911.	8.2	8
15	Chemical Composition of Juices Made from Cultivars and Breeding Selections of European Pear ( <i>Pyrus communis</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 5137-5150.	5.2	8
16	Similarity Index for the Fat Fraction between Breast Milk and Infant Formulas. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 6191-6201.	5.2	4
17	A novel UHPLC-ESI-MS/MS method and automatic calculation software for regiospecific analysis of triacylglycerols in natural fats and oils. <i>Analytica Chimica Acta</i> , 2022, 1210, 339887.	5.4	2
18	Study of the sterile conk of <i>Inonotus obliquus</i> using <sup>13</sup> C CPMAS NMR and FTIR spectroscopies coupled with multivariate analysis. <i>Journal of Molecular Structure</i> , 2022, 1264, 133226.	3.6	5

#	ARTICLE	IF	CITATIONS
19	Antioxidant activities and polyphenolic identification by UPLC-MS/MS of autoclaved brewersâ€™ spent grain. <i>LWT - Food Science and Technology</i> , 2022, 163, 113612.	5.2	5
20	Effects of Weak Acids on the Microbiological, Nutritional and Sensory Quality of Baltic Herring ( <i>Clupea harengus membras</i> ). <i>Foods</i> , 2022, 11, 1717.	4.3	4
21	Baltic herring ( <i>Clupea harengus membras</i> ) protein isolate produced using the pH-shift process and its application in food models. <i>Food Research International</i> , 2022, 158, 111578.	6.2	4
22	Influence of enzymatic treatment on the chemical composition of lingonberry ( <i>Vaccinium vitis-idaea</i> ) juice. <i>Food Chemistry</i> , 2021, 339, 128052.	8.2	16
23	Effect of oat Î²-glucan of different molecular weights on fecal bile acids, urine metabolites and pressure in the digestive tract â€“ A human cross over trial. <i>Food Chemistry</i> , 2021, 342, 128219.	8.2	12
24	Effect of <i>Saccharomyces cerevisiae</i> and <i>Schizosaccharomyces pombe</i> strains on chemical composition and sensory quality of ciders made from Finnish apple cultivars. <i>Food Chemistry</i> , 2021, 345, 128833.	8.2	31
25	Impact of lactic acid fermentation on sensory and chemical quality of dairy analogues prepared from lupine ( <i>Lupinus angustifolius</i> L.) seeds. <i>Food Chemistry</i> , 2021, 346, 128852.	8.2	25
26	Microbial enrichment of blackcurrant press residue with conjugated linoleic and linolenic acids. <i>Journal of Applied Microbiology</i> , 2021, 130, 1602-1610.	3.1	4
27	Effects of Low-Energy Electron Beam (LEEB) Treatment on Physicochemical Attributes of Black Pepper and Coriander. , 2021, , 79-100.		2
28	Impact of malolactic fermentation with <i>Lactobacillus plantarum</i> on volatile compounds of sea buckthorn juice. <i>European Food Research and Technology</i> , 2021, 247, 719-736.	3.3	9
29	Effects of supplementation of sea buckthorn press cake on mycelium growth and polysaccharides of <i>Inonotus obliquus</i> in submerged cultivation. <i>Journal of Applied Microbiology</i> , 2021, 131, 1318-1330.	3.1	3
30	Influence of genetic background, growth latitude and bagging treatment on phenolic compounds in fruits of commercial cultivars and wild types of apples ( <i>Malus</i> sp.). <i>European Food Research and Technology</i> , 2021, 247, 1149-1165.	3.3	10
31	Phenolic Metabolites in the Urine and Plasma of Healthy Men After Acute Intake of Purple Potato Extract Rich in Methoxysubstituted Monoacylated Anthocyanins. <i>Molecular Nutrition and Food Research</i> , 2021, 65, 2000898.	3.3	10
32	Comparison of Polysaccharides Extracted from Cultivated Mycelium of <i>Inonotus obliquus</i> with Polysaccharide Fractions Obtained from Sterile Conk (Chaga) and Birch Heart Rot. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 189.	3.5	5
33	Strategy for stereospecific characterization of natural triacylglycerols using multidimensional chromatography and mass spectrometry. <i>Journal of Chromatography A</i> , 2021, 1641, 461992.	3.7	12
34	<sup>1</sup> H NMR Metabolomics and Full-Length RNA-Seq Reveal Effects of Acylated and Nonacylated Anthocyanins on Hepatic Metabolites and Gene Expression in Zucker Diabetic Fatty Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 4423-4437.	5.2	8
35	Red beet ( <i>Beta vulgaris</i> ) betalains and grape ( <i>Vitis vinifera</i> ) anthocyanins as colorants in white currant juice â€“ Effect of storage on degradation kinetics, color stability and sensory properties. <i>Food Chemistry</i> , 2021, 348, 128995.	8.2	15
36	Toxicological and bioactivity evaluation of blackcurrant press cake, sea buckthorn leaves and bark from Scots pine and Norway spruce extracts under a green integrated approach. <i>Food and Chemical Toxicology</i> , 2021, 153, 112284.	3.6	26

#	ARTICLE	IF	CITATIONS
37	Direct infusion and ultra-high performance liquid chromatography/electrospray ionization tandem mass spectrometry analysis of phospholipid regioisomers. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e9151.	1.5	3
38	Enzyme-Assisted Extraction of Fish Oil from Whole Fish and by-Products of Baltic Herring ( <i>Clupea</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	4.3	25
39	Chemical composition, sensory profile and antioxidant capacity of low-alcohol strawberry beverages fermented with <i>Saccharomyces cerevisiae</i> and <i>Torulaspora delbrueckii</i> . <i>LWT - Food Science and Technology</i> , 2021, 149, 111910.	5.2	10
40	Human milk metabolome is associated with symptoms of maternal psychological distress and milk cortisol. <i>Food Chemistry</i> , 2021, 356, 129628.	8.2	21
41	Fiber modification of brewers'™ spent grain by autoclave treatment to improve its properties as a functional food ingredient. <i>LWT - Food Science and Technology</i> , 2021, 149, 111877.	5.2	20
42	Alternative proteins and EU food law. <i>Food Control</i> , 2021, 130, 108336.	5.5	43
43	Berry polyphenols and human health: evidence of antioxidant, anti-inflammatory, microbiota modulation, and cell-protecting effects. <i>Current Opinion in Food Science</i> , 2021, 42, 167-186.	8.0	103
44	European Union legislation on macroalgae products. <i>Aquaculture International</i> , 2021, 29, 487-509.	2.2	77
45	Acylated anthocyanins: A review on their bioavailability and effects on postprandial carbohydrate metabolism and inflammation. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 5570-5615.	11.7	49
46	Effects of Genetic Background and Altitude on Sugars, Malic Acid and Ascorbic Acid in Fruits of Wild and Cultivated Apples ( <i>Malus</i> sp.). <i>Foods</i> , 2021, 10, 2950.	4.3	7
47	Valorisation of brewers'™ spent grain in different particle size in yogurt production. <i>E3S Web of Conferences</i> , 2021, 332, 01008.	0.5	0
48	Pyranoanthocyanins in bilberry ( <i>Vaccinium myrtillus</i> L.) wines fermented with <i>Schizosaccharomyces pombe</i> and their evolution during aging. <i>Food Chemistry</i> , 2020, 305, 125438.	8.2	17
49	Anthocyanin-rich extract from purple potatoes decreases postprandial glycemic response and affects inflammation markers in healthy men. <i>Food Chemistry</i> , 2020, 310, 125797.	8.2	43
50	Analysis of flavour compounds and prediction of sensory properties in sea buckthorn ( <i>Hippophaë</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T	2.7	13
51	Synthesis of enantiopure ABC-type triacylglycerols. <i>Tetrahedron</i> , 2020, 76, 130813.	1.9	7
52	Sensory Characteristics Contributing to Pleasantness of Oat Product Concepts by Finnish and Chinese Consumers. <i>Foods</i> , 2020, 9, 1234.	4.3	17
53	Interactions between cortisol and lipids in human milk. <i>International Breastfeeding Journal</i> , 2020, 15, 66.	2.6	13
54	Effect of supercritical CO <sub>2</sub> plant extract and berry press cakes on stability and consumer acceptance of frozen Baltic herring ( <i>Clupea harengus membras</i> ) mince. <i>Food Chemistry</i> , 2020, 332, 127385.	8.2	21

#	ARTICLE	IF	CITATIONS
55	Synthesis and enantiospecific analysis of enantiostructured triacylglycerols containing n-3 polyunsaturated fatty acids. <i>Chemistry and Physics of Lipids</i> , 2020, 231, 104937.	3.2	10
56	Effects of Anthocyanin Extracts from Bilberry ( <i>Vaccinium myrtillus</i> L.) and Purple Potato ( <i>Solanum tuberosum</i> L. var. "Synke" Sakari)™ on the Plasma Metabolomic Profile of Zucker Diabetic Fatty Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 9436-9450.	5.2	33
57	Prebiotic Xylo-Oligosaccharides Ameliorate High-Fat-Diet-Induced Hepatic Steatosis in Rats. <i>Nutrients</i> , 2020, 12, 3225.	4.1	28
58	Impact of storage on sensory quality of blackcurrant juices prepared with or without enzymatic treatment at industrial scale. <i>European Food Research and Technology</i> , 2020, 246, 2611-2620.	3.3	6
59	Effect of processing of bovine milk on gastrointestinal symptoms and intestinal pressure in sensitive individuals. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	1.0	0
60	Diet, Perceived Intestinal Well-Being and Compositions of Fecal Microbiota and Short Chain Fatty Acids in Oat-Using Subjects with Celiac Disease or Gluten Sensitivity. <i>Nutrients</i> , 2020, 12, 2570.	4.1	9
61	Phenolic Compound Profiles in Alcoholic Black Currant Beverages Produced by Fermentation with <i>Saccharomyces</i> and Non- <i>Saccharomyces</i> Yeasts. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 10128-10141.	5.2	14
62	Microbial production of essential and toxic compounds among oat-using CeD and NCGS patients. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	1.0	0
63	Effects of germination and kilning on the phenolic compounds and nutritional properties of quinoa ( <i>Chenopodium quinoa</i> ) and kiwicha ( <i>Amaranthus caudatus</i> ). <i>Journal of Cereal Science</i> , 2020, 94, 102996.	3.7	41
64	Impact of cultivar, growth temperature and developmental stage on phenolic compounds and ascorbic acid in purple and yellow potato tubers. <i>Food Chemistry</i> , 2020, 326, 126966.	8.2	19
65	Direct inlet negative ion chemical ionization tandem mass spectrometric analysis of triacylglycerol regioisomers in human milk and infant formulas. <i>Food Chemistry</i> , 2020, 328, 126991.	8.2	22
66	Characterization and Quantification of Nonanthocyanin Phenolic Compounds in White and Blue Bilberry ( <i>Vaccinium myrtillus</i> ) Juices and Wines Using UHPLC-DAD~ESI-QTOF-MS and UHPLC-DAD. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 7734-7744.	5.2	31
67	Untargeted metabolic fingerprinting reveals impact of growth stage and location on composition of sea buckthorn ( <i>Hippophae rhamnoides</i> ) leaves. <i>Journal of Food Science</i> , 2020, 85, 364-373.	3.1	8
68	Comparison of Volatile Composition between Alcoholic Bilberry Beverages Fermented with Non- <i>Saccharomyces</i> Yeasts and Dynamic Changes in Volatile Compounds during Fermentation. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 3626-3637.	5.2	27
69	Profile and Content of Residual Alkaloids in Ten Ecotypes of <i>Lupinus mutabilis</i> Sweet after Aqueous Debittering Process. <i>Plant Foods for Human Nutrition</i> , 2020, 75, 184-191.	3.2	20
70	Hops compounds modulatory effects and 6-prenylnaringenin dual mode of action on GABAA receptors. <i>European Journal of Pharmacology</i> , 2020, 873, 172962.	3.5	12
71	Phenolic compounds and antioxidant activities of tea-type infusions processed from sea buckthorn ( <i>Hippophae rhamnoides</i> ) leaves. <i>Food Chemistry</i> , 2019, 272, 1-11.	8.2	55
72	Structural investigation of cell wall polysaccharides extracted from wild Finnish mushroom <i>Craterellus tubaeformis</i> (Funnel Chanterelle). <i>Food Chemistry</i> , 2019, 301, 125255.	8.2	28

#	ARTICLE	IF	CITATIONS
73	Impact of cyclodextrin treatment on composition and sensory properties of lingonberry ( <i>Vaccinium</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10	5.2	24
74	Regiospecific Analysis of Triacylglycerols by Ultrahigh-Performance-Liquid Chromatographyâ€“Electrospray Ionizationâ€“Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2019, 91, 13695-13702.	6.5	13
75	Fruit Seeds as Sources of Bioactive Compounds: Sustainable Production of High Value-Added Ingredients from By-Products within Circular Economy. <i>Molecules</i> , 2019, 24, 3854.	3.8	83
76	Effects of a sea buckthorn oil cream on vulvovaginal atrophy. <i>Maturitas</i> , 2019, 124, 145-146.	2.4	3
77	Effects of Latitude and Weather Conditions on Proanthocyanidins in Blackcurrant ( <i>Ribes</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 14038-14047.	5.2	14
78	Enzymatic acylation of blackcurrant ( <i>Ribes nigrum</i> ) anthocyanins and evaluation of lipophilic properties and antioxidant capacity of derivatives. <i>Food Chemistry</i> , 2019, 281, 189-196.	8.2	78
79	Compositional Diversity among Blackcurrant ( <i>Ribes nigrum</i> ) Cultivars Originating from European Countries. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 5621-5633.	5.2	34
80	Effects of processing and storage conditions on volatile composition and odor characteristics of blackcurrant ( <i>Ribes nigrum</i> ) juices. <i>Food Chemistry</i> , 2019, 293, 151-160.	8.2	15
81	Changes in the volatile profile, fatty acid composition and other markers of lipid oxidation of six different vegetable oils during short-term deep-frying. <i>Food Research International</i> , 2019, 122, 318-329.	6.2	80
82	Mycobiome Profiles in Breast Milk from Healthy Women Depend on Mode of Delivery, Geographic Location, and Interaction with Bacteria. <i>Applied and Environmental Microbiology</i> , 2019, 85, .	3.1	76
83	Impact of lactic acid fermentation on acids, sugars, and phenolic compounds in black chokeberry and sea buckthorn juices. <i>Food Chemistry</i> , 2019, 286, 204-215.	8.2	71
84	Regulation of phytochemicals in fruits and berries by environmental variationâ€“Sugars and organic acids. <i>Journal of Food Biochemistry</i> , 2019, 43, e12642.	2.9	30
85	Volatile composition of bilberry wines fermented with non-Saccharomyces and Saccharomyces yeasts in pure, sequential and simultaneous inoculations. <i>Food Microbiology</i> , 2019, 80, 25-39.	4.2	40
86	The effect of cooking on umami compounds in wild and cultivated mushrooms. <i>Food Chemistry</i> , 2019, 278, 56-66.	8.2	38
87	Bioavailability of docosahexaenoic acid 22:6(n-3) from enantiopure triacylglycerols and their regioisomeric counterpart in rats. <i>Food Chemistry</i> , 2019, 283, 381-389.	8.2	18
88	Effects of a sea buckthorn oil spray emulsion on dry eye. <i>Contact Lens and Anterior Eye</i> , 2019, 42, 428-433.	1.7	10
89	Determination of vitamin K composition of fermented food. <i>Food Chemistry</i> , 2019, 275, 515-522.	8.2	55
90	Identification and Quantification of Avenanthramides and Free and Bound Phenolic Acids in Eight Cultivars of Husked Oat ( <i>Avena sativa</i> L.) from Finland. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 2900-2908.	5.2	48

#	ARTICLE	IF	CITATIONS
91	Enzymatic Acylation of Anthocyanins Isolated from Alpine Bearberry ( <i>Arctostaphylos alpina</i> ) and Lipophilic Properties, Thermostability, and Antioxidant Capacity of the Derivatives. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 2909-2916.	5.2	68
92	Correlating supercritical fluid extraction parameters with volatile compounds from Finnish wild mushrooms ( <i>Craterellus tubaeformis</i> ) and yield prediction by partial least squares regression analysis. <i>RSC Advances</i> , 2018, 8, 5233-5242.	3.6	7
93	Antioxidative and antibacterial activities of aqueous ethanol extracts of berries, leaves, and branches of berry plants. <i>Food Research International</i> , 2018, 106, 291-303.	6.2	87
94	Red/Green Currant and Sea Buckthorn Berry Press Residues as Potential Sources of Antioxidants for Food Use. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 3426-3434.	5.2	21
95	Sensory and chemical profiles of Finnish honeys of different botanical origins and consumer preferences. <i>Food Chemistry</i> , 2018, 246, 351-359.	8.2	45
96	Improved analysis of anthocyanins and vitamin C in blue-purple potato cultivars. <i>Food Chemistry</i> , 2018, 242, 217-224.	8.2	18
97	Effect of homogenised and pasteurised versus native cows' milk on gastrointestinal symptoms, intestinal pressure and postprandial lipid metabolism. <i>International Dairy Journal</i> , 2018, 79, 15-23.	3.0	8
98	Low-FODMAP regular rye bread in irritable bowel syndrome: Randomized SmartPill study. <i>World Journal of Gastroenterology</i> , 2018, 24, 1259-1268.	3.3	18
99	Human Breast Milk NMR Metabolomic Profile across Specific Geographical Locations and Its Association with the Milk Microbiota. <i>Nutrients</i> , 2018, 10, 1355.	4.1	74
100	Anti-tumor properties of anthocyanins from <i>Lonicera caerulea</i> fruit on human hepatocellular carcinoma: In vitro and in vivo study. <i>Biomedicine and Pharmacotherapy</i> , 2018, 104, 520-529.	5.6	48
101	Profiles of Volatile Compounds in Blackcurrant ( <i>Ribes nigrum</i> ) Cultivars with a Special Focus on the Influence of Growth Latitude and Weather Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 7485-7495.	5.2	32
102	Sephadex LH-20 fractionation and bioactivities of phenolic compounds from extracts of Finnish berry plants. <i>Food Research International</i> , 2018, 113, 115-130.	6.2	21
103	Effects of different drying temperatures on the content of phenolic compounds and carotenoids in quinoa seeds ( <i>Chenopodium quinoa</i> ) from Finland. <i>Journal of Food Composition and Analysis</i> , 2018, 72, 75-82.	3.9	57
104	Effect of Temperature on Flavor Compounds and Sensory Characteristics of Maillard Reaction Products Derived from Mushroom Hydrolysate. <i>Molecules</i> , 2018, 23, 247.	3.8	41
105	Effects of Aromatic Herb Flavoring on Carotenoids and Volatile Compounds in Edible Oil From Blue Sweet Lupin ( <i>Lupinus angustifolius</i> ). <i>European Journal of Lipid Science and Technology</i> , 2018, 120, 1800227.	1.5	8
106	Chemical composition of bilberry wine fermented with non-Saccharomyces yeasts ( <i>Torulasporea</i> ) mixed fermentations. <i>Food Chemistry</i> , 2018, 266, 262-274.	8.2	71
107	The effect of heat treatments and homogenisation of cows' milk on gastrointestinal symptoms, inflammation markers and postprandial lipid metabolism. <i>International Dairy Journal</i> , 2018, 85, 184-190.	3.0	9
108	Impact of apple cultivar, ripening stage, fermentation type and yeast strain on phenolic composition of apple ciders. <i>Food Chemistry</i> , 2017, 233, 29-37.	8.2	66

#	ARTICLE	IF	CITATIONS
109	Effects of Insect Herbivory on Bilberry Production and Removal of Berries by Frugivores. <i>Journal of Chemical Ecology</i> , 2017, 43, 422-432.	1.8	2
110	Triacylglycerol regioisomers in human milk resolved with an algorithmic novel electrospray ionization tandem mass spectrometry method. <i>Food Chemistry</i> , 2017, 233, 351-360.	8.2	77
111	<i>Faecalibacterium prausnitzii</i> treatment improves hepatic health and reduces adipose tissue inflammation in high-fat fed mice. <i>ISME Journal</i> , 2017, 11, 1667-1679.	9.8	179
112	Breast Milk Polyamines and Microbiota Interactions: Impact of Mode of Delivery and Geographical Location. <i>Annals of Nutrition and Metabolism</i> , 2017, 70, 184-190.	1.9	35
113	Role of Flavonols and Proanthocyanidins in the Sensory Quality of Sea Buckthorn ( <i>Hippophaë rhamnoides</i> ). <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 1078-1084.	5.2	23
114	Sensory profile of ethyl 2-O-glucopyranoside and its contribution to quality of sea buckthorn ( <i>Hippophaë rhamnoides</i> L.). <i>Food Chemistry</i> , 2017, 233, 263-272.	8.2	19
115	Effect of processing technologies and storage conditions on stability of black currant juices with special focus on phenolic compounds and sensory properties. <i>Food Chemistry</i> , 2017, 221, 422-430.	8.2	38
116	Effects of latitude and weather conditions on proanthocyanidins in berries of Finnish wild and cultivated sea buckthorn ( <i>Hippophaë rhamnoides</i> L. ssp. <i>rhamnoides</i> ). <i>Food Chemistry</i> , 2017, 216, 87-96.	8.2	30
117	NMR metabolomics demonstrates phenotypic plasticity of sea buckthorn ( <i>Hippophaë rhamnoides</i> ) berries with respect to growth conditions in Finland and Canada. <i>Food Chemistry</i> , 2017, 219, 139-147.	8.2	21
118	Phenolic compounds extracted by acidic aqueous ethanol from berries and leaves of different berry plants. <i>Food Chemistry</i> , 2017, 220, 266-281.	8.2	166
119	Self-Ratings of Olfactory Performance and Odor Annoyance Are Associated With the Affective Impact of Odor, but Not With Smell Test Results. <i>Perception</i> , 2017, 46, 352-365.	1.2	19
120	Pleasantness, familiarity, and identification of spice odors are interrelated and enhanced by consumption of herbs and food neophilia. <i>Appetite</i> , 2017, 109, 190-200.	3.7	34
121	Effect of Plant Antimicrobial Agents Containing Marinades on Storage Stability and Microbiological Quality of Broiler Chicken Cuts Packed with Modified Atmosphere Packaging. <i>Journal of Food Protection</i> , 2017, 80, 1689-1696.	1.7	11
122	Distinct Patterns in Human Milk Microbiota and Fatty Acid Profiles Across Specific Geographic Locations. <i>Frontiers in Microbiology</i> , 2016, 7, 1619.	3.5	224
123	CO <sub>2</sub> Plant Extracts Reduce Cholesterol Oxidation in Fish Patties during Cooking and Storage. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 9653-9662.	5.2	11
124	Extraction and purification of anthocyanins from purple-fleshed potato. <i>Food and Bioprocess Technology</i> , 2016, 99, 136-146.	3.6	53
125	Sea Buckthorn ( <i>Hippophaë rhamnoides</i> ssp. <i>rhamnoides</i> ) Berries in Nordic Environment: Compositional Response to Latitude and Weather Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 5031-5044.	5.2	19
126	Stability of Hydroxycinnamic Acid Derivatives, Flavonol Glycosides, and Anthocyanins in Black Currant Juice. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 4584-4598.	5.2	45



#	ARTICLE	IF	CITATIONS
127	Comparison of the postprandial effects of purple-fleshed and yellow-fleshed potatoes in healthy males with chemical characterization of the potato meals. <i>International Journal of Food Sciences and Nutrition</i> , 2016, 67, 581-591.	2.8	17
128	Associations of dietary intakes of anthocyanins and berry fruits with risk of type 2 diabetes mellitus: a systematic review and meta-analysis of prospective cohort studies. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 1360-1367.	2.9	102
129	Reversible resistive switching in single-crystalline CuO nanowires. , 2016, , .		1
130	NMR profiling clarifies the characterization of Finnish honeys of different botanical origins. <i>Food Research International</i> , 2016, 86, 83-92.	6.2	45
131	Chromatographic purification of enzymatically synthesized alkyl glucopyranosides. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 2419-2431.	3.2	2
132	Triacylglycerol biosynthesis in developing <i>Ribes nigrum</i> and <i>Ribes rubrum</i> seeds from gene expression to oil composition. <i>Food Chemistry</i> , 2016, 196, 976-987.	8.2	3
133	Flavonol glycosides in berries of two major subspecies of sea buckthorn ( <i>Hippophaë rhamnoides</i> L.) and influence of growth sites. <i>Food Chemistry</i> , 2016, 200, 189-198.	8.2	62
134	Proanthocyanidins in Sea Buckthorn ( <i>Hippophaë rhamnoides</i> L.) Berries of Different Origins with Special Reference to the Influence of Genetic Background and Growth Location. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 1274-1282.	5.2	31
135	Contribution of Phenolic Compounds to Sensory Profiles of Blackcurrant Juices. <i>ACS Symposium Series</i> , 2015, , 57-66.	0.5	0
136	Growth and Development in Chinese Pre-Schoolers with Picky Eating Behaviour: A Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0123664.	2.5	43
137	Effects of sea buckthorn ( <i>Hippophaë rhamnoides</i> ) juice and L-quebrachitol on type 2 diabetes mellitus in db/db mice. <i>Journal of Functional Foods</i> , 2015, 16, 223-233.	3.4	35
138	Clinical evidence on potential health benefits of berries. <i>Current Opinion in Food Science</i> , 2015, 2, 36-42.	8.0	74
139	Proanthocyanidins and Their Contribution to Sensory Attributes of Black Currant Juices. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 5373-5380.	5.2	24
140	Cultivation of <i>Nannochloropsis</i> for eicosapentaenoic acid production in wastewaters of pulp and paper industry. <i>Bioresource Technology</i> , 2015, 193, 469-476.	9.6	44
141	Effects of CO <sub>2</sub> plant extracts on triacylglycerol oxidation in Atlantic salmon during cooking and storage. <i>Food Chemistry</i> , 2015, 173, 1011-1021.	8.2	11
142	Prevalence of picky eating behaviour in Chinese school-age children and associations with anthropometric parameters and intelligence quotient. A cross-sectional study. <i>Appetite</i> , 2015, 91, 248-255.	3.7	66
143	Flavonol Glycosides in Currant Leaves and Variation with Growth Season, Growth Location, and Leaf Position. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 9269-9276.	5.2	22
144	Effect of growth environment on the gene expression and lipids related to triacylglycerol biosynthesis in sea buckthorn ( <i>Hippophaë rhamnoides</i> ) berries. <i>Food Research International</i> , 2015, 77, 608-619.	6.2	27

#	ARTICLE	IF	CITATIONS
145	Enantioselective chromatography in analysis of triacylglycerols common in edible fats and oils. Food Chemistry, 2015, 172, 718-724.	8.2	20
146	NMR metabolomics of ripened and developing oilseed rape ( <i>Brassica napus</i> ) and turnip rape ( <i>Brassica</i> )	8.2	30
147	HEALTH EFFECTS OF SEA BUCKTHORN BERRIES; RESEARCH AND STRATEGIES AT THE UNIVERSITY OF TURKU, FINLAND. Acta Horticulturae, 2014, , 343-349.	0.2	5
148	The Role of Ethyl-β-D-Glucoside in the Pleasantness of Sea Buckthorn Juice. , 2014, , 601-605.		0
149	Effects of sea buckthorn oil intake on vaginal atrophy in postmenopausal women: A randomized, double-blind, placebo-controlled study. Maturitas, 2014, 79, 316-321.	2.4	33
150	Sea Buckthorn, Dry Eye, and Vision. , 2014, , 473-480.		0
151	Characterization of Metabolite Profiles of Leaves of Bilberry ( <i>Vaccinium myrtillus</i> L.) and Lingonberry ( <i>Vaccinium vitis-idaea</i> L.). Journal of Agricultural and Food Chemistry, 2014, 62, 12015-12026.	5.2	55
152	Exploiting blackcurrant juice press residue in extruded snacks. LWT - Food Science and Technology, 2014, 57, 618-627.	5.2	35
153	Flavonol glycosides and other phenolic compounds in buds and leaves of different varieties of black currant ( <i>Ribes nigrum</i> L.) and changes during growing season. Food Chemistry, 2014, 160, 180-189.	8.2	38
154	Chemical-Sensory Characteristics and Consumer Responses of Blackcurrant Juices Produced by Different Industrial Processes. Food and Bioprocess Technology, 2014, 7, 2877-2888.	4.7	33
155	Coordinate changes in gene expression and triacylglycerol composition in the developing seeds of oilseed rape ( <i>Brassica napus</i> ) and turnip rape ( <i>Brassica rapa</i> ). Food Chemistry, 2014, 145, 664-673.	8.2	17
156	Composition and Biological Activities of Hydrolyzable Tannins of Fruits of <i>Phyllanthus emblica</i> . Journal of Agricultural and Food Chemistry, 2014, 62, 529-541.	5.2	101
157	<sup>1</sup> H NMR spectroscopy reveals the effect of genotype and growth conditions on composition of sea buckthorn ( <i>Hippophaë rhamnoides</i> L.) berries. Food Chemistry, 2014, 147, 138-146.	8.2	29
158	Proanthocyanidins in Wild Sea Buckthorn ( <i>Hippophaë rhamnoides</i> ) Berries Analyzed by Reversed-Phase, Normal-Phase, and Hydrophilic Interaction Liquid Chromatography with UV and MS Detection. Journal of Agricultural and Food Chemistry, 2014, 62, 7721-7729.	5.2	33
159	Breast milk fatty acid composition differs between overweight and normal weight women: the STEPS Study. European Journal of Nutrition, 2013, 52, 727-735.	3.9	86
160	Black currant seed oil supplementation of mothers enhances <i>IL-1β</i> and suppresses <i>IL-4</i> production in breast milk. Pediatric Allergy and Immunology, 2013, 24, 562-566.	2.6	18
161	Effects of Latitude and Weather Conditions on Phenolic Compounds in Currant ( <i>Ribes</i> spp.) Cultivars. Journal of Agricultural and Food Chemistry, 2013, 61, 3517-3532.	5.2	51
162	Sensory quality and compositional characteristics of blackcurrant juices produced by different processes. Food Chemistry, 2013, 138, 2421-2429.	8.2	65

#	ARTICLE	IF	CITATIONS
163	Effects of sea buckthorn and bilberry on serum metabolites differ according to baseline metabolic profiles in overweight women: a randomized crossover trial. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 941-951.	4.7	42
164	Pro-inflammatory and Th2-type cytokine responses in <sc>PBMC</sc> in infants are associated with parental smoking. <i>Clinical and Experimental Allergy</i> , 2012, 42, 1472-1478.	2.9	9
165	Effects of Genotype, Latitude, and Weather Conditions on the Composition of Sugars, Sugar Alcohols, Fruit Acids, and Ascorbic Acid in Sea Buckthorn ( <i>Hippophaë rhamnoides</i> ssp. <i>mongolica</i> ) Berry Juice. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 3180-3189.	5.2	48
166	Compositional Differences of Phenolic Compounds between Black Currant ( <i>Ribes nigrum</i> L.) Cultivars and Their Response to Latitude and Weather Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 6581-6593.	5.2	82
167	Analysis of Hydrolyzable Tannins and Other Phenolic Compounds in Emblic Leafflower ( <i>Phyllanthus emblica</i> L.) Fruits by High Performance Liquid Chromatography-Electrospray Ionization Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 8672-8683.	5.2	90
168	Sugars, Acids, and Phenolic Compounds in Chinese Hawthorn ( <i>Crataegus</i> spp.) Fruits of Different Origins. <i>ACS Symposium Series</i> , 2012, , 275-286.	0.5	1
169	Nutrition in the Treatment of Dry Eye with Special Attention to Sea Buckthorn Oil. <i>ACS Symposium Series</i> , 2012, , 533-543.	0.5	0
170	Composition and health effects of phenolic compounds in hawthorn ( <i>Crataegus</i> spp.) of different origins. <i>Journal of the Science of Food and Agriculture</i> , 2012, 92, 1578-1590.	3.5	90
171	Phenolic Compounds in Hawthorn ( <i>Crataegus grayana</i> ) Fruits and Leaves and Changes during Fruit Ripening. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 11141-11149.	5.2	65
172	Sugars, sugar alcohols, fruit acids, and ascorbic acid in wild Chinese sea buckthorn ( <i>Hippophaë</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 International, 2011, 44, 2018-2026.	6.2	44
173	Flavonoids, sugars and fruit acids of alpine bearberry ( <i>Arctostaphylos alpina</i> ) from Finnish Lapland. <i>Food Research International</i> , 2011, 44, 2027-2033.	6.2	10
174	Composition and antioxidative activities of supercritical CO <sub>2</sub> -extracted oils from seeds and soft parts of northern berries. <i>Food Research International</i> , 2011, 44, 2009-2017.	6.2	112
175	Effects of Oral Sea Buckthorn Oil on Tear Film Fatty Acids in Individuals With Dry Eye. <i>Cornea</i> , 2011, 30, 1013-1019.	1.7	23
176	Different berries and berry fractions have various but slightly positive effects on the associated variables of metabolic diseases on overweight and obese women. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 394-401.	2.9	91
177	Influence of origin, harvesting time and weather conditions on content of inositols and methylinositols in sea buckthorn ( <i>Hippophaë rhamnoides</i> ) berries. <i>Food Chemistry</i> , 2011, 125, 388-396.	8.2	30
178	Quantitative analysis of phenolic compounds in Chinese hawthorn ( <i>Crataegus</i> spp.) fruits by high performance liquid chromatography-electrospray ionisation mass spectrometry. <i>Food Chemistry</i> , 2011, 127, 1370-1377.	8.2	72
179	Triterpene Acids in <i>Plantago major</i> : Identification, Quantification and Comparison of Different Extraction Methods. <i>Chromatographia</i> , 2010, 71, 279-284.	1.3	36
180	Effect of antioxidants on elimination and formation of acrylamide in model reaction systems. <i>Journal of Hazardous Materials</i> , 2010, 182, 863-868.	12.4	67

#	ARTICLE	IF	CITATIONS
181	Characterization of phenolic compounds in Chinese hawthorn ( <i>Crataegus pinnatifida</i> Bge. var. <i>major</i> ) fruit by high performance liquid chromatography–electrospray ionization mass spectrometry. <i>Food Chemistry</i> , 2010, 121, 1188-1197.	8.2	106
182	Blackcurrant seed oil for prevention of atopic dermatitis in newborns: a randomized, double-blind, placebo-controlled trial. <i>Clinical and Experimental Allergy</i> , 2010, 40, 1247-1255.	2.9	46
183	Oral Sea Buckthorn Oil Attenuates Tear Film Osmolarity and Symptoms in Individuals with Dry Eye , , , <i>Journal of Nutrition</i> , 2010, 140, 1462-1468.	2.9	81
184	Regioisomer Compositions of Vaccenic and Oleic Acid Containing Triacylglycerols in Sea Buckthorn ( <i>Hippophaë rhamnoides</i> ) Pulp Oils: Influence of Origin and Weather Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 537-545.	5.2	31
185	Acids, Sugars, and Sugar Alcohols in Chinese Hawthorn ( <i>Crataegus</i> spp.) Fruits. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 1012-1019.	5.2	54
186	Effects of latitude and weather conditions on sugars, fruit acids and ascorbic acid in currant ( <i>Ribes</i> sp.) cultivars. <i>Journal of the Science of Food and Agriculture</i> , 2009, 89, 2011-2023.	3.5	42
187	Effect of a low dose of sea buckthorn berries on circulating concentrations of cholesterol, triacylglycerols, and flavonols in healthy adults. <i>European Journal of Nutrition</i> , 2009, 48, 277-282.	3.9	41
188	Sugars, acids, ethyl $\beta$ -D-glucopyranose and a methyl inositol in sea buckthorn ( <i>Hippophaë rhamnoides</i> ) berries. <i>Food Chemistry</i> , 2009, 112, 89-97.	8.2	47
189	Identification of bioactive compounds in <i>Phyllanthus emblica</i> L. fruit and their free radical scavenging activities. <i>Food Chemistry</i> , 2009, 114, 499-504.	8.2	140
190	Inositols and methylinositols in sea buckthorn ( <i>Hippophaë rhamnoides</i> ) berries. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 1426-1432.	2.3	32
191	Flavonol glycosides in wild and cultivated berries of three major subspecies of <i>Hippophaë rhamnoides</i> and changes during harvesting period. <i>Food Chemistry</i> , 2009, 115, 657-664.	8.2	53
192	Effects of Latitude and Weather Conditions on Contents of Sugars, Fruit Acids, and Ascorbic Acid in Black Currant ( <i>Ribes nigrum</i> L.) Juice. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 2977-2987.	5.2	79
193	Fast Analysis of Sugars, Fruit Acids, and Vitamin C in Sea Buckthorn ( <i>Hippophaë rhamnoides</i> L.) Varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 2508-2513.	5.2	85
194	Secoisolaricresinol and Matairesinol of Sea Buckthorn ( <i>Hippophaë rhamnoides</i> L.) Berries of Different Subspecies and Harvesting Times. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 8065-8070.	5.2	13
195	Absorption of Flavonols Derived from Sea Buckthorn ( <i>Hippophaë rhamnoides</i> L.) and Their Effect on Emerging Risk Factors for Cardiovascular Disease in Humans. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 7364-7369.	5.2	80
196	Analysis of triacylglycerols of seeds and berries of sea buckthorn ( <i>Hippophaë rhamnoides</i> ) of different origins by mass spectrometry and tandem mass spectrometry. <i>Lipids</i> , 2006, 41, 381-392.	1.7	30
197	Effects of Polyunsaturated Fatty Acids in Growth Medium on Lipid Composition and on Physicochemical Surface Properties of Lactobacilli. <i>Applied and Environmental Microbiology</i> , 2004, 70, 129-136.	3.1	98
198	Plant sterols in seeds of two species of <i>Vaccinium</i> ( <i>V. myrtillus</i> and <i>V. vitis-idaea</i> ) naturally distributed in Finland. <i>European Food Research and Technology</i> , 2003, 216, 34-38.	3.3	24

#	ARTICLE	IF	CITATIONS
199	Effects of Different Origins and Harvesting Time on Vitamin C, Tocopherols, and Tocotrienols in Sea Buckthorn ( <i>Hippophaë rhamnoides</i> ) Berries. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 6136-6142.	5.2	171
200	Triacylglycerols, Glycerophospholipids, Tocopherols, and Tocotrienols in Berries and Seeds of Two Subspecies ( <i>ssp.sinensis</i> and <i>mongolica</i> ) of Sea Buckthorn ( <i>Hippophaë rhamnoides</i> ). <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 3004-3009.	5.2	149
201	Composition and physiological effects of sea buckthorn ( <i>Hippophaë</i> ) lipids. <i>Trends in Food Science and Technology</i> , 2002, 13, 160-167.	15.1	165
202	Effects of sea buckthorn ( <i>Hippophaë rhamnoides</i> L.) seed and pulp oils on experimental models of gastric ulcer in rats. <i>FÄ-toterapÄ-Äç</i> , 2002, 73, 644-650.	2.2	135
203	Effects of Harvesting Time on Triacylglycerols and Glycerophospholipids of Sea Buckthorn ( <i>Hippophaë</i> ) Tj ETQq1 1,0,784314,rgBT /Cve 3,9 77	3.9	77
204	Encapsulation of sea buckthorn kernel oil in modified starches. <i>JAOCs, Journal of the American Oil Chemists' Society</i> , 2002, 79, 219-223.	1.9	29
205	Influence of probiotic supplemented infant formula on composition of plasma lipids in atopic infants. <i>Journal of Nutritional Biochemistry</i> , 2002, 13, 364-369.	4.2	45
206	Fatty Acid Composition of Lipids in Sea Buckthorn ( <i>Hippophaë rhamnoides</i> L.) Berries of Different Origins. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 1939-1947.	5.2	249
207	Phytosterols in Sea Buckthorn ( <i>Hippophaë rhamnoides</i> L.) Berries:Ä Identification and Effects of Different Origins and Harvesting Times. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 5620-5629.	5.2	147
208	Sea buckthorn berry oil inhibits platelet aggregation. <i>Journal of Nutritional Biochemistry</i> , 2000, 11, 491-495.	4.2	96
209	Effect of dietary supplementation with sea buckthorn ( <i>Hippophaë rhamnoides</i> ) seed and pulp oils on the fatty acid composition of skin glycerophospholipids of patients with atopic dermatitis. <i>Journal of Nutritional Biochemistry</i> , 2000, 11, 338-340.	4.2	101
210	Effects of dietary supplementation with sea buckthorn ( <i>Hippophaë rhamnoides</i> ) seed and pulp oils on atopic dermatitis. <i>Journal of Nutritional Biochemistry</i> , 1999, 10, 622-630.	4.2	106
211	Breast Milk Lipidome Is Associated With Maternal Diet and Infants' Growth. <i>Frontiers in Nutrition</i> , 0, 9, .	3.7	7