## **Didier Monte**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2688486/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Take Your PIC. Trends in Biochemical Sciences, 2021, 46, 705-707.	7.5	4
2	Cross-talk between YAP and RAR-RXR Drives Expression of Stemness Genes to Promote 5-FU Resistance and Self-Renewal in Colorectal Cancer Cells. Molecular Cancer Research, 2021, 19, 612-622.	3.4	13
3	Mediator complex subunit Med19 binds directly GATA transcription factors and is required with Med1 for GATA-driven gene regulation in vivo. Journal of Biological Chemistry, 2020, 295, 13617-13629.	3.4	10
4	Twenty years of Mediator complex structural studies. Biochemical Society Transactions, 2019, 47, 399-410.	3.4	42
5	Crystal structure of human Mediator subunit MED23. Nature Communications, 2018, 9, 3389.	12.8	22
6	Solution Structure of the N-Terminal Domain of Mediator Subunit MED26 and Molecular Characterization of Its Interaction with EAF1 and TAF7. Journal of Molecular Biology, 2017, 429, 3043-3055.	4.2	12
7	Structure of UBE2Z Enzyme Provides Functional Insight into Specificity in the FAT10 Protein Conjugation Machinery. Journal of Biological Chemistry, 2016, 291, 630-639.	3.4	26
8	Regulation of cellular quiescence by YAP/TAZ and Cyclin E1 in colon cancer cells: Implication in chemoresistance and cancer relapse. Oncotarget, 2016, 7, 56699-56712.	1.8	36
9	Characterization of ERM transactivation domain binding to the ACID/PTOV domain of the Mediator subunit MED25. Nucleic Acids Research, 2015, 43, 7110-7121.	14.5	28
10	Homozygous MED25 mutation implicated in eye–intellectual disability syndrome. Human Genetics, 2015, 134, 577-587.	3.8	18
11	PEA3 transcription factors are downstream effectors of Met signaling involved in migration and invasiveness of Metâ€addicted tumor cells. Molecular Oncology, 2015, 9, 1852-1867.	4.6	24
12	Colon Cancer Cells Escape 5FU Chemotherapy-Induced Cell Death by Entering Stemness and Quiescence Associated with the c-Yes/YAP Axis. Clinical Cancer Research, 2014, 20, 837-846.	7.0	260
13	The Mediator complex subunit MED25 is targeted by the N-terminal transactivation domain of the PEA3 group members. Nucleic Acids Research, 2013, 41, 4847-4859.	14.5	29
14	NMR structure of the human Mediator MED25 ACID domain. Journal of Structural Biology, 2011, 174, 245-251.	2.8	35
15	Galectin-3 regulates MUC1 and EGFR cellular distribution and EGFR downstream pathways in pancreatic cancer cells. Oncogene, 2011, 30, 2514-2525.	5.9	97
16	The Coactivator activator CoAA regulates PEA3 group member transcriptional activity. Biochemical Journal, 2011, 439, 469-477.	3.7	7
17	Endospanins Regulate a Postinternalization Step of the Leptin Receptor Endocytic Pathway. Journal of Biological Chemistry, 2011, 286, 17968-17981.	3.4	39
18	The E3 ubiquitin ligase complex component COP1 regulates PEA3 group member stability and transcriptional activity. Oncogene, 2010, 29, 1810-1820.	5.9	39

**DIDIER MONTE** 

#	Article	IF	CITATIONS
19	Autocrine Induction of Invasive and Metastatic Phenotypes by the MIF-CXCR4 Axis in Drug-Resistant Human Colon Cancer Cells. Cancer Research, 2010, 70, 4644-4654.	0.9	99
20	Solution structure of the N-terminal transactivation domain of ERM modified by SUMO-1. Biochemical and Biophysical Research Communications, 2010, 399, 104-110.	2.1	18
21	Scavenger Chemokine (CXC Motif) Receptor 7 (CXCR7) Is a Direct Target Gene of HIC1 (Hypermethylated) Tj E	TQq1 1 0.7 3.4	′84314 rgB⊺ 68
22	Ets-1 p27: a novel Ets-1 isoform with dominant-negative effects on the transcriptional properties and the subcellular localization of Ets-1 p51. Oncogene, 2009, 28, 2087-2099.	5.9	41
23	ASK1 and MAP2K6 as modifiers of age at onset in Huntington's disease. Journal of Molecular Medicine, 2008, 86, 485-490.	3.9	41
24	Crosstalk between androgen receptor and epidermal growth factor receptor-signalling pathways: a molecular switch for epithelial cell differentiation. Journal of Molecular Endocrinology, 2007, 39, 151-162.	2.5	45
25	The 26S proteasome system degrades the ERM transcription factor and regulates its transcription-enhancing activity. Oncogene, 2007, 26, 415-424.	5.9	21
26	ASK-1 (apoptosis signal-regulating kinase 1) is a direct E2F target gene. Biochemical Journal, 2006, 396, 547-556.	3.7	24
27	The methyl-CpG-binding protein MECP2 is required for prostate cancer cell growth. Oncogene, 2006, 25, 1358-1366.	5.9	54
28	The Ets transcription factors of the PEA3 group: Transcriptional regulators in metastasis. Biochimica Et Biophysica Acta: Reviews on Cancer, 2006, 1766, 79-87.	7.4	76
29	Human UDP-glucuronosyltransferase (UGT)1A3 enzyme conjugates chenodeoxycholic acid in the liver. Hepatology, 2006, 44, 1158-1170.	7.3	105
30	H19 mRNA-like Noncoding RNA Promotes Breast Cancer Cell Proliferation through Positive Control by E2F1. Journal of Biological Chemistry, 2005, 280, 29625-29636.	3.4	329
31	SUMO Modification of the Ets-related Transcription Factor ERM Inhibits Its Transcriptional Activity. Journal of Biological Chemistry, 2005, 280, 24330-24338.	3.4	41
32	Expression of the Ets transcription factor Erm is regulated through a conventional PKC signaling pathway in the Molt4 lymphoblastic cell line. FEBS Letters, 2005, 579, 66-70.	2.8	3
33	Involvement of Rel/Nuclear Factor-ήB Transcription Factors in Keratinocyte Senescence. Cancer Research, 2004, 64, 472-481.	0.9	97
34	Human E2F6 is alternatively spliced to generate multiple protein isoforms. Biochemical and Biophysical Research Communications, 2004, 317, 749-760.	2.1	15
35	The NRF-1/α-PAL transcription factor regulates human E2F6 promoter activity. Biochemical Journal, 2004, 383, 529-536.	3.7	15
36	Transcriptional regulation of the murine brca2 gene by CREB/ATF transcription factors. Biochemical and Biophysical Research Communications, 2003, 312, 702-707.	2.1	6

**DIDIER MONTE** 

#	Article	IF	CITATIONS
37	Microphthalmia transcription factor analysis in posterior uveal melanomas. Experimental Eye Research, 2003, 76, 653-661.	2.6	17
38	ICBP90 belongs to a new family of proteins with an expression that is deregulated in cancer cells. British Journal of Cancer, 2003, 89, 120-127.	6.4	120
39	Transcriptional Regulation of Human Rev-erbα Gene Expression by the Orphan Nuclear Receptor Retinoic Acid-related Orphan Receptor α. Journal of Biological Chemistry, 2002, 277, 49275-49281.	3.4	60
40	Regulation of the Human Cyclin-dependent Kinase Inhibitor p18 by the Transcription Factors E2F1 and Sp1. Journal of Biological Chemistry, 2002, 277, 31679-31693.	3.4	54
41	The c-Rel transcription factor can both induce and inhibit apoptosis in the same cells via the upregulation of MnSOD. Oncogene, 2002, 21, 4392-4402.	5.9	67
42	Molecular Cloning and Characterization of the Mouse E2F6 Gene. Biochemical and Biophysical Research Communications, 2001, 288, 22-33.	2.1	13
43	Involvement of REL/NF-B Transcription Factors in Cellular Senescence. Scientific World Journal, The, 2001, 1, 67-67.	2.1	1
44	The orphan nuclear receptor RORα is a negative regulator of the inflammatory response. EMBO Reports, 2001, 2, 42-48.	4.5	259
45	Identification in the Human Candidate Tumor Suppressor GeneHIC-1 of a New Major Alternative TATA-less Promoter Positively Regulated by p53. Journal of Biological Chemistry, 2001, 276, 3078-3089.	3.4	69
46	Characterization of the human and mouse ETV1/ER81 transcription factor genes: role of the two alternatively spliced isoforms in the human. Oncogene, 1999, 18, 6278-6286.	5.9	23
47	Genomic organization of the human e1af gene,a member of Ets transcription factors. Gene, 1999, 240, 201-207.	2.2	11
48	Regulation of the Human P450scc Gene by Steroidogenic Factor 1 Is Mediated by CBP/p300. Journal of Biological Chemistry, 1998, 273, 4585-4591.	3.4	137
49	Structure–Function Relationships of the PEA3 Group of Ets-Related Transcription Factors. Biochemical and Molecular Medicine, 1997, 61, 127-135.	1.4	84
50	Expression of the PEA3 group of ETS-related transcription factors in human breast-cancer cells. International Journal of Cancer, 1997, 70, 590-597.	5.1	85
51	Genomic Organization of the Human ERM (ETV5) Gene, a PEA3 Group Member of ETS Transcription Factors. Genomics, 1996, 35, 236-240.	2.9	26
52	CD3-mediated apoptosis of human medullary thymocytes and activated peripheral T cells: Respective roles of interleukin-1, interleukin-2, interferon-γ and accessory cells. European Journal of Immunology, 1993, 23, 1623-1629.	2.9	114
53	Role of phospholipase A2 and G-proteins in the IgE-dependent activation of mast cells and macrophages. Agents and Actions, 1990, 30, 95-97.	0.7	13
54	Compound 48/80 is a potent inhibitor of phospholipase C and a dual modulator of phospholipase A2 from human platelet. Lipids and Lipid Metabolism, 1987, 920, 301-305.	2.6	57