

Moonhor Ree

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/268912/publications.pdf>

Version: 2024-02-01

251
papers

12,103
citations

30070

54
h-index

36028

97
g-index

251
all docs

251
docs citations

251
times ranked

10515
citing authors

#	ARTICLE	IF	CITATIONS
1	Inorganic-organic nanocomposite networks: Structure, curing reaction, properties, and hard coating performance. <i>Composites Science and Technology</i> , 2022, 218, 109112.	7.8	6
2	Surface hardness and abrasion resistance natures of thermoplastic polymer covers and windows and their enhancements with curable tetraacrylate coating. <i>Polymer</i> , 2022, 239, 124419.	3.8	3
3	A comprehensive small angle X-ray scattering analysis on morphological structure of semicrystalline linear polymer in bulk state. <i>Polymer</i> , 2022, 243, 124610.	3.8	2
4	Pneumolysin/Plasma Protein Adsorption, Bacterial Adherence, and Cell Adhesion Characteristics of a Cell-Membrane-Mimicking Polymer System. <i>ACS Applied Bio Materials</i> , 2022, 5, 2240-2252.	4.6	2
5	Morphological structure details, size distributions and magnetic properties of iron oxide nanoparticles. <i>Journal of Industrial and Engineering Chemistry</i> , 2021, 95, 37-50.	5.8	11
6	Molecular weight effect on the structural detail and chain characteristics of 33-armed star polystyrene. <i>Polymer</i> , 2021, 212, 123304.	3.8	7
7	Newly Found Digital Memory Characteristics of Pyrrolidone and Succinimide Based Polymers. <i>Macromolecular Rapid Communications</i> , 2021, 42, 2100186.	3.9	3
8	n-Type Digital Memory Characteristics of Diketopyrrolopyrrole-Based Narrow Bandgap Polymers. <i>Journal of Physical Chemistry C</i> , 2021, 125, 27479-27488.	3.1	3
9	Seventeen-Armed Star Polystyrenes in Various Molecular Weights: Structural Details and Chain Characteristics. <i>Polymers</i> , 2020, 12, 1894.	4.5	3
10	Melt density, equilibrium melting temperature, and crystallization characteristics of highly pure cyclic poly(μ -Caprolactone)s. <i>Polymer</i> , 2020, 207, 122899.	3.8	10
11	Morphology details and size distribution characteristics of single-pot-synthesized silica nanoparticles. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 89, 212-221.	5.8	3
12	Cyclic topology effects on the morphology of biocompatible and environment-friendly poly(μ -caprolactone) under nanoscale film confinement. <i>Polymer Chemistry</i> , 2020, 11, 4630-4638.	3.9	8
13	Quantitative Structural Analysis of Polystyrene Nanoparticles Using Synchrotron X-ray Scattering and Dynamic Light Scattering. <i>Polymers</i> , 2020, 12, 477.	4.5	6
14	Macromolecular [2]Rotaxanes Linked with Polystyrene: Properties and Nanoscale Film Morphologies. <i>Macromolecules</i> , 2019, 52, 5325-5336.	4.8	7
15	Phase Transition Behaviors and Nanoscale Film Morphologies of Poly(ϵ -valerolactone) Axles Bearing Movable and Fixed Rotaxane Wheels. <i>Macromolecular Rapid Communications</i> , 2019, 40, 1900334.	3.9	3
16	<i>Bacillus licheniformis</i> α -amylase: Structural feature in a biomimetic solution and structural changes in extrinsic conditions. <i>International Journal of Biological Macromolecules</i> , 2019, 127, 286-296.	7.5	12
17	Effects of electron donating and accepting moieties on electrical memory behaviors of polymers. <i>Polymer</i> , 2019, 178, 121584.	3.8	7
18	Nanoscale film morphology and property characteristics of dielectric polymers bearing monomeric and dimeric adamantane units. <i>Polymer</i> , 2019, 169, 225-233.	3.8	12

#	ARTICLE	IF	CITATIONS
19	Nanoscale Film Morphology and n-Type Digital Memory Characteristics of π -Conjugated Donor-Acceptor Alternating Copolymer Based on Thiophene and Thiadiazole Units. <i>Macromolecular Rapid Communications</i> , 2019, 40, 1900005.	3.9	4
20	Synthesis, Thermal Properties, and Morphologies of Amphiphilic Brush Block Copolymers with Tacticity-Controlled Polyether Main Chain. <i>Macromolecules</i> , 2018, 51, 2939-2950.	4.8	10
21	Pronounced Side Chain Effects in Triple Bond-Conjugated Polymers Containing Naphthalene Diimides for n-Channel Organic Field-Effect Transistors. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 12921-12929.	8.0	20
22	A Comparative Study of Dynamic Light and X-Ray Scatterings on Micelles of Topological Polymer Amphiphiles. <i>Polymers</i> , 2018, 10, 1347.	4.5	20
23	Digital Memory Characteristics of Aromatic Polyimides Based on Pyridine and Its Derivatives. <i>ACS Omega</i> , 2018, 3, 13036-13044.	3.5	11
24	Structural Characteristics of Pneumolysin and Its Domains in a Biomimetic Solution. <i>ACS Omega</i> , 2018, 3, 9453-9461.	3.5	4
25	Precise Synthesis, Properties, and Structures of Cyclic Poly(μ -caprolactone)s. <i>Polymers</i> , 2018, 10, 577.	4.5	23
26	2,2-Bis(1,3,4-thiadiazole)-Based π -Conjugated Copolymers for Organic Photovoltaics with Exceeding 8% and Its Molecular Weight Dependence of Device Performance. <i>Macromolecules</i> , 2017, 50, 891-899.	4.8	32
27	New high performance digital memory devices fabricated with DNA and DNA-mimics. <i>Materials Horizons</i> , 2017, 4, 423-430.	12.2	8
28	Self-assembling characteristics of amphiphilic zwitterionic brush random copolymers at the air-water interface. <i>RSC Advances</i> , 2017, 7, 11813-11820.	3.6	4
29	New photopatternable polyimide and programmable nonvolatile memory performances. <i>NPG Asia Materials</i> , 2017, 9, e374-e374.	7.9	5
30	Self-Assembling Brush Polymers Bearing Multisaccharides. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1700013.	3.9	6
31	Well-defined and stable nanomicelles self-assembled from brush cyclic and tadpole copolymer amphiphiles: a versatile smart carrier platform. <i>NPG Asia Materials</i> , 2017, 9, e453-e453.	7.9	36
32	Well-Defined Biomimicking Brush-Polymer Self-Assemblies Revealing Cholesterol- and Phosphorylcholine-Enriched Surface. <i>Macromolecules</i> , 2017, 50, 6489-6500.	4.8	7
33	Synchrotron X-ray scattering and photon correlation spectroscopy studies on thin film morphology details and structural changes of an amorphous-crystalline brush diblock copolymer. <i>Polymer</i> , 2016, 105, 472-486.	3.8	5
34	>10% Efficiency Polymer:Fullerene Solar Cells with Polyacetylene-Based Polyelectrolyte Interlayers. <i>Advanced Materials Interfaces</i> , 2016, 3, 1600415.	3.7	35
35	Structural details and digital memory performances of difluorene-containing diblock copolymers in nanoscale thin films. <i>European Polymer Journal</i> , 2016, 81, 582-597.	5.4	4
36	Finely tuned digital memory modes and performances in diblock copolymer devices by well-defined lamellar structure formation and orientation control. <i>Journal of Materials Chemistry C</i> , 2016, 4, 2017-2027.	5.5	12

#	ARTICLE	IF	CITATIONS
37	Self-Assembly-Assisted Biomolecule-Enriched Surface and High Selectivity Performance of Simple Solution-Coatable Biomimicking Brush Copolymers. <i>Biomacromolecules</i> , 2016, 17, 974-984.	5.4	2
38	Hierarchical Self-Assembly and Digital Memory Characteristics of Crystalline-Amorphous Brush Diblock Copolymers Bearing Electroactive Moieties. <i>Macromolecules</i> , 2016, 49, 1369-1382.	4.8	20
39	High-Performance n-Type Electrical Memory and Morphology-Induced Memory-Mode Tuning of a Well-Defined Brush Polymer Bearing Perylene Diimide Moieties. <i>Advanced Electronic Materials</i> , 2015, 1, 1500197.	5.1	32
40	Synthesis, physicochemical characteristics, and biocompatibility of self-assemble polymers bearing guanine, cytosine, uracil, and thymine moieties. <i>Journal of Polymer Science Part A</i> , 2015, 53, 1151-1160.	2.3	6
41	High-performance triazole-containing brush polymers via azide-alkyne click chemistry: a new functional polymer platform for electrical memory devices. <i>NPG Asia Materials</i> , 2015, 7, e228-e228.	7.9	40
42	Well-defined hollow nanochanneled-silica nanospheres prepared with the aid of sacrificial copolymer nanospheres and surfactant nanocylinders. <i>Nanoscale</i> , 2015, 7, 14774-14785.	5.6	18
43	Complex Thin Film Morphologies of Poly(n-hexyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 507 Td (isocyanate)(5k,10k) Macromolecules, 2015, 48, 5816-5833.	4.8	16
44	Structural reliability evaluation of low-k nanoporous dielectric interlayers integrated into microelectronic devices. <i>RSC Advances</i> , 2015, 5, 87084-87089.	3.6	6
45	Self-assembly behaviours of a lipid-mimic brush polymer in thin films and at air-water interface. <i>Polymer</i> , 2015, 78, 161-172.	3.8	3
46	Probing the Self-Assembled Nanostructures of Functional Polymers with Synchrotron Grazing Incidence X-Ray Scattering. <i>Macromolecular Rapid Communications</i> , 2014, 35, 930-959.	3.9	34
47	New Fullerene-Based Polymers and Their Electrical Memory Characteristics. <i>Macromolecules</i> , 2014, 47, 8154-8163.	4.8	35
48	Clues to the Electrical Switching Mechanism of Carbazole-Containing Polyimide Thin Films. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 21692-21701.	8.0	21
49	Precise synthesis of a rod-coil type miktoarm star copolymer containing poly(n-hexyl isocyanate) and aliphatic polyester. <i>Polymer Chemistry</i> , 2014, 5, 588-599.	3.9	18
50	A study of the feasibility of single molecule scattering analysis with X-ray free electron lasers. <i>Macromolecular Research</i> , 2014, 22, 8-18.	2.4	3
51	Hierarchical Structures in Thin Films of Miktoarm Star Polymers: Poly(n-hexyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 182	4.8	32
52	Self-assembly of novel lipid-mimicking brush polymers in nanoscale thin films. <i>Soft Matter</i> , 2014, 10, 701-708.	2.7	7
53	Cooperative and selective self-assembly behaviors of diblock copolypeptides in nanoscale thin films. <i>Polymer Chemistry</i> , 2014, 5, 1912-1922.	3.9	8
54	Digital Memory Versatility of Fully -Conjugated Donor-Acceptor Hybrid Polymers. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 8415-8425.	8.0	50

#	ARTICLE	IF	CITATIONS
55	Nanostructure- and Orientation-Controlled Digital Memory Behaviors of Linear-Brush Diblock Copolymers in Nanoscale Thin Films. <i>Macromolecules</i> , 2014, 47, 4397-4407.	4.8	21
56	Time-resolved synchrotron X-ray scattering studies on crystallization behaviors of poly(ethylene terephthalate) thin films. <i>Macromolecules</i> , 2014, 47, 194-202.	2.4	3
57	Structural Characteristics of Amphiphilic Cyclic and Linear Block Copolymer Micelles in Aqueous Solutions. <i>ACS Macro Letters</i> , 2014, 3, 233-239.	4.8	57
58	High-Performance Channel Thin-Film Field-Effect Transistors Based on a Nanowire-Forming Polymer. <i>Advanced Functional Materials</i> , 2013, 23, 2060-2071.	14.9	44
59	Self-Assembly Characteristics of a Crystalline-Amorphous Diblock Copolymer in Nanoscale Thin Films. <i>Macromolecules</i> , 2013, 46, 8235-8244.	4.8	26
60	Molecular aggregation-performance relationship in the design of novel cyclohexylethynyl end-capped quaterthiophenes for solution-processed organic transistors. <i>Dyes and Pigments</i> , 2013, 96, 756-762.	3.7	21
61	Complex Self-Assembled Morphologies of Thin Films of an Asymmetric A ₃ B ₃ C ₃ Star Polymer. <i>ACS Macro Letters</i> , 2013, 2, 849-855.	4.8	31
62	Polymer electrolyte membrane based on polyacrylate with phosphonic acid via long alkyl side chains. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1457-1464.	10.3	17
63	New self-assembled brush glycopolymers: synthesis, structure and properties. <i>Polymer Chemistry</i> , 2013, 4, 2260.	3.9	14
64	Physical mixtures of small-molecule and polymeric organic semiconductors: comparing thermodynamic behavior and thin-film structure. <i>Journal of Materials Chemistry C</i> , 2013, 1, 778-785.	5.5	11
65	Programmable digital polymer memories. <i>Current Opinion in Chemical Engineering</i> , 2013, 2, 79-87.	7.8	21
66	Comprehensive synchrotron grazing-incidence X-ray scattering analysis of nanostructures in porous polymethylsilsesquioxane dielectric thin films. <i>Journal of Applied Crystallography</i> , 2013, 46, 466-475.	4.5	15
67	Tunable electrical memory characteristics of brush copolymers bearing electron donor and acceptor moieties. <i>Journal of Materials Chemistry C</i> , 2013, 1, 4858.	5.5	30
68	Liquid crystal alignment in advanced flat-panel liquid crystal displays. <i>Current Opinion in Chemical Engineering</i> , 2013, 2, 71-78.	7.8	23
69	Tunable Film Morphologies of Brush-Linear Diblock Copolymer Bearing Difluorene Moieties Yield a Variety of Digital Memory Properties. <i>ACS Macro Letters</i> , 2013, 2, 555-560.	4.8	26
70	Organic nonvolatile memory transistors with self-doped polymer energy well structures. <i>NPG Asia Materials</i> , 2013, 5, e33-e33.	7.9	29
71	Reversible conformation-driven order-order transition of peptide-mimic poly(n-alkyl isocyanate) in thin films via selective solvent-annealing. <i>NPG Asia Materials</i> , 2012, 4, e29-e29.	7.9	29
72	Electrically permanent memory characteristics of an ionic conjugated polymer. <i>Polymer Chemistry</i> , 2012, 3, 2028.	3.9	56

#	ARTICLE	IF	CITATIONS
73	Bacterial adherence on self-assembled films of brush polymers bearing zwitterionic sulfobetaine moieties. <i>Journal of Materials Chemistry</i> , 2012, 22, 19418.	6.7	18
74	Effects of Side-Chain Interdigitation on Stability: An Environmentally, Electrically, and Thermally Stable Semiconducting Polymer. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 702-706.	8.0	14
75	Various Digital Memory Behaviors of Functional Aromatic Polyimides Based on Electron Donor and Acceptor Substituted Triphenylamines. <i>Macromolecules</i> , 2012, 45, 3749-3758.	4.8	73
76	Morphology-Driven High-Performance Polymeric Photodetector. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 4758-4763.	8.0	17
77	Electrically bistable digital memory behaviors of thin films of polyimides based on conjugated bis(triphenylamine) derivatives. <i>Polymer</i> , 2012, 53, 4135-4144.	3.8	37
78	Biaxially extended quaterthiophene-thiophene and -selenophene conjugated polymers for optoelectronic device applications. <i>Polymer Chemistry</i> , 2012, 3, 767.	3.9	36
79	High-Performance Triisopropylsilylethynyl Pentacene Transistors via Spin Coating with a Crystallization-Assisting Layer. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 117-122.	8.0	49
80	Programmable digital nonvolatile memory behaviors of donor-acceptor polyimides bearing triphenylamine derivatives: effects of substituents. <i>Polymer Chemistry</i> , 2012, 3, 1276.	3.9	51
81	Organic phototransistors based on solution grown, ordered single crystalline arrays of a π -conjugated molecule. <i>Journal of Materials Chemistry</i> , 2012, 22, 3192.	6.7	70
82	Electrical phase transition of poly(4,4'-aminotriphenylene hexafluoroisopropylidenedipthalimide) by photogenerated charged carrier injection. <i>Applied Physics Letters</i> , 2012, 100, 053306.	3.3	2
83	Well-Defined Functional Linear Aliphatic Diblock Copolyethers: A Versatile Linear Aliphatic Polyether Platform for Selective Functionalizations and Various Nanostructures. <i>Advanced Functional Materials</i> , 2012, 22, 5194-5208.	14.9	43
84	Biocompatible characteristics of sulfobetaine-containing brush polymers. <i>Macromolecular Research</i> , 2012, 20, 746-753.	2.4	15
85	Digital memory behaviors of aromatic polyimides bearing bis(trifluoromethyl)- and bithiophenyl-triphenylamine units. <i>Polymer</i> , 2012, 53, 1703-1710.	3.8	26
86	Programmable Bipolar and Unipolar Nonvolatile Memory Devices Based on Poly(2-(N-carbazolyl)ethyl methacrylate) End-Capped with Fullerene. <i>Advanced Materials</i> , 2012, 24, 1062-1066.	21.0	80
87	Molecular Layer-by-Layer Self-Assembly and Mercury Sensing Characteristics of Novel Brush Polymers Bearing Thymine Moieties. <i>ACS Applied Materials & Interfaces</i> , 2011, 3, 2655-2664.	8.0	15
88	Electrical Memory Characteristics of Nitrogen-Linked Poly(2,7-carbazole)s. <i>Journal of Physical Chemistry C</i> , 2011, 115, 21954-21962.	3.1	33
89	High Temperature Polyimide Containing Anthracene Moiety and Its Structure, Interface, and Nonvolatile Memory Behavior. <i>ACS Applied Materials & Interfaces</i> , 2011, 3, 765-773.	8.0	73
90	Synthesis and Characterization of Polythiophenes Bearing Aromatic Groups at the 3-Position. <i>Macromolecules</i> , 2011, 44, 719-727.	4.8	22

#	ARTICLE	IF	CITATIONS
91	Morphology-Dependent Electrical Memory Characteristics of a Well-Defined Brush Polymer Bearing Oxadiazole-Based Mesogens. <i>Journal of Physical Chemistry C</i> , 2011, 115, 19355-19363.	3.1	41
92	Well-Defined DNA-Mimic Brush Polymers Bearing Adenine Moieties: Synthesis, Layer-by-Layer Self-Assembly, and Biocompatibility. <i>Biomacromolecules</i> , 2011, 12, 2822-2833.	5.4	24
93	Structural characterization of the Fddd phase in a diblock copolymer thin film by electron microtomography. <i>Soft Matter</i> , 2011, 7, 10424.	2.7	21
94	pH-Dependent Structures of Ferritin and Apoferritin in Solution: Disassembly and Reassembly. <i>Biomacromolecules</i> , 2011, 12, 1629-1640.	5.4	252
95	Influence of Controlled Acidity of Hole-Collecting Buffer Layers on the Performance and Lifetime of Polymer:Fullerene Solar Cells. <i>Journal of Physical Chemistry C</i> , 2011, 115, 13502-13510.	3.1	69
96	Synthesis and characterization of block copolythiophene with hexyl and triethylene glycol side chains. <i>Polymer</i> , 2011, 52, 3687-3695.	3.8	37
97	Artificial Cell Membrane-Mimicking Nanostructure Facilitates Efficient Gene Delivery through Fusogenic Interaction with the Plasma Membrane of Living Cells. <i>Small</i> , 2011, 7, 2991-2997.	10.0	22
98	Gene Delivery: Artificial Cell Membrane-Mimicking Nanostructure Facilitates Efficient Gene Delivery through Fusogenic Interaction with the Plasma Membrane of Living Cells (<i>Small</i> 21/2011). <i>Small</i> , 2011, 7, 2990-2990.	10.0	0
99	Improved Performance of Polymer:Polymer Solar Cells by Doping Electron-Accepting Polymers with an Organosulfonic Acid. <i>Advanced Functional Materials</i> , 2011, 21, 4527-4534.	14.9	41
100	Synthesis and nonvolatile memory characteristics of thermally, dimensionally and chemically stable polyimides. <i>Polymer</i> , 2011, 52, 2170-2179.	3.8	50
101	A strong regioregularity effect in self-organizing conjugated polymer films and high-efficiency polythiophene: fullerene solar cells. , 2010, , 63-69.		6
102	The biocompatibility of mesoporous inorganic-organic hybrid resin films with ionic and hydrophilic characteristics. <i>Biomaterials</i> , 2010, 31, 2517-2525.	11.4	38
103	The biocompatibility of self-assembled brush polymers bearing glycine derivatives. <i>Biomaterials</i> , 2010, 31, 3816-3826.	11.4	19
104	Abrupt Morphology Change upon Thermal Annealing in Poly(3-hexylthiophene)/Soluble Fullerene Blend Films for Polymer Solar Cells. <i>Advanced Functional Materials</i> , 2010, 20, 748-754.	14.9	103
105	Composition-dependent phase segregation and cocrystallization behaviors of blends of metallocene-catalyzed octene-LLDPE(D) and LDPE(H). <i>Polymer</i> , 2010, 51, 5799-5806.	3.8	19
106	Synthesis of block copolymers consisting of poly(3-hexylthiophene) and polystyrene segments through ionic interaction and their self-assembly behavior. <i>Polymer Journal</i> , 2010, 42, 43-50.	2.7	23
107	Liquid-crystal periodic zigzags from geometrical and surface-anchoring-induced confinement: Origin and internal structure from mesoscopic scale to molecular level. <i>Physical Review E</i> , 2010, 82, 041705.	2.1	21
108	Synchrotron X-ray Scattering Characterization of the Molecular Structures of Star Polystyrenes with Varying Numbers of Arms. <i>Journal of Physical Chemistry B</i> , 2010, 114, 6247-6257.	2.6	16

#	ARTICLE	IF	CITATIONS
109	Effect of C60 Fullerene on the Duplex Formation of i-Motif DNA with Complementary DNA in Solution. <i>Journal of Physical Chemistry B</i> , 2010, 114, 4783-4788.	2.6	23
110	Synchrotron Grazing Incidence X-ray Scattering Study of the Morphological Structures in Thin Films of a Polymethacrylate Diblock Copolymer Bearing POSS Moieties. <i>Journal of Physical Chemistry B</i> , 2010, 114, 8033-8042.	2.6	33
111	Analysis of Molecular Aggregation Structures of Fully Aromatic and Semialiphatic Polyimide Films with Synchrotron Grazing Incidence Wide-Angle X-ray Scattering. <i>Macromolecules</i> , 2010, 43, 1930-1941.	4.8	139
112	Preparation of Nanoporous Poly(3-hexylthiophene) Films Based on a Template System of Block Copolymers via Ionic Interaction. <i>Macromolecules</i> , 2010, 43, 4843-4852.	4.8	66
113	Direct Observation of Interfacial Morphology in Poly(3-hexylthiophene) Transistors: Relationship between Grain Boundary and Field-Effect Mobility. <i>ACS Applied Materials & Interfaces</i> , 2010, 2, 48-53.	8.0	37
114	Electrical Memory Characteristics of a Nondoped π -Conjugated Polymer Bearing Carbazole Moieties. <i>Journal of Physical Chemistry B</i> , 2010, 114, 10294-10301.	2.6	52
115	Hierarchical Structure in Nanoscale Thin Films of a Poly(styrene- <i>b</i> -methacrylate grafted with) Tj ETQq1 1 0.784314 rgBT /Overlock 10	4.8	51
116	Surface-independent vertical orientation of cylindrical microdomains in block copolymer thin films directed by comb-coil architecture. <i>Journal of Materials Chemistry</i> , 2010, 20, 94-102.	6.7	16
117	Synchrotron Radiation Facilities in Korea: Pohang Light Source and Future XFEL Project. <i>Synchrotron Radiation News</i> , 2009, 22, 4-12.	0.8	12
118	Programmable digital memory devices based on nanoscale thin films of a thermally dimensionally stable polyimide. <i>Nanotechnology</i> , 2009, 20, 135204.	2.6	88
119	Programmable Digital Memory Characteristics of Nanoscale Thin Films of a Fully Conjugated Polymer. <i>Journal of Physical Chemistry C</i> , 2009, 113, 3855-3861.	3.1	80
120	Novel Brush Polymers with Phosphorylcholine Bristle Ends: Synthesis, Structure, Properties, and Biocompatibility. <i>Advanced Functional Materials</i> , 2009, 19, 1631-1644.	14.9	61
121	Fullerene Attachment Enhances Performance of a DNA Nanomachine. <i>Advanced Materials</i> , 2009, 21, 1907-1910.	21.0	48
122	DNA Hybrid Nanomachines: Fullerene Attachment Enhances Performance of a DNA Nanomachine (Adv.) Tj ETQq0 0,0 rgBT /Overlock 10	21.0	48
123	The alignment of liquid crystals on the film surfaces of soluble aromatic polyimides bearing <i>t</i> -butylphenyl and trimethylsilylphenyl side groups. <i>Macromolecular Research</i> , 2009, 17, 976-986.	2.4	6
124	Small-angle neutron scattering study of the miscibility of metallocene-catalyzed octene linear low-density polyethylene and low-density polyethylene blends. <i>Journal of Applied Crystallography</i> , 2009, 42, 161-168.	4.5	11
125	Hierarchical Self-Assembled Structures from POSS-Containing Block Copolymers Synthesized by Living Anionic Polymerization. <i>Macromolecules</i> , 2009, 42, 8835-8843.	4.8	163
126	Alternating Copolymers Containing Bithiophene and Dialkoxynaphthalene for the Applications to Field Effect Transistor and Photovoltaic Cell: Performance and Stability. <i>Chemistry of Materials</i> , 2009, 21, 5499-5507.	6.7	62

#	ARTICLE	IF	CITATIONS
127	Nonvolatile Unipolar and Bipolar Bistable Memory Characteristics of a High Temperature Polyimide Bearing Diphenylaminobenzylidenylimine Moieties. <i>Journal of Physical Chemistry B</i> , 2009, 113, 9143-9150.	2.6	83
128	pH-Dependent Structures of an i-Motif DNA in Solution. <i>Journal of Physical Chemistry B</i> , 2009, 113, 1852-1856.	2.6	64
129	Precise Synthesis and Characterization of Fourth-Generation Dendrimer-like Star-Branched Poly(methyl methacrylate)s and Block Copolymers by Iterative Methodology Based on Living Anionic Polymerization. <i>Macromolecules</i> , 2009, 42, 682-693.	4.8	58
130	Programmable Permanent Data Storage Characteristics of Nanoscale Thin Films of a Thermally Stable Aromatic Polyimide. <i>Langmuir</i> , 2009, 25, 11713-11719.	3.5	101
131	Electrically bistable nonvolatile switching devices fabricated with a high performance polyimide bearing diphenylcarbonyl moieties. <i>Journal of Materials Chemistry</i> , 2009, 19, 2207.	6.7	63
132	Biological affinity and biodegradability of poly(propylene carbonate) prepared from copolymerization of carbon dioxide with propylene oxide. <i>Macromolecular Research</i> , 2008, 16, 473-480.	2.4	50
133	Small-angle x-ray scattering station 4C2 BL of pohang accelerator laboratory for advance in Korean polymer science. <i>Macromolecular Research</i> , 2008, 16, 575-585.	2.4	69
134	X-ray scattering studies on molecular structures of star and dendritic polymers. <i>Macromolecular Research</i> , 2008, 16, 686-694.	2.4	19
135	Solution structures of RseA and its complex with RseB. <i>Journal of Synchrotron Radiation</i> , 2008, 15, 219-222.	2.4	18
136	Polystyrene- <i>b</i> -polyisoprene thin films with hexagonally perforated layer structure: quantitative grazing-incidence X-ray scattering analysis. <i>Journal of Applied Crystallography</i> , 2008, 41, 281-291.	4.5	35
137	Virus Filtration Membranes Prepared from Nanoporous Block Copolymers with Good Dimensional Stability under High Pressures and Excellent Solvent Resistance. <i>Advanced Functional Materials</i> , 2008, 18, 1371-1377.	14.9	222
138	Novel Rewritable, Non-volatile Memory Devices Based on Thermally and Dimensionally Stable Polyimide Thin Films. <i>Advanced Functional Materials</i> , 2008, 18, 3276-3282.	14.9	167
139	High-Performance Programmable Memory Devices Based on Hyperbranched Copper Phthalocyanine Polymer Thin Films. <i>Advanced Materials</i> , 2008, 20, 1766-1771.	21.0	129
140	Property of diblock copolymer having extremely narrow molecular weight distribution. <i>Polymer</i> , 2008, 49, 2170-2175.	3.8	28
141	Structural characterization of carboxylated multi-walled carbon nanotubes. <i>Thin Solid Films</i> , 2008, 516, 5781-5784.	1.8	85
142	Structural Evolution in Microbial Polyesters. <i>Journal of Physical Chemistry B</i> , 2008, 112, 4571-4582.	2.6	51
143	Crystal Structure of the GluR0 Ligand-Binding Core from <i>Nostoc punctiforme</i> in Complex with L-Glutamate: Structural Dissection of the Ligand Interaction and Subunit Interface. <i>Journal of Molecular Biology</i> , 2008, 376, 308-316.	4.2	21
144	Effect of the Electrode Material on the Electrical-Switching Characteristics of Nonvolatile Memory Devices Based on Poly(anthranilic acid) Thin Films. <i>IEEE Electron Device Letters</i> , 2008, 29, 694-697.	3.9	28

#	ARTICLE	IF	CITATIONS
145	Small-Angle X-ray Scattering Studies on Structures of an Estrogen-Related Receptor $\hat{\pm}$ Ligand Binding Domain and Its Complexes with Ligands and Coactivators. <i>Journal of Physical Chemistry B</i> , 2008, 112, 9603-9612.	2.6	18
146	Two-Dimensionally Well-Ordered Multilayer Structures in Thin Films of a Brush Polypeptide. <i>Journal of Physical Chemistry B</i> , 2008, 112, 5338-5349.	2.6	31
147	Molecular Fibers Based on the Honeycomb-Like Self-Assembly of an $\hat{\pm}$ -Helical Polypeptide. <i>Journal of Physical Chemistry B</i> , 2008, 112, 8868-8870.	2.6	19
148	Synchrotron Small-Angle X-ray Scattering Studies of the Structure of Porcine Pepsin under Various pH Conditions. <i>Journal of Physical Chemistry B</i> , 2008, 112, 15821-15827.	2.6	52
149	Order $\hat{\sim}$ Order and Order $\hat{\sim}$ Disorder Transitions in Thin Films of an Amphiphilic Liquid Crystalline Diblock Copolymer. <i>Journal of Physical Chemistry B</i> , 2008, 112, 8486-8495.	2.6	49
150	Phase Transitions in Thin Films of a Diblock Copolymer Composed of a Linear Polymer Block and a Brush Polymer Block with Mesogenic Oligothiophenyl Bristles. <i>Macromolecules</i> , 2008, 41, 8778-8784.	4.8	29
151	UV-Driven Switching of Chain Orientation and Liquid Crystal Alignment in Nanoscale Thin Films of a Novel Polyimide Bearing Stilbene Moieties in the Backbone. <i>Journal of Physical Chemistry B</i> , 2008, 112, 4900-4912.	2.6	43
152	Novel Resistance Switching Devices Based on Sub-10 nm Polymer Thin Film. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 5665-5667.	1.5	17
153	Bending-stress-driven phase transitions in pentacene thin films for flexible organic field-effect transistors. <i>Applied Physics Letters</i> , 2008, 92, .	3.3	124
154	Crystal structure of RseB and a model of its binding mode to RseA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 8779-8784.	7.1	50
155	Bipolar resistive switching in a single layer memory device based on a conjugated copolymer. <i>Applied Physics Letters</i> , 2007, 91, 093517.	3.3	31
156	Current-Dependent Switching Characteristics of PI-Diphenyl Carbamyl Films. <i>IEEE Electron Device Letters</i> , 2007, 28, 967-969.	3.9	19
157	Probing the Roles of Active Site Residues in the $3\hat{\epsilon}^2$ - $5\hat{\epsilon}^2$ Exonuclease of the Werner Syndrome Protein. <i>Journal of Biological Chemistry</i> , 2007, 282, 9941-9951.	3.4	20
158	Polymer chain/nanocrystal ordering in thin films of regioregular poly(3-hexylthiophene) and blends with a soluble fullerene. <i>Soft Matter</i> , 2007, 3, 117-121.	2.7	37
159	Direct Observation of HPL and DG Structure in PS-b-PI Thin Film by Transmission Electron Microscopy. <i>Macromolecules</i> , 2007, 40, 2603-2605.	4.8	45
160	Novel Electrical Properties of Nanoscale Thin Films of a Semiconducting Polymer: $\hat{\epsilon}\%$ Quantitative Current-Sensing AFM Analysis. <i>Langmuir</i> , 2007, 23, 9024-9030.	3.5	41
161	Thermal Imidization and Structural Evolution of Thin Films of Poly(4,4 $\hat{\epsilon}$ -oxydiphenylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	2.6	48
162	Quantitative Structure and Property Analysis of Nanoporous Low Dielectric Constant SiCOH Thin Films. <i>Journal of Physical Chemistry C</i> , 2007, 111, 10848-10854.	3.1	32

#	ARTICLE	IF	CITATIONS
163	Grazing-incidence small-angle X-ray scattering studies on templating nanopores in networked polymer thin films with a multi-armed porogen. <i>Journal of Applied Crystallography</i> , 2007, 40, s631-s636.	4.5	12
164	Quantitative analysis of molecularly stacked layer structures in supported organic thin films by synchrotron grazing-incidence X-ray scattering. <i>Journal of Applied Crystallography</i> , 2007, 40, s669-s674.	4.5	15
165	Nondestructive quantitative synchrotron grazing incidence X-ray scattering analysis of cylindrical nanostructures in supported thin films. <i>Journal of Applied Crystallography</i> , 2007, 40, 305-312.	4.5	52
166	Synchrotron X-ray scattering studies on the structural evolution of microbial poly(3-hydroxybutyrate). <i>Journal of Applied Crystallography</i> , 2007, 40, s594-s598.	4.5	14
167	Quantitative analysis of lamellar structures in brush polymer thin films by synchrotron grazing-incidence X-ray scattering. <i>Journal of Applied Crystallography</i> , 2007, 40, 476-488.	4.5	45
168	Detailed analysis of gyroid structures in diblock copolymer thin films with synchrotron grazing-incidence X-ray scattering. <i>Journal of Applied Crystallography</i> , 2007, 40, 950-958.	4.5	43
169	Imprinting well-controlled closed-nanopores in spin-on polymeric dielectric thin films. <i>Journal of Materials Chemistry</i> , 2006, 16, 685-697.	6.7	74
170	Enzymatic degradation of poly(propylene carbonate) and poly(propylene carbonate-co- ϵ -caprolactone) synthesized via CO ₂ fixation. <i>Catalysis Today</i> , 2006, 115, 288-294.	4.4	31
171	Synchrotron X-ray Scattering Study of the Mechanism of Nanopore Generation in Nanoporous Organosilicate Thin Films Imprinted with a Reactive Six-Armed Porogen. <i>Journal of Physical Chemistry B</i> , 2006, 110, 15887-15895.	2.6	26
172	Unusual Alignment of Liquid Crystals on Rubbed Films of Polyimides with Fluorenyl Side Groups. <i>Macromolecules</i> , 2006, 39, 5385-5392.	4.8	61
173	Detection of an intermediate during the unfolding process of the dimeric ketosteroid isomerase. <i>FEBS Letters</i> , 2006, 580, 4166-4171.	2.8	12
174	Synchrotron X-ray reflectivity studies of nanoporous organosilicate thin films with low dielectric constants. <i>Journal of Applied Crystallography</i> , 2006, 40, s626-s630.	4.5	14
175	Structural analysis of thin films of novel polynorbornene derivatives by grazing incidence X-ray scattering and specular X-ray reflectivity along with ellipsometry. <i>Journal of Applied Crystallography</i> , 2006, 40, s620-s625.	4.5	7
176	Synchrotron X-ray scattering and reflectivity studies of the structure of low dielectric constant SiOCH thin films prepared from bistrimethylsilylmethane by chemical vapor deposition. <i>Journal of Applied Crystallography</i> , 2006, 40, s614-s619.	4.5	12
177	Synthesis, characterization and liquid crystal-aligning properties of new poly{3-[4-(n-alkyloxy)phenoxy]pyromellitimide}s. <i>Polymers for Advanced Technologies</i> , 2006, 17, 444-452.	3.2	8
178	A strong regioregularity effect in self-organizing conjugated polymer films and high-efficiency polythiophene:fullerene solar cells. <i>Nature Materials</i> , 2006, 5, 197-203.	27.5	2,208
179	Acid- and base-catalyzed hydrolyses of aliphatic polycarbonates and polyesters. <i>Catalysis Today</i> , 2006, 115, 283-287.	4.4	147
180	New findings in the catalytic activity of zinc glutarate and its application in the chemical fixation of CO ₂ into polycarbonates and their derivatives. <i>Catalysis Today</i> , 2006, 115, 134-145.	4.4	88

#	ARTICLE	IF	CITATIONS
181	Perpendicular and parallel alignment behaviors of liquid crystals at rubbed films of brush polyimides. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2006, 132, 64-69.	3.5	3
182	Synthesis, characterization and liquid-crystal-aligning properties of novel aromatic polypyromellitimides bearing (n-alkyloxy)biphenyloxy side chains. <i>Polymer</i> , 2006, 47, 6606-6621.	3.8	59
183	Detailed investigation on factors governing liquid crystal alignment on rubbed polystyrene films. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2006, 132, 54-58.	3.5	13
184	Functional polythiophene bearing hydroxyethyl groups and their derivatives. <i>Macromolecular Research</i> , 2006, 14, 173-178.	2.4	10
185	High performance polyimides for applications in microelectronics and flat panel displays. <i>Macromolecular Research</i> , 2006, 14, 1-33.	2.4	176
186	High temperature size exclusion chromatography. <i>Macromolecular Research</i> , 2006, 14, 383-386.	2.4	16
187	Synchrotron X-ray reflectivity study of high dielectric constant alumina thin films prepared by atomic layer deposition. <i>Thin Solid Films</i> , 2006, 510, 159-163.	1.8	29
188	X-ray scattering study of thermal nanopore templating in hybrid films of organosilicate precursor and reactive four-armed porogen. <i>Nanotechnology</i> , 2006, 17, 3490-3498.	2.6	16
189	Rubbed Thin Films of Well-defined Brush Polyimides for Flat-Panel Liquid Crystal Displays: Surface Morphology, Molecular Orientation, and Liquid Crystal Alignability. <i>High Performance Polymers</i> , 2006, 18, 549-577.	1.8	17
190	Zinc Glutarate Catalyzed Synthesis and Biodegradability of Poly(carbonate-co-ester)s from CO ₂ , Propylene Oxide, and ϵ -Caprolactone. <i>Macromolecular Symposia</i> , 2005, 224, 227-238.	0.7	27
191	Synthesis and characterization of difunctional blue light-emitting molecules containing hole-transporting triphenylamino units. <i>Tetrahedron Letters</i> , 2005, 46, 277-279.	1.4	14
192	Ultralow-k nanoporous organosilicate dielectric films imprinted with dendritic spheres. <i>Nature Materials</i> , 2005, 4, 147-150.	27.5	243
193	Rubbed films of isomeric poly(4-vinylpyridine) and poly(2-vinylpyridine): surface morphology, molecular orientation, and liquid crystal alignability. <i>Polymer</i> , 2005, 46, 4068-4076.	3.8	19
194	Imprinting of nanopores in organosilicate dielectric thin films with hyperbranched ketalized polyglycidol. <i>Polymer</i> , 2005, 46, 7394-7402.	3.8	40
195	Synthesis of zinc glutarates with various morphologies using an amphiphilic template and their catalytic activities in the copolymerization of carbon dioxide and propylene oxide. <i>Journal of Polymer Science Part A</i> , 2005, 43, 4079-4088.	2.3	61
196	Role of then-Alkyl End of Bristles in Governing Liquid Crystal Alignment at Rubbed Films of Brush Polymer Rods. <i>Macromolecules</i> , 2005, 38, 4331-4338.	4.8	56
197	In Situ Infrared Spectroscopy Study on Imidization Reaction and Imidization-induced Refractive Index and Thickness Variations in Microscale Thin Films of a Poly(amic ester). <i>Langmuir</i> , 2005, 21, 6081-6085.	3.5	36
198	Epitaxial Phase Transition of Polystyrene-b-Polyisoprene from Hexagonally Perforated Layer to Gyroid Phase in Thin Film. <i>Macromolecules</i> , 2005, 38, 10532-10536.	4.8	75

#	ARTICLE	IF	CITATIONS
199	Structural Analysis of Block Copolymer Thin Films with Grazing Incidence Small-Angle X-ray Scattering. <i>Macromolecules</i> , 2005, 38, 4311-4323.	4.8	366
200	In-Situ Grazing Incidence Small-Angle X-ray Scattering Studies on Nanopore Evolution in Low-kOrganosilicate Dielectric Thin Films. <i>Macromolecules</i> , 2005, 38, 3395-3405.	4.8	123
201	Synthesis and non-isothermal crystallization behavior of poly(ethylene phthalate-co-terephthalate)s. <i>Polymer Engineering and Science</i> , 2004, 44, 1682-1691.	3.1	10
202	Synthesis and characterization of new, soluble polyazomethines bearing fluorene and carbazole units in the backbone and solubility-improving moieties in the side group. <i>Journal of Polymer Science Part A</i> , 2004, 42, 825-834.	2.3	46
203	Synthesis and properties of photoalignable aromatic polyesters containing phenylenediacrylate units in their backbones and n-alkyl moieties in their side groups. <i>Journal of Polymer Science Part A</i> , 2004, 42, 1322-1334.	2.3	24
204	Synthesis of novel polypyromellitimides with n-alkyloxy side chains and their liquid-crystal aligning property. <i>Journal of Polymer Science Part A</i> , 2004, 42, 3130-3142.	2.3	39
205	Synthesis and characterization of new alkali-soluble polyimides and preparation of alternating multilayer nano-films therefrom. <i>Polymer</i> , 2004, 45, 1517-1524.	3.8	15
206	Hydrothermal Synthesis of Single-Crystalline Zinc Glutarate and Its Structural Determination. <i>Chemistry of Materials</i> , 2004, 16, 2981-2983.	6.7	62
207	Secondary Crystallization Behavior of Poly(ethylene isophthalate-co-terephthalate): Å Time-Resolved Small-Angle X-ray Scattering and Calorimetry Studies. <i>Macromolecules</i> , 2004, 37, 4174-4184.	4.8	59
208	Anisotropic Thermal Expansion Behavior of Thin Films of Polymethylsilsesquioxane, a Spin-on-Glass Dielectric for High-Performance Integrated Circuits. <i>Langmuir</i> , 2004, 20, 6932-6939.	3.5	31
209	Synthesis and non-isothermal crystallization behavior of poly(ethylene-co-1,4-butylene) Tj ETQq1 1 0.784314 rgBT Overlock 10 Tf 50 34	2.4	8
210	X-ray absorption and NMR spectroscopic investigations of zinc glutarates prepared from various zinc sources and their catalytic activities in the copolymerization of carbon dioxide and propylene oxide. <i>Journal of Catalysis</i> , 2003, 218, 209-219.	6.2	50
211	Cavitands bearing four fluorophores. <i>Tetrahedron Letters</i> , 2003, 44, 8211-8215.	1.4	13
212	Effect of Molecular Weight on the Surface Morphology, Molecular Reorientation, and Liquid Crystal Alignment Properties of Rubbed Polystyrene Films. <i>Macromolecules</i> , 2003, 36, 9905-9916.	4.8	46
213	A Soluble Photoreactive Polyimide Bearing the Coumarin Chromophore in the Side Group: Å Photoreaction, Photoinduced Molecular Reorientation, and Liquid-Crystal Alignability in Thin Films. <i>Langmuir</i> , 2003, 19, 10381-10389.	3.5	56
214	Photoreactions and Photoinduced Molecular Orientations of Films of a Photoreactive Polyimide and Their Alignment of Liquid Crystals. <i>Macromolecules</i> , 2003, 36, 6527-6536.	4.8	88
215	Photoreaction and Molecular Reorientation in Films of Novel Photosensitive Polyesters Containing n-Alkyl Side Groups and 1,4-Phenylenediacryloyl Units in the Backbone. <i>Langmuir</i> , 2003, 19, 6039-6049.	3.5	28
216	Terpolymerization of CO ₂ with Propylene Oxide and $\hat{\mu}$ -Caprolactone Using Zinc Glutarate Catalyst. <i>Macromolecules</i> , 2003, 36, 8210-8212.	4.8	81

#	ARTICLE	IF	CITATIONS
217	Sequence of Rubbing-Induced Molecular Segmental Reorientations in the Nanoscale Film Surface of a Brush Polymer Rod. <i>Journal of Physical Chemistry B</i> , 2003, 107, 11911-11916.	2.6	29
218	Rubbing-Induced Surface Morphology and Polymer Segmental Reorientations of a Model Brush Polyimide and Interactions with Liquid Crystals at the Surface. <i>Chemistry of Materials</i> , 2003, 15, 3105-3112.	6.7	63
219	Sequence of the Rubbing-Induced Reorientations of Polymer Chain Segments in Nanofilms of a Well-Defined Brush Polyimide with a Fully Rodlike Backbone As Determined by Polarized FTIR Spectroscopy and Two-Dimensional Correlation Analysis. <i>Langmuir</i> , 2003, 19, 9459-9465.	3.5	39
220	Phase Diagram Constructed from the HPLC Fractions of a Polystyrene-b-polyisoprene Prepared by Anionic Polymerization. <i>Macromolecules</i> , 2003, 36, 4662-4666.	4.8	36
221	New Clues to the Factors Governing the Perpendicular Alignment of Liquid Crystals on Rubbed Polystyrene Film Surfaces. <i>Langmuir</i> , 2003, 19, 8735-8743.	3.5	47
222	Photoreaction and Molecular Reorientation in a Nanoscaled Film of Poly(methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (4-(metha Langmuir, 2003, 19, 687-695.	3.5	80
223	Surface Morphology, Molecular Reorientation, and Liquid Crystal Alignment Properties of Rubbed Nanofilms of a Well-Defined Brush Polyimide with a Fully Rodlike Backbone. <i>Macromolecules</i> , 2002, 35, 10119-10130.	4.8	106
224	Poly(3,4- ϵ^2 -oxydiphenylene pyromellitic acid), 1. Time-Resolved Infrared Spectroscopic Study of Thermal Imidization in Thin Films. <i>Macromolecular Chemistry and Physics</i> , 2002, 203, 791-800.	2.2	33
225	Residual Stress Evolution in Dielectric Thin Films Prepared from Poly(methylsilsequioxane) Precursor. <i>Macromolecular Chemistry and Physics</i> , 2002, 203, 801-811.	2.2	28
226	Current status of the synchrotron small-angle X-ray scattering Station BL4C1 at the Pohang Accelerator Laboratory. <i>Macromolecular Research</i> , 2002, 10, 2-12.	2.4	126
227	Molecular orientation of new photosensitive polyesters for liquid crystal alignment. <i>Vibrational Spectroscopy</i> , 2002, 29, 69-72.	2.2	15
228	Synthesis and characterization of conducting poly(aniline-co-o-aminophenethyl alcohol)s. <i>Journal of Polymer Science Part A</i> , 2002, 40, 983-994.	2.3	26
229	Alignment behavior of liquid-crystals on thin films of photosensitive polymers. <i>Synthetic Metals</i> , 2001, 117, 273-275.	3.9	25
230	Blue-light-emitting polymers prepared from a new monomer having a well-defined conjugation length. <i>Synthetic Metals</i> , 2001, 117, 197-198.	3.9	19
231	Soluble Polyimides Containing Benzimidazole Rings for Interlevel Dielectrics. <i>Chemistry of Materials</i> , 2001, 13, 2801-2806.	6.7	119
232	Time-Resolved Synchrotron X-ray Diffraction and Infrared Spectroscopic Studies of Imidization and Structural Evolution in a Microscaled Film of PMDA-3,4- ϵ^2 -ODA Poly(amic acid). <i>Langmuir</i> , 2001, 17, 7842-7850.	3.5	61
233	Synchrotron X-ray Reflectivity Study on the Structure of Templated Polyorganosilicate Thin Films and Their Derived Nanoporous Analogues. <i>Langmuir</i> , 2001, 17, 6683-6691.	3.5	82
234	Synthesis and Characterization of a Soluble Polyimide Containing a Photoreactive 4-Styrylpyridine Derivative as the Side Group. <i>Macromolecular Rapid Communications</i> , 2001, 22, 941-947.	3.9	31

#	ARTICLE	IF	CITATIONS
235	Synthesis and Non-Isothermal Crystallization Characteristics of Poly[(ethylene)-co-(trimethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 1	2.2	37
236	Synthesis and characterization of poly(propylene sulfite) from sulfur dioxide and propylene oxide using zinc derivatives as catalysts. <i>Macromolecular Chemistry and Physics</i> , 2000, 201, 831-839.	2.2	20
237	Glass Transition Temperature of Poly(tert-butyl methacrylate) Langmuir~Blodgett Film and Spin-Coated Film by X-ray Reflectivity and Ellipsometry. <i>Langmuir</i> , 2000, 16, 2351-2355.	3.5	54
238	Relationship between physical properties and chemical structures of poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 Id (tereph	2.6	21
239	Synthesis and characterization of new polyimides containing calix[4]arenes in the polymer backbone. <i>Journal of Polymer Science Part A</i> , 1999, 37, 2013-2026.	2.3	42
240	Synthesis and properties of new aromatic polyimides " Polymeric materials for light-emitting and liquid-crystal displays. <i>Macromolecular Symposia</i> , 1999, 142, 73-84.	0.7	12
241	Ordering kinetics of cylindrical and spherical microdomains in an SIS block copolymer by synchrotron SAXS and rheology. <i>Macromolecular Chemistry and Physics</i> , 1998, 199, 641-653.	2.2	49
242	Structure evolution and properties in a rigid polyimide prepared from its flexible poly(amic acid) precursor. <i>Macromolecular Symposia</i> , 1997, 118, 213-220.	0.7	9
243	Structure and properties of a photosensitive polyimide: Effect of photosensitive group. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1995, 33, 453-465.	2.1	31
244	Characterization of binary polymer mixtures by size exclusion chromatography with multiple detection. <i>Polymer</i> , 1995, 36, 2215-2218.	3.8	18
245	Influences of chain rigidity, in-plane orientation, and thickness on residual stress of polymer films. <i>Journal of Applied Physics</i> , 1994, 75, 1410-1419.	2.5	125
246	Effect of precursor history on residual stress and relaxation behaviour of high temperature polyimides. <i>Polymer</i> , 1993, 34, 1423-1430.	3.8	46
247	Effects of UV exposure and thermal history on properties of a preimidized photosensitive polyimide. <i>Polymer Engineering and Science</i> , 1992, 32, 924-930.	3.1	15
248	Residual stress behaviour of isomeric PMDA-ODA polyimides. <i>Polymer</i> , 1992, 33, 1228-1236.	3.8	50
249	Solubility of water in polyimides: Quartz crystal microbalance measurements. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1991, 29, 87-92.	2.1	86
250	Dielectric properties of inorganic-organic silica-polyimide composite films prepared via sol-gel and thermal imidization processes. , 0, , .		0
251	Miscibility and Crystallization Behavior in Binary Polyethylene Blends. , 0, , 84-96.		0