

Craig K Jones

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2695948/publications.pdf>

Version: 2024-02-01

65
papers

4,949
citations

94433

37
h-index

144013

57
g-index

66
all docs

66
docs citations

66
times ranked

5519
citing authors

#	ARTICLE	IF	CITATIONS
1	Pre-Clinical Development of Robot-Assisted Ventriculoscopy for 3-D Image Reconstruction and Guidance of Deep Brain Neurosurgery. IEEE Transactions on Medical Robotics and Bionics, 2022, 4, 28-37.	3.2	3
2	Automated prediction of the Thoracolumbar Injury Classification and Severity Score from CT using a novel deep learning algorithm. Neurosurgical Focus, 2022, 52, E5.	2.3	8
3	Automatic labeling of vertebrae in long-length intraoperative imaging with a multi-view, region-based CNN. , 2022, , .		0
4	Machine Learning for Hepatocellular Carcinoma Segmentation at MRI: <i>Radiology</i> In Training. Radiology, 2022, 304, 509-515.	7.3	4
5	Joint synthesis and registration network for deformable MR-CBCT image registration for neurosurgical guidance. Physics in Medicine and Biology, 2022, 67, 125008.	3.0	9
6	Direct quantification of epistemic and aleatoric uncertainty in 3D U-net segmentation. Journal of Medical Imaging, 2022, 9, .	1.5	2
7	Long-length tomosynthesis and 3D-2D registration for intraoperative assessment of spine instrumentation. Physics in Medicine and Biology, 2021, 66, 055008.	3.0	13
8	Robot-assisted ventriculoscopic 3D reconstruction for guidance of deep-brain stimulation surgery. , 2021, , .		3
9	3D vertebrae labeling in spine CT: an accurate, memory-efficient (Ortho2D) framework. Physics in Medicine and Biology, 2021, 66, 125020.	3.0	8
10	Intraoperative coneâ€beam and slotâ€beam CT: 3D image quality and dose with a slot collimator on the Oâ€arm imaging system. Medical Physics, 2021, 48, 6800-6809.	3.0	2
11	Deformable 3D-2D registration for high-precision guidance and verification of neuroelectrode placement. Physics in Medicine and Biology, 2021, 66, 215014.	3.0	3
12	Multi-slot extended view imaging on the O-Arm: image quality and application to intraoperative assessment of spinal morphology. , 2020, , .		3
13	Multi-slot intraoperative imaging and 3D-2D registration for evaluation of long surgical constructs in spine surgery. , 2020, , .		2
14	Data-driven detection and registration of spine surgery instrumentation in intraoperative images. , 2020, , .		4
15	Wholeâ€brain amide proton transfer (APT) and nuclear overhauser enhancement (NOE) imaging in glioma patients using lowâ€power steadyâ€state pulsed chemical exchange saturation transfer (CEST) imaging at 7T. Journal of Magnetic Resonance Imaging, 2016, 44, 41-50.	3.4	91
16	Magnetic susceptibility contrast variations in multiple sclerosis lesions. Journal of Magnetic Resonance Imaging, 2016, 43, 463-473.	3.4	79
17	Magnetization transfer contrastâ€suppressed imaging of amide proton transfer and relayed nuclear overhauser enhancement chemical exchange saturation transfer effects in the human brain at 7T. Magnetic Resonance in Medicine, 2016, 75, 88-96.	3.0	72
18	Measurement of arteriolar blood volume in brain tumors using MRI without exogenous contrast agent administration at 7T. Journal of Magnetic Resonance Imaging, 2016, 44, 1244-1255.	3.4	13

#	ARTICLE	IF	CITATIONS
19	Lesion Heterogeneity on High-Field Susceptibility MRI Is Associated with Multiple Sclerosis Severity. <i>American Journal of Neuroradiology</i> , 2016, 37, 1447-1453.	2.4	73
20	Demonstration of Brain Tumor-Induced Neurovascular Uncoupling in Resting-State fMRI at Ultrahigh Field. <i>Brain Connectivity</i> , 2016, 6, 267-272.	1.7	33
21	Quantitative Susceptibility Mapping Suggests Altered Brain Iron in Premanifest Huntington Disease. <i>American Journal of Neuroradiology</i> , 2016, 37, 789-796.	2.4	107
22	Reproducibility and Temporal Structure in Weekly Resting-State fMRI over a Period of 3.5 Years. <i>PLoS ONE</i> , 2015, 10, e0140134.	2.5	97
23	Thalamic lesions in multiple sclerosis by 7T MRI: Clinical implications and relationship to cortical pathology. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1139-1150.	3.0	49
24	Association of Cortical Lesion Burden on 7-T Magnetic Resonance Imaging With Cognition and Disability in Multiple Sclerosis. <i>JAMA Neurology</i> , 2015, 72, 1004.	9.0	140
25	Whole-brain three-dimensional T2-weighted BOLD functional magnetic resonance imaging at 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 1530-1540.	3.0	39
26	Pattern separation of emotional information in hippocampal dentate and CA3. <i>Hippocampus</i> , 2014, 24, 1146-1155.	1.9	86
27	Variable delay multi-pulse train for fast chemical exchange saturation transfer and relayed-nuclear overhauser enhancement MRI. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1798-1812.	3.0	115
28	Quantitative magnetic susceptibility mapping without phase unwrapping using WASSR. <i>NeuroImage</i> , 2014, 86, 265-279.	4.2	17
29	Implementation of vascular space occupancy MRI at 7T. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 1003-1013.	3.0	52
30	Nuclear Overhauser enhancement (NOE) imaging in the human brain at 7T. <i>NeuroImage</i> , 2013, 77, 114-124.	4.2	266
31	Multiparametric MRI correlates of sensorimotor function in the spinal cord in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2013, 19, 427-435.	3.0	68
32	Spinal cord quantitative MRI discriminates between disability levels in multiple sclerosis. <i>Neurology</i> , 2013, 80, 540-547.	1.1	72
33	Time domain removal of irrelevant magnetization in chemical exchange saturation transfer Z-spectra. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 547-555.	3.0	11
34	Imaging of Endogenous Exchangeable Proton Signals in the Human Brain Using Frequency Labeled Exchange Transfer Imaging. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 966-973.	3.0	25
35	Investigating Axonal Damage in Multiple Sclerosis by Diffusion Tensor Spectroscopy. <i>Journal of Neuroscience</i> , 2012, 32, 6665-6669.	3.6	63
36	Mapping magnetic susceptibility anisotropies of white matter in vivo in the human brain at 7T. <i>NeuroImage</i> , 2012, 62, 314-330.	4.2	92

#	ARTICLE	IF	CITATIONS
37	In vivo three-dimensional whole-brain pulsed steady-state chemical exchange saturation transfer at 7 T. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1579-1589.	3.0	176
38	Applications of stimulated echo correction to multicomponent T_2 analysis. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1803-1814.	3.0	218
39	Detection of rapidly exchanging compounds using on-resonance frequency-labeled exchange (FLEX) transfer. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 1048-1055.	3.0	47
40	Reproducibility of tract-specific magnetization transfer and diffusion tensor imaging in the cervical spinal cord at 3 tesla. <i>NMR in Biomedicine</i> , 2010, 23, 207-217.	2.8	59
41	In vivo detection of PARACEST agents with relaxation correction. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 1184-1192.	3.0	20
42	Fast 3D chemical exchange saturation transfer (CEST) imaging of the human brain. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 638-644.	3.0	134
43	Functional Networks in the Anesthetized Rat Brain Revealed by Independent Component Analysis of Resting-State fMRI. <i>Journal of Neurophysiology</i> , 2010, 103, 3398-3406.	1.8	143
44	Optimized MRI contrast for on-resonance proton exchange processes of PARACEST agents in biological systems. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 1282-1291.	3.0	7
45	A sensitive PARACEST contrast agent for temperature MRI: Eu ³⁺ -DOTAM-glycine (Gly)-phenylalanine (Phe). <i>Magnetic Resonance in Medicine</i> , 2008, 59, 374-381.	3.0	106
46	Four-pool modeling of proton exchange processes in biological systems in the presence of MRI-paramagnetic chemical exchange saturation transfer (PARACEST) agents. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 1197-1206.	3.0	106
47	MRI detection of glycogen in vivo by using chemical exchange saturation transfer imaging (glycoCEST). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 4359-4364.	7.1	370
48	Effects of diffusion weighting schemes on the reproducibility of DTI-derived fractional anisotropy, mean diffusivity, and principal eigenvector measurements at 1.5T. <i>NeuroImage</i> , 2007, 36, 1123-1138.	4.2	266
49	Multiparametric magnetic resonance imaging analysis of the corticospinal tract in multiple sclerosis†. <i>NeuroImage</i> , 2007, 38, 271-279.	4.2	84
50	High-resolution fMRI investigation of the medial temporal lobe. <i>Human Brain Mapping</i> , 2007, 28, 959-966.	3.6	110
51	Quantitative description of the asymmetry in magnetization transfer effects around the water resonance in the human brain. <i>Magnetic Resonance in Medicine</i> , 2007, 58, 786-793.	3.0	196
52	Effects of signal-to-noise ratio on the accuracy and reproducibility of diffusion tensor imaging-derived fractional anisotropy, mean diffusivity, and principal eigenvector measurements at 1.5T. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 756-767.	3.4	336
53	An account of the discrepancy between MRI and PET cerebral blood flow measures. A high-field MRI investigation. <i>NMR in Biomedicine</i> , 2006, 19, 1043-1054.	2.8	91
54	Amide proton transfer imaging of human brain tumors at 3T. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 585-592.	3.0	308

#	ARTICLE	IF	CITATIONS
55	Pulsed magnetization transfer imaging with body coil transmission at 3 Tesla: Feasibility and application. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 866-875.	3.0	57
56	Theoretical and experimental investigation of the VASO contrast mechanism. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 1261-1273.	3.0	142
57	Magnetization transfer weighted imaging in the upper cervical spinal cord using cerebrospinal fluid as intersubject normalization reference (MTCSF imaging). <i>Magnetic Resonance in Medicine</i> , 2005, 54, 201-206.	3.0	42
58	Resolution and inversion time dependence of CBF measurements using MRI: A possible explanation for discrepancy between MRI and PET. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S320-S320.	4.3	0
59	Linear combination of multiecho data: Short T2 component selection. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 495-502.	3.0	35
60	Robust myelin water quantification: Averaging vs. spatial filtering. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 206-209.	3.0	45
61	Multi-scale application of the N3 method for intensity correction of MR images. , 2002, , .		5
62	Convex geometry for rapid tissue classification in MRI. , 2002, , .		0
63	Normal-appearing white matter in multiple sclerosis has heterogeneous, diffusely prolonged T2. <i>Magnetic Resonance in Medicine</i> , 2002, 47, 403-408.	3.0	88
64	Bi-Exponential T2 Decay in Dairy Cream Phantoms. <i>Magnetic Resonance Imaging</i> , 1998, 16, 83-85.	1.8	17
65	MR multispectral analysis of multiple sclerosis lesions. <i>Journal of Magnetic Resonance Imaging</i> , 1997, 7, 499-511.	3.4	17