

Jordan E Lake

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2701352/publications.pdf>

Version: 2024-02-01

72
papers

2,298
citations

257450

24
h-index

233421

45
g-index

73
all docs

73
docs citations

73
times ranked

2553
citing authors

#	ARTICLE	IF	CITATIONS
1	Expert Panel Review on Nonalcoholic Fatty Liver Disease in Persons With Human Immunodeficiency Virus. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 256-268.	4.4	34
2	Efficacy and safety of CD24Fc in hospitalised patients with COVID-19: a randomised, double-blind, placebo-controlled, phase 3 study. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 611-621.	9.1	22
3	Antiretroviral Therapy Initiation Is Associated With Decreased Visceral and Subcutaneous Adipose Tissue Density in People Living With Human Immunodeficiency Virus. <i>Clinical Infectious Diseases</i> , 2021, 72, 979-986.	5.8	9
4	Letâ€™s Talk About Sex: The Impact of Partnership Contexts on Communication About HIV Serostatus and Condom Use Among Men Who Have Sex with Men (MSM) and Transgender Women (TW) in Lima, Peru. <i>AIDS and Behavior</i> , 2021, 25, 2139-2153.	2.7	8
5	PrEP Awareness, Use, Intention to Use, and Information Source Among Geosocial Networking Application Users in Mexico in 2018â€™2019. <i>AIDS and Behavior</i> , 2021, 25, 2743-2754.	2.7	8
6	Impact of Integrase inhibitors and tenofovir alafenamide on weight gain in people with HIV. <i>Current Opinion in HIV and AIDS</i> , 2021, 16, 148-151.	3.8	30
7	Tesamorelin improves fat quality independent of changes in fat quantity. <i>Aids</i> , 2021, 35, 1395-1402.	2.2	3
8	Sexual health norms and communication patterns within the close social networks of men who have sex with men and transgender women in Lima, Peru: a 2017 cross-sectional study. <i>BMC Public Health</i> , 2021, 21, 1090.	2.9	2
9	Poorer Muscle Quality and Quantity With ART Initiation Is Associated With Greater Inflammation and Immune Activation. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 88, 399-405.	2.1	3
10	Current Considerations for Clinical Management and Care of People with HIV: Findings from the 11th Annual International HIV and Aging Workshop. <i>AIDS Research and Human Retroviruses</i> , 2021, 37, 807-820.	1.1	1
11	Weight Gain Following Initiation of Antiretroviral Therapy: Risk Factors in Randomized Comparative Clinical Trials. <i>Clinical Infectious Diseases</i> , 2020, 71, 1379-1389.	5.8	436
12	Intimate Partner Violence Against Transgender Women: Prevalence and Correlates in Lima, Peru (2016â€™2018). <i>AIDS and Behavior</i> , 2020, 24, 1743-1751.	2.7	13
13	High-Risk, but Hidden: Binge Drinking among Men Who Have Sex with Men and Transgender Women in Lima, Peru, 2012-2014. <i>Substance Use and Misuse</i> , 2020, 55, 399-404.	1.4	4
14	Effects of atazanavir, darunavir, and raltegravir on fat and muscle among persons living with HIV. <i>HIV Research and Clinical Practice</i> , 2020, 21, 91-98.	1.1	8
15	Plasma lipidome abnormalities in people with HIV initiating antiretroviral therapy. <i>Translational Medicine Communications</i> , 2020, 5, .	1.4	1
16	HIV and antiretroviral therapy-related fat alterations. <i>Nature Reviews Disease Primers</i> , 2020, 6, 48.	30.5	104
17	Risk Factors for Weight Gain Following Switch to Integrase Inhibitorâ€™Based Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2020, 71, e471-e477.	5.8	117
18	Weight gain among treatmentâ€™naïve persons with HIV starting integrase inhibitors compared to nonâ€™nucleoside reverse transcriptase inhibitors or protease inhibitors in a large observational cohort in the United States and Canada. <i>Journal of the International AIDS Society</i> , 2020, 23, e25484.	3.0	148

#	ARTICLE	IF	CITATIONS
19	Sexual Partnership-Level Correlates of Intimate Partner Violence Among Men Who Have Sex with Men and Transgender Women in Lima, Peru. <i>Archives of Sexual Behavior</i> , 2020, 49, 2703-2713.	1.9	4
20	Application of Selected Muscle Strength and Body Mass Cut Points for the Diagnosis of Sarcopenia in Men and Women With or at Risk for HIV Infection. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1338-1345.	3.6	12
21	Changes in central adipose tissue after switching to integrase inhibitors. <i>HIV Research and Clinical Practice</i> , 2020, 21, 168-173.	1.1	10
22	Altered Lipidome Composition Is Related to Markers of Monocyte and Immune Activation in Antiretroviral Therapy Treated Human Immunodeficiency Virus (HIV) Infection and in Uninfected Persons. <i>Frontiers in Immunology</i> , 2019, 10, 785.	4.8	34
23	Assessing Sexually Transmitted Infections and HIV Risk Among Transgender Women in Lima, Peru: Beyond Behavior. <i>LGBT Health</i> , 2019, 6, 370-376.	3.4	5
24	CT Fat Density Accurately Reflects Histologic Fat Quality in Adults With HIV On and Off Antiretroviral Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 4857-4864.	3.6	12
25	Progressive increases in fat mass occur in adults living with HIV on antiretroviral therapy, but patterns differ by sex and anatomic depot. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 1028-1034.	3.0	37
26	Lymphocytes upregulate CD36 in adipose tissue and liver. <i>Adipocyte</i> , 2019, 8, 154-163.	2.8	15
27	Establishing the feasibility, acceptability and preliminary efficacy of a multi-component behavioral intervention to reduce pain and substance use and improve physical performance in older persons living with HIV. <i>Journal of Substance Abuse Treatment</i> , 2019, 100, 29-38.	2.8	7
28	Sexual network characteristics of men who have sex with men with syphilis and/or gonorrhoea/chlamydia in Lima, Peru: network patterns as roadmaps for STI prevention interventions. <i>Sexually Transmitted Infections</i> , 2019, 95, 336-341.	1.9	7
29	Impaired insulin sensitivity is associated with worsening cognition in HIV-infected patients. <i>Neurology</i> , 2019, 92, e1344-e1353.	1.1	9
30	Sex hormone-binding globulin levels are inversely associated with nonalcoholic fatty liver disease in HIV-infected and uninfected men. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz468.	0.9	3
31	Contextualizing condoms: a cross-sectional study mapping intersections of locations of sexual contact, partner type, and substance use as contexts for sexual risk behavior among MSM in Peru. <i>BMC Infectious Diseases</i> , 2019, 19, 958.	2.9	16
32	Association of Fibroblast Growth Factor-23 (FGF-23) With Incident Frailty in HIV-Infected and HIV-Uninfected Individuals. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 80, 118-125.	2.1	8
33	Speed kills: Associations between methamphetamine use, HIV infection, tobacco use, and accelerated mortality among gay and bisexual men in Los Angeles, CA 20years after methamphetamine dependence treatment. <i>Drug and Alcohol Dependence</i> , 2019, 195, 164-169.	3.2	5
34	Effect of Testosterone Use on Bone Mineral Density in HIV-Infected Men. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 75-80.	1.1	9
35	Body Parts Matter: Social, Behavioral, and Biological Considerations for Urethral, Pharyngeal, and Rectal Gonorrhoea and Chlamydia Screening Among MSM in Lima, Peru. <i>Sexually Transmitted Diseases</i> , 2018, 45, 607-614.	1.7	15
36	Adipocytes impair efficacy of antiretroviral therapy. <i>Antiviral Research</i> , 2018, 154, 140-148.	4.1	44

#	ARTICLE	IF	CITATIONS
37	Telmisartan Therapy Does Not Improve Lymph Node or Adipose Tissue Fibrosis More Than Continued Antiretroviral Therapy Alone. <i>Journal of Infectious Diseases</i> , 2018, 217, 1770-1781.	4.0	23
38	Individual and partnership factors associated with anticipated versus actual partner notification following STI diagnosis among men who have sex with men and/or with transgender women in Lima, Peru. <i>Sexually Transmitted Infections</i> , 2018, 94, 607-610.	1.9	6
39	Obesity following ART initiation is common and influenced by both traditional and HIV-/ART-specific risk factors. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 2177-2185.	3.0	139
40	Metabolic health across the BMI spectrum in HIV-infected and HIV-uninfected men. <i>Aids</i> , 2018, 32, 49-57.	2.2	10
41	538. Integrase Inhibitor-Based HAART Is Associated with Greater BMI Gains in Blacks, Hispanics, and Women. <i>Open Forum Infectious Diseases</i> , 2018, 5, S199-S199.	0.9	8
42	Antiretroviral initiation is associated with increased skeletal muscle area and fat content. <i>Aids</i> , 2017, 31, 1831-1838.	2.2	19
43	Practical Review of Recognition and Management of Obesity and Lipohypertrophy in Human Immunodeficiency Virus Infection. <i>Clinical Infectious Diseases</i> , 2017, 64, 1422-1429.	5.8	53
44	Event-level analysis of alcohol consumption and condom use in partnership contexts among men who have sex with men and transgender women in Lima, Peru. <i>Drug and Alcohol Dependence</i> , 2017, 170, 17-24.	3.2	19
45	Visceral fat is associated with brain structure independent of human immunodeficiency virus infection status. <i>Journal of NeuroVirology</i> , 2017, 23, 385-393.	2.1	16
46	Pharmacy refill data can be used to predict virologic failure for patients on antiretroviral therapy in Brazil. <i>Journal of the International AIDS Society</i> , 2017, 20, 21405.	3.0	6
47	The Fat of the Matter: Obesity and Visceral Adiposity in Treated HIV Infection. <i>Current HIV/AIDS Reports</i> , 2017, 14, 211-219.	3.1	72
48	Transgender Women Living with HIV Frequently Take Antiretroviral Therapy and/or Feminizing Hormone Therapy Differently Than Prescribed Due to Drug-Drug Interaction Concerns. <i>LGBT Health</i> , 2017, 4, 371-375.	3.4	47
49	Effects of atorvastatin on biomarkers of immune activation, inflammation, and lipids in virologically suppressed, human immunodeficiency virus-infected individuals with low-density lipoprotein cholesterol $\leq 130\text{ mg/dL}$ (AIDS Clinical Trials Group Study A5275). <i>Journal of Clinical Lipidology</i> , 2017, 11, 61-69.	1.5	27
50	Poor retention in early care increases risk of mortality in a Brazilian HIV-infected clinical cohort. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 263-267.	1.2	11
51	HIV Infection Is Associated with Increased Fatty Infiltration of the Thigh Muscle with Aging Independent of Fat Distribution. <i>PLoS ONE</i> , 2017, 12, e0169184.	2.5	26
52	Urine Eicosanoids in the Metabolic Abnormalities, Telmisartan, and HIV Infection (MATH) Trial. <i>PLoS ONE</i> , 2017, 12, e0170515.	2.5	2
53	Circulating LOXL2 Levels Reflect Severity of Intestinal Fibrosis and GALT CD4+ T Lymphocyte Depletion in Treated HIV Infection. <i>Pathogens and Immunity</i> , 2017, 2, 239.	3.1	2
54	Prospective Analysis of Lipid Composition Changes with Antiretroviral Therapy and Immune Activation in Persons Living with HIV. <i>Pathogens and Immunity</i> , 2017, 2, 376.	3.1	36

#	ARTICLE	IF	CITATIONS
55	Oral Glucose Tolerance Testing identifies HIV+ infected women with Diabetes Mellitus (DM) not captured by standard DM definition. <i>Journal of AIDS & Clinical Research</i> , 2016, 07, .	0.5	7
56	Endothelial Progenitor Cell Production Is Suppressed and Associated With Systemic Inflammation and Monocyte Activation in Older Human Immunodeficiency Virus (HIV)-Infected Men. <i>Open Forum Infectious Diseases</i> , 2016, 3, .	0.9	0
57	Long-term body composition changes in antiretroviral-treated HIV-infected individuals. <i>Aids</i> , 2016, 30, 2805-2813.	2.2	61
58	Telmisartan increases vascular reparative capacity in older HIV-infected adults: a pilot study. <i>HIV Clinical Trials</i> , 2016, 17, 225-232.	2.0	5
59	Traditional and HIV-specific risk factors for cardiovascular morbidity and mortality among HIV-infected adults in Brazil: a retrospective cohort study. <i>BMC Infectious Diseases</i> , 2016, 16, 376.	2.9	19
60	Fat Matters: Understanding the Role of Adipose Tissue in Health in HIV Infection. <i>Current HIV/AIDS Reports</i> , 2016, 13, 20-30.	3.1	39
61	Retention in Early Care at an HIV Outpatient Clinic in Rio de Janeiro, Brazil, 2000â€“2013. <i>AIDS and Behavior</i> , 2016, 20, 1039-1048.	2.7	10
62	Vitamin D Levels and Markers of Inflammation and Metabolism in HIV-Infected Individuals on Suppressive Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 247-254.	1.1	9
63	Time trend analysis of cervical high-risk human papillomavirus (HPV) in HIV-infected women in an urban cohort from Rio de Janeiro, Brazil: the rise of non-16/18 HPV. <i>International Journal of Infectious Diseases</i> , 2015, 41, 17-20.	3.3	5
64	Adiponectin and Interleukin-6, but not Adipose Tissue, are Associated with Worse Neurocognitive Function in HIV-Infected Men. <i>Antiviral Therapy</i> , 2015, 20, 235-244.	1.0	16
65	Switch to Raltegravir From Protease Inhibitor or Nonnucleoside Reverse-Transcriptase Inhibitor Does not Reduce Visceral Fat In Human Immunodeficiency Virus-Infected Women With Central Adiposity. <i>Open Forum Infectious Diseases</i> , 2015, 2, ofv059.	0.9	6
66	A cross-sectional study of low HIV testing frequency and high-risk behaviour among men who have sex with men and transgender women in Lima, Peru. <i>BMC Public Health</i> , 2015, 15, 408.	2.9	42
67	Benefits of PrEP as an Adjunctive Method of HIV Prevention During Attempted Conception Between HIV-uninfected Women and HIV-infected Male Partners. <i>Journal of Infectious Diseases</i> , 2015, 212, 1534-1543.	4.0	22
68	Metabolic disease in HIV infection. <i>Lancet Infectious Diseases</i> , The, 2013, 13, 964-975.	9.1	146
69	A Pilot Study of Telmisartan for Visceral Adiposity in HIV Infection: The Metabolic Abnormalities, Telmisartan, and HIV Infection (MATH) Trial. <i>PLoS ONE</i> , 2013, 8, e58135.	2.5	24
70	A Randomized Trial of Raltegravir Replacement for Protease Inhibitor or Non-Nucleoside Reverse Transcriptase Inhibitor in HIV-Infected Women with Lipohypertrophy. <i>AIDS Patient Care and STDs</i> , 2012, 26, 532-540.	2.5	29
71	Regional fat deposition and cardiovascular risk in HIV infection: the FRAM study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011, 23, 929-938.	1.2	61
72	Vitamin D in HIV-Infected Patients. <i>Current HIV/AIDS Reports</i> , 2011, 8, 133-141.	3.1	70