Pascal Sienaert

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2706206/publications.pdf

Version: 2024-02-01

136 papers

4,572 citations

32 h-index 62 g-index

142 all docs

142 docs citations

times ranked

142

4904 citing authors

#	Article	IF	CITATIONS
1	Metabolic Syndrome and Metabolic Abnormalities in Bipolar Disorder: A Meta-Analysis of Prevalence Rates and Moderators. American Journal of Psychiatry, 2013, 170, 265-274.	7.2	336
2	Reduced Reward Learning Predicts Outcome in Major Depressive Disorder. Biological Psychiatry, 2013, 73, 639-645.	1.3	325
3	Intravenous Esketamine in Adult Treatment-Resistant Depression: A Double-Blind, Double-Randomization, Placebo-Controlled Study. Biological Psychiatry, 2016, 80, 424-431.	1.3	317
4	A Clinical Review of the Treatment of Catatonia. Frontiers in Psychiatry, 2014, 5, 181.	2.6	195
5	TYPE 2 DIABETES IN PATIENTS WITH MAJOR DEPRESSIVE DISORDER: A META-ANALYSIS OF PREVALENCE ESTIMATES AND PREDICTORS. Depression and Anxiety, 2015, 32, 763-773.	4.1	138
6	Volume of the Human Hippocampus and Clinical Response Following Electroconvulsive Therapy. Biological Psychiatry, 2018, 84, 574-581.	1.3	138
7	Measuring catatonia: A systematic review of rating scales. Journal of Affective Disorders, 2011, 135, 1-9.	4.1	125
8	ECT. Journal of ECT, 2014, 30, 143-151.	0.6	123
9	Speed of remission in elderly patients with depression: Electroconvulsive therapy <i>v</i> . medication. British Journal of Psychiatry, 2015, 206, 67-71.	2.8	123
10	A review of physical activity correlates in patients with bipolar disorder. Journal of Affective Disorders, 2013, 145, 285-291.	4.1	108
11	Dimensions in major depressive disorder and their relevance for treatment outcome. Journal of Affective Disorders, 2014, 155, 35-41.	4.1	99
12	Relationship Between Hippocampal Volume, Serum BDNF, and Depression Severity Following Electroconvulsive Therapy in Late-Life Depression. Neuropsychopharmacology, 2016, 41, 2741-2748.	5.4	87
13	Prevalence and Predictors of Type 2 Diabetes Mellitus in People With Bipolar Disorder. Journal of Clinical Psychiatry, 2015, 76, 1490-1499.	2.2	85
14	Grey matter volume increase following electroconvulsive therapy in patients with late life depression: a longitudinal MRI study. Journal of Psychiatry and Neuroscience, 2016, 41, 105-114.	2.4	84
15	Ultraâ€brief pulse ECT in bipolar and unipolar depressive disorder: differences in speed of response. Bipolar Disorders, 2009, 11, 418-424.	1.9	81
16	Second generation antipsychotics in the treatment of bipolar depression: a systematic review and meta-analysis. Journal of Psychopharmacology, 2012, 26, 603-617.	4.0	81
17	Based on a True Story? The Portrayal of ECT in International Movies and Television Programs. Brain Stimulation, 2016, 9, 882-891.	1.6	77
18	Evidenceâ€based treatment strategies for treatmentâ€resistant bipolar depression: a systematic review. Bipolar Disorders, 2013, 15, 61-69.	1.9	76

#	Article	IF	CITATIONS
19	Brain Changes Induced by Electroconvulsive Therapy Are Broadly Distributed. Biological Psychiatry, 2020, 87, 451-461.	1.3	72
20	The Global ECT-MRI Research Collaboration (GEMRIC): Establishing a multi-site investigation of the neural mechanisms underlying response to electroconvulsive therapy. NeuroImage: Clinical, 2017, 14, 422-432.	2.7	68
21	The prevalence and management of side effects of lithium and anticonvulsants as mood stabilizers in bipolar disorder from a clinical perspective. International Clinical Psychopharmacology, 2013, 28, 287-296.	1.7	66
22	What We Have Learned about Electroconvulsive Therapy and its Relevance for the Practising Psychiatrist. Canadian Journal of Psychiatry, 2011, 56, 5-12.	1.9	64
23	No Association of Lower Hippocampal Volume With Alzheimer's Disease Pathology in Late-Life Depression. American Journal of Psychiatry, 2017, 174, 237-245.	7.2	59
24	Early- and Late-Onset Depression in Late Life: A Prospective Study on Clinical and Structural Brain Characteristics and Response to Electroconvulsive Therapy. American Journal of Geriatric Psychiatry, 2017, 25, 178-189.	1.2	59
25	Efficacy and Safety of Continuation and Maintenance Electroconvulsive Therapy in Depressed Elderly Patients: A Systematic Review. American Journal of Geriatric Psychiatry, 2012, 20, 5-17.	1.2	58
26	Efficacy and Cognitive Side Effects After Brief Pulse and Ultrabrief Pulse Right Unilateral Electroconvulsive Therapy for Major Depression. Journal of Clinical Psychiatry, 2013, 74, e1029-e1036.	2.2	58
27	Electric field causes volumetric changes in the human brain. ELife, 2019, 8, .	6.0	57
28	Older Age Is Associated with Rapid Remission of Depression After Electroconvulsive Therapy: A Latent Class Growth Analysis. American Journal of Geriatric Psychiatry, 2015, 23, 274-282.	1.2	54
29	Anticonvulsants During Electroconvulsive Therapy. Journal of ECT, 2007, 23, 120-123.	0.6	46
30	ECT-Related Anxiety. Journal of ECT, 2017, 33, 229-236.	0.6	37
31	Electroconvulsive Therapy During COVID-19-Times: Our Patients Cannot Wait. American Journal of Geriatric Psychiatry, 2020, 28, 772-775.	1.2	37
32	Patient Satisfaction After Electroconvulsive Therapy. Journal of ECT, 2005, 21, 227-231.	0.6	33
33	Antibiotics and mania: A systematic review. Journal of Affective Disorders, 2017, 219, 149-156.	4.1	32
34	Structural changes induced by electroconvulsive therapy are associated with clinical outcome. Brain Stimulation, 2020, 13, 696-704.	1.6	31
35	Electroconvulsive therapy for depression: 80 years of progress. British Journal of Psychiatry, 2021, 219, 594-597.	2.8	30
36	Searching for the Mechanism(s) of ECT's Therapeutic Effect. Journal of ECT, 2014, 30, 87-89.	0.6	29

#	Article	IF	CITATIONS
37	Electroconvulsive therapy: an effective therapy of medicationâ€resistant bipolar disorder. Bipolar Disorders, 2006, 8, 304-306.	1.9	28
38	Inflammation, Hippocampal Volume, and Therapeutic Outcome following Electroconvulsive Therapy in Depressive Patients: A Pilot Study. Neuropsychobiology, 2020, 79, 222-232.	1.9	28
39	Efficacy of Tranylcypromine in Bipolar Depression. Journal of Clinical Psychopharmacology, 2015, 35, 700-705.	1.4	27
40	A comparison of physical fitness in patients with bipolar disorder, schizophrenia and healthy controls. Disability and Rehabilitation, 2016, 38, 2047-2051.	1.8	27
41	Corpus callosum macro and microstructure in late-life depression. Journal of Affective Disorders, 2017, 222, 63-70.	4.1	27
42	Emotional switching in borderline personality disorder: A daily life study Personality Disorders: Theory, Research, and Treatment, 2016, 7, 50-60.	1.3	26
43	MMSE Changes During and After ECT in Late-Life Depression: AÂProspective Study. American Journal of Geriatric Psychiatry, 2019, 27, 934-944.	1.2	26
44	Health-related physical fitness in patients with bipolar disorder vs. healthy controls: An exploratory study. Journal of Affective Disorders, 2015, 177, 22-27.	4.1	25
45	Relapse and long-term cognitive performance after brief pulse or ultrabrief pulse right unilateral electroconvulsive therapy: A multicenter naturalistic follow up. Journal of Affective Disorders, 2015, 184, 137-144.	4.1	22
46	Brain-derived neurotrophic factor as a possible predictor of electroconvulsive therapy outcome. Translational Psychiatry, 2019, 9, 155.	4.8	22
47	Test–retest reliability, feasibility and clinical correlates of the Eurofit test battery in people with bipolar disorder. Psychiatry Research, 2015, 228, 620-625.	3.3	21
48	Cardiorespiratory fitness in outpatients with bipolar disorder versus matched controls:ÂAn exploratory study. Journal of Affective Disorders, 2016, 199, 1-5.	4.1	21
49	Concurrent Use of Lamotrigine and Electroconvulsive Therapy. Journal of ECT, 2011, 27, 148-152.	0.6	20
50	Epigenetic Effects of Electroconvulsive Seizures. Journal of ECT, 2014, 30, 152-159.	0.6	20
51	Maintenance Electroconvulsive Therapy in Severe Bipolar Disorder. Journal of ECT, 2016, 32, 23-28.	0.6	20
52	Copy number variation analysis in adults with catatonia confirms haploinsufficiency of SHANK3 as a predisposing factor. European Journal of Medical Genetics, 2016, 59, 436-443.	1.3	20
53	Experience, Knowledge, and Attitudes of Child and Adolescent Psychiatrists in Belgium Toward Pediatric Electroconvulsive Therapy. Journal of ECT, 2018, 34, 247-252.	0.6	20
54	Inflammation and remission in older patients with depression treated with electroconvulsive therapy; findings from the MODECT studyâ ∞ °. Journal of Affective Disorders, 2019, 256, 509-516.	4.1	20

#	Article	IF	CITATIONS
55	The Practice of Consenting to Electroconvulsive Therapy in the European Union. Journal of ECT, 2012, 28, 4-6.	0.6	19
56	The functional exercise capacity in patients with bipolar disorder versus healthy controls: A pilot study. Psychiatry Research, 2015, 229, 194-199.	3.3	19
57	The affect stabilization function of nonsuicidal self injury in Borderline Personality Disorder: An Ecological Momentary Assessment study. Behaviour Research and Therapy, 2017, 92, 41-50.	3.1	19
58	Improving Practice in Electroconvulsive Therapy. Journal of ECT, 2016, 32, 29-32.	0.6	18
59	Sitting time, physical fitness impairments and metabolic abnormalities in people with bipolar disorder: An exploratory study. Psychiatry Research, 2016, 242, 7-12.	3.3	18
60	The psychopharmacology of catatonia, neuroleptic malignant syndrome, akathisia, tardive dyskinesia, and dystonia. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2019, 165, 415-428.	1.8	18
61	Does lithium prevent relapse following successful electroconvulsive therapy for major depression? A systematic review and metaâ€analysis. Acta Psychiatrica Scandinavica, 2021, 143, 294-306.	4.5	18
62	Physical activity as a vital sign in patients with bipolar disorder. Psychiatry Research, 2016, 246, 218-222.	3.3	17
63	Hippocampal volume change following ECT is mediated by rs699947 in the promotor region of VEGF. Translational Psychiatry, 2019, 9, 191.	4.8	17
64	Overgeneral Memory Predicts Stability of Short-Term Outcome of Electroconvulsive Therapy for Depression. Journal of ECT, 2008, 24, 81-83.	0.6	16
65	Mechanisms of ECT. Journal of ECT, 2014, 30, 85-86.	0.6	16
66	Higher cardio-respiratory fitness is associated with increased mental and physical quality of life in people with bipolar disorder: A controlled pilot study. Psychiatry Research, 2017, 256, 219-224.	3.3	16
67	Relapse after abrupt discontinuation of maintenance electroconvulsive therapy during the COVIDâ€19 pandemic. Acta Psychiatrica Scandinavica, 2021, 144, 230-237.	4.5	16
68	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. BMC Psychiatry, 2013, 13, 71.	2.6	15
69	Concurrent validity of the international physical activity questionnaire in outpatients with bipolar disorder: Comparison with the Sensewear Armband. Psychiatry Research, 2016, 237, 122-126.	3.3	15
70	Electroconvulsive Therapy in Belgium. Journal of ECT, 2005, 21, 3-6.	0.6	14
71	Remission of Tardive Dystonia (Blepharospasm) After Electroconvulsive Therapy in a Patient With Treatment-Refractory Schizophrenia. Journal of ECT, 2005, 21, 132-134.	0.6	14
72	Pulse Width in Electroconvulsive Therapy. Journal of ECT, 2018, 34, 73-74.	0.6	14

#	Article	IF	CITATIONS
73	Melancholia as Predictor of Electroconvulsive Therapy Outcome in Later Life. Journal of ECT, 2019, 35, 231-237.	0.6	14
74	Biophysical mechanisms of electroconvulsive therapy-induced volume expansion in the medial temporal lobe: A longitudinal inÂvivo human imaging study. Brain Stimulation, 2021, 14, 1038-1047.	1.6	14
75	Adult catatonia: etiopathogenesis, diagnosis and treatment. Neuropsychiatry, 2013, 3, 391-399.	0.4	13
76	Depressive symptoms and muscular fitness contribute independently to the ability to perform daily life activities in people with bipolar disorder. Nordic Journal of Psychiatry, 2016, 70, 477-482.	1.3	13
77	Electroconvulsive therapy response in late-life depression unaffected by age-related brain changes. Journal of Affective Disorders, 2019, 251, 114-120.	4.1	13
78	Psychotic late-life depression less likely to relapse after electroconvulsive therapy. Journal of Affective Disorders, 2020, 276, 984-990.	4.1	13
79	Short Seizures in Continuation Electroconvulsive Therapy: An Indication for Remifentanil Anesthesia?. Journal of ECT, 2004, 20, 130-131.	0.6	12
80	Early Complete Remitters After Electroconvulsive Therapy. Journal of ECT, 2016, 32, 82-87.	0.6	12
81	Are Apathy and Depressive Symptoms Related to Vascular White Matter Hyperintensities in Severe Late Life Depression?. Journal of Geriatric Psychiatry and Neurology, 2021, 34, 21-28.	2.3	12
82	Neurocognitive functioning after electroconvulsive therapy in lateâ€life depression: A 4â€year prospective study. Acta Psychiatrica Scandinavica, 2021, 143, 141-150.	4.5	12
83	Differences in Speed of Response of Depressive Symptom Dimensions in Older Persons During Electroconvulsive Therapy. Journal of ECT, 2019, 35, 35-39.	0.6	11
84	Suicidal ideation and ECT, ECT and suicidal ideation: A register study. Acta Psychiatrica Scandinavica, 2022, 146, 74-84.	4.5	11
85	New DSM-5 category â€~unspecified catatonia' is a boost for pediatric catatonia: review and case reports. Neuropsychiatry, 2013, 3, 401-410.	0.4	10
86	Validity of the 6min walk test in outpatients with bipolar disorder. Psychiatry Research, 2015, 230, 664-667.	3.3	10
87	Exploring resting state connectivity in patients with psychotic depression. PLoS ONE, 2019, 14, e0209908.	2.5	10
88	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). European Neuropsychopharmacology, 2018, 28, 185-194.	0.7	9
89	Safe ECT in a Patient With the Ehlers–Danlos Syndrome. Journal of ECT, 2003, 19, 230-233.	0.6	8
90	Propofol in the Management of Postictal Delirium With Clozapine-Electroconvulsive Therapy Combination. Journal of ECT, 2004, 20, 254-257.	0.6	8

#	Article	IF	Citations
91	Is Electroconvulsive Therapy Safe in the Presence of an Intracranial Metallic Object?. Journal of ECT, 2013, 29, 231-238.	0.6	8
92	The basal ganglia: A central hub for the psychomotor effects of electroconvulsive therapy. Journal of Affective Disorders, 2020, 265, 239-246.	4.1	8
93	Catatonia in Psychiatric Illnesses. , 2016, , 517-535.		8
94	The Functional Exercise Capacity Is Associated With Global Functioning in People With Bipolar Disorder. Journal of Nervous and Mental Disease, 2016, 204, 673-677.	1.0	7
95	Vascular risk factors in older patients with depression: outcome of electroconvulsive therapy versus medication. International Journal of Geriatric Psychiatry, 2018, 33, 371-378.	2.7	7
96	The FDA Final Order on ECT Devices, Finally. Journal of ECT, 2019, 35, 69-70.	0.6	7
97	Improvement of psychomotor retardation after electroconvulsive therapy is related to decreased IL-6 levels. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 105, 110146.	4.8	7
98	Movement, mood and cognition: Preliminary insights into the therapeutic effects of electroconvulsive therapy for depression through a resting-state connectivity analysis. Journal of Affective Disorders, 2021, 290, 117-127.	4.1	7
99	Diagnosing and Treating Catatonia: An Update. Current Psychiatry Reviews, 2013, 9, 130-135.	0.9	7
100	Uneventful Electroconvulsive Therapy in a Patient With Dopa-Responsive Dystonia (Segawa Syndrome). Journal of ECT, 2009, 25, 284-286.	0.6	6
101	The Clinical Practice of Assessing Cognitive Function in Adults Receiving Electroconvulsive Therapy. Journal of ECT, 2016, 32, 99-103.	0.6	5
102	S100 calcium-binding protein B in older patients with depression treated with electroconvulsive therapy. Psychoneuroendocrinology, 2019, 110, 104414.	2.7	5
103	Salivary cortisol as predictor for depression characteristics and remission in electroconvulsive therapy in older persons. World Journal of Biological Psychiatry, 2019, 20, 683-690.	2.6	5
104	Monitoring Electroconvulsive Therapy–Related Anxiety. Journal of ECT, 2020, 36, 180-186.	0.6	5
105	Transient Cognitive Impairment and White Matter Hyperintensities in Severely Depressed Older Patients Treated With Electroconvulsive Therapy. American Journal of Geriatric Psychiatry, 2021, 29, 1117-1128.	1.2	4
106	Electroconvulsive Therapy for Patients With Depression Who Lack Capacity for Consent. Journal of ECT, 2021, 37, 171-175.	0.6	4
107	Inflammatory Markers May Inform the Effects of Electroconvulsive Therapy on Cognition in Patients with Depression. Neuropsychobiology, 2021, 80, 493-501.	1.9	4
108	The pattern of inflammatory markers during electroconvulsive therapy in older depressed patients. World Journal of Biological Psychiatry, 2021, 22, 770-777.	2.6	4

#	Article	IF	Citations
109	Elevated body weight modulates subcortical volume change and associated clinical response following electroconvulsive therapy. Journal of Psychiatry and Neuroscience, 2021, 46, E418-E426.	2.4	4
110	The ratio and interaction between neurotrophin and immune signaling during electroconvulsive therapy in late-life depression. Brain, Behavior, & Immunity - Health, 2021, 18, 100389.	2.5	4
111	The Metabolic Syndrome Is Associated with Self-Reported Physical Complaints in Patients with Bipolar Disorder. Psychiatria Danubina, 2016, 28, 139-45.	0.4	4
112	Preliminary Assessment of Pre–Electroconvulsive Therapy Evaluation Practices in European Countries. Journal of ECT, 2022, Publish Ahead of Print, .	0.6	4
113	Electroconvulsive therapy in continental Western Europe: A literature review., 0,, 246-255.		3
114	Time to replicate. Australian and New Zealand Journal of Psychiatry, 2018, 52, 710-711.	2.3	3
115	The Statistical Specificity of Emotion Dynamics in Borderline Personality Disorder. Journal of Personality Disorders, 2021, 35, 1-22.	1.4	3
116	A European Foundation for Electroconvulsive Therapy. Journal of ECT, 2006, 22, 91.	0.6	2
117	Response to Bartoli et al American Journal of Psychiatry, 2013, 170, 928-929.	7.2	2
118	Repeated stress hormone measurements after a social stressor in major depressive disorder: Association patterns and predictive ability. Psychoneuroendocrinology, 2015, 61, 58.	2.7	2
119	Cortisol is not associated with pre-treatment medial temporal lobe volume or volume changes after electroconvulsive therapy in patients with late-life depression. Psychiatry Research - Neuroimaging, 2019, 291, 26-33.	1.8	2
120	Temporal glioblastoma presenting as catatonia. BMJ Case Reports, 2019, 12, e224017.	0.5	2
121	Impact of inflammation on cognitive functioning after electroconvulsive therapy in older patients with depression with and without white matter hyperintensities. American Journal of Geriatric Psychiatry, 2021, , .	1.2	2
122	Long-term Outcome Following Electroconvulsive Therapy for Late-Life Depression: Five-Year Follow-up Data From the MODECT Study. American Journal of Geriatric Psychiatry, 2022, , .	1.2	2
123	P.301 Hippocampal subfield volumetric changes following electroconvulsive therapy in patients with late-life depression. European Neuropsychopharmacology, 2019, 29, S214-S215.	0.7	1
124	Electroconvulsive therapy does not increase the risk of dementia in patients with affective disorders. Evidence-Based Mental Health, 2019, 22, e5-e5.	4.5	1
125	Closing Up. , 2020, , 346-362.		1
126	OUP accepted manuscript. Schizophrenia Bulletin, 2021, , .	4.3	1

#	Article	IF	CITATIONS
127	The Ideal ECT Technique or the Ideal ECT Patient: What Should Be the Focus of Research?. Journal of Clinical Psychiatry, 2015, 76, e1132-e1133.	2.2	1
128	Authors' reply. British Journal of Psychiatry, 2015, 206, 167-168.	2.8	0
129	Electroconvulsive Therapy in Belgium. Journal of ECT, 2015, 31, 75.	0.6	0
130	445. Neural Predictors and Correlates of Electroconvulsive Therapy in Late-Life Depression. Biological Psychiatry, 2017, 81, S181-S182.	1.3	0
131	Electroconvulsive Therapy–Related Anxiety. Journal of ECT, 2018, 34, 132-133.	0.6	0
132	T128. Medial Temporal Lobe and Subcortical Shape Changes Following Electroconvulsive Therapy in Late-Life Depression. Biological Psychiatry, 2018, 83, S178.	1.3	0
133	Burning Mouth Syndrome Treated With Electroconvulsive Therapy. Journal of ECT, 2021, 37, e34-e35.	0.6	0
134	Delusional Infestation Treated With Electroconvulsive Therapy. Journal of ECT, 2021, 37, e42-e43.	0.6	0
135	How to Reliably Predict Relapse After Electroconvulsive Therapy?. Journal of Clinical Psychiatry, 2021, 83, .	2.2	0
136	Bifrontal, bitemporal and right unilateral ECT electrode placement are similarly effective for reducing depressive symptoms. Evidence-Based Mental Health, 2010, 13, 85-85.	4.5	0