

Matthew N Newmeyer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2707513/publications.pdf>

Version: 2024-02-01

19
papers

691
citations

623734

14
h-index

794594

19
g-index

19
all docs

19
docs citations

19
times ranked

822
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Response to Letter to the Editor Regarding Characterizing the Chemical Landscape in Commercial E-Cigarette Liquids and Aerosols by Liquid Chromatographyâ€“High-Resolution Mass Spectrometry. <i>Chemical Research in Toxicology</i> , 2022, 35, 1-2. | 3.3 | 1 |
| 2 | Characterizing the Chemical Landscape in Commercial E-Cigarette Liquids and Aerosols by Liquid Chromatographyâ€“High-Resolution Mass Spectrometry. <i>Chemical Research in Toxicology</i> , 2021, 34, 2216-2226. | 3.3 | 34 |
| 3 | Free and Glucuronide Urine Cannabinoids after Controlled Smoked, Vaporized and Oral Cannabis Administration in Frequent and Occasional Cannabis Users. <i>Journal of Analytical Toxicology</i> , 2020, 44, 651-660. | 2.8 | 12 |
| 4 | Effects of oral, smoked, and vaporized cannabis on endocrine pathways related to appetite and metabolism: a randomized, double-blind, placebo-controlled, human laboratory study. <i>Translational Psychiatry</i> , 2020, 10, 71. | 4.8 | 48 |
| 5 | Correlation of creatinineâ€“and specific gravityâ€“normalized free and glucuronidated urine cannabinoid concentrations following smoked, vaporized, and oral cannabis in frequent and occasional cannabis users. <i>Drug Testing and Analysis</i> , 2019, 11, 968-975. | 2.6 | 17 |
| 6 | Evaluation of divided attention psychophysical task performance and effects on pupil sizes following smoked, vaporized and oral cannabis administration. <i>Journal of Applied Toxicology</i> , 2017, 37, 922-932. | 2.8 | 29 |
| 7 | Cannabis Edibles: Blood and Oral Fluid Cannabinoid Pharmacokinetics and Evaluation of Oral Fluid Screening Devices for Predicting δ^9 -Tetrahydrocannabinol in Blood and Oral Fluid following Cannabis Brownie Administration. <i>Clinical Chemistry</i> , 2017, 63, 647-662. | 3.2 | 44 |
| 8 | Subjective and physiological effects, and expired carbon monoxide concentrations in frequent and occasional cannabis smokers following smoked, vaporized, and oral cannabis administration. <i>Drug and Alcohol Dependence</i> , 2017, 175, 67-76. | 3.2 | 65 |
| 9 | On-site oral fluid δ^9 -tetrahydrocannabinol (THC) screening after controlled smoked, vaporized, and oral cannabis administration. <i>Forensic Toxicology</i> , 2017, 35, 133-145. | 2.4 | 13 |
| 10 | Cannabinoid disposition in oral fluid after controlled smoked, vaporized, and oral cannabis administration. <i>Drug Testing and Analysis</i> , 2017, 9, 905-915. | 2.6 | 80 |
| 11 | Free and Glucuronide Whole Blood Cannabinoids' Pharmacokinetics after Controlled Smoked, Vaporized, and Oral Cannabis Administration in Frequent and Occasional Cannabis Users: Identification of Recent Cannabis Intake. <i>Clinical Chemistry</i> , 2016, 62, 1579-1592. | 3.2 | 139 |
| 12 | Quantification of cannabinoids and their free and glucuronide metabolites in whole blood by disposable pipette extraction and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1453, 34-42. | 3.7 | 48 |
| 13 | Oral fluid with three modes of collection and plasma methamphetamine and amphetamine enantiomer concentrations after controlled intranasal Δ^1 -methamphetamine administration. <i>Drug Testing and Analysis</i> , 2015, 7, 877-883. | 2.6 | 15 |
| 14 | Simultaneous plasma and oral fluid morphine and codeine concentrations after controlled administration of poppy seeds with known opiate content. <i>Forensic Toxicology</i> , 2015, 33, 235-243. | 2.4 | 12 |
| 15 | Morphine and codeine in oral fluid after controlled poppy seed administration. <i>Drug Testing and Analysis</i> , 2015, 7, 586-591. | 2.6 | 14 |
| 16 | Cannabinoid disposition in oral fluid after controlled cannabis smoking in frequent and occasional smokers. <i>Drug Testing and Analysis</i> , 2014, 6, 1002-1010. | 2.6 | 30 |
| 17 | Morphine and codeine concentrations in human urine following controlled poppy seeds administration of known opiate content. <i>Forensic Science International</i> , 2014, 241, 87-90. | 2.2 | 36 |
| 18 | Rapid quantitative chiral amphetamines liquid chromatographyâ€“tandem mass spectrometry: Method in plasma and oral fluid with a cost-effective chiral derivatizing reagent. <i>Journal of Chromatography A</i> , 2014, 1358, 68-74. | 3.7 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Methamphetamine and Amphetamine Isomer Concentrations in Human Urine Following Controlled Vicks VapoInhaler Administration. <i>Journal of Analytical Toxicology</i> , 2014, 38, 524-527. | 2.8 | 19 |