

Kouichi Tamura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2710997/publications.pdf>

Version: 2024-02-01

265
papers

7,758
citations

81900

39
h-index

69250

77
g-index

268
all docs

268
docs citations

268
times ranked

8024
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of achieved blood pressure after treatment for primary aldosteronism with long-term kidney function. <i>Journal of Human Hypertension</i> , 2022, 36, 904-910.	2.2	4
2	Clinical usefulness of left ventricular outflow tract velocity time integral for heart failure with reduced ejection fraction with rapid atrial fibrillation during landiolol treatment. <i>Journal of Cardiology</i> , 2022, 79, 21-29.	1.9	1
3	Catheter-based ultrasound renal denervation in patients with resistant hypertension: the randomized, controlled REQUIRE trial. <i>Hypertension Research</i> , 2022, 45, 221-231.	2.7	61
4	ATRAP, a receptor-interacting modulator of kidney physiology, as a novel player in blood pressure and beyond. <i>Hypertension Research</i> , 2022, 45, 32-39.	2.7	9
5	Prevention of kidney function decline using uric acid-lowering therapy in chronic kidney disease patients: a systematic review and network meta-analysis. <i>Clinical Rheumatology</i> , 2022, 41, 911-919.	2.2	20
6	Comparison of renal outcomes between sodium glucose co-transporter 2 inhibitors and glucagon-like peptide 1 receptor agonists. <i>Diabetes Research and Clinical Practice</i> , 2022, 185, 109231.	2.8	4
7	GPR143, a L-DOPA receptor, induced migration and proliferation of vascular smooth muscle cells is involved in monocrotaline-induced pulmonary hypertension in rats. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2022, 95, 1-YIA-06.	0.0	0
8	Impact of atrial fibrillation and the clinical outcomes in patients with acute myocardial infarction from the K-ACTIVE registry. <i>Journal of Cardiology</i> , 2022, 79, 768-775.	1.9	5
9	The reappearance of de Winter's pattern caused by acute stent thrombosis: A case report. <i>Journal of Cardiology Cases</i> , 2022, , .	0.5	0
10	Deficiency of the kidney tubular angiotensin II type1 receptor-associated protein ATRAP exacerbates streptozotocin-induced diabetic glomerular injury via reducing protective macrophage polarization. <i>Kidney International</i> , 2022, 101, 912-928.	5.2	8
11	Cardiac involvement in coronavirus disease 2019 assessed by cardiac magnetic resonance imaging: a meta-analysis. <i>Heart and Vessels</i> , 2022, 37, 1570-1582.	1.2	6
12	Blood Pressure Elevation of Tubular Specific (P)RR Transgenic Mice and Lethal Tubular Degeneration due to Possible Intracellular Interactions between (P)RR and Alternative Renin Products. <i>International Journal of Molecular Sciences</i> , 2022, 23, 302.	4.1	5
13	Successful implantation of left ventricular lead for a cardiac resynchronization therapy defibrillator through a persistent left superior vena cava using the anchor balloon technique. <i>Journal of Cardiology Cases</i> , 2022, 25, 308-311.	0.5	4
14	Japan Endocrine Society clinical practice guideline for the diagnosis and management of primary aldosteronism 2021. <i>Endocrine Journal</i> , 2022, 69, 327-359.	1.6	67
15	Native T1 heterogeneity for predicting reverse remodeling in patients with non-ischemic dilated cardiomyopathy. <i>Heart and Vessels</i> , 2022, 37, 1541-1550.	1.2	7
16	Possible clinical usefulness of polygenic risk scores among patients with established atherosclerotic cardiovascular disease. <i>Atherosclerosis</i> , 2022, , .	0.8	0
17	SARS-CoV-2 spike protein antibody titers 6 months after SARS-CoV-2 mRNA vaccination among patients undergoing hemodialysis in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 988-996.	1.6	6
18	Association of cardiovascular disease risk and changes in renin levels by mineralocorticoid receptor antagonists in patients with primary aldosteronism. <i>Hypertension Research</i> , 2022, 45, 1476-1485.	2.7	8

#	ARTICLE	IF	CITATIONS
19	Blood pressure after treatment with sodium-glucose cotransporter ² inhibitors influences renal composite outcome: Analysis using propensity score-matched models. <i>Journal of Diabetes Investigation</i> , 2021, 12, 74-81.	2.4	8
20	Impairment of right ventricular strain evaluated by cardiovascular magnetic resonance feature tracking in patients with interstitial lung disease. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 1073-1083.	1.5	2
21	Clinical impact of admission urinary 8-hydroxydeoxyguanosine level for predicting cardiovascular mortality in patients with acute coronary syndrome. <i>Heart and Vessels</i> , 2021, 36, 38-47.	1.2	6
22	Diagnostic performance and limitation of quantitative flow ratio for functional assessment of intermediate coronary stenosis. <i>Journal of Cardiology</i> , 2021, 77, 492-499.	1.9	7
23	May need more comprehensive approach to residual risks in well controlled hypertensive patients. <i>Hypertension Research</i> , 2021, 44, 253-255.	2.7	0
24	Retrospective Analysis of the Renoprotective Effects of Long-Term Use of Six Types of Sodium-Glucose Cotransporter 2 Inhibitors in Japanese Patients with Type 2 Diabetes Mellitus and Chronic Kidney Disease. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 110-119.	4.4	11
25	Relationship between basal sodium intake and the effects of dapagliflozin in albuminuric diabetic kidney disease. <i>Scientific Reports</i> , 2021, 11, 951.	3.3	4
26	Impaired coronary flow reserve evaluated by phase-contrast cine magnetic resonance imaging in patients with atrial fibrillations. <i>Heart and Vessels</i> , 2021, 36, 775-781.	1.2	3
27	Sex Differences in Renal Outcomes After Medical Treatment for Bilateral Primary Aldosteronism. <i>Hypertension</i> , 2021, 77, 537-545.	2.7	8
28	Sodium-glucose cotransporter ² inhibitor-induced reduction in the mean arterial pressure improved renal composite outcomes in type ² diabetes mellitus patients with chronic kidney disease: A propensity score-matched model analysis in Japan. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1408-1416.	2.4	9
29	Extracellular volume fraction by T1 mapping predicts improvement of left ventricular ejection fraction after catheter ablation in patients with non-ischemic dilated cardiomyopathy and atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2535-2543.	1.5	2
30	Characteristics and Prognosis of Patients with Vasospastic Angina Diagnosed by a Provocation Test with Secondary Prevention Implantable Cardioverter Defibrillator. <i>International Heart Journal</i> , 2021, 62, 224-229.	1.0	4
31	Acute Myocarditis by Immune Checkpoint Inhibitor Identified by Quantitative Pixel-Wise Analysis of Native T1 Mapping. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, e012177.	2.6	1
32	Association of aldosterone and blood pressure with the risk for cardiovascular events after treatments in primary aldosteronism. <i>Atherosclerosis</i> , 2021, 324, 84-90.	0.8	10
33	Prognostic impact of muscle and fat mass in patients with heart failure. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 568-576.	7.3	39
34	Subtype-specific trends in the clinical picture of primary aldosteronism over a 13-year period. <i>Journal of Hypertension</i> , 2021, Publish Ahead of Print, 2325-2332.	0.5	2
35	The Types and Proportions of Commensal Microbiota Have a Predictive Value in Coronary Heart Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 3120.	2.4	8
36	Efficacy of the Self-management Support System DialBetesPlus for Diabetic Kidney Disease: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021, 10, e31061.	1.0	6

#	ARTICLE	IF	CITATIONS
37	Tissue-specific expression of the SARS-CoV-2 receptor, angiotensin-converting enzyme 2, in mouse models of chronic kidney disease. <i>Scientific Reports</i> , 2021, 11, 16843.	3.3	7
38	Impact of sarcopenic obesity on long-term clinical outcomes after ST-segment elevation myocardial infarction. <i>Atherosclerosis</i> , 2021, 335, 135-141.	0.8	4
39	Prologue: Special Spotlight Issue on Japan. <i>Journal of Human Hypertension</i> , 2021, , .	2.2	1
40	A case of a coronary covered stent for repeated restenosis at the anastomosis site between saphenous vein graft and graft prosthesis. <i>Journal of Cardiology Cases</i> , 2021, 25, 110-114.	0.5	2
41	Prognostic value of resting coronary sinus flow determined by phase-contrast cine cardiovascular magnetic resonance in patients with known or suspected coronary artery disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 97.	3.3	12
42	The evaluation of noninferiority for renal composite outcomes between sodium-glucose cotransporter inhibitors in Japan. <i>Primary Care Diabetes</i> , 2021, 15, 1058-1062.	1.8	2
43	Kidney Outcomes Associated With SGLT2 Inhibitors Versus Other Glucose-Lowering Drugs in Real-world Clinical Practice: The Japan Chronic Kidney Disease Database. <i>Diabetes Care</i> , 2021, 44, 2542-2551.	8.6	42
44	The impact of pre-hospital 12-lead electrocardiogram and first contact by cardiologist in patients with ST-elevation myocardial infarction in Kanagawa, Japan. <i>Journal of Cardiology</i> , 2021, 78, 183-192.	1.9	7
45	Global Strain Measured by Three-Dimensional Speckle Tracking Echocardiography Is a Useful Predictor for 10-Year Prognosis After a First ST-Elevation Acute Myocardial Infarction. <i>Circulation Journal</i> , 2021, 85, 1735-1743.	1.6	8
46	Coronary artery disease and heart failure in patients with idiopathic pulmonary fibrosis. <i>Heart and Vessels</i> , 2021, 36, 1151-1158.	1.2	6
47	Cardiovascular magnetic resonance assessment of coronary flow reserve improves risk stratification in heart failure with preserved ejection fraction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 112.	3.3	19
48	Direct Oral Anticoagulant Therapy for Isolated Distal Deep Vein Thrombosis Associated with Cancer in Routine Clinical Practice. <i>Journal of Clinical Medicine</i> , 2021, 10, 4648.	2.4	1
49	An interesting link between quality of sleep and a measure of blood pressure variability. <i>Journal of Clinical Hypertension</i> , 2021, 23, 331-333.	2.0	2
50	Rationale and Design of the Orenica Atherosclerosis and Rheumatoid Arthritis Study (ORACLE) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22 Complications, Subclinical Atherosclerosis. <i>Methods and Protocols</i> , 2021, 4, 83.	2.0	0
51	Right ventricular overloading is attenuated in monocrotaline-induced pulmonary hypertension model rats with a disrupted Gpr143 gene, the gene that encodes the 3,4-L-dihydroxyphenylalanine (L-DOPA) receptor. <i>Journal of Pharmacological Sciences</i> , 2021, 148, 214-220.	2.5	4
52	Effects of tumor necrosis factor- α inhibition on kidney fibrosis and inflammation in a mouse model of aristolochic acid nephropathy. <i>Scientific Reports</i> , 2021, 11, 23587.	3.3	27
53	Impact of population density on mortality in patients hospitalized for heart failure " JROAD-DPC Registry Analysis ". <i>Journal of Cardiology</i> , 2020, 75, 447-453.	1.9	8
54	Ubiquinol Improves Endothelial Function in Patients with Heart Failure with Reduced Ejection Fraction: A Single-Center, Randomized Double-Blind Placebo-Controlled Crossover Pilot Study. <i>American Journal of Cardiovascular Drugs</i> , 2020, 20, 363-372.	2.2	17

#	ARTICLE	IF	CITATIONS
55	Intravascular ultrasound radiofrequency signal analysis of blood speckles: Physiological assessment of intermediate coronary artery stenosis. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, E155-E164.	1.7	3
56	Preliminary Report: The Relevance of Tumor Necrosis Factor- α in Acquired Primary Lymphedema—A Histopathological Investigation. <i>Lymphatic Research and Biology</i> , 2020, 18, 232-238.	1.1	3
57	The influence of long-term administration of SGLT2 inhibitors on blood pressure at the office and at home in patients with type 2 diabetes mellitus and chronic kidney disease. <i>Journal of Clinical Hypertension</i> , 2020, 22, 2306-2314.	2.0	5
58	Relationship between the cardiac magnetic resonance derived extracellular volume fraction and feature tracking myocardial strain in patients with non-ischemic dilated cardiomyopathy. <i>Magnetic Resonance Imaging</i> , 2020, 74, 14-20.	1.8	8
59	Incremental prognostic value of coronary flow reserve determined by phase-contrast cine cardiovascular magnetic resonance of the coronary sinus in patients with diabetes mellitus. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 73.	3.3	16
60	Effects of Erythropoietin-Stimulating Agents on Blood Pressure in Patients with Non-Dialysis CKD and Renal Anemia. <i>Kidney Diseases (Basel, Switzerland)</i> , 2020, 6, 299-308.	2.5	3
61	Prevalence of anemia in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , 2020, 15, e0236132.	2.5	46
62	Hypertension and related diseases in the era of COVID-19: a report from the Japanese Society of Hypertension Task Force on COVID-19. <i>Hypertension Research</i> , 2020, 43, 1028-1046.	2.7	131
63	Gut microbiota and atherosclerosis: role of B cell for atherosclerosis focusing on the gut-immune-B2 cell axis. <i>Journal of Molecular Medicine</i> , 2020, 98, 1235-1244.	3.9	12
64	Associations Between Changes in Plasma Renin Activity and Aldosterone Concentrations and Changes in Kidney Function After Treatment for Primary Aldosteronism. <i>Kidney International Reports</i> , 2020, 5, 1291-1297.	0.8	14
65	Renin-angiotensin system inhibitors and the severity of coronavirus disease 2019 in Kanagawa, Japan: a retrospective cohort study. <i>Hypertension Research</i> , 2020, 43, 1257-1266.	2.7	43
66	Afternoon blood pressure increase on home blood pressure measurement: A forgotten entity?. <i>Journal of Clinical Hypertension</i> , 2020, 22, 2202-2203.	2.0	1
67	Combination of extracellular volume fraction by cardiac magnetic resonance imaging and QRS duration for the risk stratification for patients with non-ischemic dilated cardiomyopathy. <i>Heart and Vessels</i> , 2020, 35, 1439-1445.	1.2	2
68	Decreased Appendicular Skeletal Muscle Mass is Associated with Poor Outcomes after ST-Segment Elevation Myocardial Infarction. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1278-1287.	2.0	23
69	Baseline Plasma Aldosterone Level and Renin Activity Allowing Omission of Confirmatory Testing in Primary Aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e1990-e1998.	3.6	7
70	Platelet-Derived Thrombogenicity Measured by Total Thrombus-Formation Analysis System in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2020, 84, 975-984.	1.6	5
71	Systematic Review of the Association Between Worsening Renal Function and Mortality in Patients With Acute Decompensated Heart Failure. <i>Kidney International Reports</i> , 2020, 5, 1486-1494.	0.8	13
72	Mass clinical survey as a possible population strategy for the better control of hypertension in Japan. <i>Hypertension Research</i> , 2020, 43, 463-465.	2.7	1

#	ARTICLE	IF	CITATIONS
73	Coronary arteritis: a case series. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-6.	0.6	6
74	Recent Research Advances in Renin-Angiotensin-Aldosterone System Receptors. <i>Current Hypertension Reports</i> , 2020, 22, 22.	3.5	42
75	Basal Plasma Aldosterone Concentration Predicts Therapeutic Outcomes in Primary Aldosteronism. <i>Journal of the Endocrine Society</i> , 2020, 4, bvaa011.	0.2	9
76	Impact of serum lipoprotein (a) level on coronary plaque progression and cardiovascular events in statin-treated patients with acute coronary syndrome: a yokohama-acs substudy. <i>Journal of Cardiology</i> , 2020, 76, 66-72.	1.9	6
77	Prognostic role of bronchial asthma in patients with heart failure. <i>Heart and Vessels</i> , 2020, 35, 808-816.	1.2	6
78	Reactive fibrosis precedes doxorubicin-induced heart failure through sterile inflammation. <i>ESC Heart Failure</i> , 2020, 7, 588-603.	3.1	41
79	Effects of Rikkunshito treatment on renal fibrosis/inflammation and body weight reduction in a unilateral ureteral obstruction model in mice. <i>Scientific Reports</i> , 2020, 10, 1782.	3.3	9
80	J-CKD-DB: a nationwide multicentre electronic health record-based chronic kidney disease database in Japan. <i>Scientific Reports</i> , 2020, 10, 7351.	3.3	37
81	Obesity predicts persistence of resistant hypertension after surgery in patients with primary aldosteronism. <i>Clinical Endocrinology</i> , 2020, 93, 229-237.	2.4	7
82	Nadir Aldosterone Levels After Confirmatory Tests Are Correlated With Left Ventricular Hypertrophy in Primary Aldosteronism. <i>Hypertension</i> , 2020, 75, 1475-1482.	2.7	17
83	Diabetes Mellitus Itself Increases Cardio-Cerebrovascular Risk and Renal Complications in Primary Aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e2531-e2537.	3.6	9
84	Association between abdominal fat distribution and coronary plaque instability in patients with acute coronary syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1169-1178.	2.6	6
85	Direct Oral Anticoagulant Therapy for Cancer-Associated Venous Thromboembolism in Routine Clinical Practice. <i>Circulation Journal</i> , 2020, 84, 1330-1338.	1.6	9
86	Prognostic Significance of a Combination of QRS Score and E/e ² Obtained 2 Weeks After the Onset of ST-Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2020, 84, 1965-1973.	1.6	6
87	Prevalences of hyperuricemia and electrolyte abnormalities in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , 2020, 15, e0240402.	2.5	17
88	Effect of cosyntropin during adrenal venous sampling on subtype of primary aldosteronism: analysis of surgical outcome. <i>European Journal of Endocrinology</i> , 2020, 182, 265-273.	3.7	11
89	Effect of renin-angiotensin system blockers on contrast-induced acute kidney injury in patients with normal or mild-to-moderate reduced kidney function undergoing coronary angiography: A systematic review and meta-analysis. <i>Clinical Nephrology</i> , 2020, 94, 227-236.	0.7	2
90	GPR143, a L-DOPA receptor, is involved in monocrotaline-induced pulmonary hypertension in rats. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2020, 93, 1-YIA-23.	0.0	0

#	ARTICLE	IF	CITATIONS
91	Successful prediction of clinical outcomes using arterial velocity pulse index, a new non-invasive vascular index, in Japan. <i>Vascular Failure</i> , 2020, 3, 43-50.	0.2	1
92	The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2019). <i>Hypertension Research</i> , 2019, 42, 1235-1481.	2.7	1,047
93	Possible interesting link between dipping status and morning surge for subclinical target organ damage in hypertension. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1295-1297.	2.0	1
94	Lateralizing Asymmetry of Adrenal Imaging and Adrenal Vein Sampling in Patients With Primary Aldosteronism. <i>Journal of the Endocrine Society</i> , 2019, 3, 1393-1402.	0.2	10
95	Coronary Flow Reserve by Cardiac Magnetic Resonance Imaging in Patients With Diabetes Mellitus. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 2579-2580.	5.3	9
96	Improved home BP profile with dapagliflozin is associated with amelioration of albuminuria in Japanese patients with diabetic nephropathy: the Yokohama add-on inhibitory efficacy of dapagliflozin on albuminuria in Japanese patients with type 2 diabetes study (Y-AIDA study). <i>Cardiovascular Diabetology</i> , 2019, 18, 110.	6.8	27
97	Doxorubicin induces trans-differentiation and MMP1 expression in cardiac fibroblasts via cell death-independent pathways. <i>PLoS ONE</i> , 2019, 14, e0221940.	2.5	28
98	JSH Statement: Kyoto declaration on hypertension research in Asia. <i>Hypertension Research</i> , 2019, 42, 759-760.	2.7	6
99	An Emerging Role of the Angiotensin Receptor Binding Protein ATRAP as a Possible Novel Player in the Pathophysiology of Visceral Obesity and Metabolic Disorders. , 2019, , 189-209.		0
100	Lubiprostone as a potential therapeutic agent to improve intestinal permeability and prevent the development of atherosclerosis in apolipoprotein E-deficient mice. <i>PLoS ONE</i> , 2019, 14, e0218096.	2.5	20
101	Sex Difference in the Association Between Subtype Distribution and Age at Diagnosis in Patients With Primary Aldosteronism. <i>Hypertension</i> , 2019, 74, 368-374.	2.7	26
102	Effects of rikkunshito on renal fibrosis and inflammation in angiotensin II-infused mice. <i>Scientific Reports</i> , 2019, 9, 6201.	3.3	17
103	<p>Association of endothelial function with thin-cap fibroatheroma as assessed by optical coherence tomography in patients with acute coronary syndromes</p>. <i>Therapeutics and Clinical Risk Management</i> , 2019, Volume 15, 285-291.	2.0	4
104	Effects of ATRAP in Renal Proximal Tubules on Angiotensin-Dependent Hypertension. <i>Journal of the American Heart Association</i> , 2019, 8, e012395.	3.7	9
105	Effects of blood pressure lowering in patients with heart failure with preserved ejection fraction: a systematic review and meta-analysis. <i>Hypertension Research</i> , 2019, 42, 504-513.	2.7	15
106	Sex-Related Differences in In-Hospital Mortality in Japanese ST-Elevation Acute Myocardial Infarction Patients Presenting to Hospital in the 24 Hours After Symptom Onset—Results From K-ACTIVE. <i>Circulation Reports</i> , 2019, 1, 313-319.	1.0	3
107	Comparison of anti-inflammatory effects of rivaroxaban vs. dabigatran in patients with non-valvular atrial fibrillation (RIVAL-AF study): multicenter randomized study. <i>Heart and Vessels</i> , 2019, 34, 1002-1013.	1.2	14
108	Comparison between instantaneous wave-free ratio versus morphometric assessments by intracoronary imaging. <i>Heart and Vessels</i> , 2019, 34, 926-935.	1.2	6

#	ARTICLE	IF	CITATIONS
109	Possible interesting link between Janus kinase 2 mutation and renovascular hypertension. <i>Journal of Clinical Hypertension</i> , 2018, 20, 805-806.	2.0	3
110	Angiotensin II Type 1 Receptor-associated Protein Inhibits Angiotensin II-induced Insulin Resistance with Suppression of Oxidative Stress in Skeletal Muscle Tissue. <i>Scientific Reports</i> , 2018, 8, 2846.	3.3	17
111	Angiotensin receptor-binding molecule in leukocytes in association with the systemic and leukocyte inflammatory profile. <i>Atherosclerosis</i> , 2018, 269, 236-244.	0.8	10
112	East Asia may have a better 1-year survival following an acute heart failure episode compared with Europe: results from an international observational cohort. <i>European Journal of Heart Failure</i> , 2018, 20, 1071-1075.	7.1	13
113	Relationship between sleep-disordered breathing and renal dysfunction in acute coronary syndrome. <i>Journal of Cardiology</i> , 2018, 71, 168-173.	1.9	2
114	Arterial wall hypertrophy is ameliorated by β -adrenergic receptor antagonist or aliskiren in kidneys of angiotensinogen-knockout mice. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 773-781.	1.6	4
115	Hydrostatic pressure suppresses fibrotic changes via Akt/GSK-3 signaling in human cardiac fibroblasts. <i>Physiological Reports</i> , 2018, 6, e13687.	1.7	15
116	Late gadolinium enhancement on cardiac magnetic resonance imaging is associated with coronary endothelial dysfunction in patients with dilated cardiomyopathy. <i>Heart and Vessels</i> , 2018, 33, 393-402.	1.2	8
117	The effects of anti-hypertensive drugs and the mechanism of hypertension in vascular smooth muscle cell-specific ATP2B1 knockout mice. <i>Hypertension Research</i> , 2018, 41, 80-87.	2.7	16
118	Prediction of mitral regurgitation resolution after coronary bypass graft surgery and cardiac resynchronization therapy by late gadolinium enhancement magnetic resonance imaging: a case report. <i>European Heart Journal - Case Reports</i> , 2018, 2, yty129.	0.6	0
119	Early Enhanced Leucine-Rich α 2-Glycoprotein-1 Expression in Glomerular Endothelial Cells of Type 2 Diabetic Nephropathy Model Mice. <i>BioMed Research International</i> , 2018, 2018, 1-9.	1.9	19
120	The Japanese Society of Hypertension's "Digest of plan for the future. <i>Hypertension Research</i> , 2018, 41, 989-990.	2.7	20
121	Reduced secretion of parathyroid hormone and hypocalcemia in systemic heterozygous ATP2B1-null hypertensive mice. <i>Hypertension Research</i> , 2018, 41, 699-707.	2.7	6
122	An interesting cross-talk between the glucagon-like peptide-1 receptor axis and angiotensin receptor pathway for modulation of renal sodium handling in obesity. <i>Hypertension Research</i> , 2018, 41, 784-786.	2.7	1
123	Takotsubo Cardiomyopathy in a Patient with Previously Undiagnosed Hypertrophic Cardiomyopathy with Latent Obstruction. <i>Internal Medicine</i> , 2018, 57, 2969-2973.	0.7	8
124	An angiotensin II type 1 receptor binding molecule has a critical role in hypertension in a chronic kidney disease model. <i>Kidney International</i> , 2017, 91, 1115-1125.	5.2	30
125	Effects of tolvaptan in patients with chronic kidney disease and chronic heart failure. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 858-865.	1.6	20
126	Significance of change in serum bilirubin in predicting left ventricular reverse remodeling and outcomes in heart failure patients with cardiac resynchronization therapy. <i>Journal of Cardiology</i> , 2017, 70, 416-419.	1.9	8

#	ARTICLE	IF	CITATIONS
127	Within-visit blood pressure variability and cardiovascular risk factors in hypertensive patients with non-dialysis chronic kidney disease. <i>Clinical and Experimental Hypertension</i> , 2017, 39, 665-671.	1.3	5
128	Adipocyte-specific Enhancement of Angiotensin II Type 1 Receptor-associated Protein Ameliorates Diet-induced Visceral Obesity and Insulin Resistance. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	32
129	Prediction of functional recovery after percutaneous coronary revascularization for chronic total occlusion using late gadolinium enhanced magnetic resonance imaging. <i>Journal of Cardiology</i> , 2017, 69, 836-842.	1.9	16
130	Left main trunk stenting in a case of acute aortic dissection: a case report. <i>Clinical Case Reports (discontinued)</i> , 2017, 5, 1649-1653.	0.5	4
131	Enhancement of intrarenal plasma membrane calcium pump isoform 1 expression in chronic angiotensin II-infused mice. <i>Physiological Reports</i> , 2017, 5, e13316.	1.7	2
132	Angiotensin II Type 1 Receptor-associated Protein Regulates Kidney Aging and Lifespan Independent of Angiotensin. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	30
133	Impact of flow-mediated dilatation and coronary calcification in providing complementary information on the severity of coronary artery disease. <i>Atherosclerosis</i> , 2017, 267, 146-152.	0.8	6
134	Evaluation of the Effectiveness of Xanthine Oxidoreductase Inhibitors on Haemodialysis Patients using a Marginal Structural Model. <i>Scientific Reports</i> , 2017, 7, 14004.	3.3	9
135	Possible impact of electronegative LDL on atherosclerosis in type 2 diabetes. <i>Atherosclerosis</i> , 2017, 265, 253-255.	0.8	2
136	Eplerenone-Resistant Salt-Sensitive Hypertension in Nedd4-2 C2 KO Mice. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1250.	4.1	11
137	An Isoform of Nedd4-2 Plays a Pivotal Role in Electrophysiological Cardiac Abnormalities. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1268.	4.1	12
138	ATRAP Expression in Brown Adipose Tissue Does Not Influence the Development of Diet-Induced Metabolic Disorders in Mice. <i>International Journal of Molecular Sciences</i> , 2017, 18, 676.	4.1	8
139	SP079THE CRITICAL ROLE OF ANGIOTENSIN RECEPTOR-associated PROTEIN IN SALT-sensitive HYPERTENSION. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i111-i112.	0.7	0
140	Effect of single-pill irbesartan/amlodipine combination-based therapy on clinic and home blood pressure profiles in hypertension with chronic kidney diseases. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 744-750.	1.3	7
141	Comparison of direct renin inhibitor and angiotensin II receptor blocker on clinic and ambulatory blood pressure profiles in hypertension with chronic kidney disease. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 738-743.	1.3	6
142	The lesson of ankle-brachial index for long-term clinical outcomes: Time is not a line, but a series of now-points. <i>Atherosclerosis</i> , 2016, 250, 186-188.	0.8	2
143	Circadian blood pressure rhythm as a possible key target of SGLT2 inhibitors used for the treatment of Type 2 diabetes. <i>Hypertension Research</i> , 2016, 39, 396-398.	2.7	13
144	Potential beneficial impact of angiotensin receptor blockers on arterial stiffness in hypertension. <i>Journal of Thoracic Disease</i> , 2016, 8, E564-E566.	1.4	0

#	ARTICLE	IF	CITATIONS
145	Effects of pitavastatin add-on therapy on chronic kidney disease with albuminuria and dyslipidemia. <i>Lipids in Health and Disease</i> , 2015, 14, 161.	3.0	9
146	Absence of Activation-induced Cytidine Deaminase, a Regulator of Class Switch Recombination and Hypermutation in B Cells, Suppresses Aorta Allograft Vasculopathy in Mice. <i>Transplantation</i> , 2015, 99, 1598-1605.	1.0	4
147	Renal Tubule Angiotensin II Type 1 Receptor-associated Protein Promotes Natriuresis and Inhibits Salt-sensitive Blood Pressure Elevation. <i>Journal of the American Heart Association</i> , 2015, 4, e001594.	3.7	17
148	Effects of the oriental herbal medicine Bofu-tsusho-san in obesity hypertension: A multicenter, randomized, parallel-group controlled trial (ATH-D-14-01021.R2). <i>Atherosclerosis</i> , 2015, 240, 297-304.	0.8	45
149	Possible therapeutic impact of the iron chelation on renal fibrosis. <i>Hypertension Research</i> , 2015, 38, 455-456.	2.7	3
150	Angiotensin II Type 1 Receptor Binding Molecule ATRAP as a Possible Modulator of Renal Sodium Handling and Blood Pressure in Pathophysiology. <i>Current Medicinal Chemistry</i> , 2015, 22, 3210-3216.	2.4	16
151	Effects of Ang II Receptor Blocker Irbesartan on Adipose Tissue Function in Mice with Metabolic Disorders. <i>International Journal of Medical Sciences</i> , 2014, 11, 646-651.	2.5	11
152	Deletion of the angiotensin II type 1 receptor-associated protein enhances renal sodium reabsorption and exacerbates angiotensin II-mediated hypertension. <i>Kidney International</i> , 2014, 86, 570-581.	5.2	47
153	Fetal programming by high-sucrose diet during pregnancy affects the vascular angiotensin II receptor- PKC -L-type Ca^{2+} channels (Cav1.2) axis to enhance pressor responses. <i>Hypertension Research</i> , 2014, 37, 796-798.	2.7	4
154	Effects of Single Pill-Based Combination Therapy of Amlodipine and Atorvastatin on Within-Visit Blood Pressure Variability and Parameters of Renal and Vascular Function in Hypertensive Patients with Chronic Kidney Disease. <i>BioMed Research International</i> , 2014, 2014, 1-7.	1.9	11
155	Effects of the Angiotensin Receptor Blocker Olmesartan on Adipocyte Hypertrophy and Function in Mice with Metabolic Disorders. <i>BioMed Research International</i> , 2014, 2014, 1-10.	1.9	13
156	Species differences in sinusoidal and canalicular efflux transport of mycophenolic acid glucuronide in sandwich-cultured hepatocytes. <i>Pharmacology Research and Perspectives</i> , 2014, 2, e00035.	2.4	8
157	Endovascular treatment of renal artery stenosis improves contralateral renal hypertrophy with nephrotic syndrome. <i>CEN Case Reports</i> , 2014, 3, 53-55.	0.9	4
158	Gastrin-Releasing Peptide Contributes to the Regulation of Adult Hippocampal Neurogenesis and Neuronal Development. <i>Stem Cells</i> , 2014, 32, 2454-2466.	3.2	16
159	Optimized Methods for Targeted Peptide-Based Quantification of Human Uridine 5'-Diphosphate-Glucuronosyltransferases in Biological Specimens Using Liquid Chromatography-Tandem Mass Spectrometry. <i>Drug Metabolism and Disposition</i> , 2014, 42, 885-889.	3.3	97
160	The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2014). <i>Hypertension Research</i> , 2014, 37, 253-253.	2.7	962
161	Activation of angiotensin II type 1 receptor-associated protein exerts an inhibitory effect on vascular hypertrophy and oxidative stress in angiotensin II-mediated hypertension. <i>Cardiovascular Research</i> , 2013, 100, 511-519.	3.8	54
162	The immature dentate gyrus represents a shared phenotype of mouse models of epilepsy and psychiatric disease. <i>Bipolar Disorders</i> , 2013, 15, 405-421.	1.9	57

#	ARTICLE	IF	CITATIONS
163	Involvement of the apelin receptor <sc>APJ</sc> in Fas-induced liver injury. <i>Liver International</i> , 2013, 33, 118-126.	3.9	25
164	L/N-Type Calcium Channel Blocker Cilnidipine Added to Renin-Angiotensin Inhibition Improves Ambulatory Blood Pressure Profile and Suppresses Cardiac Hypertrophy in Hypertension with Chronic Kidney Disease. <i>International Journal of Molecular Sciences</i> , 2013, 14, 16866-16881.	4.1	14
165	Addition of Aliskiren to Angiotensin Receptor Blocker Improves Ambulatory Blood Pressure Profile and Cardiorenal Function Better than Addition of Benazepril in Chronic Kidney Disease. <i>International Journal of Molecular Sciences</i> , 2013, 14, 15361-15375.	4.1	5
166	Angiotensin Receptor-binding Protein ATRAP/ <i>Agtrap</i> Inhibits Metabolic Dysfunction With Visceral Obesity. <i>Journal of the American Heart Association</i> , 2013, 2, e000312.	3.7	33
167	Enhanced Angiotensin Receptor-Associated Protein in Renal Tubule Suppresses Angiotensin-Dependent Hypertension. <i>Hypertension</i> , 2013, 61, 1203-1210.	2.7	45
168	Therapeutic Potential of Low-density Lipoprotein Apheresis in the Management of Peripheral Artery Disease in Patients With Chronic Kidney Disease. <i>Therapeutic Apheresis and Dialysis</i> , 2013, 17, 185-192.	0.9	27
169	Upstream Stimulatory Factors 1 and 2 Mediate the Transcription of Angiotensin II Binding and Inhibitory Protein. <i>Journal of Biological Chemistry</i> , 2013, 288, 19238-19249.	3.4	14
170	The angiotensin II type 1 receptor blocker olmesartan preferentially improves nocturnal hypertension and proteinuria in chronic kidney disease. <i>Hypertension Research</i> , 2013, 36, 262-269.	2.7	24
171	What can we expect from the binding characteristics of azilsartan, a newly available angiotensin II blocker, in hypertension?. <i>Hypertension Research</i> , 2013, 36, 107-108.	2.7	2
172	Rituximab Treatment for Adult Purpura Nephritis with Nephrotic Syndrome. <i>Internal Medicine</i> , 2013, 52, 1079-1083.	0.7	17
173	Bofu-Tsu-Shosan, an Oriental Herbal Medicine, Exerts a Combinatorial Favorable Metabolic Modulation Including Antihypertensive Effect on a Mouse Model of Human Metabolic Disorders with Visceral Obesity. <i>PLoS ONE</i> , 2013, 8, e75560.	2.5	28
174	The Physiology and Pathophysiology of a Novel Angiotensin Receptor-binding Protein ATRAP/Agtrap. <i>Current Pharmaceutical Design</i> , 2013, 19, 3043-3048.	1.9	30
175	Combination Therapy of Angiotensin II Receptor Blocker and Calcium Channel Blocker Exerts Pleiotropic Therapeutic Effects in Addition to Blood Pressure Lowering: Amlodipine and Candesartan Trial in Yokohama (ACTY). <i>Clinical and Experimental Hypertension</i> , 2012, 34, 249-257.	1.3	6
176	Relationship of Ambulatory Blood Pressure and the Heart Rate Profile with Renal Function Parameters in Hypertensive Patients with Chronic Kidney Disease. <i>Clinical and Experimental Hypertension</i> , 2012, 34, 264-269.	1.3	10
177	Questionable link between normo- to microalbuminuria and home-measured blood pressure variability in hypertension. <i>Hypertension Research</i> , 2012, 35, 802-804.	2.7	1
178	An increase in perfusion pressure and activation of the renin-angiotensin system in the pathogenesis of hypertension and injury: strain vessels and the cerebrovascular-renal connection. <i>Hypertension Research</i> , 2012, 35, 972-974.	2.7	2
179	A quantitative approach to hepatic clearance prediction of metabolism by aldehyde oxidase using custom pooled hepatocytes. <i>Xenobiotica</i> , 2012, 42, 863-871.	1.1	31
180	Agonist-Independent Constitutive Activity of Angiotensin II Receptor Promotes Cardiac Remodeling in Mice. <i>Hypertension</i> , 2012, 59, 627-633.	2.7	31

#	ARTICLE	IF	CITATIONS
181	Effects of Aliskiren-Based Therapy on Ambulatory Blood Pressure Profile, Central Hemodynamics, and Arterial Stiffness in Nondiabetic Mild to Moderate Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2012, 14, 522-529.	2.0	15
182	SREB2/GPR85, a schizophrenia risk factor, negatively regulates hippocampal adult neurogenesis and neurogenesis-dependent learning and memory. <i>European Journal of Neuroscience</i> , 2012, 36, 2597-2608.	2.6	47
183	Adult Neurogenesis Transiently Generates Oxidative Stress. <i>PLoS ONE</i> , 2012, 7, e35264.	2.5	101
184	Prepubertal angiotensin blockade exerts long-term therapeutic effect through sustained ATRAP activation in salt-sensitive hypertensive rats. <i>Journal of Hypertension</i> , 2011, 29, 1919-1929.	0.5	21
185	Effects of Multiple Factorial Intervention on Ambulatory BP Profile and Renal Function in Hypertensive Type 2 Diabetic Patients with Overt Nephropathy – A Pilot Study. <i>Clinical and Experimental Hypertension</i> , 2011, 33, 255-263.	1.3	12
186	Day-by-day home-measured blood pressure variability: another important factor in hypertension with diabetic nephropathy?. <i>Hypertension Research</i> , 2011, 34, 1249-1250.	2.7	12
187	Involvement of Runx3 in the basal transcriptional activation of the mouse angiotensin II type 1 receptor-associated protein gene. <i>Physiological Genomics</i> , 2011, 43, 884-894.	2.3	13
188	Emerging concept of anti-hypertensive therapy based on ambulatory blood pressure profile in chronic kidney disease. <i>American Journal of Cardiovascular Disease</i> , 2011, 1, 236-43.	0.5	13
189	Mechanism Analysis of Long-Term Graft Survival by Monocarboxylate Transporter-1 Inhibition. <i>Transplantation</i> , 2010, 90, 1299-1306.	1.0	3
190	Cardiac-Specific Activation of Angiotensin II Type 1 Receptor-Associated Protein Completely Suppresses Cardiac Hypertrophy in Chronic Angiotensin II-Infused Mice. <i>Hypertension</i> , 2010, 55, 1157-1164.	2.7	60
191	Intrarenal suppression of angiotensin II type 1 receptor binding molecule in angiotensin II-infused mice. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, F991-F1003.	2.7	36
192	Sustained Inhibition of Oxidized Low-Density Lipoprotein Is Involved in the Long-Term Therapeutic Effects of Apheresis in Dialysis Patients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1058-1065.	2.4	37
193	Expression of angiotensin II type 1 receptor-interacting molecule in normal human kidney and IgA nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, F720-F731.	2.7	23
194	Urinary Oxidative Stress Markers Closely Reflect the Efficacy of Candesartan Treatment for Diabetic Nephropathy. <i>Nephron Experimental Nephrology</i> , 2009, 111, e20-e30.	2.2	18
195	Effects of Angiotensin II Type 1 Receptor Blocker on Blood Pressure Variability and Cardiovascular Remodeling in Hypertensive Patients on Chronic Peritoneal Dialysis. <i>Nephron Clinical Practice</i> , 2009, 112, c31-c40.	2.3	34
196	Identification of an Increased Short-Term Blood Pressure Variability on Ambulatory Blood Pressure Monitoring as a Coronary Risk Factor in Diabetic Hypertensives. <i>Clinical and Experimental Hypertension</i> , 2009, 31, 259-270.	1.3	36
197	Effects of angiotensin II type 1 receptor blocker on ambulatory blood pressure variability in hypertensive patients with overt diabetic nephropathy. <i>Hypertension Research</i> , 2009, 32, 950-955.	2.7	44
198	Blood Pressure Variability As Well As Blood Pressure Level is Important for Left Ventricular Hypertrophy and Brachial-Ankle Pulse Wave Velocity in Hypertensives. <i>Clinical and Experimental Hypertension</i> , 2009, 31, 669-679.	1.3	37

#	ARTICLE	IF	CITATIONS
199	A case of a duodenal gastrointestinal stromal tumor diagnosed with the aid of diffusion-weighted magnetic resonance imaging. <i>Clinical Journal of Gastroenterology</i> , 2009, 2, 384-387.	0.8	3
200	Enhancement of T _H 1 cell-mediated anti-tumour immunity via the ectopically expressed glucocorticoid-induced tumour necrosis factor receptor-related receptor ligand (GITRL) on tumours. <i>Immunology</i> , 2009, 127, 489-499.	4.4	34
201	Angiotensin II type 1 receptor-associated protein prevents vascular smooth muscle cell senescence via inactivation of calcineurin/nuclear factor of activated T cells pathway. <i>Journal of Molecular and Cellular Cardiology</i> , 2009, 47, 798-809.	1.9	39
202	Effect of losartan on ambulatory short-term blood pressure variability and cardiovascular remodeling in hypertensive patients on hemodialysis. <i>Atherosclerosis</i> , 2009, 207, 186-190.	0.8	57
203	Behçet's disease complicated by IgA nephropathy with nephrotic syndrome. <i>Clinical and Experimental Nephrology</i> , 2008, 12, 224-227.	1.6	6
204	FR255734, a Humanized, Fc-Silent, Anti-CD28 Antibody, Improves Psoriasis in the SCID Mouse-Psoriasis Xenograft Model. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1969-1976.	0.7	33
205	Effect of Olmesartan on Tissue Expression Balance Between Angiotensin II Receptor and Its Inhibitory Binding Molecule. <i>Hypertension</i> , 2008, 52, 672-678.	2.7	22
206	Ambulatory Blood Pressure and Heart Rate in Hypertensives with Renal Failure: Comparison between Diabetic Nephropathy and Non-Diabetic Glomerulopathy. <i>Clinical and Experimental Hypertension</i> , 2008, 30, 33-43.	1.3	21
207	A Blocking Anti-CD28-Specific Antibody Induces Long-Term Heart Allograft Survival by Suppression of the PKC β /JNK Signal Pathway. <i>Transplantation</i> , 2008, 85, 1051-1055.	1.0	20
208	Expression of MAK-V/Hunk in renal distal tubules and its possible involvement in proliferative suppression. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, F1526-F1536.	2.7	21
209	Novel Regulatory Effect of Angiotensin II Type 1 Receptor-Interacting Molecule on Vascular Smooth Muscle Cells. <i>Hypertension</i> , 2007, 50, 926-932.	2.7	49
210	Immunomodulatory Properties of FK734, a Humanized Anti-CD28 Monoclonal Antibody With Agonistic and Antagonistic Activities. <i>Transplantation</i> , 2007, 83, 304-313.	1.0	28
211	Requirement of Apelin-Apelin Receptor System for Oxidative Stress-Linked Atherosclerosis. <i>American Journal of Pathology</i> , 2007, 171, 1705-1712.	3.8	121
212	A Possible Relationship of Nocturnal Blood Pressure Variability with Coronary Artery Disease in Diabetic Nephropathy. <i>Clinical and Experimental Hypertension</i> , 2007, 29, 31-42.	1.3	37
213	The role of angiotensin AT1 receptor-associated protein in renin-angiotensin system regulation and function. <i>Current Hypertension Reports</i> , 2007, 9, 121-127.	3.5	38
214	Effect of a Novel Inducible Nitric Oxide Synthase Inhibitor, FR260330, in Prevention of Renal Ischemia/Reperfusion Injury in Vervet Monkeys. <i>Transplantation</i> , 2006, 81, 627-631.	1.0	14
215	Chronic activation of the prostaglandin receptor EP4 promotes hyaluronan-mediated neointimal formation in the ductus arteriosus. <i>Journal of Clinical Investigation</i> , 2006, 116, 3026-3034.	8.2	146
216	Effect of a Novel Inducible Nitric Oxide Synthase Inhibitor in Prevention of Rat Chronic Aortic Rejections. <i>Transplantation</i> , 2005, 79, 1386-1392.	1.0	12

#	ARTICLE	IF	CITATIONS
217	Immunosuppression with a Combination of Pg490â€“88 and a Subtherapeutic Dose of FK506 in a Canine Renal Allograft Model. <i>Transplantation</i> , 2005, 79, 1537-1544.	1.0	13
218	Heparin recovers AT1 receptor and its intracellular signal transduction in cultured vascular smooth muscle cells. <i>FEBS Letters</i> , 2005, 579, 281-284.	2.8	17
219	The novel angiotensin II type 1 receptor (AT1R)-associated protein ATRAP downregulates AT1R and ameliorates cardiomyocyte hypertrophy. <i>FEBS Letters</i> , 2005, 579, 1579-1586.	2.8	82
220	Nuclear receptor LXR β is involved in cAMP-mediated human renin gene expression. <i>Molecular and Cellular Endocrinology</i> , 2004, 224, 11-20.	3.2	14
221	Acute renal failure due to cholesterol crystal embolism treated with LDL apheresis followed by corticosteroid and candesartan. <i>Clinical and Experimental Nephrology</i> , 2003, 7, 67-71.	1.6	26
222	Differential Induction of Protein Kinase C Isoforms at the Cardiac Hypertrophy Stage and Congestive Heart Failure Stage in Dahl Salt-Sensitive Rats. <i>Hypertension Research</i> , 2003, 26, 421-426.	2.7	40
223	Lipoxygenase Products Regulate Nitric Oxide and Inducible Nitric Oxide Synthase Production in Interleukin-1.BETA. Stimulated Vascular Smooth Muscle Cells.. <i>Hypertension Research</i> , 2003, 26, 177-184.	2.7	15
224	Title is missing!. <i>Molecular and Cellular Biochemistry</i> , 2000, 212, 203-209.	3.1	12
225	Inflammation influences vascular remodeling through AT ₂ receptor expression and signaling. <i>Physiological Genomics</i> , 2000, 2, 13-20.	2.3	143
226	Molecular Mechanism of Fibronectin Gene Activation by Cyclic Stretch in Vascular Smooth Muscle Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 34619-34627.	3.4	44
227	Interferon- β Induces AT ₂ Receptor Expression in Fibroblasts by Jak/STAT Pathway and Interferon Regulatory Factor-1. <i>Circulation Research</i> , 2000, 86, 233-240.	4.5	33
228	Angiotensinogen Gene Polymorphism Near Transcription Start Site and Blood Pressure. <i>Hypertension</i> , 1999, 34, 430-434.	2.7	49
229	AT ₂ Receptor and Vascular Smooth Muscle Cell Differentiation in Vascular Development. <i>Hypertension</i> , 1999, 33, 1414-1419.	2.7	83
230	Stimulation of Different Subtypes of Angiotensin II Receptors, AT ₁ and AT ₂ Receptors, Regulates STAT Activation by Negative Crosstalk. <i>Circulation Research</i> , 1999, 84, 876-882.	4.5	104
231	Interferon Regulatory Factors Regulate Interleukin-1 β â€“Converting Enzyme Expression and Apoptosis in Vascular Smooth Muscle Cells. <i>Hypertension</i> , 1999, 33, 162-166.	2.7	38
232	Cloning and Characterization of ATRAP, a Novel Protein That Interacts with the Angiotensin II Type 1 Receptor. <i>Journal of Biological Chemistry</i> , 1999, 274, 17058-17062.	3.4	149
233	Reninâ€“angiotensin system and fibronectin gene expression in Dahl Iwai salt-sensitive and salt-resistant rats. <i>Journal of Hypertension</i> , 1999, 17, 81-89.	0.5	31
234	Tacrolimus versus cyclosporin A: a comparative study on rat renal allograft survival. <i>Transplant International</i> , 1999, 12, 92-99.	1.6	5

#	ARTICLE	IF	CITATIONS
235	Possible role of c-Jun in transcription of the mouse renin gene. <i>Kidney International</i> , 1998, 54, 382-393.	5.2	7
236	Genetic deficiency of angiotensinogen produces an impaired urine concentrating ability in mice. <i>Kidney International</i> , 1998, 53, 548-555.	5.2	74
237	GP130 Is Involved in Stretch-Induced MAP Kinase Activation in Cardiac Myocytes. <i>Biochemical and Biophysical Research Communications</i> , 1998, 245, 928-932.	2.1	19
238	Effect of Genetic Deficiency of Angiotensinogen on the Renin-Angiotensin System. <i>Hypertension</i> , 1998, 32, 223-227.	2.7	15
239	Endothelial Nitric Oxide Synthase Gene Polymorphism and Acute Myocardial Infarction. <i>Hypertension</i> , 1998, 32, 521-526.	2.7	325
240	Mechanism of Angiotensin II-mediated Regulation of Fibronectin Gene in Rat Vascular Smooth Muscle Cells. <i>Journal of Biological Chemistry</i> , 1998, 273, 26487-26496.	3.4	48
241	Activation of angiotensinogen gene in cardiac myocytes by angiotensin II and mechanical stretch. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1998, 275, R1-R9.	1.8	34
242	Increased Cardiac Angiotensin II Receptors in Angiotensinogen-Deficient Mice. <i>Hypertension</i> , 1998, 31, 45-49.	2.7	13
243	A Novel Proximal Element Mediates the Regulation of Mouse Ren-1C Promoter by Retinoblastoma Protein in Cultured Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 16845-16851.	3.4	8
244	Stretch-Induced Map Kinase Activation in Cardiomyocytes of Angiotensinogen-Deficient Mice. <i>Biochemical and Biophysical Research Communications</i> , 1997, 235, 36-41.	2.1	37
245	Relationship between hepatic angiotensinogen mRNA expression and plasma angiotensinogen in patients with chronic hepatitis. <i>Life Sciences</i> , 1997, 60, 1623-1633.	4.3	12
246	Distribution of α 1B-adrenergic receptor mRNA expression along rat nephron segments. <i>Kidney International</i> , 1997, 51, 1548-1552.	5.2	3
247	Angiotensin-Converting Enzyme Gene Polymorphism and Carotid Plaques in Japanese. <i>Hypertension</i> , 1997, 30, 569-573.	2.7	30
248	Angiotensin-Converting Enzyme Gene Polymorphism Adds Risk for the Severity of Coronary Atherosclerosis in Smokers. <i>Hypertension</i> , 1997, 30, 574-579.	2.7	26
249	Tissue Angiotensinogen Gene Expression Induced by Lipopolysaccharide in Hypertensive Rats. <i>Hypertension</i> , 1997, 30, 859-867.	2.7	31
250	Essential Hypertension and 5' Upstream Core Promoter Region of Human Angiotensinogen Gene. <i>Hypertension</i> , 1997, 30, 1325-1330.	2.7	83
251	Effects of Slowly Performed Daytime Hemodialysis (Slow HD) on the Pharmacokinetics of Vancomycin in Hemodynamically Unstable Patients with Renal Failure. <i>Blood Purification</i> , 1996, 14, 20-25.	1.8	5
252	Role of Transcriptional cis-Elements, Angiotensinogen Gene-Activating Elements, of Angiotensinogen Gene in Blood Pressure Regulation. <i>Hypertension</i> , 1996, 27, 502-507.	2.7	48

#	ARTICLE	IF	CITATIONS
253	Tissue-Specific Regulation of Angiotensinogen Gene Expression in Spontaneously Hypertensive Rats. Hypertension, 1996, 27, 1216-1223.	2.7	59
254	Molecular Variant of Angiotensinogen Gene Is Associated With Coronary Atherosclerosis. Circulation, 1995, 91, 951-954.	1.6	93
255	Wistar Fatty Rat Is Obese and Spontaneously Hypertensive. Hypertension, 1995, 25, 146-150.	2.7	22
256	Adenosine A 1 Receptor mRNA in Microdissected Rat Nephron Segments. Hypertension, 1995, 26, 1181-1185.	2.7	44
257	Recent Advances in the Study of Renin and Angiotensinogen Genes: From Molecules to the Whole Body.. Hypertension Research, 1995, 18, 7-18.	2.7	40
258	DNA fingerprint analysis of Dahl-Iwai salt-sensitive rats (S) and salt-resistant rats (R). Life Sciences, 1994, 55, 701-705.	4.3	8
259	Species-Specific Expression of the Hepatic Renin Gene.. Journal of Veterinary Medical Science, 1994, 56, 109-114.	0.9	5
260	THE ANTILYMPHOCYTIC ACTIVITY OF BREQUINAR SODIUM AND ITS POTENTIATION BY CYTIDINE. Transplantation, 1993, 56, 374-380.	1.0	14
261	Isolation of the Mouse Ren-1C Gene and Characterization of Renin Gene Expression in Both ES-D3 Cells and Their Parental Mouse Strain.. Journal of Reproduction and Development, 1993, 39, 19-24.	1.4	4
262	Regulation of activin \hat{I}^2A mRNA level by cAMP. Biochemical and Biophysical Research Communications, 1992, 182, 773-778.	2.1	18
263	Structure and Expression of the Mouse Angiotensinogen Gene.. International Heart Journal, 1992, 33, 113-124.	0.6	30
264	An oxidized analog of alpha-human atrial natriuretic polypeptide is a selective agonist for the atrial-natriuretic-polypeptide clearance receptor which lacks a guanylate cyclase. FEBS Journal, 1992, 203, 425-432.	0.2	15
265	Epidermal Growth Factor Prolongs Survival Time of Tumor-bearing Mice. Japanese Journal of Cancer Research, 1990, 81, 495-500.	1.7	4