## Aron Weller

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2712387/publications.pdf Version: 2024-02-01



ADON WELLED

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Evidence for a Neuroendocrinological Foundation of Human Affiliation. Psychological Science, 2007,<br>18, 965-970.  | 3.3  | 685       |
| 2  | Comparison of Skin-to-Skin (Kangaroo) and Traditional Care: Parenting Outcomes and Preterm Infant<br>Development. Pediatrics, 2002, 110, 16-26.   | 2.1  | 516       |
| 3  | Attachment styles, coping strategies, and posttraumatic psychological distress: The impact of the Gulf<br>War in Israel Journal of Personality and Social Psychology, 1993, 64, 817-826.                                  | 2.8  | 466       |
| 4  | Measuring cortisol in human psychobiological studies. Physiology and Behavior, 2007, 90, 43-53.   | 2.1  | 341       |
| 5  | Oxytocin during pregnancy and early postpartum: Individual patterns and maternal–fetal attachment.<br>Peptides, 2007, 28, 1162-1169.  | 2.4  | 280       |
| 6  | Testing a family intervention hypothesis: The contribution of mother-infant skin-to-skin contact<br>(kangaroo care) to family interaction, proximity, and touch Journal of Family Psychology, 2003, 17,<br>94-107.        | 1.3  | 220       |
| 7  | Skin-to-skin contact (kangaroo care) promotes self-regulation in premature infants: Sleep-wake<br>cyclicity, arousal modulation, and sustained exploration Developmental Psychology, 2002, 38,<br>194-207.                | 1.6  | 217       |
| 8  | The Nature of the Mother's Tie to Her Infant: Maternal Bonding under Conditions of Proximity,<br>Separation, and Potential Loss. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1999,<br>40, 929-939. | 5.2  | 200       |
| 9  | Oxytocin and cortisol in romantically unattached young adults: Associations with bonding and psychological distress. Psychophysiology, 2008, 45, 349-352.   | 2.4  | 192       |
| 10 | Attachment styles, coping strategies, and posttraumatic psychological distress: The impact of the Gulf<br>War in Israel Journal of Personality and Social Psychology, 1993, 64, 817-826.                                  | 2.8  | 185       |
| 11 | The Nature of the Mother's Tie to Her Infant: Maternal Bonding under Conditions of Proximity,<br>Separation, and Potential Loss. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1999,<br>40, 929-939. | 5.2  | 165       |
| 12 | Endogenous cholecystokinin reduces feeding in young rats. Science, 1990, 247, 1589-1591.  | 12.6 | 133       |
| 13 | The "Entourage Effect†Terpenes Coupled with Cannabinoids for the Treatment of Mood Disorders<br>and Anxiety Disorders. Current Neuropharmacology, 2020, 18, 87-96.  | 2.9  | 117       |
| 14 | Massage therapy by mothers and trained professionals enhances weight gain in preterm infants. Early<br>Human Development, 2002, 67, 37-45.  | 1.8  | 110       |
| 15 | Aggressive behavior and HPA axis hormones after social isolation in adult rats of two different genetic animal models for depression. Behavioural Brain Research, 2006, 175, 408-414.                                     | 2.2  | 92        |
| 16 | Emotion regulation and touch in infants: the role of cholecystokinin and opioids. Peptides, 2003, 24, 779-788.  | 2.4  | 91        |
| 17 | Overweight and CpG methylation of the <i>Pomc</i> promoter in offspring of highâ€fatâ€dietâ€fed dams are<br>not "reprogrammed―by regular chow diet in rats. FASEB Journal, 2014, 28, 4148-4157.                           | 0.5  | 77        |
| 18 | Skin-to-skin contact (kangaroo care) promotes self-regulation in premature infants: Sleep-wake<br>cyclicity, arousal modulation, and sustained exploration Developmental Psychology, 2002, 38,<br>194-207.                | 1.6  | 76        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Reward and anxiety in genetic animal models of childhood depression. Behavioural Brain Research, 2005, 164, 1-10.   | 2.2 | 75        |
| 20 | Two Different Putative Genetic Animal Models of Childhood Depression. Biological Psychiatry, 2006, 59, 17-23.   | 1.3 | 75        |
| 21 | Prohedonic Effect of Cannabidiol in a Rat Model of Depression. Neuropsychobiology, 2016, 73, 123-129.   | 1.9 | 74        |
| 22 | How sleep is related to fatigue. British Journal of Health Psychology, 2003, 8, 95-105.   | 3.5 | 73        |
| 23 | Two different putative genetic animal models of childhood depression—A review. Progress in<br>Neurobiology, 2009, 88, 153-169.  | 5.7 | 71        |
| 24 | Human menstrual synchrony: A critical assessment. Neuroscience and Biobehavioral Reviews, 1993, 17, 427-439.  | 6.1 | 70        |
| 25 | Chapter 6 The Endocannabinoid System During Development: Emphasis on Perinatal Events and Delayed Effects. Vitamins and Hormones, 2009, 81, 139-158.  | 1.7 | 70        |
| 26 | The role of oxytocin in regulation of appetitive behaviour, body weight and glucose homeostasis.<br>Journal of Neuroendocrinology, 2020, 32, e12805.  | 2.6 | 66        |
| 27 | Massage Therapy by Mothers Enhances the Adjustment of Circadian Rhythms to the Nocturnal Period<br>in Full-Term Infants. Journal of Developmental and Behavioral Pediatrics, 2002, 23, 410-415. | 1.1 | 65        |
| 28 | High fat diet induces hypermethylation of the hypothalamic Pomc promoter and obesity in post-weaning rats. Psychoneuroendocrinology, 2013, 38, 2844-2853.                                       | 2.7 | 61        |
| 29 | Maternal effects in infant and adult phenotypes of 5HT1A and 5HT1B receptor knockout mice.<br>Developmental Psychobiology, 2003, 42, 194-205.   | 1.6 | 57        |
| 30 | Effects of cannabidiol in males and females in two different rat models of depression. Physiology and<br>Behavior, 2019, 201, 59-63.  | 2.1 | 56        |
| 31 | Sense of Closeness to Parents and Family Rules: A Study of Arab and Jewish Youth in Israel.<br>International Journal of Psychology, 1993, 28, 323-335.  | 2.8 | 55        |
| 32 | The relationship of depression, anxiety and stress with low bone mineral density in post-menopausal women. Archives of Osteoporosis, 2012, 7, 247-255.  | 2.4 | 54        |
| 33 | Separation of opioid from nonopioid mediation of affect in neonatal rats: Nonopioid mechanisms mediate maternal contact influences Behavioral Neuroscience, 1990, 104, 625-636.                 | 1.2 | 53        |
| 34 | Massage therapy facilitates mother–infant interaction in premature infants. , 2005, 28, 74-81.  |     | 53        |
| 35 | Acute and repeated gestational stress affect offspring learning and activity in rats. Physiology and Behavior, 1988, 43, 139-143.   | 2.1 | 52        |
| 36 | Stress-Reducing Effects of Ingesting Milk, Sugars, and Fats A Developmental Perspective. Annals of the New York Academy of Sciences, 1989, 575, 292-306.  | 3.8 | 52        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Menstrual synchrony between mothers and daughters and between roommates. Physiology and Behavior, 1993, 53, 943-949.   | 2.1  | 51        |
| 38 | Abnormal patterns of maternal behavior in a genetic animal model of depression. Physiology and Behavior, 2005, 84, 607-615.  | 2.1  | 48        |
| 39 | Testing a family intervention hypothesis: the contribution of mother-infant skin-to-skin contact<br>(kangaroo care) to family interaction, proximity, and touch. Journal of Family Psychology, 2003, 17,<br>94-107.  | 1.3  | 47        |
| 40 | Behavioral effects of environmental enrichment during gestation in WKY and Wistar rats.<br>Behavioural Brain Research, 2012, 233, 245-255.   | 2.2  | 46        |
| 41 | Anxiety-like behaviors in pre-pubertal rats of the Flinders Sensitive Line (FSL) and Wistar-Kyoto (WKY)<br>animal models of depression. Behavioural Brain Research, 2006, 167, 261-269.  | 2.2  | 45        |
| 42 | Development of obesity in the Otsuka Long-Evans Tokushima Fatty rat. American Journal of Physiology<br>- Regulatory Integrative and Comparative Physiology, 2009, 297, R1749-R1760.  | 1.8  | 45        |
| 43 | 5-HT1A receptor subsensitivity in infancy and supersensitivity in adulthood in an animal model of depression. Brain Research, 2003, 980, 100-108.  | 2.2  | 44        |
| 44 | Menstrual synchrony under optimal conditions: Bedouin families Journal of Comparative Psychology<br>(Washington, D C: 1983), 1997, 111, 143-151.   | 0.5  | 43        |
| 45 | Communication through body odour. Nature, 1998, 392, 126-127.  | 27.8 | 43        |
| 46 | Menstrual synchrony in female couples. Psychoneuroendocrinology, 1992, 17, 171-177.  | 2.7  | 41        |
| 47 | Establishment of a preference by the newborn lamb for its mother: The role of opioids Behavioral<br>Neuroscience, 2003, 117, 446-454.  | 1.2  | 40        |
| 48 | The reward system and maternal behavior in an animal model of depression: a microdialysis study.<br>Psychopharmacology, 2008, 196, 281-291.  | 3.1  | 39        |
| 49 | DNA CpG Methylation (5-Methylcytosine) and Its Derivative (5-Hydroxymethylcytosine) Alter Histone<br>Posttranslational Modifications at the <i>Pomc</i> Promoter, Affecting the Impact of Perinatal Diet<br>on Leanness and Obesity of the Offspring. Diabetes, 2016, 65, 2258-2267. | 0.6  | 38        |
| 50 | Menstrual synchrony: Only in roommates who are close friends?. Physiology and Behavior, 1995, 58,<br>883-889.  | 2.1  | 36        |
| 51 | Prenatal stress effects on emotion regulation differ by genotype and sex in prepubertal rats.<br>Developmental Psychobiology, 2013, 55, 176-192.   | 1.6  | 34        |
| 52 | Cholecystokinin conditioning in rats: Ontogenetic determinants Behavioral Neuroscience, 1990, 104,<br>199-206.   | 1.2  | 33        |
| 53 | Menstrual variability and the measurement of menstrual synchrony. Psychoneuroendocrinology, 1997, 22, 115-128.   | 2.7  | 33        |
| 54 | Blocking the postpartum mouse dam's CB1 receptors impairs maternal behavior as well as offspring development and their adult social–emotional behavior. Behavioural Brain Research, 2012, 226, 481-492.  | 2.2  | 33        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Acute oral cannabidiolic acid methyl ester reduces depression-like behavior in two genetic animal<br>models of depression. Behavioural Brain Research, 2018, 351, 1-3.   | 2.2 | 33        |
| 56 | Menstrual synchrony in a sample of working women. Psychoneuroendocrinology, 1999, 24, 449-459.   | 2.7 | 32        |
| 57 | Withdrawal emotional-regulation in infant rats from genetic animal models of depression.<br>Behavioural Brain Research, 2008, 193, 94-100.   | 2.2 | 32        |
| 58 | Examination of menstrual synchrony among women basketball players. Psychoneuroendocrinology, 1995, 20, 613-622.  | 2.7 | 31        |
| 59 | Independent ingestion and microstructure of feeding patterns in infant rats lacking CCK-1 receptors.<br>American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2006, 290,<br>R208-R218.                       | 1.8 | 31        |
| 60 | Multiple influences on menstrual synchrony: Kibbutz roommates, their best friends, and their<br>mothers. American Journal of Human Biology, 1993, 5, 173-179.  | 1.6 | 29        |
| 61 | Human menstrual synchrony in families and among close friends: Examining the importance of mutual exposure Journal of Comparative Psychology (Washington, D C: 1983), 1999, 113, 261-268.  | 0.5 | 28        |
| 62 | Differential effects of chronic stress in young-adult and old female mice: cognitive-behavioral manifestations and neurobiological correlates. Molecular Psychiatry, 2018, 23, 1432-1445.  | 7.9 | 28        |
| 63 | Immobility in the swim test and observations of maternal behavior in lactating flinders sensitive line rats. Behavioural Brain Research, 2005, 161, 155-163.   | 2.2 | 27        |
| 64 | The impact of social interaction factors on menstrual synchrony in the workplace.<br>Psychoneuroendocrinology, 1995, 20, 21-31.  | 2.7 | 26        |
| 65 | Brief Maternal Interaction Increases Number, Amplitude, and Bout Size of Isolation-Induced<br>Ultrasonic Vocalizations in Infant Rats (Rattus norvegicus) Journal of Comparative Psychology<br>(Washington, D C: 1983), 2004, 118, 95-102. | 0.5 | 26        |
| 66 | Prolonged and very intensive contact may not be conducive to menstrual synchrony.<br>Psychoneuroendocrinology, 1998, 23, 19-32.  | 2.7 | 25        |
| 67 | Weight gain and maternal behavior in CCK1 deficient rats. Physiology and Behavior, 2006, 89, 402-409.  | 2.1 | 25        |
| 68 | Inter-judge agreement in evaluation of adult attachment style: The impact of acquaintanceship. British<br>Journal of Social Psychology, 1998, 37, 95-109.  | 2.8 | 24        |
| 69 | The ontogeny of postingestive inhibitory stimuli: Examining the role of CCK. Developmental Psychobiology, 2006, 48, 368-379.   | 1.6 | 24        |
| 70 | Adolescents' Reports of Parental Division of Power in a Multicultural Society. Journal of Research on Adolescence, 1995, 5, 413-429.   | 3.7 | 24        |
| 71 | Perceived social support in the social distancing era: the association between circles of potential support and COVID-19 reactive psychopathology. Anxiety, Stress and Coping, 2022, 35, 58-71.  | 2.9 | 23        |
| 72 | Preloads of Corn Oil Inhibit Independent Ingestion on Postnatal Day 15 in Rats. Physiology and Behavior, 1997, 62, 871-874.  | 2.1 | 22        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Anxiety-like behavior and locomotion in CCK1 knockout rats as a function of strain, sex and early maternal environment. Behavioural Brain Research, 2010, 211, 198-207.  | 2.2 | 22        |
| 74 | Endocannabinoid <scp>R</scp> eceptor <scp>D</scp> eficiency <scp>A</scp> ffects<br><scp>M</scp> aternal <scp>C</scp> are and <scp>A</scp> lters the <scp>D</scp> am's<br><scp>H</scp> ippocampal <scp>O</scp> xytocin <scp>R</scp> eceptor and<br><scp>B</scp> rainâ€ <scp>D</scp> erived <scp>N</scp> eurotrophic <scp>F</scp> actor<br><scp>E</scp> xpression, Journal of Neuroendocrinology, 2013, 25, 898-909. | 2.6 | 22        |
| 75 | Postingestive inhibitory controls of independent ingestion in 12-day-old rats. Physiology and Behavior, 1996, 60, 361-364.   | 2.1 | 21        |
| 76 | Multidimensional fatigue, somatic symptoms and depression. British Journal of Health Psychology, 2002, 7, 67-75.   | 3.5 | 21        |
| 77 | Post-weaning voluntary exercise exerts long-term moderation of adiposity in males but not in females in an animal model of early-onset obesity. Hormones and Behavior, 2010, 57, 496-505.  | 2.1 | 21        |
| 78 | Selective breeding for infant vocal response: A role for postnatal maternal effects?. Developmental Psychobiology, 2001, 38, 221-228.  | 1.6 | 20        |
| 79 | Trypsin inhibitor and maternal reunion increase plasma cholecystokinin in neonatal rats. Peptides, 1992, 13, 939-941.  | 2.4 | 19        |
| 80 | Characteristics of Glucose and Maltose Preloads That Inhibit Feeding in 12-Day-Old Rats. Physiology and Behavior, 1997, 61, 819-822.   | 2.1 | 19        |
| 81 | Assessment of antidepressant and anxiolytic properties of NK1 antagonists and Substance P in Wistar<br>Kyoto rats. Physiology and Behavior, 2007, 90, 619-625.   | 2.1 | 19        |
| 82 | Preobesity in the infant OLETF rat: The role of suckling. Developmental Psychobiology, 2007, 49, 685-691.  | 1.6 | 19        |
| 83 | Toward an animal model of childhood-onset obesity: follow-up of OLETF rats during pregnancy and<br>lactation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2009,<br>296, R224-R232.   | 1.8 | 19        |
| 84 | Skin exposure to UVB light induces a skin-brain-gonad axis and sexual behavior. Cell Reports, 2021, 36, 109579.  | 6.4 | 19        |
| 85 | A CCKA-Receptor Antagonist Administered to the Neonate Alters Mother–Infant Interactions in the<br>Rat. Pharmacology Biochemistry and Behavior, 1998, 59, 843-851.   | 2.9 | 18        |
| 86 | Stress hormones and emotion-regulation in two genetic animal models of depression.<br>Psychoneuroendocrinology, 2006, 31, 1105-1116.   | 2.7 | 18        |
| 87 | Genetic vulnerability, timing of short-term stress and mood regulation: A rodent diffusion tensor<br>imaging study. European Neuropsychopharmacology, 2015, 25, 2075-2085.   | 0.7 | 18        |
| 88 | Invasiveness of Medical Procedures and State Anxiety in Women. Behavioral Medicine, 1993, 19, 60-65.   | 1.9 | 17        |
| 89 | A comparison of prospective and retrospective assessments of sleep. Journal of Clinical Epidemiology, 1996, 49, 455-460.   | 5.0 | 17        |
| 90 | A cholecystokinin receptor antagonist blocks milk-induced but not maternal-contact-induced decrease of ultrasonic vocalization in rat pups. Developmental Psychobiology, 2000, 37, 35-43.  | 1.6 | 17        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Diurnal and nocturnal nursing behavior in the OLETF rat. Developmental Psychobiology, 2007, 49, 323-333.   | 1.6  | 17        |
| 92  | Attenuation of obesity by early-life food restriction in genetically hyperphagic male OLETF rats:<br>Peripheral mechanisms. Hormones and Behavior, 2010, 57, 455-462.                              | 2.1  | 17        |
| 93  | Feeding and reward: Ontogenetic changes in an animal model of obesity. Neuropharmacology, 2012, 62, 2447-2454.   | 4.1  | 17        |
| 94  | Thyroid Hormone-Dependent Epigenetic Regulation of Melanocortin 4 Receptor Levels in Female<br>Offspring of Obese Rats. Endocrinology, 2017, 158, 842-851.   | 2.8  | 17        |
| 95  | Early life stress and development of the endocannabinoid system: A bidirectional process in programming future coping. Developmental Psychobiology, 2021, 63, 143-152.                             | 1.6  | 17        |
| 96  | Food-seeking behavior is triggered by skin ultraviolet exposure in males. Nature Metabolism, 2022, 4, 883-900.   | 11.9 | 17        |
| 97  | Ontogenetic development and pentylenetetrazol seizure thresholds in rats. Physiology and Behavior, 1995, 57, 629-631.  | 2.1  | 16        |
| 98  | Dehydroepiandrosterone in the nucleus accumbens is associated with early onset of<br>depressive-behavior: A study in an animal model of childhood depression. Neuroscience, 2007, 149,<br>573-581. | 2.3  | 16        |
| 99  | Divergent maternal behavioral patterns in two genetic animal models of depression. Physiology and Behavior, 2009, 96, 209-217.   | 2.1  | 16        |
| 100 | Menstrual synchrony: Agenda for future research. Psychoneuroendocrinology, 1995, 20, 377-383.  | 2.7  | 15        |
| 101 | Is there an association between maternal anxiety propensity and pregnancy outcomes?. BMC Pregnancy and Childbirth, 2018, 18, 287.  | 2.4  | 15        |
| 102 | Somatostatin levels during infancy, pregnancy, and lactation: A review. Peptides, 1995, 16, 1321-1326.   | 2.4  | 14        |
| 103 | Neurobehavioral development of neonatal rats after in-utero hypothyroxinemia: efficacy of prenatal thyroxine treatment. Early Human Development, 1996, 46, 63-76.                                  | 1.8  | 14        |
| 104 | Examining the role of cholecystokinin in appetitive learning in the infant rat. Peptides, 2001, 22, 1317-1323.   | 2.4  | 14        |
| 105 | Menstrual Irregularity and Menstrual Symptoms. Behavioral Medicine, 2002, 27, 173-178.   | 1.9  | 14        |
| 106 | Adaptation to lactation in OLETF rats lacking CCK-1 receptors: body weight, fat tissues, leptin and oxytocin. International Journal of Obesity, 2008, 32, 1211-1221.                               | 3.4  | 14        |
| 107 | A Simple Model for Studying the Correction of In Utero Hypothyroidism in the Rat. Pediatric Research, 1995, 37, 497-501.   | 2.3  | 13        |
| 108 | Cholecystokinin receptor antagonists increase the rat pup's preference toward maternal-odor and rug texture. Developmental Psychobiology, 2001, 38, 164-173.                                       | 1.6  | 13        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Mother-Infant Interactions in Rats Lacking CCKA Receptors Behavioral Neuroscience, 2004, 118, 282-289.  | 1.2 | 13        |
| 110 | Long-term obesity levels in female OLETF rats following time-specific post-weaning food restriction.<br>Hormones and Behavior, 2010, 58, 844-853.   | 2.1 | 13        |
| 111 | Maternal testosterone and reproductive outcome in a rat model of obesity. Theriogenology, 2016, 86, 1042-1047.  | 2.1 | 13        |
| 112 | Fibre tract analysis using diffusion tensor imaging reveals aberrant connectivity in a rat model of depression. World Journal of Biological Psychiatry, 2017, 18, 615-623.  | 2.6 | 13        |
| 113 | Can hair steroids predict pregnancy longevity?. Reproductive Biology, 2018, 18, 410-415.  | 1.9 | 13        |
| 114 | Stages of Acculturation as Reflected By Depression Reduction in Immigrant Nursing Students.<br>International Journal of Social Psychiatry, 1997, 43, 247-256.   | 3.1 | 12        |
| 115 | Release of endogenous cholecystokinin in response to gastric preloads in rats on postnatal days 9–12.<br>Physiology and Behavior, 2001, 72, 1-4.  | 2.1 | 12        |
| 116 | Longitudinal Assessment of Pituitary-Thyroid Axis and Adrenal Function in Preterm Infants Raised by<br>â€~Kangaroo Mother Care'. Hormone Research in Paediatrics, 2002, 57, 22-26.                                      | 1.8 | 12        |
| 117 | Monoamines, BDNF, Dehydroepiandrosterone, DHEA-Sulfate, and Childhood Depression—An Animal<br>Model Study. Advances in Pharmacological Sciences, 2009, 2009, 1-11.  | 3.7 | 12        |
| 118 | Examining maternal influence on OLETF rats' early overweight: Insights from a crossâ€fostering study.<br>Developmental Psychobiology, 2009, 51, 358-366.  | 1.6 | 12        |
| 119 | Targeting the Endocannabinoid System in Borderline Personality Disorder: Corticolimbic and Hypothalamic Perspectives. Current Neuropharmacology, 2021, 19, 360-371.   | 2.9 | 12        |
| 120 | Plastic surgery on children with down syndrome: Parents' perceptions of physical, personal, and social functioning. Research in Developmental Disabilities, 1992, 13, 145-156.  | 2.2 | 11        |
| 121 | Mental pain as a mediator of suicidal tendency: A path analysis. Comprehensive Psychiatry, 2014, 55, 944-951.   | 3.1 | 11        |
| 122 | Between Action and Emotional Survival During the COVID-19 era: Sensorimotor Pathways as Control<br>Systems of Transdiagnostic Anxiety-Related Intolerance to Uncertainty. Frontiers in Psychiatry, 2021,<br>12, 680403. | 2.6 | 11        |
| 123 | The influence of natural preference for tactile stimuli on appetitive learning in rat pups. , 1997, 30, 29-39.  |     | 10        |
| 124 | Ontogeny of hypertonic preabsorptive inhibitory control of intake in neonatal rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2000, 278, R44-R49.                             | 1.8 | 10        |
| 125 | The ontogeny of postingestive intake inhibition in rats. Appetite, 2000, 34, 113.   | 3.7 | 10        |
| 126 | Adolescent rats are more prone to binge eating behavior: A study of age and obesity as risk factors.<br>Behavioural Brain Research, 2014, 270, 108-111.   | 2.2 | 10        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Maternal Environmental Contribution to Adult Sensitivity and Resistance to Obesity in Long Evans<br>Rats. PLoS ONE, 2010, 5, e13825.  | 2.5 | 10        |
| 128 | Microstructural pattern of palatable food intake from weaning to adulthood in male and female OLETF rats Behavioral Neuroscience, 2009, 123, 1251-1260.   | 1.2 | 9         |
| 129 | Effects of CCK-8 on independent ingestion and central c-Fos-like immunoreactivity in rats on postnatal days 10 and 11. Peptides, 2006, 27, 2820-2828.   | 2.4 | 8         |
| 130 | Dehydroepiandrosterone and monoamines in the limbic system of a genetic animal model of childhood depression. European Neuropsychopharmacology, 2008, 18, 255-261.  | 0.7 | 8         |
| 131 | Trait and state binge eating predispose towards cocaine craving. Addiction Biology, 2017, 22, 163-171.  | 2.6 | 8         |
| 132 | A Potential Animal Model of Maladaptive Palatable Food Consumption Followed by Delayed Discomfort. Frontiers in Neuroscience, 2017, 11, 377.  | 2.8 | 8         |
| 133 | Odor-induced inhibition of intake after pairing of odor and CCK-8 in neonatal rats. Physiology and Behavior, 1995, 57, 181-183.   | 2.1 | 7         |
| 134 | Social play with an unfamiliar group in weanling rats (Rattus norvegicus). , 1997, 30, 165-176.   |     | 7         |
| 135 | Nitric oxide and l-arginine regulate feeding in satiated rats. Appetite, 2019, 132, 44-54.  | 3.7 | 7         |
| 136 | Behavioral Effects of Gut Hormones in Neonatal Rats: II. Cholecystokinin Administration During the<br>First Postnatal Week. International Journal of Neuroscience, 1993, 69, 157-166.                                   | 1.6 | 6         |
| 137 | Assessment of the state of menstrual synchrony: Reply to comment by Arden and Dye (1998) Journal of<br>Comparative Psychology (Washington, D C: 1983), 1998, 112, 325-326.  | 0.5 | 6         |
| 138 | Hypertonic glucose preloads act preabsorptively to decrease intake in rats on postnatal day 18.<br>Physiology and Behavior, 2001, 72, 199-203.  | 2.1 | 6         |
| 139 | The ontogeny of the postingestive inhibitory effect of peptone in rats. Physiology and Behavior, 2004, 82, 11-16.   | 2.1 | 6         |
| 140 | Stress and pain responses in rats lacking CCK1 receptors. Peptides, 2006, 27, 1483-1489.  | 2.4 | 6         |
| 141 | Epigenetic fragility of the endocannabinoid system under stress: risk for mood disorders and pharmacogenomic implications. Epigenomics, 2020, 12, 657-660.  | 2.1 | 6         |
| 142 | Postpartum Maternal Hyperthyrotropinemia in an Area in Which Iodine Supplementation is Required.<br>Thyroid, 2003, 13, 959-964.   | 4.5 | 5         |
| 143 | Does sympathetic activity contribute to growth of preterm infants?. Early Human Development, 2006, 82, 205-210.   | 1.8 | 5         |
| 144 | Discovering the Lost Reward: Critical Locations for Endocannabinoid Modulation of the<br>Cortico–Striatal Loop That Are Implicated in Major Depression. International Journal of Molecular<br>Sciences, 2021, 22, 1867. | 4.1 | 5         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Multi-level hypothalamic neuromodulation of self-regulation and cognition in preterm infants:<br>Towards a control systems model. Comprehensive Psychoneuroendocrinology, 2022, 9, 100109.                           | 1.7 | 5         |
| 146 | Learned changes in the rate of respiratory pumping in Aplysia fasciata in response to increases and decreases in seawater concentration Behavioral Neuroscience, 1994, 108, 161-170.                                 | 1.2 | 5         |
| 147 | Learned changes in the rate of respiratory pumping in Aplysia fasciata in response to increases and decreases in seawater concentration Behavioral Neuroscience, 1994, 108, 161-170.                                 | 1.2 | 4         |
| 148 | Menstrual synchrony can be assessed, inherent cycle variability notwithstanding: Commentary on<br>Schank (2001) Journal of Comparative Psychology (Washington, D C: 1983), 2002, 116, 316-318.                       | 0.5 | 4         |
| 149 | Gastric preloads of corn oil and mineral oil produce different patterns of increases of c-Fos-like<br>immunoreacitve cells in the brain of 9–12Âday-old rats. Brain Research, 2007, 1134, 140-147.                   | 2.2 | 4         |
| 150 | Effects of early postnatal environment on hypothalamic gene expression in OLETF rats. PLoS ONE, 2017, 12, e0178428.  | 2.5 | 4         |
| 151 | Examining the Use of Antidepressants for Adolescents with Depression/Anxiety Who Regularly Use<br>Cannabis: A Narrative Review. International Journal of Environmental Research and Public Health,<br>2022, 19, 523. | 2.6 | 4         |
| 152 | Menstrual synchrony and cycle variability: A reply to Schank (2000). Psychoneuroendocrinology,<br>2002, 27, 519-526.   | 2.7 | 3         |
| 153 | Selective Leptin Insensitivity and Alterations in Female-Reproductive Patterns Linked to<br>Hyperleptinemia during Infancy. PLoS ONE, 2013, 8, e59937.   | 2.5 | 3         |
| 154 | Postingestive Inhibitory Controls of Independent Ingestion in 12-Day-Old Rats. Physiology and Behavior, 1996, 60, 361-364.   | 2.1 | 3         |
| 155 | The Ontogeny of Motivation. Handbook of Behavioral Neurobiology, 2001, , 483-516.  | 0.3 | 2         |
| 156 | The dosing procedure that "makes the poison†Comparing the effects of single versus cumulative alcohol administration methods on emotion recognition. Journal of Psychopharmacology, 2021, 35, 1411-1419.             | 4.0 | 2         |
| 157 | The roots of paternal depression: Experienced and nonexperienced trauma or Folie a Deux?.<br>Developmental Psychobiology, 2021, 63, e22197.  | 1.6 | 2         |
| 158 | Development of the Ontogenetic Self-Regulation Clock. International Journal of Molecular Sciences, 2022, 23, 993.  | 4.1 | 2         |
| 159 | The Inanimate Third: Going Beyond Psychodynamic Approaches for Remote Psychotherapy during the<br><scp>COVID</scp> â€19 Pandemic. British Journal of Psychotherapy, 2022, 38, 316-337.                               | 0.2 | 2         |
| 160 | Behavioral Effects of Gut Hormones in Neonatal Rats: I. Somatostatin Administration During the First<br>Postnatal Week. International Journal of Neuroscience, 1992, 64, 113-124.                                    | 1.6 | 1         |
| 161 | Epigenetic Programming of Hypothalamic Pomc Regulates Feeding and Obesity. Epigenetics and Human Health, 2016, , 135-163.  | 0.2 | 1         |
| 162 | Attenuated Weight Gain with the Novel Analog of Olanzapine Linked to Sarcosinyl Moiety (PGW5)<br>Compared to Olanzapine. Journal of Molecular Neuroscience, 2016, 58, 66-73.   | 2.3 | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Nitric oxide and l-arginine have mixed effects on mammalian feeding in condition of a high motivation to feed. Appetite, 2021, 158, 105011.  | 3.7 | 1         |
| 164 | Testing a family intervention hypothesis: The contribution of mother-infant skin-to-skin contact<br>(kangaroo care) to family interaction, proximity, and touch Journal of Family Psychology, 2003, 17,<br>94-107. | 1.3 | 1         |
| 165 | When the mind comes to live inside the body: The ontogeny of the perceptual control clock. Current Neuropharmacology, 2022, 20, .  | 2.9 | 1         |
| 166 | P4â€592: RETINAL THICKNESS CHANGES IN ASYMPTOMATIC MIDDLEâ€AGED INDIVIDUALS AT HIGH RISK FOR ALZHEIMERS DISEASE. Alzheimer's and Dementia, 2019, 15, P1550.  | 0.8 | 0         |
| 167 | Residential greenness and lower stress during pregnancy: hair cortisol levels as a chronic stress<br>biomarker among pregnant women in Israel. ISEE Conference Abstracts, 2021, 2021, .                            | 0.0 | 0         |
| 168 | Cholecystokinin Modulation of Maternal Behavior Psychology and Neuroscience, 2013, 6, 279-286.   | 0.8 | 0         |
| 169 | Residential greenness and hair cortisol levels during the first trimester of pregnancy. Environmental Research, 2021, 204, 112378.   | 7.5 | 0         |
| 170 | APOE Æ4 genotype is associated with thicker retinal layers in asymptomatic middleâ€aged adults at high<br>Alzheimer's disease risk. Alzheimer's and Dementia, 2021, 17, .  | 0.8 | 0         |
| 171 | Menstrual synchrony can be assessed, inherent cycle variability notwithstanding: Commentary on<br>Schank (2001) Journal of Comparative Psychology (Washington, D C: 1983), 2002, 116, 316-318.                     | 0.5 | 0         |